Date:- 23/8/24 Study the Packet Tracer tool
Exp No:- 02 Installation and User Interface

AIM:- To study the packet tracer tool installation and user interface.

Installing packet tracer:

To download packet tracer, go to the https://www.netacad.com and log-in with your Cisco network credentials.

Windows

Installation in windows, the setup comes in a single file named packettracer-setup 6.0.1.exe.


Linux


Linux users with an Ubuntu/Debian distribution should download the file for Ubuntu.

User Interface Overview:

The layout of Packet Tracer is divided into several components.

1. Menu bar
2. Main toolbar
3. Logical / Physical workspace tabs
4. Workspace
5. Common tool bar
6. Real-time
7. Network component box


PC0
Physical
Config
Desktop
Custom Interface
IP Configuration
IP Configuration
DHCP
Static
IP Address
10.1.1.1
Subnet Mask
255.0.0.0
Default Gateway
DNS Server
IPv6 Configuration
DHCP
Auto Config
Static
IPv6 Address
Link Local Address
FE80::2D0:97FF:FED5:2EB5
IPv6 Gateway
IPv6 DNS Server


PC1
Physical
Config
Desktop
Custom Interface
IP Configuration
IP Configuration
DHCP
Static
IP Address
10.1.1.2
Subnet Mask
255.0.0.0
Default Gateway
DNS Server
IPv6 Configuration
DHCP
Auto Config
Static
IPv6 Address
Link Local Address
FE80::205:5EFF:FE02:1830
IPv6 Gateway
IPv6 DNS Server

8. User-created packet box

d) Analayse the behaviour of network device using cisco packet tracer simulator

1. From the network component box click and drag below components
   a) 4 Generic pcs and one HUB
   b) 4 Generic pcs and one switch

2. Click connections -
   a) Click on copper straight through cable
   b) select of the pc and connect it to HUB using the LABLE. The link LED should glow in green.
   c) Similary connect 4pc to the switch using copper straight through cable.

3. Click on the pc's connect to hub go to the desktop tab click on Ip configuration and enter Ip address and Subpet mask the default gateway.

4. Observe the flow of PDU from source pc to destination pc by selecting the realtime mode of simulation.

5. Repeat setup #3 to step #5 of the pc connected to the switch.

6. Observe how HUB and switch are forwarding the PDU and write your observation and conclusion about the behaviours of switch and HUB.

Result:-

Thus ~~networking~~ ~~commands~~ a simple network was designed and simulated using Cisco packet tracer and the forwarding behaviour of Hub & switch was analysed successfully.