

ICPSR 36794

**Uniform Crime Reporting Program
Data: Arrests by Age, Sex, and
Race, 2015**

*United States Department of Justice.
Federal Bureau of Investigation*

Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36794/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

Table of Contents

Study Description.....	4
Citation.....	4
Study Scope.....	4
Subject Information.....	4
Abstract.....	4
Summary Data Description.....	5
Methodology and Processing.....	5
Data Collection Methodology.....	5
Data Access.....	6
Dataset Availability.....	6
Data Use Statement.....	6
File Description.....	7
da36794-0001.txt.....	7
Variable Description.....	9
da36794-0001.txt.....	10

Study Description

Citation

Title Statement

Title: Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, 2015

Alternative Title: ASR, 2015

Identification No.: 36794

Responsibility Statement

Authoring Entity: United States Department of Justice. Federal Bureau of Investigation

Production Statement

Producer: Inter-university Consortium for Political and Social Research

Place of Production: Ann Arbor, MI: Inter-university Consortium for Political and Social Research

Funding Agency: United States Department of Justice. Bureau of Justice Statistics

Distribution Statement

Distributor: Inter-university Consortium for Political and Social Research

Series Statement

Series Name: Uniform Crime Reporting Program Data Series

Series Information: Since 1930, the Federal Bureau of Investigation (FBI) has compiled the Uniform Crime Reports (UCR) to serve as periodic nationwide assessments of reported crimes not available elsewhere in the criminal justice system. With the 1977 data, the title was expanded to Uniform Crime Reporting Program Data. Each year, participating law enforcement agencies contribute reports to the FBI either directly or through their state reporting programs. ICPSR archives the UCR data as five separate components: (1) summary data, (2) county-level data, (3) incident-level data (National Incident-Based Reporting System [NIBRS]), (4) hate crime data, and (5) various, mostly nonrecurring, data collections. Summary data are reported in four types of files: (a) Offenses Known and Clearances by Arrest, (b) Property Stolen and Recovered, (c) Supplementary Homicide Reports (SHR), and (d) Police Employee (LEOKA) Data (Law Enforcement Officers Killed or Assaulted). The county-level data provide counts of arrests and offenses aggregated to the county level. County populations are also reported. In the late 1970s, new ways to look at crime were studied. The UCR program was subsequently expanded to capture incident-level data with the implementation of the National Incident-Based Reporting System. The NIBRS data focus on various aspects of a crime incident. The gathering of hate crime data by the UCR program was begun in 1990. Hate crimes are defined as crimes that manifest evidence of prejudice based on race, religion, sexual orientation, or ethnicity. In September 1994, disabilities, both physical and mental, were added to the list. The fifth component of ICPSR's UCR holdings is comprised of various collections, many of which are nonrecurring and prepared by individual researchers. These collections go beyond the scope of the standard UCR collections provided by the FBI, either by including data for a range of years or by focusing on other aspects of analysis.

Study Scope

Subject Information

Keyword(s): arrests, arson, assault, auto theft, burglary, counties, crime rates, crime reporting, crime statistics, drug abuse, fraud, illegal gambling, larceny, law enforcement, murder, offenses, rape, robbery, sex offenses, Uniform Crime Reports, vandalism, weapons

Topic Classification(s): Social Institutions and Behavior, Crime and the Criminal Justice System, Official Statistics

Abstract

- Study 36794 -

These data provide information on the number of arrests reported to the Federal Bureau of Investigation's (FBI) Uniform Crime Reporting (UCR) Program each month by police agencies in the United States. Although not as well known as the "Crimes Known to the Police" data drawn from the Uniform Crime Report's Return A form, the arrest reports by age, sex, and race provide valuable data on 43 offenses including violent, drug, gambling, and larceny crimes. The data received by ICPSR were structured as a hierarchical file containing (per reporting police agency) an agency header record, and 1 to 12 monthly header reports, and 1 to 43 detail offense records containing the counts of arrests by age, sex, and race for a particular offense. ICPSR restructured the original data to a rectangular format.

Summary Data Description

Time Period: 2015

Date(s) of Collection: 2015

Country: United States

Geographic Coverage: United States

Geographic Unit: US states, counties, cities

Unit of Analysis: Arrest counts

Universe: Arrests reported by law enforcement agencies to the Federal Bureau of Investigation's Uniform Crime Reporting Program.

Kind of Data:

Aggregate data

Survey data

Notes

The data received by ICPSR were originally structured as a hierarchical file containing, per reporting police agency, an agency header record, 1 to 12 monthly header records, and 1 to 43 detail offense records. The detail offense records contained the counts of arrests by age, sex, and race for a particular offense.

ICPSR restructured the original data to a rectangular format. In the rectangular format, a record's contents depends on the types of records that were originally present. If an agency had detail arrest records, then the variables from the agency and monthly header records were copied onto the detail records. If an agency had monthly header records and no detail records, then the variables from the agency header record were copied onto the monthly header records, and the detail arrest variables were coded "Not applicable". Lastly, if an agency only had an agency header record, then it constitutes the record and the variables for the monthly header and detail arrests were coded "Not applicable".

The UCR program is voluntary on the part of police agencies across the country. On occasion, therefore, some agencies may not report arrest data.

Methodology and Processing

Data Collection Methodology

Time Method: Cross-section

Data Collector: United States Department of Commerce. Federal Bureau of Investigation

Frequency of Data Collection: Monthly

Mode of Data Collection: Self-enumerated questionnaire

Characteristics of Data Collection Situation: The data for the Uniform Crime Reports are submitted voluntarily by city, county, and state law enforcement agencies. Some agencies receive forms directly from the FBI and return them directly to the FBI. Many others receive forms from state collecting programs and return the reports to those programs. The state programs, in turn, forward the reports to the FBI. Reports are sent out and collected on a monthly basis.

- Study 36794 -

Control Operations: Once received, the FBI checks the agencies' reports for completeness and arithmetical accuracy. If an unusual fluctuation is detected in an agency's crime count, the FBI compares those counts with counts from previous reports or compares the frequencies to those of agencies similar to the agency in question. When necessary, law enforcement agencies are contacted to correct or explain the figures.

Data Access

Dataset Availability

Location: Inter-university Consortium for Political and Social Research

Data Use Statement:

Citation Requirement: Publications based on ICPSR data collections should acknowledge those sources by means of bibliographic citations. To ensure that such source attributions are captured for social science bibliographic utilities, citations must appear in footnotes or in the reference section of publications.

Deposit Requirement: To provide funding agencies with essential information about use of archival resources and to facilitate the exchange of information about ICPSR participants' research activities, users of ICPSR data are requested to send to ICPSR bibliographic citations for each completed manuscript or thesis abstract. Visit the ICPSR Web site for more information on submitting citations.

Other Study Description Materials

Related Publication(s)

Federal Bureau of Investigation. Crime in the United States, 2015: Uniform Crime Reports. Washington, D.C.: U.S. Government Printing Office, annual [2015].

Data Files Description

File-by-File Description

File Name: da36794-0001.txt

Contents of Files:

The records in the data file contain information regarding aggregate counts of arrests by age-sex and race for a specific agency-month-offense combination. For example, if an agency reports arrests for three separate offenses, murder, rape, and robbery, in each of 12 months, there will be 36 records in the data for that agency. The first record will list arrests for murder in January. The second record will list arrests for rape in January. The third record will list arrests for robbery in January. Correspondingly, the 34th, 35th, and 36th records will list arrests for murder, rape, and robbery respectively in December.

Each record details the number of persons arrested by age-sex category and race category by that agency in a month for a specific offense. The race variables are arrest counts by race only. They are not detailed by age or sex.

Agencies do not necessarily report arrests in every month, nor do they report all offenses. Consequently, agencies will have different numbers of records in the file.

File Dimensions:

- No. of Cases: 1,417,971
- No. of Variables: 89
- Record Length: 414
- Records per Case: 1
- Overall No. of Records: 1,417,971

Type of File: ASCII data file

Data Format: Logical record length

Place of File Production: Ann Arbor, MI: Inter-university Consortium for Political and Social Research

Extent of Processing Checks: The data collection was processed according to standard ICPSR processing procedures. The data were checked for illegal or inconsistent code values which, when found, were resolved or recoded to missing data. No consistency checks were performed.

Missing Data: Users should note that blanks and missing data may have a substantive meaning under the FBI coding scheme. Users should refer to the documentation for explanation of individual variables.

Version Statement

Version Responsibility: Inter-university Consortium for Political and Social Research

Notes

ADJUSTMENTS

In tabulating arrest counts, an agency may find that totals for past months require adjustment due to developments in the investigation or other handling of the matter. By adjusting counts from one month to another it is possible to create a negative count for a given month.

DETERMINING ARREST COUNTS

The number of records listed in the data file is NOT the number of arrests reported for that year. Each record lists counts of arrests for a particular agency, month, and offense. Determining total arrests is a two step process. First, it is necessary to sum across the detail

- Study 36794 -

categories of age, sex, and or race for each record. This gives total arrests for that agency-month- offense. Then, the aggregate total across all records must be calculated. This gives total arrests.

Below is an example of SPSS code that will compute total homicide arrests by state. Note that arrest totals may differ depending on whether they are calculated using age-sex or race. The differences should be small, and they are due to incomplete information on some records.

Published arrest numbers will not necessarily agree with those calculated directly from the data. Published numbers are often prepared before the most complete arrest information has been made available by reporting agencies. Consequently, they may be based on estimated or incomplete data.

* READ THE ARRESTS DATA FILE SAVED AS AN SPSS SYSTEM FILE.

get file = "arrests.sav".

* SELECT ARRESTS FOR HOMICIDE.

select if (offense eq `01A').

* COMPUTE THE SUMS ACROSS VARIABLES FOR EACH RECORD.

* PREFIX rt MEANS RECORD TOTAL.

* COMPUTE RECORD TOTAL FOR ALL MALES AND FEMALES.

compute rtsex=sum(m0_9 to f65).

* COMPUTE RECORD TOTALS FOR RACE.

compute rtrace=sum(aw to jn).

* COMPUTE STATE TOTALS (SUMS ACROSS RECORDS).

aggregate outfile = *

/presorted

/break=state

/gtsex = sum(rtsex) /gtrace = sum(rtrace) .

* LIST THE RESULTS.

list vars=all.

ICPSR 36794

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, 2015

da36794-0001.txt

Variable Description

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Uniform Crime Reporting Program Data: Arrests by Age, Sex, and Race, 2015

da36794-0001.txt

Variable Groups

Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
VG1	ADMINISTRATIVE AND GEOGRAPHIC VARIABLES	10
VG2	JUVENILE DISPOSITION VARIABLES	11
VG3	OFFENSE AND CATEGORY COUNT VARIABLES	11
VG4	ARREST COUNTS BY AGE AND SEX - MALES	11
VG5	ARREST COUNTS BY AGE AND SEX - FEMALES	12
VG6	ARREST COUNTS BY RACE - ADULTS	12
VG7	ARREST COUNTS BY RACE - JUVENILES	12
VG8	ARREST COUNTS BY ETHNIC ORIGIN - ADULTS	13
VG9	ARREST COUNTS BY ETHNIC ORIGIN - JUVENILES	13

VG1 - ADMINISTRATIVE AND GEOGRAPHIC VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
ASR_ID	IDENTIFIER CODE FOR THE ASR MASTER FILE	13
CONTENTS	RECORD CONTENTS	13
STATE	NUMERIC STATE CODE (FBI CODE)	13
ORI	ORIGINATING AGENCY IDENTIFIER CODE	15
GROUP	GROUP	15
DIV	GEOGRAPHIC DIVISION OF STATE	16
AGHEADER	AGENCY HEADER DESIGNATION	16
YEAR	YEAR	16
MSA	METROPOLITAN STATISTICAL AREA (FBI CODE)	16
COUNTY	NUMERIC COUNTY CODE (FBI CODES)	17
SEQNO	CITY'S ALPHABETICAL SEQUENCE NUMBER	17
SUB	SUBURBAN AGENCY	17
CORE	CORE CITY	17
COVBY	COVERED BY ANOTHER AGENCY	17
POP	POPULATION	18
AGENCY	AGENCY NAME	18
STNAME	STATE NAME	18
MONTH	MONTH	18
MOHEADER	MONTHLY HEADER DESIGNATION	18
BREAK	BREAKDOWN INDICATOR	18
AREO	AGE, RACE, ETHNIC ORIGIN (EO) INDICATOR	19
ZERO	ZERO DATA INDICATOR	19

- Study 36794 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
DTLASTUP	DATE OF LAST UPDATE (MMDDYY)	19
DTPRUP1	DATE OF 1ST PREVIOUS UPDATE (MMDDYY)	19
DTPRUP2	DATE OF 2ND PREVIOUS UPDATE (MMDDYY)	20

VG2 - JUVENILE DISPOSITION VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
JUVDISP	JUVENILE DISPOSITION (JD) INDICATOR	20
JDHANDDP	JD HANDLED WITHIN DEPARTMENT AND RELEASED	20
JDREFJC	JD REFERRED TO JUVENILE COURT	20
JDREFWA	JD REFERRED TO WELFARE AGENCY	20
JDREFOPA	JD REFERRED TO OTHER POLICE AGENCY	21
JDREFCC	JD REFERRED TO CRIMINAL OR ADULT COURT	21

VG3 - OFFENSE AND CATEGORY COUNT VARIABLES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
OFFENSE	OFFENSE CODE	21
OCCUR	NON-ZERO OCCURRENCES FOR CODE AND COUNTS	22

VG4 - ARREST COUNTS BY AGE AND SEX - MALES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
M0_9	MALE UNDER 10	22
M10_12	MALE 10-12	23
M13_14	MALE 13-14	23
M15	MALE 15	23
M16	MALE 16	23
M17	MALE 17	24
M18	MALE 18	24
M19	MALE 19	24
M20	MALE 20	24
M21	MALE 21	24
M22	MALE 22	25
M23	MALE 23	25
M24	MALE 24	25
M25_29	MALE 25-29	25
M30_34	MALE 30-34	25
M35_39	MALE 35-39	26
M40_44	MALE 40-44	26

- Study 36794 -

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
M45_49	MALE 45-49	26
M50_54	MALE 50-54	26
M55_59	MALE 55-59	26
M60_64	MALE 60-64	27
M65	MALE OVER 64	27

VG5 - ARREST COUNTS BY AGE AND SEX - FEMALES

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
F0_9	FEMALE UNDER 10	27
F10_12	FEMALE 10-12	27
F13_14	FEMALE 13-14	27
F15	FEMALE 15	28
F16	FEMALE 16	28
F17	FEMALE 17	28
F18	FEMALE 18	28
F19	FEMALE 19	28
F20	FEMALE 20	29
F21	FEMALE 21	29
F22	FEMALE 22	29
F23	FEMALE 23	29
F24	FEMALE 24	30
F25_29	FEMALE 25-29	30
F30_34	FEMALE 30-34	30
F35_39	FEMALE 35-39	30
F40_44	FEMALE 40-44	30
F45_49	FEMALE 45-49	31
F50_54	FEMALE 50-54	31
F55_59	FEMALE 55-59	31
F60_64	FEMALE 60-64	31
F65	FEMALE OVER 64	31

VG6 - ARREST COUNTS BY RACE - ADULTS

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
AW	ADULT-WHITE	32
AB	ADULT-BLACK	32
AI	ADULT-INDIAN	32
AA	ADULT-ASIAN	32

VG7 - ARREST COUNTS BY RACE - JUVENILES

- Study 36794 -

Variables within this Variable Group		
Variable	Variable Label	Page
JW	JUVENILE-WHITE	32
JB	JUVENILE-BLACK	33
JI	JUVENILE-INDIAN	33
JA	JUVENILE ASIAN	33

VG8 - ARREST COUNTS BY ETHNIC ORIGIN - ADULTS

Variables within this Variable Group		
Variable	Variable Label	Page
AH	ADULT-HISPANIC	33
AN	ADULT-NON-HISPANIC	33

VG9 - ARREST COUNTS BY ETHNIC ORIGIN - JUVENILES

Variables within this Variable Group		
Variable	Variable Label	Page
JH	JUVENILE-HISPANIC	34
JN	JUVENILE-NON-HISPANIC	34

ASR_ID - IDENTIFIER CODE FOR THE ASR MASTER FILE

Location: 1-1 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label
3	ASR Master File

CONTENTS - RECORD CONTENTS

Location: 2-2 (width: 1; decimal: 0)

Variable Type: numeric

Value	Label
1	Agency header only
2	Agency+month header only
3	Detail record

STATE - NUMERIC STATE CODE (FBI CODE)

Location: 3-4 (width: 2; decimal: 0)

Variable Type: numeric

Text: Range is 01-62. Data records are in order by ORI code within numeric state code.

Value	Label
1	Alabama
2	Arizona

- Study 36794 -

<i>Value</i>	<i>Label</i>
3	Arkansas
4	California
5	Colorado
6	Connecticut
7	Delaware
8	District of Columbia
9	Florida
10	Georgia
11	Idaho
12	Illinois
13	Indiana
14	Iowa
15	Kansas
16	Kentucky
17	Louisiana
18	Maine
19	Maryland
20	Massachusetts
21	Michigan
22	Minnesota
23	Mississippi
24	Missouri
25	Montana
26	Nebraska
27	Nevada
28	New Hampshire
29	New Jersey
30	New Mexico
31	New York
32	North Carolina
33	North Dakota
34	Ohio
35	Oklahoma
36	Oregon
37	Pennsylvania
38	Rhode Island
39	South Carolina
40	South Dakota
41	Tennessee
42	Texas
43	Utah

- Study 36794 -

<i>Value</i>	<i>Label</i>
44	Vermont
45	Virginia
46	Washington
47	West Virginia
48	Wisconsin
49	Wyoming
50	Alaska
51	Hawaii
52	Canal Zone
53	Puerto Rico
54	American Samoa
55	Guam
62	Virgin Islands

ORI - ORIGINATING AGENCY IDENTIFIER CODE

Location: 5-11 (width: 7; decimal: 0)

Variable Type: character

GROUP - GROUP

Location: 12-13 (width: 2; decimal: 0)

Variable Type: character

Text: Group 0 is possessions(Puerto Rico, Guam, Canal Zone, Virgin Islands, and American Samoa); 1-7 are cities, 8-9 are counties. Sub-Group (position 12) is blank when not used. All populations are inclusive.

<i>Value</i>	<i>Label</i>
0	Possessions
1	Cities 250,000 or over:
1A	Cities 1,000,000 or over
1B	Cities 500,000-999,999
1C	Cities 250,000-499,999
2	Cities 100,000-249,999
3	Cities 50,000-99,999
4	Cities 25,000-49,999
5	Cities 10,000-24,999
6	Cities 2,500-9,999
7	Cities under 2,500
8	Non-MSA Cnty:
8A	Non-MSA Cnty 100,000 or over
8B	Non-MSA Cnty 25,000-99,999
8C	Non-MSA Cnty 10,000-24,999
8D	Non-MSA Cnty under 10,000
8E	Non-MSA State Police

- Study 36794 -

Value	Label
9	MSA Cnty:
9A	MSA Cnty 100,000 or over
9B	MSA Cnty 25,000-99,999
9C	MSA Cnty 10,000-24,999
9D	MSA Cnty under 10,000
9E	MSA State Police

DIV - GEOGRAPHIC DIVISION OF STATE

Location: 14-14 (width: 1; decimal: 0)

Variable Type: numeric

Text: Geographic division in which the state is located (from 1 thru 9). Possessions are coded "0".

Value	Label
0	Possessions
1	New England
2	Middle Atlantic
3	East North Central
4	West North Central
5	South Atlantic
6	East South Central
7	West South Central
8	Mountain
9	Pacific

AGHEADER - AGENCY HEADER DESIGNATION

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric

Text: Agency Header Designation. The HEADER record is identified with "00" in this field's position. It is also used to show the Month for the MONTHLY and DETAIL records when value is 01 through 12.

Value	Label
0	Agency header present

YEAR - YEAR

Location: 17-20 (width: 4; decimal: 0)

Variable Type: numeric

Text: The year the data reflect.

MSA - METROPOLITAN STATISTICAL AREA (FBI CODE)

Location: 21-23 (width: 3; decimal: 0)

Variable Type: numeric

- Study 36794 -

Range of Missing Values (M): 998

Text: Metropolitan Statistical Area (MSA) number in which the city is located, if any. Note: MONTHLY and DETAIL records are identified using this field's positions -- see those record descriptions.

<i>Value</i>	<i>Label</i>
998 (M)	Not applicable

COUNTY - NUMERIC COUNTY CODE (FBI CODES)

Location: 24-26 (width: 3; decimal: 0)

Variable Type: numeric

Text: Three-digit numeric code for the county in which the agency is located.

SEQNO - CITY'S ALPHABETICAL SEQUENCE NUMBER

Location: 27-31 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998

Text: A five-digit number which places all cities in alphabetic order, regardless of state. This field is blank for groups 0, 8, and 9.

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable

SUB - SUBURBAN AGENCY

Location: 32-32 (width: 1; decimal: 0)

Variable Type: numeric

Text: A "suburban" agency is an MSA city with less than 50,000 population (groups 4 - 7) together with MSA counties (group 9).

<i>Value</i>	<i>Label</i>
0	Non-Suburban
1	Suburban

CORE - CORE CITY

Location: 33-33 (width: 1; decimal: 0)

Variable Type: character

<i>Value</i>	<i>Label</i>
N	Not core city of MSA
Y	Core city of MSA

COVBY - COVERED BY ANOTHER AGENCY

Location: 34-34 (width: 1; decimal: 0)

Variable Type: numeric

Text: Tells if the agency is covered-by another agency.

- Study 36794 -

<i>Value</i>	<i>Label</i>
0	Not covered by
1	Covered by

POP - POPULATION

Location: 35-43 (width: 9; decimal: 0)

Variable Type: numeric

Text: Total population for the agency for the year reported.

AGENCY - AGENCY NAME

Location: 44-67 (width: 24; decimal: 0)

Variable Type: character

STNAME - STATE NAME

Location: 68-73 (width: 6; decimal: 0)

Variable Type: character

MONTH - MONTH

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 98

Text: This is the two-digit numeric month of 01 through 12. When "00," it is the AGENCY HEADER record.

<i>Value</i>	<i>Label</i>
98 (M)	Not applicable

MOHEADER - MONTHLY HEADER DESIGNATION

Location: 76-78 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 998

Text: When it is "000", this identifies record as the MONTHLY HEADER, else it is the OFFENSE DETAIL record. See "Month" field for additional information.

<i>Value</i>	<i>Label</i>
0	Month header present
998 (M)	Not applicable

BREAK - BREAKDOWN INDICATOR

Location: 79-79 (width: 1; decimal: 0)

Variable Type: character

Range of Missing Values (M): 8

Text: Blank = Totals and breakdowns for both offenses of 18 and 19.

- Study 36794 -

<i>Value</i>	<i>Label</i>
	Tot+brk for off 18,19
1	Tot for off 18,19
2	Tot for off 18
3	Tot for off 19
8 (M)	Not applicable

AREO - AGE, RACE, ETHNIC ORIGIN (EO) INDICATOR

Location: 80-80 (width: 1; decimal: 0)

Variable Type: character

Range of Missing Values (M): 8

Text: Blank = Data for age, race and EO.

<i>Value</i>	<i>Label</i>
	Age, race, ethnic origin reported
1	No age reported
2	No race reported
3	No ethnic origin reported
4	No race or ethnic origin reported
5	No age or ethnic origin reported
6	No age or race reported
8 (M)	Not applicable

ZERO - ZERO DATA INDICATOR

Location: 81-81 (width: 1; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 8

<i>Value</i>	<i>Label</i>
0	Not used
1	Reported no data
8 (M)	Not applicable

DTLASTUP - DATE OF LAST UPDATE (MMDDYY)

Location: 82-88 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

DTPRUP1 - DATE OF 1ST PREVIOUS UPDATE (MMDDYY)

Location: 89-95 (width: 7; decimal: 0)

- Study 36794 -

Variable Type: numeric

Range of Missing Values (M): 999998

<i>Value</i>	<i>Label</i>
999998 (M)	Not applicable

DTPRUP2 - DATE OF 2ND PREVIOUS UPDATE (MMDDYY)

Location: 96-102 (width: 7; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable

JUVDISP - JUVENILE DISPOSITION (JD) INDICATOR

Location: 103-103 (width: 1; decimal: 0)

Variable Type: character

Range of Missing Values (M): 8

Text: Blank= Update Juvenile Disposition data

<i>Value</i>	<i>Label</i>
	Update JD data
1	No JD data
2	Delete JD data
3	Adjust JD data
8 (M)	Not applicable

JDHANDDP - JD HANDLED WITHIN DEPARTMENT AND RELEASED

Location: 104-108 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable

JDREFJC - JD REFERRED TO JUVENILE COURT

Location: 109-113 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable

JDREFWA - JD REFERRED TO WELFARE AGENCY

- Study 36794 -

Location: 114-118 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable

JDREFOPA - JD REFERRED TO OTHER POLICE AGENCY

Location: 119-123 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable

JDREFCC - JD REFERRED TO CRIMINAL OR ADULT COURT

Location: 124-128 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable

OFFENSE - OFFENSE CODE

Location: 129-131 (width: 3; decimal: 0)

Variable Type: character

Range of Missing Values (M): 998

<i>Value</i>	<i>Label</i>
01A	Murder and non-negligent manslaughter
01B	Manslaughter by negligence
02	Forcible rape
03	Robbery
04	Aggravated assault
05	Burglary-breaking or entering
06	Larceny-theft (not motor vehicles)
07	Motor vehicle theft
08	Other assaults
09	Arson
10	Forgery and counterfeiting
11	Fraud
12	Embezzlement
13	Stolen property-buy, receive, poss.

- Study 36794 -

<i>Value</i>	<i>Label</i>
14	Vandalism
15	Weapons-carry, posses, etc.
16	Prostitution and commercialized vice
17	Sex offenses (not rape or prostitution)
18	Total drug abuse violations
180	Sale/manufacture (subtotal)
185	Possession (subtotal)
18A	Sale/mfg-Opium, coke, and their derivatives
18B	Sale/mfg-Marijuana
18C	Sale/mfg-Truly addicting synthetic narcotics
18D	Sale/mfg-Other dangerous non-narc drugs
18E	Possession-Opium, coke, and their derivatives
18F	Possession-Marijuana
18G	Possession-Truly addicting synthetic narcotics
18H	Possession-Other dangerous non-narc drugs
19	Gambling (total)
19A	Bookmaking (horse and sports)
19B	Number and lottery
19C	All other gambling
20	Offenses against family and children
21	Driving under the influence
22	Liquor laws
23	Drunkenness
24	Disorderly conduct
25	Vagrancy
26	All other non-traffic offenses
27	Suspicion
28	Curfew and loitering violations
29	Runaways
998 (M)	Not applicable

OCCUR - NON-ZERO OCCURRENCES FOR CODE AND COUNTS

Location: 132-134 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 998

Text: Indicates how many arrest and counter groups contain non-zero data. May be used as loop control to exit search when no more identifiable data exists on record.

<i>Value</i>	<i>Label</i>
998 (M)	Not applicable

M0_9 - MALE UNDER 10

- Study 36794 -

Location: 135-139 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M10_12 - MALE 10-12

Location: 140-144 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M13_14 - MALE 13-14

Location: 145-149 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M15 - MALE 15

Location: 150-154 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M16 - MALE 16

Location: 155-159 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M17 - MALE 17

Location: 160-164 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M18 - MALE 18

Location: 165-169 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M19 - MALE 19

Location: 170-174 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M20 - MALE 20

Location: 175-179 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M21 - MALE 21

Location: 180-184 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable

- Study 36794 -

<i>Value</i>	<i>Label</i>
99999 (M)	None/not reported

M22 - MALE 22

Location: 185-189 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M23 - MALE 23

Location: 190-194 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M24 - MALE 24

Location: 195-199 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M25_29 - MALE 25-29

Location: 200-204 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M30_34 - MALE 30-34

Location: 205-209 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

- Study 36794 -

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M35_39 - MALE 35-39

Location: 210-214 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M40_44 - MALE 40-44

Location: 215-219 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M45_49 - MALE 45-49

Location: 220-224 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M50_54 - MALE 50-54

Location: 225-229 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M55_59 - MALE 55-59

Location: 230-234 (width: 5; decimal: 0)

Variable Type: numeric

- Study 36794 -

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M60_64 - MALE 60-64

Location: 235-239 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

M65 - MALE OVER 64

Location: 240-244 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F0_9 - FEMALE UNDER 10

Location: 245-249 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F10_12 - FEMALE 10-12

Location: 250-254 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F13_14 - FEMALE 13-14

Location: 255-259 (width: 5; decimal: 0)

- Study 36794 -

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F15 - FEMALE 15

Location: 260-264 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F16 - FEMALE 16

Location: 265-269 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F17 - FEMALE 17

Location: 270-274 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F18 - FEMALE 18

Location: 275-279 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F19 - FEMALE 19

- Study 36794 -

Location: 280-284 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F20 - FEMALE 20

Location: 285-289 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F21 - FEMALE 21

Location: 290-294 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F22 - FEMALE 22

Location: 295-299 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F23 - FEMALE 23

Location: 300-304 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F24 - FEMALE 24

Location: 305-309 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F25_29 - FEMALE 25-29

Location: 310-314 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F30_34 - FEMALE 30-34

Location: 315-319 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F35_39 - FEMALE 35-39

Location: 320-324 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F40_44 - FEMALE 40-44

Location: 325-329 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable

- Study 36794 -

<i>Value</i>	<i>Label</i>
99999 (M)	None/not reported

F45_49 - FEMALE 45-49

Location: 330-334 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F50_54 - FEMALE 50-54

Location: 335-339 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F55_59 - FEMALE 55-59

Location: 340-344 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F60_64 - FEMALE 60-64

Location: 345-349 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

F65 - FEMALE OVER 64

Location: 350-354 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

- Study 36794 -

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

AW - ADULT-WHITE

Location: 355-359 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

AB - ADULT-BLACK

Location: 360-364 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

AI - ADULT-INDIAN

Location: 365-369 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

AA - ADULT-ASIAN

Location: 370-374 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

JW - JUVENILE-WHITE

Location: 375-379 (width: 5; decimal: 0)

Variable Type: numeric

- Study 36794 -

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

JB - JUVENILE-BLACK

Location: 380-384 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

JI - JUVENILE-INDIAN

Location: 385-389 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

JA - JUVENILE ASIAN

Location: 390-394 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

AH - ADULT-HISPANIC

Location: 395-399 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

AN - ADULT-NON-HISPANIC

Location: 400-404 (width: 5; decimal: 0)

- Study 36794 -

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

JH - JUVENILE-HISPANIC

Location: 405-409 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported

JN - JUVENILE-NON-HISPANIC

Location: 410-414 (width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): 99998, 99999

<i>Value</i>	<i>Label</i>
99998 (M)	Not applicable
99999 (M)	None/not reported