





Αποδόσεις σε 2900 στρ./min Performances at 2900 r.p.m.


50Hz **7MB**



| | | | | | Г | TAPOX | H - CA | PACITY | | | |
|--------------|----------|----|-------------|-----|------|-------|--------|--------|------|------|------|
| ANTAIA-MOTEP | | | m3/h | 0 | 40 | 60 | 70 | 80 | 90 | 100 | 120 |
| PUMP-MOTOR | | | I/min | 0 | 666 | 1000 | 1166 | 1333- | 1499 | 1666 | 1999 |
| | | | I/s | 0 | 11,1 | 16,7 | 19,4 | 22,2 | 25,0 | 27,8 | 33,3 |
| 7MB/1 | 6 - 7,5 | Г | | 24 | 21 | 19 | 18 | 16 | 14 | 12 | |
| 7MB/2A | 6 - 12,5 | | | 44 | 39 | 35 | 32 | 30 | 26 | 21 | |
| 7MB/3 | 6 - 20 | | Ολικό | 69 | 61 | 55 | 51 | 46 | 40 | 34 | 19 |
| 7MB/4A | 6 - 25 | 6" | μανομετρικό | 88 | 79 | 71 | 65 | 59 | 51 | 42 | |
| 7MB/5B | 6 - 30 | | σε μέτρα | 107 | 95 | 86 | 79 | 71 | 61 | 51 | |
| 7MB/5 | 6 - 35 | | | 115 | 102 | 92 | 86 | 77 | 67 | 56 | . 31 |
| 7MB/6 | 6 - 40 | | | 138 | 122 | 110 | 102 | 92 | 80 | 66 | 37 |
| 7MB/7A | 8 - 50 | | | 154 | 138 | 124 | 114 | 103 | 89 | 74 | |
| 7MB/7 | 8 - 50 | | | 160 | 142 | 129 | 120 | 108 | 93 | 77 | 43 |
| 7MB/8 | 8 - 50 | | | 183 | 163 | 147 | 136 | 122 | 106 | 88 | 49 |
| 7MB/9 | 8 - 60 | | H = m | 206 | 183 | 165 | 153 | 138 | 120 | 99 | 55 |
| 7MB/10B | 8 - 60 | | | 215 | 192 | 172 | 159 | 141 | 124 | 102 | |
| 7MB/10 | 8 - 70 | | | 229 | 203 | 184 | 170 | 153 | 133 | 110 | 61 |
| 7MB/11 | 8 - 70 | | | 252 | 224 | 202 | 187 | 169 | 146 | 121 | 67 |
| 7MB/12 | 8 - 75 | 8" | | 275 | 244 | 220 | 204 | 184 | 160 | 132 | 73 |
| 7MB/13A | 8 - 80 | 8 | | 288 | 256 | 232 | 213 | 193 | 165 | 136 | |
| 7MBZ/14 | 8 - 90 | | Total | 320 | 284 | 257 | 238 | 214 | 186 | 154 | 85 |
| 7MBZ/15 | 8 - 100 | | manometric | 343 | 305 | 275 | 255 | 230 | 199 | 165 | 91 |
| 7MBZ/16A | 8 - 100 | | head | 353 | 315 | 284 | 263 | 237 | 204 | 171 | |
| 7MBZ/16 | 8 - 110 | | in metres | 366 | 325 | 293 | 272 | 245 | 212 | 176 | 97 |
| 7MBZ/17A | 8 - 110 | | | 376 | 334 | 302 | 280 - | 252 | 217 | 181 | |
| 7MBZ/17 | 8 - 125 | | | 387 | 344 | 310 | 289 | 260 | 225 | 184 | 104 |
| 7MBZ/18 | 8 - 125 | | | 412 | 366 | 330 | 306 | 275 | 239 | 199 | 109 |

| | | | | | | | • | | | | | | |
|---------------|-------------|---------|-------|------------|------|------|------|-------|------|----------------|-------------|------|--|
| ΤΥΠΟΣ ΑΝΤΛΙΑΣ | ΙΣΧΥΣ ΜΟΤΕΡ | | | ΔΙΑΣΤΑΣΕΙΣ | | | | | | | ΒΑΡΟΣ ΣΕ KG | | |
| PUMP TYPE | M | OTOR PO | OWER | DIMENSIONS | | | | | | WEIGHT IN KG | | | |
| remnane | | KW | HP | A | В | 1 | Ø | Max | DGAS | ANTAIA PUMP | MOTEP | ONIK | |
| | | NVV | 18.33 | | | | Pump | Motor | | | | | |
| 7MB/1 | | 5,5 | 7,5 | 1209 | 510 | 699 | 182 | 143 | 4" | 31 | 48 | 79 | |
| 7MB/2A | 1 | 9,3 | 12,5 | 1394 | 645 | 749 | 182 | 143 | 4" | 42 | 53 | 95 | |
| 7MB/3 |] | 15 | 20 | 1654 | 780 | 874 | 182 | 143 | 4" | 53 | 66 | 119 | |
| 7MB/4A | 6" | 18,5 | 25 | 1834 | 915 | 919 | 182 | 143 | 4" | 64 | 70 - | 134 | |
| 7MB/5B | | 22 | 30 | 2059 | 1050 | 1009 | 182 | 143 | 4" | 75 | 79 | 154 | |
| 7MB/5 | 1 1 | 26 | 35 | 2164 | 1050 | 1114 | 182 | 143 | 4" | 75 | 90 | 165 | |
| 7MB/6 | | 30 | 40 | 2399 | 1185 | 1214 | 182 | 143 | 4" | 86 | 100 | 186 | |
| 7MB/7A | | 37 | 50 | 2460 | 1320 | 1140 | 182 | 189 | 4" | 97 | 140 | 237 | |
| 7MB/7 | | 37 | 50 | 2460 | 1320 | 1140 | 182 | 189 | 4" | 97 | 140 | 237 | |
| 7MB/8 | | 37 | 50 | 2595 | 1455 | 1140 | 182 | 189 | 4" | 108 | 140 | 248 | |
| 7MB/9 | 1 1 | 45 | 60 | 2820 | 1590 | 1230 | 182 | 189 | 4" | 119 | 156 | 275 | |
| 7MB/10B | 1 1 | 45 | 60 | 2955 | 1725 | 1230 | 182 | 189 | 4" | 130 | 156 | 286 | |
| 7MB/10 | 1 1 | 52 | 70 | 3065 | 1725 | 1340 | 182 | 189 | 4" | 130 | 179 | 309 | |
| 7MB/11 | 1 1 | 52 | 70 | 3200 | 1860 | 1340 | 182 | 189 | 4" | 141 | 179 | 320 | |
| 7MB/12 | | 55 | 75 | 3335 | 1995 | 1340 | 182 | 189 | 4" | 152 | 179 | 331 | |
| 7MB/13A | 8" | 60 | 80 | 3600 | 2130 | 1470 | 182 | 189 | 4" | 163 | 198 | 361 | |
| 7MBZ/14 | 1 1 | 67 | 90 | 3735 | 2265 | 1470 | 182 | 189 | 4" | 174 | 198 | 372 | |
| 7MBZ/15 | 1 1 | 75 | 100 | 3960 | 2400 | 1560 | 182 | 189 | 4" | 185 | 215 | 400 | |
| 7MBZ/16A | 1 1 | 75 | 100 | 4095 | 2535 | 1560 | 182 | 189 | 4" | 196 | 215 | 411 | |
| 7MBZ/16 | | 83 | .110 | 4095 | 2535 | 1560 | 182 | 189 | 4" | 196 | 247 | 443 | |
| 7MBZ/17A | | 83 | 110 | 4230 | 2670 | 1560 | 182 | 189 | 4" | 207 | 247 | 454 | |
| 7MBZ/17 | | 93 | 125 | 4410 | 2670 | 1740 | 182 | 189 | 4" | 207 | 247 | 454 | |
| 7MBZ/18 | 1 | 93 | 125 | 4545 | 2805 | 1740 | 182 | 189 | 4" | 218 | 247 | 465 | |





| Bowl diameter : 190mm 7" 1/2 | | Tolerances | | | |
|------------------------------|--------------------------------|------------------|--|--|--|
| Impeller type : closed | Column losses are not included | ISO 9906 Grade 2 | | | |

