

LATOM Wellness Protocol: Comprehensive Screening and Disease Prevention

A patient guide to early-detection labs for cancer, parasites, heavy metals, mold exposure, Lyme, and the worried-well concerns standard care often dismisses

Author: Dr. Abdul, MD

Practice: LATOM Wellness, PLLC

Last updated: 2026-05-24

WARNING: This protocol is educational. It does not establish a practitioner-patient relationship. For personalized recommendations, book a consultation at latomwellness.com.

WARNING: **This protocol COMPLEMENTS standard age-appropriate cancer screening (colonoscopy, mammogram, Pap, low-dose lung CT). It does NOT replace them.** If you are due for any of those screenings, get them through your primary care physician or directly from a screening facility. The labs in this protocol are added to standard screening, not instead of it.

Why this protocol exists

Many patients come to LATOM not with a specific diagnosis, but with a specific worry. Worry about cancer because a parent had it. Worry that their persistent gut symptoms are something more than IBS. Worry about a tick bite years ago that was never tested. Worry about mold in an old apartment. Worry about heavy metals from years of fish consumption or amalgam fillings.

Standard primary care often dismisses these worries as "anxiety" or "the worried well." Sometimes that is accurate. Often it is not. And the labs that would actually answer the question are not part of the standard insurance panel.

This protocol walks through what each worry actually looks like as a lab investigation, what Fullscript and our partner labs can order, what those labs tell you, and when escalation to a specialist is warranted.

Tier 1: Cancer screening and risk markers

STANDARD SCREENING YOU SHOULD NOT SKIP (SEPARATE FROM THIS PROTOCOL)

Standard care has well-validated screening tests for the most common cancers. Get these on schedule through

your primary care physician:

Cancer	Standard screening	When
Colon	Colonoscopy OR FIT test OR Cologuard	Age 45+, every 10 years (or 1-3 yr for FIT/Cologuard)
Breast	Mammogram	Women 40+, annually
Cervical	Pap smear + HPV	Women 21-65, every 3-5 years
Lung	Low-dose CT	Smokers 50-80, annually
Skin	Annual dermatology exam	Annual, or sooner if changing moles
Prostate	PSA (with informed-consent discussion)	Men 55-69, every 2 years

LATOM does not provide these screenings directly. We coordinate referrals when patients are overdue.

MULTI-CANCER EARLY DETECTION (MCED) LABS

Beyond standard screening, multi-cancer early detection blood tests have emerged. The most validated is Galleri (Grail). It looks at DNA methylation patterns in cell-free DNA to detect signals from 50+ cancer types from a single blood draw.

Test	What it does	Cost	How to order
Galleri (Grail)	Multi-cancer early detection from blood, methylation signal	~\$949 list price	NOT in Fullscript. Requires direct order through Grail with a physician prescription. We can write this order.

Honest caveats on Galleri:

- The NHS-Galleri trial (142,000 participants over 3 years) did not meet its primary endpoint of reducing late-stage cancer diagnosis. Trial data was reported February 2026.
- Galleri increased overall cancer detection rate 4-fold when combined with standard screening compared to standard screening alone.
- Galleri is FDA-cleared as a COMPLEMENT to standard screening, NOT a replacement.
- False positives occur. A positive Galleri triggers diagnostic workup (imaging, biopsy) which carries its own costs and risks.
- Best candidates: age 50+, family history of cancer, looking for early detection signal beyond standard care.

TUMOR MARKERS VIA QUEST DIAGNOSTICS (IN FULLSCRIPT)

Tumor markers are blood proteins that can indicate cancer presence or recurrence. They are NOT good general-population screening tools (too many false positives). They ARE useful when family history or specific concern is present:

Marker	Cancer concern	Use case
PSA (prostate-specific antigen)	Prostate	Men 50+, or 40+ with family history
CA-125	Ovarian	Women with strong family history (BRCA, Lynch syndrome)
CEA (carcinoembryonic antigen)	Colorectal, others	Family history or post-colon cancer monitoring
CA 19-9	Pancreatic, biliary	Family history of pancreatic cancer
AFP (alpha-fetoprotein)	Liver, testicular	Chronic liver disease, family history
hCG	Germ cell tumors	Specific indications

Order through Fullscript via Quest. Typical patient cost: \$15-50 per marker.

CANCER RISK MARKERS (INDIRECT, BUT ACTIONABLE)

These are not "cancer tests" but they predict cancer risk and many are improvable:

Marker	Mechanism	Optimal
Fasting insulin	Hyperinsulinemia drives multiple cancers (breast, colon, endometrial, prostate)	Below 7 microIU/mL
HbA1c	Same	Below 5.4%
hsCRP	Chronic inflammation drives carcinogenesis	Below 1.0 mg/L
Vitamin D 25-OH	Deficiency correlates with multiple cancers	Above 50 ng/mL
Omega-3 index	Low omega-3 status correlates with mortality from multiple cancers	Above 8%
Iron + ferritin	Both deficiency and excess have cancer implications	Ferritin 50-150 (women), 50-250 (men)
Homocysteine	Methylation status, CV and cancer risk	Below 8 micromol/L

All available through Quest via Fullscript. Typical bundle cost: \$80-200.

Tier 2: Parasite testing

WHY PARASITE TESTING MATTERS

Parasites are not exotic. Cryptosporidium, Giardia, Blastocystis hominis, Entamoeba, Dientamoeba fragilis, and others are surprisingly common in adults with persistent gut symptoms, including in patients with no obvious exposure (no travel, no contaminated water history).

Standard "stool ova and parasite" (O&P) testing through LabCorp/Quest is INSENSITIVE. It catches some macroscopic parasites by microscopy but misses many. The functional medicine PCR-based tests are far more sensitive.

TESTS VIA FULLSCRIPT

Test	Detects	Cost	When to order
GI-MAP (Diagnostic Solutions)	Parasites + bacteria + yeast + inflammation markers via PCR	\$300-400	Persistent GI symptoms, suspected dysbiosis, broad gut workup
Comprehensive Stool Analysis + Parasitology (Doctor's Data)	Parasites (1, 2, or 3 day collection options) + culture + PCR	\$250-400	Targeted parasite workup, alternative to GI-MAP
Stool Ova & Parasites (Quest/LabCorp via Fullscript)	Standard microscopy O&P	\$40-80	Cheap initial screen, less sensitive than functional panels

WARNING: Note on GI-MAP sensitivity vs specificity: Peer-reviewed analysis showed GI-MAP has ~80% sensitivity but only ~26% specificity for some targets, meaning false positives occur. Interpret in clinical context, not in isolation.

WHEN TO ESCALATE

- Confirmed parasite on stool test -> treatment (usually metronidazole, tinidazole, nitazoxanide, or paromomycin depending on parasite)
- Persistent symptoms despite negative parasites -> consider SIBO breath test, food sensitivity workup, IBD ruleout (calprotectin), or motility evaluation by GI

Tier 3: Mold and mycotoxin exposure

WHY THIS MATTERS

Chronic indoor mold exposure (from water-damaged buildings) can drive chronic fatigue, cognitive symptoms, sinus issues, immune dysfunction, and broader inflammatory disease. The conventional medical system is slow to recognize this. Functional medicine has been ahead on it.

TESTS VIA FULLSCRIPT

Test	What it shows	Cost
------	---------------	------

****RealTime Labs Mycotoxin Panel****

Urinary mycotoxin metabolites
(ochratoxin, aflatoxin, trichothecenes,
others)

\$300-500

****MosaicDX Organic Acids Test
(OAT)****

Includes yeast and mold metabolites +
mitochondrial markers

\$300-400



****Visual Contrast Sensitivity (VCS)****
test

Non-lab visual screening for
mold-related neurologic effects

WHEN THIS MATTERS MOST

- Living or working in a water-damaged building
- Symptoms started after a specific exposure (move, water leak, mold remediation nearby)
- Sinus/respiratory symptoms with cognitive symptoms
- Multiple "non-specific" symptoms that mainstream medicine cannot explain

WHEN TO ESCALATE

- Confirmed mycotoxin burden -> environmental remediation first (mold inspection, air quality testing of home), then medical treatment (binders, glutathione support, sauna protocols, sometimes antifungals)
 - Severe neurologic symptoms -> neurology consult
-

Tier 4: Heavy metals

WHY THIS MATTERS

Chronic low-grade heavy metal exposure (mercury from fish or amalgam fillings, lead from older homes, cadmium from smoking, arsenic from water) can drive fatigue, cognitive issues, cardiovascular disease, and cancer risk.

TESTS VIA FULLSCRIPT

Test	What it shows	Cost
Doctor's Data Hair Elements	38-element hair mineral analysis (chronic burden)	\$80-130
Doctor's Data Urine Toxic Metals (provoked)	Chelation-provoked urine metals (acute mobilizable burden)	\$120-200
Doctor's Data Blood Heavy Metals	Acute exposure window	\$100-180

BEST TARGETS PER METAL

- **Mercury** (fish, dental amalgams) -> urine post-DMSA challenge most sensitive
- **Lead** (older homes, plumbing, occupational) -> blood for acute, urine post-EDTA for chronic
- **Cadmium** (smoking, industrial exposure) -> blood and urine
- **Arsenic** (water, rice, seafood) -> urine

WHEN TO ESCALATE

- Severely elevated blood lead -> public health reporting + chelation if indicated
 - Mercury > clinical action threshold -> environmental investigation + monitored chelation therapy
 - Symptomatic patient with confirmed burden -> integrative medicine specialist for chelation protocol
-

Tier 5: Lyme and tick-borne disease

WHY THIS MATTERS

Lyme disease and co-infections (Bartonella, Babesia, Anaplasma, Ehrlichia, Rickettsia) cause chronic fatigue, joint pain, cognitive symptoms, autonomic dysfunction. Standard testing (LabCorp/Quest two-tier ELISA + Western blot) misses many cases. IGeneX uses more sensitive testing.

TESTS VIA FULLSCRIPT

Test	What it shows	Cost
IGeneX Tickborne Complete 2.0 Panel	Lyme (Borrelia burgdorferi) + co-infections via immunofluorescence + PCR	\$400-700
IGeneX Western blot	Lyme-specific Western blot, more sensitive than standard	\$250-400

BEST CANDIDATES

- Known tick bite + chronic symptoms
- Lived in tick-endemic area (Northeast, Mid-Atlantic, upper Midwest)
- Symptoms include intermittent joint pain, neuropathy, brain fog, severe fatigue, autonomic dysfunction (POTS-like)
- Standard Lyme test was equivocal but symptoms persist

WHEN TO ESCALATE

- Active acute Lyme (erythema migrans rash, recent tick bite, positive standard testing) -> infectious disease for IV antibiotics if severe, oral doxycycline for early disease
- Chronic Lyme suspicion -> ILADS-trained physician for treatment (this is a specialized field)

Tier 6: Autoimmune workup

WHY THIS MATTERS


Autoimmune disease is often missed until significant tissue damage has occurred. Family history + non-specific symptoms (fatigue, joint pain, brain fog, GI issues, skin changes) warrant a thoughtful workup.

TESTS VIA FULLSCRIPT AND QUEST

Test	Detects	Cost
ANA (antinuclear antibody) with reflex titer	Lupus, autoimmune connective tissue disease	\$25-60

****Rheumatoid factor (RF) +
anti-CCP****

Rheumatoid arthritis



\$30-80

****Anti-TPO + anti-thyroglobulin****

Autoimmune thyroid (Hashimoto's,
Graves')

\$25-50



**Tissue transglutaminase IgA + total
IgA**

Celiac disease

\$40-80

****HLA-B27****

Ankylosing spondylitis, related
spondyloarthritides

\$50-100

****C3, C4 complement****

Lupus monitoring

\$30-60

****CRP, ESR****

Non-specific inflammation markers

\$20-40

WHEN TO ESCALATE

- Positive ANA at high titer + symptoms -> rheumatology
- Positive celiac antibodies -> GI for endoscopy with biopsy (confirmation)
- Multi-system autoimmune signal -> integrative or functional medicine for comprehensive workup

Tier 7: Hormone and adrenal mapping

(Covered in detail in the Hormone Optimization protocols. Brief summary here.)

Test	Use case	Cost
DUTCH Complete (Precision Analytical)	Comprehensive sex + adrenal + metabolites	\$400-500
DUTCH Plus	DUTCH Complete + cortisol awakening response	\$450-550
Standard blood hormones (Quest)	Total + free T, sensitive estradiol, DHEA-S, thyroid full panel	\$150-300

Tier 8: Genetic risk testing

TESTS VIA FULLSCRIPT

Test	What it shows	Cost
3X4 Genetics	Functional genetic variants, methylation, detox, vitamin metabolism	\$250-400

BEYOND FULLSCRIPT (FOR CANCER-SPECIFIC GENETIC RISK)

- **Color Health BRCA/multi-cancer panel:** ~\$200-300, direct-to-physician order
- **Invitae multi-cancer panel:** insurance-covered if family history indication, \$250 self-pay
- **Myriad MyRisk:** comprehensive multi-cancer hereditary panel

When to order: strong family history of cancer (first-degree relative with breast/ovarian/colon under age 50, multiple cancers in family, known mutation in family).

Putting it together: the LATOM "Worried Well" Workup

TIER 1 BASELINE (EVERY PATIENT)

- Fasting insulin, HbA1c, advanced lipid (ApoB + Lp(a))
- hsCRP
- Vitamin D 25-OH
- Comprehensive metabolic panel + liver enzymes
- TSH + free T3 + free T4 + reverse T3 + anti-TPO
- CBC + ferritin + B12 + folate + MMA
- Homocysteine

Cost: ~\$150-300 through Fullscript.

TIER 2 (CONCERN-SPECIFIC ADDITION)

- Cancer family history -> add 1-3 tumor markers + consider Galleri (\$949 separate)
- Persistent GI -> add GI-MAP
- Mold exposure history -> add RealTime Mycotoxin Panel
- Heavy metals concern -> add Doctor's Data hair + urine
- Tick exposure -> add IGeneX Lyme panel
- Autoimmune family hx -> add ANA + RF/anti-CCP + thyroid antibodies
- Hormone concerns -> add DUTCH Complete
- Strong family cancer history -> consider genetic testing

TOTAL COST RANGE

Baseline only: \$150-300. Baseline + 2-3 concern-specific add-ons: \$400-1,200. Baseline + comprehensive workup (mold, heavy metals, Lyme, hormones, genetics): \$1,800-3,000 over the first 6 months.

Lifestyle prevention (covered in detail in other protocols)

Cancer and chronic disease are not random. Modifiable risk factors include:

- Body composition: maintain BMI 20-25 and waist-to-height ratio below 0.5
 - Insulin sensitivity: optimize fasting insulin below 7 (see Insulin Resistance Protocol)
 - Inflammation: hsCRP below 1.0 (anti-inflammatory diet, omega-3, address gut and oral health)
 - Sleep: 7-9 hours nightly, consistent timing
 - Physical activity: 150+ min/week moderate + 2-3 sessions strength training
 - Alcohol: minimize (every drink raises breast and GI cancer risk modestly)
 - Tobacco: zero
 - Sun: moderate (avoid burns; supplement vitamin D)
 - Environmental: limit endocrine disruptors (BPA-free containers, filter water, organic produce where reasonable)
-

How to work with LATOM on this

STEP 1: BOOK A CONSULTATION

30-minute video visit. We discuss your specific concerns, family history, exposure history, and current symptoms.

STEP 2: TARGETED LAB ORDER

Tier 1 baseline + concern-specific additions. We coordinate orders through Fullscript and partner labs.

STEP 3: INTERPRET + PLAN

We review results in context. Build a personalized risk-reduction plan (lifestyle, supplements via Fullscript, medication where indicated, referral to specialists where warranted).

STEP 4: FOLLOW-UP + RETESTING

Annual or sooner for high-risk patients. We coordinate with your primary care for standard screenings as needed.

What this protocol is NOT

- Not a substitute for standard age-appropriate cancer screening (colonoscopy, mammogram, Pap, etc.)
 - Not appropriate as the sole workup for active acute disease (presenting with red-flag symptoms requires immediate medical evaluation, not a 6-week functional workup)
 - Not appropriate during active pregnancy without OB approval for certain tests
 - Not a guarantee that all chronic conditions will be identified through these panels
 - Not a replacement for emergency or urgent care
-

When to escalate immediately (not to LATOM)

- Chest pain, severe shortness of breath, signs of stroke -> 911 / ER
 - Severe acute symptoms (sudden severe abdominal pain, vomiting blood, seizure) -> ER
 - Newly diagnosed cancer -> oncology consult, not LATOM (we can support during treatment but oncology leads)
 - Active infection with high fever -> urgent care or PCP
 - Mental health crisis -> mental health professional or crisis line
-

Sources

1. GRAIL. NHS-Galleri trial results presented at 2026 ASCO Annual Meeting (May 29-June 2, 2026).
 2. Fullscript Lab Catalog (support.fullscript.com/articles/lab-catalog-overview).
 3. Diagnostic Solutions GI-MAP technical documentation.
 4. Doctor's Data testing menu and protocols.
 5. RealTime Labs Mycotoxin Panel reference range.
 6. IGeneX Tickborne Complete 2.0 Panel methodology.
 7. Precision Analytical DUTCH test methodology.
 8. American Cancer Society cancer screening guidelines (2024 update).
 9. US Preventive Services Task Force (USPSTF) cancer screening recommendations.
 10. National Comprehensive Cancer Network (NCCN) genetic testing guidelines (current edition).
-

This educational guide is provided by LATOM Wellness, PLLC. For personalized care, book a consultation at latomwellness.com. Information reflects clinical evidence as of 2026-05-24. Re-verify recommendations with your physician.