

Projective Dynamic Logo (PDL)

Global Mapping of Structures, Results, and Open Problems

Version 17 — A Guide for Continuation of the Programme

Cédric Laubscher

Independent researcher

cedriclaubscher.ch · zenodo.org/communities/pdl-framework

April 27, 2026

Abstract

This document provides a systematic and self-contained guide to the Projective Dynamic Logo (PDL) programme, intended for a scientific colleague who wishes to understand, verify, or continue the research. PDL is a foundational physics programme that derives fundamental physical constants and dynamical laws from four axioms on finite signed graphs, without presupposing spacetime, particles, or fields. The minimal admissible closure under the axioms is the complete signed graph K_4 on four vertices and six edges, identified with the electron prototype. The proton is characterised by a unique integer quintuplet (24, 28, 930, 10087, 11017), from which all results flow.

The current corpus (D01–D45, plus auxiliary documents) has reached the following state:

- Three critical Gates have been resolved: the axiomatic derivation of the amplitude 155/11017 (Gate 1, D29), the structural proof that the QCD correction coefficient equals 2 (Gate 2, D30), and the theorem $G_{\text{eff}}(N) = \sigma(N) \cdot G_{\text{PDL}}$ (Gate 3, D31/D36).
- Four fundamental dynamical equations have been derived from the $(A) \wedge (B)$ coupling criterion: the Schrödinger equation (D32), the Dirac equation (D33), Born’s rule via Gleason uniqueness (D34), and the Einstein coupling equation (D35).
- Newton’s gravitational constant G is now a theorem, modulo a single irreducible external parameter ($\Delta m_{\text{iso}} = m_d - m_u$).
- The Hubble tension is resolved at 0.006% with zero free parameters (D35/D27).
- Black hole thermodynamics has been derived from PDL axioms: the area law $S \propto R_{\text{surf}}$ is an unconditional theorem (D37), and the Bekenstein–Hawking formula $S_{\text{BH}}/k_B = 4\pi(M_{\text{eff}}/M_{\text{Pl}})^2$ follows algebraically from Gate 3 (D38).
- Open Problem OP1 has been fully resolved by D42: the Indifference Lemma H3 is now an unconditional theorem of axioms C1–C4. As a corollary, $\kappa = 310\varphi/11017 \in \mathbb{Q}(\sqrt{5})$ is promoted to an unconditional theorem of C1–C4, and the entire derivation chain from axioms to the Bekenstein–Hawking entropy is fully axiomatic with no residual free parameter.
- D40 derives the complete architecture of nuclear stability from the proton and neutron quintuplets alone: $N_{\text{min}}(Z) = Z$ for $Z \leq 20$ as an exact theorem, the conflict saturation $C(Z > 20) = 190 T_{pp}$ exactly, and the valley of stability reproduced at 100% accuracy for all $Z = 1$ to 82.
- D41 confronts the PDL framework with the experimental results of Ha et al. (*Nature Communications* 16, 10631, 2025), confirming the structural identity $T \approx (\Delta n + 1)^2 = 25$ across three independent observables, with the wave-function component ratio agreeing at the 2% level.
- D43 establishes the computational infrastructure of the programme and proves the geometric leakage parameter $\varepsilon_{\text{geom}}(p) = 329/10087$ as an unconditional theorem (OP-A resolved).

- D44 derives the hierarchical filter factor $k = 0.921716$ from C1–C4 as an unconditional theorem (OP-B resolved). The complete causal chain $C1-C4 \rightarrow K_4 \rightarrow \text{quintuplet} \rightarrow \varepsilon_{\text{geom}} \rightarrow \varepsilon_G = \varepsilon_{\text{geom}} \times k^{18} \rightarrow G$ is now fully closed with no remaining open problem and no free parameter beyond Δm_{iso} .
- D45 derives the first falsifiable astrophysical confrontation: the primordial black hole survival threshold is shifted upward by +11.89% relative to the standard GR value, giving $M_{\text{PDL}}^* = \sigma(40)^{-2/3} M_{\text{GR}}^* \approx 5.706 \times 10^{14} \text{ g}$, testable with existing Fermi-LAT data via BLACKHAWK and ISATIS.

There is no longer any foundational open problem at the axiomatic level. The remaining open problems (OP2–OP17) concern higher-level derivations, extensions, and experimental confrontations.

Contents

1	Purpose and Scope	3
1.1	Aim of this document	3
1.2	What makes this version different from v16	3
1.3	Epistemic conventions	4
2	Document Corpus	4
2.1	Complete document table	4
2.2	Reading guide for a new collaborator	9
3	Axiomatic Foundations	10
3.1	The four relational axioms C1–C4	10
3.2	The minimal admissible closure K_4	10
3.3	Three spatial dimensions from $S^2 \cong S^2$	10
4	The Proton Architecture	11
4.1	The integer quintuplet	11
4.2	Combinatorial selection	11
5	Fundamental Constants	11
5.1	The fine-structure constant α	11
5.2	The reduced Planck constant $\hbar$	11
5.3	The gravitational constant G	11
5.4	The proton–electron mass ratio μ	12
6	The Three Gates: Critical Proofs	12
6.1	Gate 1: Axiomatic derivation of 155/11017	12
6.2	Gate 2: The QCD correction coefficient $a = 2$	13
6.3	Gate 3: $G_{\text{eff}}(N) = \sigma(N) \cdot G_{\text{PDL}}$	13
7	Derived Dynamical Equations	13
7.1	The Schrödinger equation (D32)	13
7.2	The Dirac equation (D33)	13
7.3	Born’s rule (D34)	13
7.4	The Einstein coupling equation (D35)	14
8	Black Hole Thermodynamics	14
8.1	The area law as an unconditional theorem (D37)	14
8.2	The Bekenstein–Hawking formula (D38)	14

9	Nuclear Stability and the Periodic Table	15
9.1	The neutron survival condition (D40)	15
9.2	Conflict saturation (D40)	15
9.3	The valley of stability (D40)	15
9.4	Nuclear spectroscopy confrontation (D41)	15
10	Cosmology	16
10.1	The density function $\sigma(N)(N)$	16
10.2	The Hubble tension resolution	16
11	The PDL–QCD Interface	16
12	Causal Chain Closure and Geometric Leakage (D43–D44)	16
13	Epistemic Architecture	17
14	Open Problems	18
15	Logical Dependency Map	21
16	Falsifiable Predictions	22
17	Continuation Guide	22
17.1	Entry points	22
17.2	Recommended next documents	23
18	Glossary	23

1 Purpose and Scope

1.1 Aim of this document

This mapping document pursues four objectives. First, it provides a complete and current inventory of the PDL corpus (D01–D45, plus auxiliary documents), with concise descriptions of each document’s role and main result. Second, it makes explicit the logical dependency structure of the programme: which results follow from which, what has been proved, and what remains conjectural or open. Third, it classifies all results according to a rigorous epistemic taxonomy, distinguishing proved theorems, conditional theorems whose hypotheses are explicitly named, structurally motivated conjectures, and open problems. Fourth, it identifies the most productive entry points and continuation paths for a colleague wishing to extend the programme. This document is not a replacement for the primary technical documents; it is a navigational and epistemic guide that complements them.

1.2 What makes this version different from v16

Version 16 of the mapping document covered the corpus up to D43 and established the computational infrastructure of the programme via 50-decimal-precision Python/SymPy verification. The present version v17 incorporates two additional documents (D44 and D45) and marks the closure of the causal chain.

- D44 resolves OP-B: the hierarchical filter factor $k = 0.921716$ is derived from axioms C1–C4 as an unconditional theorem, via the trace structure of K_4 and the S_4 -equivariance constraints of D42. As a corollary, OP8 (the 17 ppm residual of D28) is simultaneously resolved: the residual reflects the precision of the CODATA measurement of G , not a

structural gap. The complete causal chain $C1-C4 \rightarrow K_4 \rightarrow \text{quintuplet} \rightarrow \varepsilon_{\text{geom}} \rightarrow \varepsilon_G = \varepsilon_{\text{geom}} \times k^{18} \rightarrow G$ is now closed with no remaining open problem.

- D45 formulates the first falsifiable confrontation of the PDL framework with astrophysical data. The prediction $M_{\text{PDL}}^* = \sigma(40)^{-2/3} M_{\text{GR}}^* \approx 5.706 \times 10^{14} \text{ g}$ is an unconditional corollary of the density-dependent gravitational coupling, and implies a non-zero Hawking radiation excess at $E_{\text{peak}} \approx 90\text{--}104 \text{ MeV}$ in the isotropic gamma-ray background. The document identifies the precise test using BLACKHAWK and ISATIS together with Fermi-LAT data.

The reader familiar with v16 should note the following epistemic changes: OP-B and OP8 are now resolved (moved to the resolved list); the “Recommended next documents” section has been updated to reflect the new frontier; the Falsifiable Predictions table gains entry P5-bis (spectral cutoff position) and the Corpus Inventory gains two rows. The dependency map gains a D45 node connected from BH entropy (D38).

1.3 Epistemic conventions

Throughout this document, the following colour-coded epistemic labels are used in tables and text:

Theorem A result established by a complete proof from the PDL axioms C1–C4 and previously proved theorems, with no free parameters and no unproved auxiliary hypotheses.

Theorem (Hx) A result proved under one or more explicitly named hypotheses H1, H2, H3...; the proof itself is complete conditional on those hypotheses.

Conjecture A structurally motivated claim supported by numerical evidence, qualitative arguments, or partial proofs, but not yet established rigorously.

Named Hypothesis An auxiliary assumption that is explicitly labelled and isolated, so that results depending on it are clearly traceable.

Open Problem A well-posed question whose resolution would advance the programme significantly.

2 Document Corpus

2.1 Complete document table

Table 1 lists the complete PDL corpus in Zenodo canonical order.

Table 1 PDL corpus in Zenodo canonical order. *Main result* denotes the single most consequential contribution of each document to the programme chain.

Label	Title (abbreviated)	Main result / role
D01	The Emergence of Physical Reality within the PDL Framework [1]	Founding article: four relational axioms, structure, proton architecture, first treatment of α , μ , G , and cosmology.

Label	Title (abbreviated)	Main result / role
D02	Introduction to the PDL [2]	High-level conceptual overview; standard first reading for new collaborators.
D01F	L'émergence de la réalité physique (LDP FR) [3]	French translation of D01.
D03	The Emergence of Physical Reality (IM-RaD format) [4]	Journal-formatted version of D01.
D04	A Modal Dialogue between PDL and the Theory of Objectivity [5]	Comparative study of PDL and TO; ontological commitments of PDL.
D05	A Minimal Relational Sketch for the Golden Ratio in PDL [6]	Self-similar core–surface partition; golden ratio and active surface $(\sigma, 3)$.
D06	Hierarchical Filtering of Coherence Leakage and the Exponent 18 [7]	First formulation of the 18-filter leakage hierarchy.
D07	Gleason-Type Uniqueness of Born's Rule for Spin- $\frac{1}{2}$ [8]	Early sketch of the Gleason approach; superseded by D34 at Level 1.
D08	Logical Leakage as Self-Maintained Probability: Topological Reformulation [9]	Coexistence topology; coherence-cost pseudometric; leakage as probability.
D09	PDL as a Foundational Research Programme [10]	Programme position paper; first systematic open-problem list.
D10	From Discrete Coherence Flux to Effective Fields [11]	Gauss- and Faraday-like relations from coherence fluxes; path towards Schrödinger.
D10a	Proper Time as Coherence-Cycle Counting [12]	Proper time as a count of coherence cycles; emergent Minkowski structure.
D11	Towards an Einstein–Dirac Unification from PDL [13]	Preliminary sketch coupling Dirac spinors to the emergent coherence-cost metric.
D12	A Structural Derivation of the Fine-Structure Constant from PDL [14]	Closed-form expression for α from $(930, \sigma, \varphi)$; accuracy $\mathcal{O}(10^{-4})$.
D13	Compatibility of the Schrödinger Framework with PDL [15]	Benchmark: PDL-derived α and μ in hydrogenic Schrödinger; spectral concordance.
D14	Born's Rule and the Golden-Ratio Active Surface in PDL [16]	Relational derivation of Born's rule for spin- $\frac{1}{2}$; role of φ in σ .

Label	Title (abbreviated)	Main result / role
D15	Towards a Schrödinger-Type Dynamics from PDL: A Relational Sketch [17]	Early sketch of Schrödinger emergence; superseded by D32.
D16	Combinatorial Selection of the Proton Architecture: Uniqueness Conjecture [18]	Optimisation functional for the quintuplet; local uniqueness conjecture.
D16a	Minimal Stationary Closures in PDL: Necessity of the (4, 6) Block [19]	Theorem: no admissible closure exists on $ V < 3$; K_4 is first admissible.
D16b	Combinatorial Selection and Local Uniqueness of the Proton Architecture [20]	Refined combinatorial treatment; local uniqueness conjecture for (24, 28, 930, 10087, 11017).
D17	Coherence Leakage, Hierarchical Filtering, and the Exponent 18 [21]	Organisation of the 18 filters into three blocks; effective coupling ansatz ε^{18} .
D18	Discrete Cavity Modes and Logical Density of States [22]	PDL cavity modes; $2n^2$ density-of-states in three dimensions.
D19	Existence as Pulsating Closure: An Ontological Meditation [23]	Philosophical analysis of PDL boundaries, leakage, and transcendence.
D20F	Qui que nous puissions être (FR) [24]	French philosophical synthesis; companion to D20.
D20	Whoever We May Be: A Philosophical Synthesis of PDL [25]	Ontological and existential synthesis; accessible entry point for non-specialists.
D21	Universal Coherence Leakage: A Structural Bridge between G and V_3 [26]	Primary result: $R_{\text{tot}}/R_{\text{surf}} = 2\nu^2/(2\nu^2 - 1)$; $G \approx 6.67448 \times 10^{-11} \text{ m}^3\text{kg}^{-1}\text{s}^{-2}$ (27 ppm vs. CODATA 2022).
DN	<i>Whatever We May Be</i> : The PDL popular book [27]	Popular science monograph; non-technical introduction to PDL.
D22	Nuclear Stability and the Periodic Table as Combinatorial Closure Hierarchies [28]	Neutron quintuplet (24, 28, 1032, 9960, 10992); $N_{\text{crit,max}} = 126.1$; $Z_{\text{sat}} = 20$.
DM	PDL Global Mapping v17 [29]	Navigation document for the complete corpus D01–D45; the present document.
D23	Topological Origin of the Exponent 18, S^2 , and the Periodic Table [30]	Theorem: $18 = 6 + 5 + 4 + 3$ is topologically necessary via S^2 ; common ancestor of exponent 18 and the periodic table.

Label	Title (abbreviated)	Main result / role
D24	Closure-Density Dependence of κ and the Hubble Tension [31]	Introduction of $\sigma(N) = 1 - (1 - \kappa)^N$; structural origin of H_0 discrepancy.
D25	A Parameter-Free Structural Bridge between α and G [32]	Primary result: full bridge formula; G at 27 ppm; $\kappa \approx 0.0075194$.
D26	Cosmological Resolution via PDL: G as Topology-Dependent [33]	G as topology-dependent parameter; Hubble tension as scale-transition signature.
D27	Structural Derivation of N_{CMB} from the PDL Neutron Architecture [34]	$N_{\text{CMB}} = 40$ from $n_6; n_-$; $H_{0,\text{CMB}} = 67.26 \text{ km s}^{-1} \text{ Mpc}^{-1}$; 0.27σ Planck.
D28	The PDL-QCD Boundary: Mass Ratio, Correction, and the ε_G^B Conjecture [35]	$\mu = \frac{155}{11017}(1 - 2\kappa^2)\frac{m_{\text{iso}}}{m_p}$; ε_G^B conjecture formulated.
D29	Axiomatic Derivation of 155/11017: Gate 1 Resolved [36]	Theorem: 155/11017 proved from C1–C4 via AB; 768/768 exhaustive verification.
D30	QCD Correction Coefficient $a = 2$: Gate 2 Resolved [37]	Theorem: $a = 2$ structurally forced; $m_{\text{iso}} = m_d - m_u$ is the unique irreducible external parameter.
D31	Proof of $G_{\text{eff}}(N) = \sigma(N) \cdot G_{\text{PDL}}$: Gate 3 (preliminary) [38]	First proof of Gate 3 under linear bridge inversion hypothesis; superseded in rigour by D36.
D32	Schrödinger Dynamics from the AB Coupling Criterion [39]	Theorem: Schrödinger equation derived; $b = -i\hbar/(2m_e)$; ∂_x^2 forced by AB.
D33	Dirac Equation from the $\text{SL}(2, \mathbb{C})$ Pulsation of K_4 [40]	Theorem: $T = -i\sigma_2$ unique among 8 candidates; $T^2 = -I_2$; Clifford algebra; NR limit = D32 exactly.
D34	Born Rule from AB-Admissible Amplitudes [41]	Theorem Level 1: five Gleason axioms verified; Born rule unique from Gleason uniqueness.
D35	Quantitative Einstein Equation from $\sigma(N)$ [42]	Theorem (H1): $G_{\text{eff}}(N) = G_{\text{Newton}}$; Hubble ratio at 0.006%; synthesis document.
D36	Proof of $G_{\text{eff}}(N) = \sigma(N) \cdot G_{\text{PDL}}$ from the Trace Structure of K_4 [43]	Theorem (H1): $\sigma_0 = 0$ exact from AB; $\text{Tr}(A) = 0$ proved; hypothesis reduced to H1 alone; Gate 3 strengthened.
D37	Surface Locality of Relational Entropy and the PDL Area Law [44]	Theorem BH-1: entropy of a PDL closure is entirely carried by R_{surf} ; area law $S \propto R_{\text{surf}}$ unconditional.

Label	Title (abbreviated)	Main result / role
D38	Bekenstein–Hawking Entropy from the PDL Effective Gravitational Coupling [45]	Theorem BH-2 (under H1): $S_{\text{BH}}/k_B = 4\pi(M_{\text{eff}}/M_{\text{Pl}})^2$; verified to 10^{-15} ; three falsifiable PBH predictions.
D39	Derivation of κ from the PDL Axioms: the Indifference Lemma [46]	Theorem (H3) : $\kappa = 3/\sigma$ under H3; partial resolution of OP1; $\text{D36} \Rightarrow \text{H3}$ is the unique residual.
D40	Nuclear Stability and the Periodic Table from PDL Combinatorial Axioms [47]	Theorems : $N_{\min}(Z \leq 20) = Z$ exact; $C(Z > 20) = 190 T_{pp}$ exact; valley of stability at 100% for $Z = 1\text{--}82$; eight assembly rules; connection identified between OP14 (sub-shell filling rates) and OP12 (BH coefficient $\frac{1}{4}$).
D41	Structural Closure Multiplicity and the Isospin-Symmetric Island of Inversion [48]	First PDL confrontation with nuclear spectroscopy data (Ha et al. 2025). Three independent observables consistent with $T = (\Delta n + 1)^2 = 25$: BE2 ratio (22%); $N_{\text{comp}}(^{86}\text{Mo})/N_{\text{comp}}(^{84}\text{Mo}) = 1.962$ vs. PDL 2.000 (2%); ΔS_{WF} (25%). Closure multiplicity conjecture H_B introduced. Two falsifiable predictions for $^{88}\text{Ru}/^{90}\text{Ru}$ and $^{92}\text{Pd}/^{94}\text{Pd}$. ZBM3–PDL correspondence conjectured.
D42	Derivation of H3 from Axioms C1–C4: The Equiparticipation Lemma [49]	Theorem : H3 (Indifference Lemma) derived from C1–C4 without additional input, via three lemmas: D42-L1 (Equiparticipation; C4-optimal $\Rightarrow$ uniform participation $n - 2$ per edge, exhaustively verified for $n = 4\text{--}7$), D42-L2 (cross-triangle blindness, from D39), D42-L3 (S_4 -equivariance of cross-edge coherence, 24,576 cases, zero violations). Corollary: $\kappa = 310\varphi/11017 \in \mathbb{Q}(\sqrt{5})$ is an unconditional theorem of C1–C4. OP1 fully resolved.
D43	Numerical Verification of the PDL Causal Chain: 18-Filter Architecture and Colab Infrastructure [50]	First systematic numerical verification of the PDL chain at 50-decimal precision (Python/SymPy). Organises the 18 filters into four functional groups (Group 0: axioms; Group I: constants; Group II: dynamics; Group III: thermodynamics). Proves $\varepsilon_{\text{geom}}(p) = 329/10087$ and $\varepsilon_{\text{geom}}(n) = 468/9960$ as unconditional theorems (OP-A resolved). Provides reusable Colab code for all core PDL quantities.

Label	Title (abbreviated)	Main result / role
D44	Closure of OP-B: Derivation of the Hierarchical Filter Factor k from the PDL Axioms [51]	Theorem: $k = 0.921716$ derived from C1–C4 via the trace structure of K_4 and S_4 -equivariance constraints of D42 (unconditional). Corollary: OP8 resolved — the 17 ppm residual of D28 reflects CODATA precision on G , not a structural gap. The complete causal chain $C1\text{--}C4 \rightarrow K_4 \rightarrow \text{quintuplet} \rightarrow \varepsilon_{\text{geom}} \rightarrow \varepsilon_G = \varepsilon_{\text{geom}} \times k^{18} \rightarrow G$ is fully closed. OP-B resolved.
D45	Primordial Black Hole Evaporation Threshold from PDL: A Falsifiable Prediction for Fermi-LAT [52]	First falsifiable astrophysical confrontation. $M_{\text{PDL}}^* = \sigma(40)^{-2/3} M_{\text{GR}}^* \approx 5.706 \times 10^{14} \text{ g}$ (+11.89%), unconditional corollary of D38 and D42. Excess Hawking flux at $E_{\text{peak}} \approx 90\text{--}104 \text{ MeV}$ in the IGRB. Test protocol identified: BLACKHAWK + ISATIS + Fermi-LAT IGRB data (Ackermann et al. 2015). AGN S/E redshift trend (DESI/Euclid) as complementary observable.

2.2 Reading guide for a new collaborator

The following reading pathways are recommended depending on one’s entry point.

- **Understanding the foundations.** Start with D02 (conceptual overview), then D16a (proof that K_4 is the unique minimal closure), then D01 (full axiomatic development). For the proton architecture, read D16 and D16b for the combinatorial selection arguments.
- **Understanding the constants.** Read D12 for α , then D21 and D25 for the α – G bridge. Read D23 for the topological proof that the exponent 18 is necessary. Then read D29 and D30 for the Gate 1 and Gate 2 proofs. Read D36 for the final Gate 3 proof, and D39/D42 for the full resolution of OP1.
- **Understanding the dynamics.** Read D32 (Schrödinger), D33 (Dirac), D34 (Born), D35 (Einstein) in order.
- **Understanding the cosmology.** Read D24, D27, and D35.
- **Understanding black hole thermodynamics.** Read D37 (area law), then D38 (Bekenstein–Hawking and PBH predictions), then D45 (falsifiable confrontation with Fermi-LAT).
- **Understanding nuclear stability and the periodic table.** Read D22, D23, D40, and D41.
- **The closure of the foundational programme.** Read D39 first for context, then D42 for the full proof of H3. After D42, all results previously conditional on H3 are unconditional theorems. Then read D43 (geometric leakage, OP-A) and D44 (filter factor k , OP-B) for the complete causal chain to G .
- **Numerical verification and the computational infrastructure.** Read D43. It provides self-contained Colab code for every major result and defines the verification protocol for future documents.
- **Continuing the programme.** Read Section 14 for the complete prioritised list of open problems, and Section 15 for the critical-path dependency map.

3 Axiomatic Foundations

3.1 The four relational axioms C1–C4

A logical configuration in PDL is a finite signed graph $G = (V, E, s)$, where V is a finite set of vertices (informational entities), E is a set of undirected edges (binary relations), and $s: E \rightarrow \{1, -1\}$ assigns a sign (agreement or disagreement) to each relation [1, 2]. Four relational axioms are imposed.

Axiom 3.1 (C1 — Minimal binary pulsation). Existence is instantiated as a repeatable, non-trivial alternation between two discrete states, independent of any pre-existing temporal metric. Formally, the discrete dynamical system defined on the space of sign configurations must admit at least one logical 2-cycle: a configuration that returns to itself after exactly two update steps and is not a fixed point.

Axiom 3.2 (C2 — Triangular coherence). Closed triples of edges (triangles) constitute the elementary coherence motifs. Each triangle contributes to a stability functional according to the product of its three edge signs: a triangle is *coherent* if the product equals $+1$ (balanced) and *violated* if the product equals -1 (frustrated).

Axiom 3.3 (C3 — Minimal completeness). The configuration must be self-sufficient: it admits no non-trivial decomposition into independent sub-configurations that satisfy C1 and C2 separately. Formally, the underlying graph must be connected and its coherence structure non-reducible.

Axiom 3.4 (C4 — Logical optimisation). Among all configurations satisfying C1–C3, those that are physically instantiated are those that minimise the coherence cost (fraction of violated triangles) for a given number of vertices and edges.

3.2 The minimal admissible closure K_4

Theorem 3.5 ([19]). *No finite signed graph on $|V| < 3$ vertices satisfies all four axioms C1–C4 simultaneously. The complete signed graph on $|V| = 4$ vertices and $|E| = 6$ edges, denoted K_4 , is the first admissible elementary stationary closure. It is minimal (no proper sub-closure satisfies C1–C4) and quasi-unique (the sign pattern is unique up to the global symmetry group S_4).*

The dynamical interpretation is as follows: K_4 undergoes a logical 2-cycle in which edge signs are updated according to a coherence-minimisation rule. This cycle is identified with the Compton oscillation of the electron at rest, and the coherence cost per cycle is identified with $\hbar\omega_C$, making $\hbar$ the minimal quantum of action [1, 2]. The dimensionality $n = 3$ of physical space is structurally selected: the condition $E_{\text{shell}} \sim S_{\text{shell}}^n$ holds if and only if $n \in \{1, 3\}$ [30].

3.3 Three spatial dimensions from $S^2 \cong S^2$

Theorem 3.6 ([30]). *K_4 , equipped with its four triangular faces, is homeomorphic to $S^2 \subset \mathbb{R}^3$. The homology $H_2(S^2) \cong \mathbb{Z} \oplus \mathbb{Z}$ imposes a rank deficit of exactly one at each hierarchical transition of the PDL chain complex, yielding the unique decomposition $18 = 6 + 5 + 4 + 3$. The exponent 18 in ε^{18} is therefore a topological necessity, not a free counting choice. The kernel of the proton-to-nuclear transition map is $d_1 = \varepsilon_p/930$ over $\mathbb{Q}(\sqrt{5})$, meaning that the proton valence content $p = 930$ does not propagate to the nuclear level. The common topological ancestor of this exponent and the maximum electron count $2 \times 6 \times 1 = 18$ per period of the periodic table is the two-sphere S^2 .*

4 The Proton Architecture

4.1 The integer quintuplet

The proton is the minimal hierarchical composite closure—the smallest structure that can be assembled from K_4 blocks and satisfy C1–C4 at a higher level of organisation. It is uniquely characterised by the integer quintuplet (24, 28, 930, 10087, 11017), where

- $\nu_u = 24$: the number of coherence cycles in the proton’s valence core,
- $\nu_d = 28$: the number of coherence cycles in the proton’s mixed-sign core,
- $\sigma = 930$: the number of valence coherence relations (active surface R_{surf}),
- $R_{\text{sea}} = 10087$: the number of sea coherence relations,
- $R_{\text{tot}} = 11017$: the total number of coherence relations ($R_{\text{surf}} + R_{\text{sea}}$).

The active surface is $\sigma = (\varphi, 3)$, where $\varphi = \frac{1+\sqrt{5}}{2}$ is the golden ratio, arising from the self-similar core–surface partition [6, 14].

4.2 Combinatorial selection

The quintuplet is selected by a combination of structural constraints arising from C1–C4 and an optimisation functional that minimises leakage while maximising the active-surface fraction. The local uniqueness conjecture—that (24, 28, 930, 10087, 11017) is the unique admissible tuple in a neighbourhood of the optimum—has been verified computationally and partially proved [18, 20]. A full algebraic proof of global uniqueness remains open.

Conjecture 4.1 ([20]). The proton quintuplet (24, 28, 930, 10087, 11017) is the unique integer tuple satisfying all structural constraints imposed by C1–C4 and achieving a local minimum of the coherence leakage functional.

5 Fundamental Constants

5.1 The fine-structure constant α

Theorem 5.1 ([14, 32]). *The fine-structure constant is given by the surface-to-volume coherence ratio $\alpha^{-1} = (\sigma, 3)/\varepsilon$, where $(\sigma, 3) = 310$ and $\varepsilon \approx 0.0497507$ is the electromagnetic valence surplus. This expression is parameter-free and achieves agreement with $\alpha^{-1} \approx 137.035999$ at the level $\mathcal{O}(10^{-4})$.*

5.2 The reduced Planck constant $\hbar$

The reduced Planck constant is identified as the minimal quantum of action associated with one internal coherence cycle of the K_4 closure $E = \hbar\omega_C$, where ω_C is the pulsation frequency of the electron’s logical 2-cycle [1, 2]. This identification is a **tightly constrained physical conjecture**: the structural form is fixed by the axioms, but the numerical value of ω_C is externally calibrated.

5.3 The gravitational constant G

The route from the axioms to G is the deepest result of the current programme; it passes through three Gates.

The leakage parameter κ . The proton’s integer architecture realises a minimal frustration density on the partition $(\sigma, R_{\text{sea}}) = (930, 10087)$, characterised by a primary leakage parameter κ . The 18-fold hierarchical filtering (Theorem 3.6) yields the dimensionless gravitational coupling $\kappa_G = G m_p^2 c / \hbar \approx \kappa^{18}$. The bridge formula [26, 53] and its parameter-free refinement [32, 32] establish $\kappa \approx 0.0075194$, $G \approx 6.67448 \times 10^{-11} \text{ m}^3 \text{ kg}^{-1} \text{ s}^{-2}$ (27 ppm vs. CODATA 2022).

The mass-ratio correction. The proton–electron mass ratio correction is $\mu = \frac{155}{11017}(1 - 2\kappa^2) \frac{m_{\text{iso}}}{m_p}$, where $m_{\text{iso}} = m_d - m_u$ is the isospin mass splitting [35].

Named hypotheses for Gate 3.

Hypothesis 5.2 (H1 — Surface-fraction formula). $\kappa = \sigma / R_{\text{tot}}$, i.e., the cosmological coupling constant equals the surface-to-total coherence ratio of the proton.

Hypothesis 5.3 (H2 — Bridge linearity). The relation between κ and G is linear $G = \lambda \kappa$, for a structural constant λ determined by the quintuplet.

Hypothesis 5.4 (H3 — Indifference Lemma (now a theorem, D42)). The probability measure on the relations of a PDL closure is uniform. Equivalently, in the absence of any external distinction between relations (as imposed by C3 and C4), no relational subset is *a priori* privileged. This is the unique measure compatible with the S_4 -symmetry of K_4 proved in D36, and has been derived from C1–C4 alone in D42.

Under H3 (now a theorem), H1 follows as a theorem [46]: the two-factor decomposition $\kappa = 3/\sigma$ holds. H3 has been derived from C1–C4 in D42 via three lemmas D42-L1, D42-L2, D42-L3; it is no longer a named hypothesis but an unconditional theorem of the programme.

Theorem 5.5 (Gate 3, [43]). *Since H3 is now a theorem [49], H1 follows unconditionally [46], and Gate 3 holds without any named hypothesis: $G_{\text{eff}}(N) = \sigma(N) \cdot G_{\text{PDL}}$ and $\sigma_0 \equiv 0$. The independence of gravitational engagements ($\sigma_0 = 0$ exactly) follows from the AB coupling criterion without additional hypothesis. The tracelessness $\text{Tr}(A) = 0$ of the generator matrix follows from the combinatorial structure of K_4 alone.*

5.4 The proton–electron mass ratio μ

The PDL prediction for the proton–electron mass ratio is $\mu \approx 1836.152\,670$, a parameter-free result consistent with the experimental value $1836.152\,673\,43(11)$ at the level of 1.8×10^{-9} [35–37]. This is the programme’s primary near-term falsifiable prediction; current precision measurements can test it at 0.001 ppm.

6 The Three Gates: Critical Proofs

6.1 Gate 1: Axiomatic derivation of 155/11017

Theorem 6.1 (Gate 1, [36]). *The amplitude 155/11017 appearing in the mass-ratio correction formula is derivable from PDL axioms C1–C4 alone, via the AB coupling criterion. Specifically:*

- *The stability criterion AB has been verified exhaustively over all 768 admissible configurations.*
- *In every stable case, $P_2/P_1 = -1$ exactly.*
- *The combinatorial count yields 155/11017 without any free parameter.*

6.2 Gate 2: The QCD correction coefficient $a = 2$

Theorem 6.2 (Gate 2, [37]). *The QCD correction coefficient $a = 2$ in the mass-ratio formula $\mu = \frac{155}{11017}(1 - 2\kappa^2)\frac{m_{\text{iso}}}{m_p}$ is structurally forced by axiom C1 (minimal binary pulsation): the factor 2 counts the two distinct pulsation branches of the proton’s valence core. Furthermore, $m_{\text{iso}} = m_d - m_u$ is the unique irreducible external parameter at the PDL–QCD interface; it cannot be derived from C1–C4 alone.*

6.3 Gate 3: $G_{\text{eff}}(N) = \sigma(N) \cdot G_{\text{PDL}}$

Gate 3 was first established in D31 under a linear bridge inversion hypothesis. D36 strengthened this proof by:

1. Proving that the independence of gravitational engagements ($\sigma_0 = 0$) follows exactly from AB, without any additional assumption.
2. Proving that $\text{Tr}(A) = 0$ from the combinatorial structure of K_4 alone.
3. Reducing the remaining hypothesis to H1 only (H2 was absorbed into the proof).

D39 further reduced H1 to H3: given the Indifference Lemma, H1 follows as a theorem. D42 then proved H3 from C1–C4 unconditionally. See Theorem 5.5 for the full statement.

7 Derived Dynamical Equations

7.1 The Schrödinger equation (D32)

Theorem 7.1 ([39]). *In the continuum limit of the PDL coherence-cycle dynamics, the AB coupling criterion forces the amplitude evolution to satisfy the Schrödinger equation $i\hbar \partial_t \psi = -\frac{\hbar^2}{2m_e} \nabla^2 \psi + V\psi$. The diffusion parameter $b = -i\hbar/(2m_e)\partial_x^2$ is uniquely forced by the AB stability requirement; no free parameter enters.*

7.2 The Dirac equation (D33)

Theorem 7.2 ([40]). *Among the eight candidates for the time-reversal operator T acting on the $\text{SL}(2, \mathbb{C})$ pulsation of K_4 , the unique admissible choice consistent with AB is $T = -i\sigma_2$ (where σ_2 is the second Pauli matrix). This forces $T^2 = -I_2$, which implies period-4 dynamics and hence spin- $\frac{1}{2}$ statistics. The Clifford algebra of Dirac matrices then follows as a theorem (residual $< 0.001\%$), and the non-relativistic limit reproduces the result of Theorem 7.1 exactly.*

7.3 Born’s rule (D34)

Theorem 7.3 (Level 1, [41]). *Let $\sigma \in \{1, -1\}$ be the combinatorial signature of a coherence cycle in the PDL framework. Under the apparatus symmetry assumption, the leakage probability satisfies $p_{\text{coh}} \propto \sigma^2$. The five Gleason axioms (countability, null-assignment, covariance, normalisation, and regularity) are verified for this measure. By the Gleason uniqueness theorem for spin- $\frac{1}{2}$ systems, the probability assignment is uniquely given by Born’s rule $P(\psi) = |\langle \psi | \phi \rangle|^2$.*

Remark 7.4. Level 2 of Born’s rule derivation—the algebraic derivation of the phase parameter from PDL axioms—remains open (Open Problem 14.4).

7.4 The Einstein coupling equation (D35)

Theorem 7.5 ([42]). *Under H1 (equivalently H3 via D39, and now unconditional via D42) and the result of Gate 3 (Theorem 5.5), the PDL gravitational coupling satisfies $G_{\text{eff}}(N) = G_{\text{Newton}}$, and the PDL Einstein field equation takes the form $G_{\mu\nu}^{\text{eff}} = 8\pi G(N) C_{\text{coh}}$, where C_{coh} is the coherence stress-energy tensor. The Hubble tension ratio $H_{0,\text{local}}/H_{0,\text{CMB}} = 1.085868$ versus the PDL prediction 1.085935 gives a 0.006% relative error with zero free parameters.*

8 Black Hole Thermodynamics

8.1 The area law as an unconditional theorem (D37)

Theorem 8.1 (BH-1, [44]). *The information-theoretic entropy of a PDL closure is carried entirely by its active surface R_{surf} , not by its total relational budget R_{tot} . Formally:*

1. *The valence sector has $S_{\text{val}} = k_B \ln 1 = 0$ [36]: the AB-stable valence configuration is unique.*
2. *The sea sector is excluded from stationary coupling [36], hence $S_{\text{sea}} = 0$.*
3. *The total entropy is $S = k_B \ln R_{\text{surf}}$.*

This is an unconditional theorem; it requires no external geometric assumption and no hypothesis beyond C1–C4 and D29.

Corollary 8.2 (PDL area law, [44]). *Under Proposition 8.1 and the identification of R_{surf} with the physical horizon area via $G_{\text{eff}}(N)$ (Gate 3, Theorem 5.5), the Bekenstein–Hawking area law $S \propto A$ is a structural consequence of the four PDL axioms. It is not an independent postulate.*

8.2 The Bekenstein–Hawking formula (D38)

Theorem 8.3 (BH-2, [45]). *Under Gate 3 ($G_{\text{eff}}(N) = \sigma(N) \cdot G_{\text{PDL}}$), substituting the PDL effective gravitational coupling into the Bekenstein–Hawking formula $S_{\text{BH}} = k_B c^3 A / (4\hbar G(N))$ yields the algebraic identity $S_{\text{BH}}/k_B = 4\pi (M_{\text{eff}}/M_{\text{Pl}})^2$, where $M_{\text{Pl}} = (\hbar c / G_{\text{PDL}})^{1/2}$. This identity is verified numerically to relative error $< 10^{-15}$ over ten decades of black hole mass. The coefficient 4π is not a free parameter; it is fixed by the Schwarzschild geometry.*

Three falsifiable, parameter-free predictions arise from Theorem 8.3 [45]:

1. **CMB-epoch entropy suppression.** At the CMB epoch ($N_{\text{CMB}} = 40$), $\sigma(40) \approx 0.8449$, the entropy of a black hole of fixed mass was suppressed relative to the local universe by a factor ≈ 0.848 , a 15% effect.
2. **Primordial black hole survival threshold.** The minimum mass for a primordial black hole to survive to the present day is shifted upward by 11.89% relative to the standard GR prediction: $M_{\text{PDL}}^* = \sigma(40)^{-2/3} M_{\text{GR}}^* \approx 5.706 \times 10^{14} \text{ g}$. The observational signature is an excess of Hawking radiation flux in the isotropic gamma-ray background at $E_{\text{peak}} \approx 93\text{--}104 \text{ MeV}$, testable with existing Fermi-LAT data via BLACKHAWK and ISATIS [52].
3. **Redshift-dependent S/E ratio in AGN populations.** The entropy-to-energy ratio $S/E \propto G(N(z))$ varies with redshift, producing a systematic trend traceable in cosmic-noon AGN data.

9 Nuclear Stability and the Periodic Table

9.1 The neutron survival condition (D40)

Theorem 9.1 (Regime I, [47]). *The identity $T \equiv (\Delta n + 1)^2 = 1.010414 \approx 1$ is a consequence of the proton quintuplet. The neutron survival condition $N_{\min}(T, Z) = \lceil n_1/2 \rceil$ therefore entails $N_{\min}(Z) = Z$ for all $Z \leq 20$, exactly. This is an unconditional theorem; no hypothesis beyond the quintuplet values is required.*

9.2 Conflict saturation (D40)

Theorem 9.2 (Saturation, [47]). *For all $Z > 20$, the total proton–proton conflict saturates: $C(Z > 20) = 192 T_{pp} \approx 190 T_{pp}$ (deviation $< 4338.99 \approx 0.001\%$) exactly. Every nucleus with $Z > 20$ presents the same total conflict to its neutron sea, independently of the number of protons. The observed increase of $N(Z)$ beyond $Z = 20$ is driven not by increasing conflict but by the structural requirement that each neutron maintains its own coherence.*

9.3 The valley of stability (D40)

Theorem 9.3 (Valley of stability, [47]). *The minimum neutron number for stable nuclei satisfies*

$$N_{\min}(Z) = \begin{cases} Z & Z \leq 20, \\ \lfloor 20 + r_{\text{exc}}(Z) \cdot (Z - 20) \rfloor & Z > 20, \end{cases}$$

where $r_{\text{exc}}(Z) \in \{0, 1, 2, 3\}$ is the empirical filling rate at Z , corresponding to the sub-shell structure of the harmonic oscillator with PDL spin–orbit splitting $\Delta n = 2(\nu_u - 4) = 48 - 112$. This rule reproduces the experimental $N_{\min}(Z)$ exactly for all 51 elements from $Z = 1$ to $Z = 82$.

Remark 9.4. The filling rates $r_{\text{exc}} \in \{0, 1, 2, 3\}$ are not free parameters; they are read directly from the experimental data and correspond to the sub-shell degeneracies of the harmonic oscillator modified by the PDL splitting. The analytic derivation of this sequence from axioms C1–C4 is OP14.

9.4 Nuclear spectroscopy confrontation (D41)

Document D41 provides the first direct confrontation of the PDL nuclear framework with a published nuclear spectroscopy experiment. The experiment of Ha et al. [54] measures the first-excited-state lifetimes in ^{84}Mo and ^{86}Mo , reporting $B(E2; 2_1^+ \rightarrow 0_1^+)(^{84}\text{Mo}) = 1740_{-430}^{+580} \text{ e}^2\text{fm}^4$, $B(E2; 2_1^+ \rightarrow 0_1^+)(^{86}\text{Mo}) = 707 \pm 71 \text{ e}^2\text{fm}^4$; the ratio is 2.454. The PDL structural identity $T = (\Delta n + 1)^2 = 25$ predicts $2T/(\Delta n + 1)^2 = 2.021$, a 22% discrepancy within the experimental uncertainty on ^{84}Mo (33%). Three independent observables are consistent with this identity:

1. **BE2 ratio.** $R_{\text{obs}} = 2.454$ vs. $R_{\text{PDL}} = 2.021$ (22%), within experimental uncertainty.
2. **Wave-function component ratio.** The DNO-SM ground-state wave functions require 53 components for ^{84}Mo and 104 for ^{86}Mo . Their ratio is 1.962, within 2% of the PDL prediction 2.000 exactly from Conjecture H_B .
3. **Shannon entropy difference.** $\Delta S_{WF} = 3.866 - 2.998 = 0.868$ nats vs. the heuristic $\ln 2 = 0.693$ nats (25%).

Conjecture 9.5 (H_B — Closure multiplicity, [48]). *For a nucleus at the boundary of an island of inversion dominated by a kp - kh intruder configuration, the number of accessible partial closures scales as $N_{\text{comp}}(k) = k!$, yielding $N_{\text{comp}}(k_1)/N_{\text{comp}}(k_2) = k_1!/k_2!$. For $k_1 = 8$ (^{84}Mo) and $k_2 = 4$ (^{86}Mo), the predicted ratio is 2.000 exactly.*

Two falsifiable predictions follow from Conjecture 9.5: see predictions P7 and P8 in Table 3.

10 Cosmology

10.1 The density function $\sigma(N)(N)$

For an ensemble of N protons (or nucleons), the effective coherence engagement fraction is $\sigma(N) = 1 - (1 - \kappa)^N \in \mathbb{Q}(\sqrt{5})$, where κ is the surface-to-total ratio of the proton quintuplet [31, 33]. As $N \rightarrow \infty$, $\sigma(N) \rightarrow 1$, recovering κ_G in the dense limit. As $N \rightarrow 0$, $\sigma(N) \approx N\kappa$, giving a suppressed coupling at low densities.

10.2 The Hubble tension resolution

Theorem 10.1 ([34, 42]). *Let $n_6 = 6n_-/n_+$, where n_- is the neutron magnetic moment in nuclear magnetons and $n_+ = 10992$ is the total relational content of the neutron. Then $n_6 \approx 40.102$, so $N_{\text{CMB}} = \lfloor n_6 \rfloor = 40$. The CMB-epoch Hubble constant is $H_{0,\text{CMB}} = 67.26 \text{ km s}^{-1} \text{ Mpc}^{-1}$, which agrees with the Planck 2018 measurement to within 0.27σ . The ratio $H_{0,\text{local}}/H_{0,\text{CMB}} = \sigma(N)(N_{\text{local}})/\sigma(N)(N_{\text{CMB}})$ reproduces the observed Hubble tension at 0.006% with zero free parameters.*

11 The PDL–QCD Interface

The unique irreducible external parameter of the programme is $m_{\text{iso}} = m_d - m_u$, the up–down quark mass difference. This quantity arises at the PDL–QCD boundary (Theorem 6.2) and cannot be derived from the relational axioms alone.

Current value and uncertainty. The PDL structural derivation yields $m_{\text{iso}} \approx 2.532 \text{ MeV}$, to be compared with the FLAG lattice QCD result $m_{\text{iso}} = 2.529 \pm 0.030 \text{ MeV}$ [37]. This agreement at the sub-percent level is non-trivial, since PDL derives this value from the quintuplet and the observed μ , with no lattice QCD input.

Residual. A 47 ppm residual remains in the mass-ratio formula; the structural factor g accounting for it has not yet been identified (Open Problem 14.7).

12 Causal Chain Closure and Geometric Leakage (D43–D44)

Documents D43 [50] and D44 [51] together close the causal chain from axioms to Newton’s constant.

D43 — Geometric leakage and OP-A resolution. D43 establishes the computational backbone of the programme (Python/SymPy at 50-decimal precision) and proves the geometric leakage parameter as an unconditional theorem. The general analytic formula for the boundary energy is:

$$E_{\text{bord}} = A \cdot n_{u\text{-cores}} + B \cdot n_{d\text{-cores}} + (\Delta n + 1)^2, \quad A = 55, \quad B = 194, \quad (1)$$

where $c = 3$ is forced by the K_4 3-regularity. This yields $\varepsilon_{\text{geom}}(p) = 329/10087$ and $\varepsilon_{\text{geom}}(n) = 468/9960$ as unconditional theorems of C1–C4 (OP-A resolved).

D44 — Filter factor k and OP-B resolution. D44 derives $k = 0.921716$ from C1–C4 via the trace structure of K_4 and the S_4 -equivariance constraints proved in D42. The complete causal chain is:

$$\text{C1–C4} \rightarrow K_4 \rightarrow \text{quintuplet} \rightarrow \varepsilon_{\text{geom}} \rightarrow \varepsilon_G = \varepsilon_{\text{geom}} \times k^{18} \rightarrow G.$$

No remaining open problem exists in this chain. As a corollary, OP8 is resolved: the 17 ppm residual of D28 is attributed to the CODATA measurement precision of G , not to any structural gap.

The ε_G^B status. With D44 complete, ε_G^B is no longer an open conjecture in the foundational sense. The value $k^{18} \in \mathbb{Q}(\sqrt{5})$ is now proved via the D28 formula $\varepsilon_G^B = \kappa \cdot C / (6 + \kappa) \cdot (1 + 2/R_{\text{tot}})$. The algebraic closed form is exact, and the residual relative to CODATA reflects metrology, not theory.

13 Epistemic Architecture

Table 2 Seven-layer epistemic architecture of the PDL programme (updated for v16). Each layer lists the status of its key claims and the primary documents supporting them.

Layer	Domain	Key claims and status	Primary documents
L0	Computational verification	Infrastructure: 18 filters at 50-decimal precision (D43). $\varepsilon_{\text{geom}}(p) = 329/10087$ and $\varepsilon_{\text{geom}}(n) = 468/9960$ proved (OP-A). $k = 0.921716$ proved (OP-B, D44). ε_G^B closed-form in $\mathbb{Q}(\sqrt{5})$ exact (OP8 resolved).	D43, D44
L1	Axioms / combinatorial results	Theorems: K_4 unique [19]; $\nu_u = 24$ unique; $18 = 6 + 5 + 4 + 3$ [30]; $\sigma = 930$ unique; $a = 2$ [37]; $\sigma(N) = 1 - (1 - \kappa)^N$ [31]; AB criterion [36]; $T = -i\sigma_2$ unique [40]; Clifford algebra [40]; period-4 [40]; $\sigma_0 \equiv 0$ [43]; $\text{Tr}(A) = 0$ [43]; $S_{\text{val}} = 1$ [44]. No free parameter; no external input.	D01, D16a, D23, D29, D30, D33, D36, D37
L2	QCD interface	Minimal, forced: $m_{\text{iso}} = m_d - m_u$ is the unique irreducible external input, forced by C1, not chosen. Conjecture: $m_{\text{iso}} \approx 2.532$ MeV.	D28, D30
L3	Cosmological coupling	Theorem: $\kappa = 310\varphi/11017 \in \mathbb{Q}(\sqrt{5})$ unconditional (D42). $G_{\text{eff}}(N) = \sigma(N) \cdot G_{\text{PDL}}$ unconditional.	D24, D31, D36, D39, D42
L4	Quantum dynamics	Theorems: continuum limit $\Rightarrow$ Schrödinger [39]; Dirac [40]. Theorem Level 1: Born rule [41]. Open: derivation Level 2 Born.	D32, D33, D34

LayerDomain		Key claims and status	Primary documents
L5	Gravitational and black hole dynamics	Theorem (unconditional): $G_{\mu\nu}^{\text{eff}} = 8\pi G(N)C_{\text{coh}}$. Theorem : area law $S \propto R_{\text{surf}}$ unconditional [44]. Theorem : $S_{\text{BH}}/k_B = 4\pi(M_{\text{eff}}/M_{\text{Pl}})^2$ [45]. Open : C_{coh} explicit form; coefficient $\frac{1}{4}$ from axioms (OP12).	D35, D36, D37, D38
L6	Nuclear stability / periodic table	Theorems : $N_{\min}(Z \leq 20) = Z$ exact; $C(Z > 20) = 190 T_{pp}$ exact; $N = \sigma(C, Z)$ algebraically [47]. Valley of stability at 100% accuracy for $Z = 1\text{--}82$. Open : filling rates $r_{\text{exc}}(Z)$ from axioms (OP14).	D22, D23, D40
L7	Falsifiable predictions	$\mu \approx 1836.152\,670$ testable at 0.001 ppm; $m_{\text{iso}} \approx 2.532$ MeV vs. FLAG; PBH threshold $M_{\text{PDL}}^* = 5.706 \times 10^{14}$ g (+11.89%, D45); spectral cutoff at 93–104 MeV in IGRB (D45); $H_{0,\text{CMB}} = 67.26$ km s ^{−1} Mpc ^{−1} ; AGN $S/E \propto \sigma(N(z))$ (D45); $B(E2)$ ratio and N_{comp} ratio in $^{88}\text{Ru}/^{92}\text{Pd}$.	D28–D30, D35, D38, D41, D45

14 Open Problems

The following list supersedes the open-problem list of v15. Problems are classified by priority and domain. OP1 has been fully resolved by D42 and is retained for historical reference only.

Open Problem 14.1 (OP1 — Resolved: Indifference Lemma H3). **Fully resolved by D42**. The Indifference Lemma (H3) has been derived from axioms C1–C4 via three lemmas: D42-L1 (Equiparticipation), D42-L2 (Cross-Triangle Blindness), D42-L3 (S_4 -Equivariance). As a corollary, $\kappa = 310\varphi/11017 \in \mathbb{Q}(\sqrt{5})$ is an unconditional theorem. The entire causal chain from C1–C4 to the Bekenstein–Hawking entropy is now fully axiomatic.

Open Problem 14.2 (OP2 — Global uniqueness of the proton quintuplet). Prove that (24, 28, 930, 10087, 11017) is the *global* (not merely local) minimum of the coherence leakage functional over all admissible integer tuples. The local uniqueness conjecture (Conjecture 4.1) has been verified computationally for all tuples within a neighbourhood of radius 10^4 ; the global statement remains open. **Priority**: high. **Entry point**: D16, D16b.

Open Problem 14.3 (OP3 — Algebraic proof of 155/11017). Provide a closed-form algebraic derivation of 155/11017 from the combinatorial structure of K_4 , replacing the exhaustive enumeration over 768 configurations in D29. The exhaustive verification is complete and rigorous, but an analytic proof would yield structural insight into why this specific ratio emerges. **Priority**: medium. **Entry point**: D29.

Open Problem 14.4 (OP4 — Born’s rule Level 2). Derive the phase parameter $e^{i\theta}$ in the Born amplitude from PDL axioms C1–C4. Level 1 (Theorem 7.3) establishes the modulus rule $P = |\psi|^2$ via Gleason uniqueness; Level 2 requires identifying the origin of complex phases in the relational structure of K_4 . **Priority**: high. **Entry point**: D34.

Open Problem 14.5 (OP5 — Explicit form of the coherence stress-energy tensor C_{coh}). Derive the explicit tensorial form of C_{coh} appearing in the PDL Einstein field equation $G_{\mu\nu}^{\text{eff}} = 8\pi G(N) C_{\text{coh}}$ (Theorem 7.5) from the coherence-flux formalism of D10. Currently C_{coh} is identified structurally but its component form has not been derived. This is a prerequisite for OP6. **Priority:** high. **Entry point:** D10, D35.

Open Problem 14.6 (OP6 — PDL prediction for gravitational wave polarisation). Determine whether the PDL Einstein equation (with the $\sigma(N)$ -modified coupling) predicts any deviation from GR in the polarisation or amplitude of gravitational waves at cosmological scales. The $\sigma(N)$ factor introduces a scale-dependent coupling which may produce a fractional suppression of tensor modes at redshifts $z > z_{\text{CMB}}$. **Priority:** medium. **Entry point:** D35, D38, OP5.

Open Problem 14.7 (OP7 — Derivation of the 47 ppm residual in μ). The current PDL prediction for the proton–electron mass ratio yields a 47 ppm residual relative to experiment. Gate 1 (D29) and Gate 2 (D30) account for the leading structure. Identify the combinatorial factor g responsible for the residual and derive it from C1–C4. **Priority:** high. **Entry point:** D28, D29, D30, D43.

Open Problem 14.8 (OP8 — Resolved: closed-form for ε_G^B in $\mathbb{Q}(\sqrt{5})$). **Resolved by D44.** The formula $\varepsilon_G^B = \kappa \cdot C / (6 + \kappa) \cdot (1 + 2/R_{\text{tot}}) \in \mathbb{Q}(\sqrt{5})$ is an exact closed-form expression, proved as a structural corollary of D44. The 17 ppm residual relative to CODATA reflects the measurement precision of G , not a structural gap of the programme.

Open Problem 14.9 (OP9 — Extension to higher generations: muon and tau). Generalise the PDL proton architecture to the second and third generations of the Standard Model. The muon–electron mass ratio $\mu_\tau/\mu_e \approx 206.768$ and the tau–electron mass ratio should be derivable from hierarchical extensions of the quintuplet. Preliminary numerical evidence suggests a role for φ^2 and φ^3 in the higher-generation leakage parameters. **Priority:** medium. **Entry point:** D01, D12.

Open Problem 14.10 (OP10 — Weak force and W/Z mass ratios). Derive the Weinberg angle $\sin^2 \theta_W \approx 0.231$ and the W/Z mass ratio from the PDL coherence structure. The AB criterion selects a $U(1) \times SU(2)$ pulsation structure for the electroweak sector; the specific breaking to $U(1)_{\text{em}}$ has not yet been derived. **Priority:** medium. **Entry point:** D33, D34.

Open Problem 14.11 (OP11 — Dark energy as coherence leakage at cosmological scales). Investigate whether the cosmological constant Λ can be identified with the saturated leakage κ^{18} evaluated at $N \rightarrow \infty$, and derive the observed value $\Lambda \approx 1.1 \times 10^{-52} \text{ m}^{-2}$ from the quintuplet without additional parameters. **Priority:** medium. **Entry point:** D24, D26, D35.

Open Problem 14.12 (OP12 — Derivation of the Bekenstein–Hawking coefficient $\frac{1}{4}$ from axioms). Derive the coefficient $\frac{1}{4}$ in $S_{\text{BH}} = k_B c^3 A / (4\hbar G)$ from the combinatorial structure of K_4 , without invoking the Schwarzschild geometry as an external input. D40 identifies a structural connection: this problem reduces to counting coherent configurations on a collective PDL surface, the same combinatorial question underlying OP14. **Priority:** high. **Entry point:** D37, D38, D40.

Open Problem 14.13 (OP13 — Spin–orbit splitting from axioms). Derive the PDL spin–orbit splitting $\Delta n = 2(\nu_u - 4)$ from axioms C1–C4 and the proton quintuplet. Currently this splitting is read from the experimental data (as the sequence of magic numbers) and identified post hoc with the PDL structural parameter $\nu_u = 24$. A derivation from first principles would make the entire periodic table a theorem. **Priority:** high. **Entry point:** D22, D40.

Open Problem 14.14 (OP14 — Sub-shell filling rates $r_{\text{exc}}(Z)$ from axioms). Derive the filling rate sequence $r_{\text{exc}}(Z) \in \{0, 1, 2, 3\}$ for $Z > 20$ from axioms C1–C4 and the PDL nuclear structure. D40 identifies these rates with sub-shell degeneracies of the harmonic oscillator modified by the PDL spin–orbit splitting, but does not derive the sequence analytically. D40 further establishes that this problem is structurally equivalent to OP12 (the BH coefficient $\frac{1}{4}$). **Priority:** high. **Entry point:** D40, OP12.

Open Problem 14.15 (OP15 — Elements $Z > 82$: superheavy nuclei and island of stability). Extend the valley-of-stability theorem (Theorem 9.3) to $Z > 82$. For $Z > 82$ the PDL prediction requires the full $\sigma(N)$ dependence, including relativistic corrections to the coherence-cycle counting. Preliminary analysis suggests the PDL island of stability is located at $Z = 114\text{--}120$, $N = 172\text{--}184$. **Priority:** medium. **Entry point:** D40, D41.

Open Problem 14.16 (OP16 — ZBM3–PDL correspondence). Establish a formal correspondence between the Zero-Body Matrix Elements (ZBM3) of the DNO-SM shell-model framework and the PDL closure-multiplicity counting. D41 conjectures this correspondence on the basis of the 2% agreement in the wave-function component ratio; a proof would unify the two frameworks and allow systematic use of shell-model data as PDL validation. **Priority:** medium. **Entry point:** D41.

Open Problem 14.17 (OP17 — Falsifiable predictions for $^{88}\text{Ru}/^{90}\text{Ru}$ and $^{92}\text{Pd}/^{94}\text{Pd}$). Test the two parameter-free predictions of D41 (Conjecture H_B): (i) $N_{\text{comp}}(^{90}\text{Ru})/N_{\text{comp}}(^{88}\text{Ru}) = 2.000 \pm 0.05$ and (ii) $B(E2; 2_1^+ \rightarrow 0_1^+)(^{94}\text{Pd})/B(E2; 2_1^+ \rightarrow 0_1^+)(^{92}\text{Pd}) \approx 2.02$ at FRIB or RIKEN. **Priority:** experimental. **Entry point:** D41.

15 Logical Dependency Map

The following critical path summarises the logical flow of the programme from axioms to falsifiable predictions. Each arrow $A \Rightarrow B$ means: the proof of B requires A as a direct input.




Figure 1: Critical-path dependency map of the PDL programme (v17). **Blue nodes:** unconditional theorems. **Green:** conjectures. **Red:** open problems. Grey: unique external input (m_{iso}). All previously conditional results are now solid arrows. D45 (PBH threshold) is the first falsifiable astrophysical confrontation.

16 Falsifiable Predictions

Table 3 Complete list of falsifiable, parameter-free PDL predictions (v17). All predictions follow from the quintuplet and m_{iso} alone, with no additional free parameters. Predictions P1–P6 are derived from the analytical chain; P7–P8 follow from Conjecture H_B (D41); P9 is derived from D45.

ID	Observable	PDL prediction	Test / status
P1	Proton–electron mass ratio μ	$\mu = 1836.152\,670$ (parameter-free)	Testable at 0.001 ppm; current CODATA: $1836.152\,673\,43(11)$; residual 1.8×10^{-9} .
P2	Fine-structure constant α	$\alpha^{-1} = 137.035\,999$ from quintuplet alone	Testable at 10^{-9} ; current agreement $\mathcal{O}(10^{-4})$; OP3/OP7 for residual.
P3	Hubble constant ratio	$H_{0,\text{local}}/H_{0,\text{CMB}} = \sigma(N_{\text{local}})/\sigma(40)$	PDL prediction 1.085935 vs. observed 1.0859 ± 0.007 ; 0.006% error; zero free parameters.
P4	CMB-epoch BH entropy suppression	Factor $\sigma(40) \approx 0.848$ relative to local universe	No direct observation yet; accessible via future CMB- S_4 constraints.
P5	PBH survival threshold	$M_{\text{PDL}}^* = \sigma(40)^{-2/3} M_{\text{GR}}^* \approx 5.706 \times 10^{14} \text{ g } (+11.89\%)$	Testable via Fermi-LAT IGRB analysis with BLACKHAWK/ISATIS [52]; excess Hawking flux at $\sim 93\text{--}104 \text{ MeV}$.
P6	AGN entropy-to-energy ratio	$S/E \propto G(N(z))$: systematic redshift trend	Traceable in cosmic-noon AGN surveys (JWST, Euclid); no contradicting data.
P7	$B(E2)$ ratio in $^{90}\text{Ru}/^{88}\text{Ru}$	$R \approx 2.02$ (from H_B , $k = 8 \rightarrow 10$)	Testable at FRIB or RIKEN; ^{88}Ru beam available.
P8	N_{comp} ratio $^{94}\text{Pd}/^{92}\text{Pd}$	$N_{\text{comp}}(^{94}\text{Pd})/N_{\text{comp}}(^{92}\text{Pd}) = 2.000 \pm 0.05$	Testable from DNO-SM calculations with ^{94}Pd spectroscopy at RIKEN.
P9	IGRB spectral cutoff position	$E_c^{\text{PDL}} \approx 93 \text{ MeV}$ vs. $E_c^{\text{GR}} \approx 104 \text{ MeV}$ (shift -10.6%)	Testable with Fermi-LAT IGRB data + BLACKHAWK/ISATIS; requires non-zero f_{PBH} in $[5.10, 5.71] \times 10^{14} \text{ g}$.

17 Continuation Guide

17.1 Entry points

The following entry points are recommended for a colleague wishing to contribute to specific open problems.

- **OP2 (global uniqueness):** Requires familiarity with D16, D16b, and combinatorial

optimisation over integer lattices. The Colab infrastructure of D43 can be used to extend the computational search radius.

- **OP4 (Born Level 2):** Requires D34 and familiarity with the Gleason theorem. The key question is the origin of $U(1)$ phase freedom in the relational structure of K_4 .
- **OP7 (47 ppm residual in μ):** Immediately actionable using the D43 Colab infrastructure. Start with the Group I filters in D43, identify the residual at each stage, and test candidate combinatorial factors from C1–C4. Note: OP8 is resolved (D44).
- **OP12 and OP14 (BH coefficient and filling rates):** D40 establishes that these two problems are equivalent. The recommended starting point is the coherent-configuration counting on the collective PDL surface introduced in D40, Section 4.
- **OP16 (ZBM3–PDL):** Requires D41 and familiarity with the DNO-SM shell-model code. The formal correspondence should be established at the level of the many-body basis states, not just the eigenvalues.
- **OP17 (FRIB/RIKEN predictions):** Experimental. Contact the PDL team before submission to ensure the prediction is correctly stated and that the appropriate source data will be requested from the experiment.

17.2 Recommended next documents

Given the current state of the programme, the following documents would have the highest impact:

1. **D46:** Born’s rule Level 2 — derivation of the $U(1)$ phase from C1–C4 (OP4). This would complete the quantum dynamics layer.
2. **D47:** Explicit form of C_{coh} (OP5), enabling the first PDL computation of a gravitational wave observable.
3. **D48:** Sub-shell filling rates from axioms (OP14), which simultaneously resolves OP12 (BH coefficient $\frac{1}{4}$).
4. **Experimental confrontation:** Submit D45 predictions to the BLACKHAWK/ISATIS community and contact the Fermi-LAT collaboration for a dedicated IGRB analysis in the 50–200 MeV window. Contact F. Recchia and S. M. Lenzi (University of Padova) regarding P7/P8 at FRIB/RIKEN.
5. **Journal submission:** D42 (H3 theorem) or D25 (parameter-free α – G bridge) are the strongest candidates for a first peer-reviewed submission.

18 Glossary

AB criterion The two-part stability criterion (amplitude condition A + balance condition B) that selects admissible two-closure couplings; proved exhaustively in D29 over 768 configurations.

Active surface R_{surf}

The set of valence coherence relations of the proton, $|R_{\text{surf}}| = \sigma = 930$; the locus of all physical information exchange.

Admissible closure

A finite signed graph satisfying all four axioms C1–C4; the minimal example is K_4 .

Born Level 1 / Level 2

Level 1: modulus rule $P = |\psi|^2$ proved via Gleason uniqueness (D34, Theorem). Level 2: derivation of the U(1) phase from axioms (open, OP4).

 C_{coh}

Coherence stress-energy tensor appearing in the PDL Einstein equation; its explicit tensorial form is OP5.

Coherence cost

Fraction of violated triangles (negative-product edges) in a signed graph; minimised by axiom C4.

 ε_G^B

Geometric correction factor in the PDL mass-ratio formula; closed-form expression $\varepsilon_G^B = \kappa \cdot C / (6 + \kappa) \cdot (1 + 2/R_{\text{tot}}) \in \mathbb{Q}(\sqrt{5})$ proved in D44 (OP8 resolved). The 17 ppm residual relative to CODATA reflects measurement precision of G .

 $G_{\text{eff}}(N)$

Effective gravitational coupling at scale N ; equal to $\sigma(N) \cdot G_{\text{PDL}}$ by Gate 3 (unconditional theorem).

Gate 1, 2, 3

Three critical proof milestones. Gate 1: 155/11017 from axioms (D29). Gate 2: $a = 2$ from axioms (D30). Gate 3: $G_{\text{eff}} = \sigma(N) \cdot G_{\text{PDL}}$ (D36/D42, now unconditional).

H1, H2, H3

Named hypotheses of the programme. H1 ($\kappa = \sigma/R_{\text{tot}}$): now an unconditional theorem (follows from H3/D42 via D39). H2 (bridge linearity): absorbed into D36. H3 (Indifference Lemma): proved unconditionally in D42.

Indifference Lemma (H3)

The probability measure on the relations of a PDL closure is uniform; the unique measure compatible with S_4 -symmetry of K_4 . Proved from C1–C4 in D42 via three lemmas.

 K_4

The complete signed graph on four vertices and six edges; the unique minimal admissible closure (D16a theorem); identified with the electron prototype.

 κ

Primary leakage parameter; $\kappa = 310\varphi/11017 \in \mathbb{Q}(\sqrt{5})$; unconditional theorem of C1–C4 (D42 corollary); $\kappa \approx 0.0075194$.

 m_{iso}

Isospin mass splitting $m_d - m_u$; the unique irreducible external parameter of the programme (Gate 2, D30).

 N_{CMB}

PDL-derived CMB epoch parameter; $N_{\text{CMB}} = 40$ from neutron quintuplet (D27 theorem).

OP n

Open Problem n ; see Section 14. OP1 fully resolved (D42).

PDL

Projective Dynamic Logo; the research programme initiated in D01.

Quintuplet

The integer tuple (24, 28, 930, 10087, 11017) characterising the proton; $\nu_u = 24$, $\nu_d = 28$, $\sigma = 930$, $R_{\text{sea}} = 10087$, $R_{\text{tot}} = 11017$.

 $\sigma(N)(N)$

Coherence engagement fraction at scale N ; $\sigma(N) = 1 - (1 - \kappa)^N \in \mathbb{Q}(\sqrt{5})$; $\sigma(N)(40) \approx 0.8449$.

T_{pp} Proton–proton conflict unit; $C(Z > 20) = 190 T_{pp}$ exactly (D40 theorem).

Valley of stability

Minimum neutron number $N_{\min}(Z)$ for stable nuclei; reproduced at 100% accuracy for $Z = 1\text{--}82$ as an unconditional theorem (D40).

18-filter hierarchy

The decomposition $18 = 6 + 5 + 4 + 3$ of the leakage exponent into four topological levels (D06, D17, D23); implemented as four functional groups in D43.

References

- [1] Cédric Laubscher. The Emergence of Physical Reality within the Framework of the Projective Dynamic Logo (PDL). Zenodo, 2024. [doi:10.5281/zenodo.18462686](https://doi.org/10.5281/zenodo.18462686).
- [2] Cédric Laubscher. Introduction to the Projective Dynamic Logo (PDL). Zenodo, 2024. [doi:10.5281/zenodo.18463130](https://doi.org/10.5281/zenodo.18463130).
- [3] Cédric Laubscher. L'émergence de la réalité physique dans le cadre du Logo Dynamique Projectif (LDP). Zenodo, 2024. [doi:10.5281/zenodo.18475542](https://doi.org/10.5281/zenodo.18475542).
- [4] Cédric Laubscher. The Emergence of Physical Reality within the Framework of the Projective Dynamic Logo (IMRaD format). Zenodo, 2024. [doi:10.5281/zenodo.18509648](https://doi.org/10.5281/zenodo.18509648).
- [5] Cédric Laubscher. A Modal Dialogue between the Projective Dynamic Logo (PDL) and the Theory of Objectivity (TO). Zenodo, 2024. [doi:10.5281/zenodo.18580925](https://doi.org/10.5281/zenodo.18580925).
- [6] Cédric Laubscher. A Minimal Relational Sketch for the Emergence of the Golden Ratio in PDL. Zenodo, 2024. [doi:10.5281/zenodo.18581453](https://doi.org/10.5281/zenodo.18581453).
- [7] Cédric Laubscher. Hierarchical Filtering of Coherence Leakage and Justification of the Exponent 18 in PDL. Zenodo, 2024. [doi:10.5281/zenodo.18581807](https://doi.org/10.5281/zenodo.18581807).
- [8] Cédric Laubscher. Gleason-Type Uniqueness of Born's Rule for Spin- $\frac{1}{2}$ in the PDL Framework. Zenodo, 2024. [doi:10.5281/zenodo.18663156](https://doi.org/10.5281/zenodo.18663156).
- [9] Cédric Laubscher. Logical Leakage as Self-Maintained Probability: A Topological Reformulation in the PDL Framework. Zenodo, 2024. [doi:10.5281/zenodo.18664995](https://doi.org/10.5281/zenodo.18664995).
- [10] Cédric Laubscher. Projective Dynamic Logo as a Foundational Research Programme: Current Status, Open Problems, and Interface with the Theory of Objectivity. Zenodo, 2024. [doi:10.5281/zenodo.18675200](https://doi.org/10.5281/zenodo.18675200).
- [11] Cédric Laubscher. From Discrete Coherence Flux to Effective Fields: A Structured Programme within the PDL Framework. Zenodo, 2024. [doi:10.5281/zenodo.18716526](https://doi.org/10.5281/zenodo.18716526).
- [12] Cédric Laubscher. Proper Time as Coherence-Cycle Counting, Emergent Metric, and Relational Distance in the PDL Framework. Zenodo, 2024. [doi:10.5281/zenodo.19329465](https://doi.org/10.5281/zenodo.19329465).
- [13] Cédric Laubscher. Towards an Einstein–Dirac Unification from the Projective Dynamic Logo Framework. Zenodo, 2024. [doi:10.5281/zenodo.18725069](https://doi.org/10.5281/zenodo.18725069).
- [14] Cédric Laubscher. A Structural Derivation of the Fine-Structure Constant from the Projective Dynamic Logo (PDL). Zenodo, 2024. [doi:10.5281/zenodo.18828183](https://doi.org/10.5281/zenodo.18828183).

- [15] Cédric Laubscher. Compatibility of the Schrödinger Framework with the Projective Dynamic Logo (PDL). Zenodo, 2024. [doi:10.5281/zenodo.18831587](https://doi.org/10.5281/zenodo.18831587).
- [16] Cédric Laubscher. Relational Emergence of Born’s Rule and a Golden-Ratio Active Surface in PDL. Zenodo, 2024. [doi:10.5281/zenodo.18832069](https://doi.org/10.5281/zenodo.18832069).
- [17] Cédric Laubscher. Towards a Schrödinger-Type Dynamics from the PDL: A Relational Sketch. Zenodo, 2024. [doi:10.5281/zenodo.18832542](https://doi.org/10.5281/zenodo.18832542).
- [18] Cédric Laubscher. On the Combinatorial Selection of the Proton Architecture in PDL: Axiomatic Constraints, Integer Structures, and a Uniqueness Conjecture. Zenodo, 2024. [doi:10.5281/zenodo.18832953](https://doi.org/10.5281/zenodo.18832953).
- [19] Cédric Laubscher. Minimal Stationary Closures in the PDL Framework: Necessity of the (4,6) Block. Zenodo, 2024. [doi:10.5281/zenodo.18841034](https://doi.org/10.5281/zenodo.18841034).
- [20] Cédric Laubscher. On the Combinatorial Selection and Local Uniqueness of the Proton Architecture in the PDL Framework. Zenodo, 2024. [doi:10.5281/zenodo.18841166](https://doi.org/10.5281/zenodo.18841166).
- [21] Cédric Laubscher. Coherence Leakage, Hierarchical Filtering, and the Exponent 18 in the Projective Dynamic Logo Framework. Zenodo, 2024. [doi:10.5281/zenodo.18841254](https://doi.org/10.5281/zenodo.18841254).
- [22] Cédric Laubscher. Discrete Cavity Modes and Logical Density of States in the PDL Framework. Zenodo, 2024. [doi:10.5281/zenodo.18854190](https://doi.org/10.5281/zenodo.18854190).
- [23] Cédric Laubscher. Existence as Pulsating Closure: An Ontological Meditation on the Projective Dynamic Logo Framework. Zenodo, 2024. [doi:10.5281/zenodo.18854559](https://doi.org/10.5281/zenodo.18854559).
- [24] Cédric Laubscher. Qui que nous puissions être : Existence, cohérence et instruments vulnérables. Zenodo, 2024. [doi:10.5281/zenodo.18914532](https://doi.org/10.5281/zenodo.18914532).
- [25] Cédric Laubscher. Whoever We May Be: Existence, Coherence, and Vulnerable Instruments – A Philosophical Synthesis of the PDL Framework. Zenodo, 2024. [doi:10.5281/zenodo.18940047](https://doi.org/10.5281/zenodo.18940047).
- [26] Cédric Laubscher. Universal Coherence Leakage: A Structural Bridge between the Gravitational and Electromagnetic Constants in the PDL Framework (Version 3). Zenodo, 2024. [doi:10.5281/zenodo.19056994](https://doi.org/10.5281/zenodo.19056994).
- [27] Cédric Laubscher. Whatever We May Be — The Projective Dynamic Logo. Zenodo, 2024. [doi:10.5281/zenodo.19076555](https://doi.org/10.5281/zenodo.19076555).
- [28] Cédric Laubscher. Nuclear Stability and the Periodic Table as Combinatorial Closure Hierarchies in the PDL Framework. Zenodo, 2024. [doi:10.5281/zenodo.19164084](https://doi.org/10.5281/zenodo.19164084).
- [29] Cédric Laubscher. Projective Dynamic Logo (PDL) — Global Mapping of Structures, Results, and Open Problems (Version 15). Zenodo, 2025. [doi:10.5281/zenodo.19388995](https://doi.org/10.5281/zenodo.19388995).
- [30] Cédric Laubscher. Topological Origin of the Exponent 18 in the PDL Gravitational Coupling: K_4 , S^2 , and the Periodic Table (version 2). Zenodo, 2024. [doi:10.5281/zenodo.19197268](https://doi.org/10.5281/zenodo.19197268).
- [31] Cédric Laubscher. Closure-Density Dependence of the Effective Gravitational Coupling and the Structural Origin of the Hubble Tension. Zenodo, 2024. [doi:10.5281/zenodo.19206960](https://doi.org/10.5281/zenodo.19206960).

- [32] Cédric Laubscher. A Parameter-Free Structural Bridge between the Fine-Structure Constant and Newton’s Gravitational Constant in the PDL Framework. Zenodo, 2025. [doi:10.5281/zenodo.19219858](https://doi.org/10.5281/zenodo.19219858).
- [33] Cédric Laubscher. Cosmological Resolution via PDL: G as a Topology-Dependent Parameter and the Hubble Tension as a Scale-Transition Signature. Zenodo, 2025. [doi:10.5281/zenodo.19221310](https://doi.org/10.5281/zenodo.19221310).
- [34] Cédric Laubscher. Structural Derivation of N_{CMB} from the PDL Neutron Architecture: A Parameter-Free Resolution of the Hubble Tension. Zenodo, 2025. [doi:10.5281/zenodo.19281988](https://doi.org/10.5281/zenodo.19281988).
- [35] Cédric Laubscher. The PDL–QCD Boundary: Structural Derivation of the Proton–Electron Mass Ratio Correction and a Parameter-Free Conjecture for Newton’s Constant. Zenodo, 2025. [doi:10.5281/zenodo.19282932](https://doi.org/10.5281/zenodo.19282932).
- [36] Cédric Laubscher. Axiomatic Derivation of the Leading Valence Engagement Amplitude in the PDL Framework: Gate 1 Resolved. Zenodo, 2025. [doi:10.5281/zenodo.19283107](https://doi.org/10.5281/zenodo.19283107).
- [37] Cédric Laubscher. Structural Derivation of the QCD Correction Coefficient in the PDL Mass Ratio Formula: Gate 2 Resolved. Zenodo, 2025. [doi:10.5281/zenodo.19294449](https://doi.org/10.5281/zenodo.19294449).
- [38] Cédric Laubscher. Proof of $G_{\text{eff}}(N) = \sigma(N) \cdot G_{\text{PDL}}$ in the PDL Framework: Gate 3 Resolved (Preliminary). Zenodo, 2025. [doi:10.5281/zenodo.19294984](https://doi.org/10.5281/zenodo.19294984).
- [39] Cédric Laubscher. Schrödinger Dynamics from the $(A) \wedge (B)$ Coupling Criterion in the PDL Framework. Zenodo, 2025. [doi:10.5281/zenodo.19306269](https://doi.org/10.5281/zenodo.19306269).
- [40] Cédric Laubscher. The Dirac Equation from the $\text{SL}(2, \mathbb{C})$ Pulsation of K_4 in the PDL Framework. Zenodo, 2025. [doi:10.5281/zenodo.19307249](https://doi.org/10.5281/zenodo.19307249).
- [41] Cédric Laubscher. Born Rule from $(A) \wedge (B)$ -Admissible Amplitudes in the PDL Framework. Zenodo, 2025. [doi:10.5281/zenodo.19322776](https://doi.org/10.5281/zenodo.19322776).
- [42] Cédric Laubscher. Quantitative Einstein Equation from $G_{\text{eff}}(N) = \sigma(N) \cdot G_{\text{PDL}}$ in the PDL Framework. Zenodo, 2025. [doi:10.5281/zenodo.19322936](https://doi.org/10.5281/zenodo.19322936).
- [43] Cédric Laubscher. Proof of $G_{\text{eff}}(N) = \sigma(N) \cdot G_{\text{PDL}}$ from the Trace Structure of K_4 : Gate 3 Strengthened. Zenodo, 2025. [doi:10.5281/zenodo.19323033](https://doi.org/10.5281/zenodo.19323033).
- [44] Cédric Laubscher. Surface Locality of Relational Entropy and the PDL Area Law. Zenodo, 2025. [doi:10.5281/zenodo.19354096](https://doi.org/10.5281/zenodo.19354096).
- [45] Cédric Laubscher. Bekenstein–Hawking Entropy from the PDL Effective Gravitational Coupling: the 4π Identity, Surface Counting, and Primordial Black Hole Predictions. Zenodo, 2025. [doi:10.5281/zenodo.19354682](https://doi.org/10.5281/zenodo.19354682).
- [46] Cédric Laubscher. Derivation of $\kappa = R_{\text{surf}}/R_{\text{tot}}$ from the PDL Axioms: the Indifference Lemma and Partial Resolution of OP1. Zenodo, 2025. [doi:10.5281/zenodo.19354989](https://doi.org/10.5281/zenodo.19354989).
- [47] Cédric Laubscher. Nuclear Stability and the Periodic Table from PDL Combinatorial Axioms: Derivation of the Valley of Stability, Magic Numbers, and Assembly Rules. Zenodo, 2025. [doi:10.5281/zenodo.19371523](https://doi.org/10.5281/zenodo.19371523).
- [48] Cédric Laubscher. Structural Closure Multiplicity and the Isospin-Symmetric Island of Inversion: a PDL Analysis of $^{84,86}\text{Mo}$. Zenodo, 2025. [doi:10.5281/zenodo.19384396](https://doi.org/10.5281/zenodo.19384396).

- [49] Cédric Laubscher. Derivation of H3 from Axioms C1–C4: The Equiparticipation Lemma and the Closure of Causality. Zenodo, 2025. [doi:10.5281/zenodo.19397315](https://doi.org/10.5281/zenodo.19397315).
- [50] Cédric Laubscher. The Causal Chain of Physical Reality: From Four Axioms to Newton’s Constant via the Geometric Leakage Parameter (PDL Framework — D43v3). Zenodo, 2026. [doi:10.5281/zenodo.19678389](https://doi.org/10.5281/zenodo.19678389).
- [51] Cédric Laubscher. Closure of OP-B: Derivation of the Hierarchical Filter Factor k from the PDL Axioms. Zenodo, 2026. [doi:10.5281/zenodo.19678474](https://doi.org/10.5281/zenodo.19678474).
- [52] Cédric Laubscher. Primordial black hole evaporation threshold from the projective dynamic logo framework: A falsifiable prediction for Fermi-LAT, 2026. [doi:10.5281/zenodo.19810259](https://doi.org/10.5281/zenodo.19810259).
- [53] Cédric Laubscher. Universal Coherence Leakage: A Structural Bridge between the Gravitational and Electromagnetic Constants in the PDL Framework (Version 3). Zenodo, 2024. [doi:10.5281/zenodo.19056994](https://doi.org/10.5281/zenodo.19056994).
- [54] E. Ha et al. Probing the evolution of the island of inversion in $N \approx Z$ nuclei. *Nature Communications*, 16:10631, 2025. [doi:10.1038/s41467-025-56008-4](https://doi.org/10.1038/s41467-025-56008-4).