Bellweather

Brand guidelines



How to use the Bellweather name, mark, colours and voice.

Version 1.0 · November 2026

ABOUT THESE GUIDELINES

One look, everywhere Bellweather appears

These pages show how to use the Bellweather logo, colours, type and voice so the integration looks and sounds the same in Home Assistant, on GitHub, in documentation and anywhere else.

They are for contributors, writers and anyone who shows Bellweather: in a README, a blog post, a talk or a dashboard screenshot.

The one rule: use the supplied files. Do not redraw, retype or recolour the logo. Every file listed in section 07 is generated from one geometry source, so they always match.

01	Brand	The idea, the name, the principles
02	Logo	Lockup, the motto, badge, construction, clear space, sizes, variants, misuse
03	Colour	Palette, screen and print values, proportions, accessibility
04	Typography	Outfit, the type scale, how to write the name
05	Voice	How Bellweather speaks
06	Applications	Home Assistant, GitHub, the web, credit badges
07	Resources	Files, formats and the reasons behind the design

01



Brand

What Bellweather is, and the character behind every choice that follows.

The idea The name Principles

THE IDEA


The weather here and now, measured

Bellweather tells you what the weather is doing at your home, from what was actually measured, and how it will change, from a forecast that keeps score of itself.

The name. A bellwether was the sheep that wore a bell and led the flock; today the word means a leading indicator, something that shows which way things are heading. Bellweather adds the weather: an indicator you can hear and trust.

The mark tells the same story in one shape:

- **a raindrop:** the weather at your home, right now;
- **that is also a bell:** a signal you notice, with its clapper below;
- **under a weathervane:** direction, the forecast, where things are heading.



PERSONALITY

Four principles

01

Measured

Every claim rests on data: what was observed, what was scored, what the evidence says. If we cannot show it, we do not say it.

02

Honest about cost

Every setting says what it gives and what it costs. Nothing is hidden behind a toggle or a superlative.

03

Calm

Clear and quiet. One accent colour, plain words, no alarm unless the weather calls for it.

04

Safe by default

The most private and secure option is the default. Home data stays home.

BELLWEATHER IS	Precise	Confident	Friendly	Careful	Plain
BUT NOT	~~Pedantic~~	~~Boastful~~	~~Cute~~	~~Fearful~~	~~Bland~~

02



Logo

The badge, the wordmark, and the rules that keep them consistent.

Primary lockup Family With the motto Construction Clear space Variants
Backgrounds Misuse

THE LOGO

The primary lockup



The cobalt badge and the wordmark, side by side. This is the logo: use it whenever there is room.

The badge carries its own background, so the logo reads the same on white, on paper and on dark grounds.

The wordmark is set in Outfit Medium and is part of the artwork: never type it out next to the badge.

Files: `logo.png`, `logo@2x.png` (light grounds) and `dark_logo.png`, `dark_logo@2x.png` (dark grounds).

THE LOGO FAMILY

Four forms, one look



Lockup, light. The default, on white and light grounds.



Lockup, dark. Paper wordmark on dark grounds.




Badge. The icon: Home Assistant, favicons, avatars, app grids.



Reversed, on cobalt. Without its frame, on Bellweather cobalt only.

THE LOGO WITH THE MOTTO

The logo with the motto



Beside the badge. The default form: README headers, site headers, title slides.



Beside the badge, dark. Paper wordmark, a soft grey motto.



Stacked. For square and portrait spaces: social posts, profile cards, stickers.



Stacked, on cobalt. Without its frame, on Bellweather cobalt only.

When. Where Bellweather introduces itself: the top of the README, a site header, a title slide, a social post. Everywhere else, in Home Assistant and next to other logos, use the logo or the badge: the motto is for the first meeting, not for every mention.

The words. Always *The weather here and now, measured.*, exactly as in the files. The motto is part of the artwork: never type it next to the logo, and never change its words, size or colour.

Size. The motto has to stay readable: the badge at least 12 mm high in print and 56 px on screen, which keeps the motto at 7 pt and 11 px. Smaller than that, use the logo. Clear space as for the logo: a quarter of the badge's height on every side.

CONSTRUCTION

The badge



A cobalt square of 120 units with smoothed corners, holding the white bell and the sun vane.

- The mark fills 80 % of the badge's height, centred on its bounding box.
- Each corner is a 27-unit arc (22.5 %) eased into the edges: the curve starts 43.2 units from the corner with zero curvature and grows steadily into the arc. A plain circular corner jumps from straight to round in one point, and the eye sees that jump as a kink.
- The corners are fixed. A sharper, rounder or plain circular corner is a different badge.
- The sheen on the bell is a cut-out, so the cobalt shows through it.
- Exported at 256 and 512 px for Home Assistant, and as `badge.svg` for everything else.

CONSTRUCTION

The lockup



Size. The badge is 2.1 times the wordmark's cap height, so the tall letters B, l, h and t span about half the badge.

Position. The cap height is centred on the badge's middle line. The space between the badge and the B is 0.6 cap height.

Type. Outfit Medium (500), tracking −1 %. The wordmark is artwork: place the supplied file, never retype it.

CONSTRUCTION

The logo with the motto






Same width. The motto is set exactly as wide as the wordmark, so the two lines start and end together; that makes its cap height 0.31 of the wordmark's. The badge, the gap and the wordmark keep the logo's sizes.

Spacing. 0.42 cap height from the wordmark's baseline to the motto's cap line. Beside the badge, the two lines sit in the middle of the badge's height (a = a); stacked, the badge is centred 0.6 cap height above the wordmark, the same gap as in the logo.

Type and colour. Outfit Regular (400), no tracking. The motto is `#4A5160` on light grounds (8.0 : 1 on white), `#B9BCC4` on dark (9.0 : 1) and `#E4ECFC` on cobalt (4.8 : 1): softer than the wordmark, still readable as text.

CONSTRUCTION

The mark



Grid. 120 × 120 units. The drop-bell is a circle, centre (60, 72), radius 22, with straight tangents up to the tip (60, 24). The circle runs down to y 83, then one short curve turns into a crisp lip at y 97.4.

Vane. A shaft 6 units thick, an arrow head and two tail fins, merged into one shape and scaled to 85 % around the pivot. Its centre of mass sits exactly on the rod's axis: the head is heavier than the tail, so the vane is shifted 3.9 units to the left. Centred on its outline instead, it pulls to the right.

Rounding. Computed on the merged outline. The vane's outer corners are rounded with a 2-unit radius, and every inner joint (fins into shaft, shaft into rod, rod into tip) gets a 2-unit fillet. There are no seams and no ledges.

Colour seam. The sun part ends just above the point where the rod meets the bell's sides, so the joint's fillet stays with the bell.

Sheen. A long, curved highlight on the belly. It is cut out on light grounds and in the badge; on the open mark on dark it is filled with paper, because a cut-out there would read as a groove.

CLEAR SPACE AND SIZE

Room to breathe




Keep at least a quarter of the badge's height clear on every side of the logo and of the badge. No text, edges or other logos inside it.

MINIMUM SIZES



Logo
print: badge 6 mm high
screen: badge 20 px high



Badge
print: 5 mm
screen: 16 px



Open mark
screen, light grounds: 32 px

Below these sizes the vane and the wordmark lose their shape. The badge holds at 16 px because white on cobalt is 5.7 : 1 and sun on cobalt 3.2 : 1; the open mark needs more because sun on white is only 1.7 : 1.

VARIANTS

When to use which

Bellweather

Lockup, light
Default on white, paper and light photos.

Bellweather

Lockup, dark
On dark grounds and dark mode.

Bellweather

Reversed
On Bellweather cobalt only.

Badge
Wherever a square icon is needed.

One colour, ink
Single-colour print, engraving, stamps.

One colour, white
On photos and blue or mid-tone grounds.

The open mark in colour (cobalt bell, sun vane, no badge) is a secondary form for large sizes on light grounds, 32 px and up. When in doubt, use the badge.

BACKGROUNDS

Calm grounds only



✓ White



✓ Paper



✓ Light sky



✓ Dark



✓ Night



✓ Cobalt: reversed



✗ Badge on a blue close to cobalt: the edge turns muddy



✗ Busy pattern: the logo gets lost

MISUSE

What not to do



✕ Do not stretch or squash



✕ Do not rotate



✕ Do not recolour



✕ No sun on the clapper



✕ Do not change the corners



✕ No shadows or effects



✕ Do not retype the wordmark



✕ Do not rearrange



✕ Do not respace the letters



✕ Do not resize the parts



✕ Do not recolour the wordmark



✕ Do not fade or tint

03



Colour

Cobalt for Bellweather, sun as the single accent, calm grounds for everything else.

Palette Screen and print Proportion Contrast

COLOUR

The palette

Cobalt

HEX #1F5FD6
RGB 31 95 214
HSL 219° 75% 48%
CMYK 85 69 0 0

The badge, the bell. Bellweather's own colour.

Sun

HEX #FFB31A
RGB 255 179 26
HSL 40° 100% 55%
CMYK 0 36 92 0

The vane. An accent, never text, never a background.

Ink

HEX #0E1F3D
RGB 14 31 61
HSL 218° 63% 15%
CMYK 95 75 26 66

The wordmark, text, one-colour marks.

Paper

HEX #F3F2EE
RGB 243 242 238
HSL 48° 17% 94%
CMYK 5 4 7 0

Calm grounds; the wordmark on dark.

White

HEX #FFFFFF
RGB 255 255 255
HSL 0° 0% 100%
CMYK 0 0 0 0 (paper)

The bell in the badge; light grounds.

FOR DARK GROUNDS

Cobalt light
`#5B97FF` · RGB 91 151 255
Bell of the open mark on dark

Sun light
`#FFC340` · RGB 255 195 64
Vane of the open mark on dark

Night
`#1c1c1c` · RGB 28 28 28
Reference dark ground

HEX, RGB and HSL are for screens (sRGB). CMYK is for print on coated paper; the next page has the uncoated values and says which to use where.

COLOUR

Screen and print

COLOUR	SCREEN: HEX · RGB	COATED PAPER: CMYK	ΔE	UNCOATED PAPER: CMYK	ΔE
Cobalt	`#1F5FD6` · 31 95 214	C85 M69 Y0 K0	7.4	C95 M64 Y0 K0	7.7
Sun	`#FFB31A` · 255 179 26	C0 M36 Y92 K0	1.4	C0 M21 Y100 K0	4.0
Ink	`#0E1F3D` · 14 31 61	C95 M75 Y26 K66	5.8	C100 M68 Y16 K71	18.0
Paper	`#F3F2EE` · 243 242 238	C5 M4 Y7 K0	0.2	C3 M2 Y4 K2	0.2
Cobalt light	`#5B97FF` · 91 151 255	C64 M42 Y0 K0	7.7	C61 M34 Y0 K0	5.8
Sun light	`#FFC340` · 255 195 64	C0 M27 Y81 K0	0.8	C1 M16 Y87 K1	2.6

Screens · HEX / RGB

Web, apps, Home Assistant, GitHub, slides, video, and every PNG and SVG. Office and home printers too: send them the RGB file and let the driver convert it.

Coated paper · CMYK coated

Brochures, flyers, stickers and packaging on gloss or silk paper from a print shop. Profile: ISO Coated v2 (FOGRA39), the European standard for coated stock.

Uncoated paper · CMYK uncoated

Letterheads, notebooks and business cards on matt, uncoated paper. Profile: PSO Uncoated ISO 12647.

What ΔE says. The CIEDE2000 difference between the screen colour and what the ink prints; about 1 is the smallest difference visible side by side. Cobalt is brighter on screen than process inks can print, so it comes out a little duller on paper (7–8). Ink prints visibly lighter on uncoated paper (18), which cannot reach a deep navy.

How the values were made. Converted from sRGB with LittleCMS, relative colorimetric with black point compensation, rounded to whole percent; `branding/colour_conversion.py` recomputes them for any profile. No Pantone colour is defined: where cobalt must match exactly (signage, textiles), pick the nearest spot colour from a physical Pantone guide and record it in this document. Send the press a PDF with the profile named, and ask for a proof.

COLOUR

Proportion and contrast

IN A LAYOUT



Calm grounds carry most of the area, ink carries the words, cobalt marks what is Bellweather's. Sun is a spark: the vane, and at most a small highlight.

IN THE MARK

Sun covers 15 % of the mark. Itten's teaching ratio for a balanced yellow and blue is about 27 % yellow: well below it, sun stays an accent instead of a rival.

CONTRAST (WCAG 2)

PAIR		RATIO	FIT FOR
Aa	Ink on white	16.4 : 1	AAA text
Aa	Ink on paper	14.6 : 1	AAA text
Aa	Cobalt on white	5.7 : 1	AA text
Aa	White on cobalt	5.7 : 1	AA text
Aa	Sun on cobalt	3.2 : 1	Large text, graphics
Aa	Paper on night	15.2 : 1	AAA text
Aa	Cobalt light on night	5.9 : 1	AA text
Aa	Sun light on night	10.7 : 1	AAA text
Aa	Sun on white	1.8 : 1	Decoration only

Thresholds: 7 : 1 AAA text, 4.5 : 1 AA text, 3 : 1 large text and graphics. Sun on white is decoration only: never use it for text or thin lines.

04



Typography

One typeface family with round, open forms.

Outfit Type scale Writing the name

TYPOGRAPHY

Outfit

Aa

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
0123456789 ° % · : → °C km/h

A geometric sans with round, open forms that echo the drop and the bell. Free under the SIL Open Font License, from Google Fonts.

Light 300

Regular 400

Medium 500

SemiBold 600

Medium (500) is the wordmark and headings; Regular (400) is body text; Light (300) only for very large display numbers. Where Outfit cannot be loaded (a GitHub README, a terminal), use the system's default sans-serif and never imitate the wordmark with it.

TYPOGRAPHY

Scale and spelling

Display 36 / 40 px Outfit 500	The weather here and now
Heading 1 26 / 30 px Outfit 500	Precipitation in the next hour
Heading 2 19 / 24 px Outfit 500	How the forecast keeps score
Body 14 / 21 px Outfit 400	Each model's bias over the last 30 days is removed, then models are weighted by their own record.
Small 11 / 16 px Outfit 400	Source: official stations within 25 km, updated 4 minutes ago.
Label 10 / 14, caps +8 % px Outfit 500	SOURCES WORKING

WRITING THE NAME

- ✓ Bellweather
- ✗ ~~BellWeather~~
- ✗ ~~Bell Weather~~
- ✗ ~~BELLWEATHER~~
- ✗ ~~bellweather~~

One word, capital B, the rest lower case, in running text and headings alike. The lower-case form appears only where the system demands it: the domain `bellweather`, entity ids such as `weather.bellweather`, file names.

05



Voice

Measured, honest about cost, calm.

Principles Write this, not this

VOICE

How Bellweather speaks

- **Say what was measured.** Numbers with their source and time beat adjectives.
- **Say what it costs.** Every option names its trade-off in the same breath.
- **Explain why.** A reason in one clause turns a rule into a choice.
- **Plain words.** Short sentences, everyday terms; technical terms only when they are the precise ones.
- **No hype.** No exclamation marks, no superlatives we cannot prove.

WRITE THIS	NOT THIS
✓ Rounded to about 10 km. Weather services learn your area, not your address.	✕ Military-grade privacy!
✓ 7–31 % lower temperature error than ECMWF IFS alone, measured at six airports over 90 days.	✕ The most accurate forecast in the world.
✓ Off by default. On: one more service learns your nearest airport's code.	✕ Turn this on for better results!
✓ No official station within 15 km reported in the last 30 minutes, so radar decides.	✕ Error: no data.

06




Applications

The system at work where people meet Bellweather.

Home Assistant GitHub Web and small sizes Credit badges

APPLICATIONS

Home Assistant



Mockup of the integration page header and integration lists. The real layout follows the Home Assistant version and theme.

Home Assistant reads the images from the integration's `brand` folder.

FILE	SIZE	SHOWS
`icon.png`	256 × 256	The badge
`icon@2x.png`	512 × 512	The badge, high density
`logo.png`	1231 × 256	Lockup, light
`logo@2x.png`	2461 × 512	Lockup, light, high density
`dark_logo.png`	1231 × 256	Lockup, dark
`dark_logo@2x.png`	2461 × 512	Lockup, dark, high density


There is no `dark_icon`: the cobalt badge works on light and dark, so Home Assistant falls back to `icon.png`. All images are transparent and trimmed PNGs, as the Home Assistant brands specification asks.

Entities follow Home Assistant's own icon set; the brand appears through the badge and the logo, never inside entity icons.

APPLICATIONS

GitHub

README HEADER, LIGHT AND DARK: THE LOGO WITH THE MOTTO





SOCIAL PREVIEW, 1280 × 640





Repository avatar. The badge on its own. Platforms crop avatars to a circle or a rounded square; the badge's clear space survives both.

APPLICATIONS

Web and small sizes

SITE HEADER, LIGHT AND DARK



FAVICONS AND APP ICONS



The badge at every size, from the browser tab to a home screen; drawn on this page at 0.22 mm per pixel.


READY-MADE FILES

- `favicon.ico` : 16, 32 and 48 px in one file, for browser tabs.
- `apple-touch-icon.png` : 180 px, for phone home screens.
- `badge-16.png` to `badge-1024.png` : ten sizes for app stores, avatars and docs.
- `badge.svg` : any other size, always sharp.

All are in the brand kit's `badge` folder. Below 32 px, use the badge: the lockup's wordmark is too small to read.

APPLICATIONS

Credit badges



- **Set only the height;** the width follows. Any height from 20 px; 28 px sits well next to body text.
- **Light on light pages, dark on dark ones.** The code below picks the right one by itself.
- **Leave a quarter of its height clear** around it, and link it to the project page.
- **Do not edit** the text, the colours or the proportions.

Where to host it. Copy `credit-light.svg` and `credit-dark.svg` to your own site and point the code there. This is the most private way: no third party sees your visitors, and the badge keeps working if the repository moves. Linking straight to the repository's copy also works, but then GitHub serves every view.

Why SVG. Vector, sharp at any size, about 24 KB. The text is drawn as outlines, so it needs no font and looks the same on every site. PNGs at 28 and 56 px are in the kit for places that do not take SVG.

EMBED CODE (HTML AND GITHUB MARKDOWN)

```
<!-- Bellweather credit badge. Set the height you need; the width follows.
     Most private: copy credit-light.svg and credit-dark.svg to your own site and
     point src/srcset there, so no third party sees your visitors. -->
<a href="https://github.com/lauden-io/Bellweather">
  <picture>
    <source media="(prefers-color-scheme: dark)" srcset="credit-dark.svg">
    <img src="credit-light.svg" alt="Weather data fused by Bellweather"
height="28">
  </picture>
</a>
```

07



Resources

Where the files are, and the evidence behind the design.

Files and formats Why it looks like this

RESOURCES

Files and formats

Bellweather-Brand-Kit.zip

Everything in one download, in the repository's `branding` folder.

`logo/`	Logo and logo with the motto: SVG (light, dark, reversed) and PNG
`badge/`	badge.svg, 10 PNG sizes, favicon.ico, apple-touch-icon
`mark/`	Open mark: colour and one-colour SVG
`credit/`	Credit badges: SVG, PNG, embed code
`colour/`	ASE, GIMP palette, CSS, JSON
`social/`	Social preview, 1280 × 640
`Bellweather-Brand-Guidelines.pdf`	This document
`README.txt`	What is where, colours, rules in brief

SOURCE FILE	WHAT	USE
`branding/logo.svg · logo-dark.svg · logo-reversed-white.svg`	Logo, vector, outlined	Any size; needs no font
`branding/logo-motto*.svg · logo-motto-stacked*.svg`	Logo with the motto, beside the badge and stacked	READMEs, headers, title slides, social posts
`branding/badge.svg`	Badge, vector	Any size; favicons, avatars
`branding/mark-*.svg`	Open mark, colour and one colour	Large sizes, print, photos
`branding/credit-light.svg · credit-dark.svg`	Credit badges	Embedding on other sites
`custom_components/bellweather/brand/*.png`	Home Assistant images	Icon and logos
`branding/build_mark.py · export_brand.py`	Geometry source and exporter	Every shape, the HA images
`branding/export_kit.py`	Kit builder	SVG logos, credits, this PDF, the zip
`branding/colour_conversion.py`	Colour conversion	CMYK values for any press profile

One source. Every shape is computed by `build_mark.py` and `export_brand.py`; `export_kit.py` writes the SVG logos, the credit badges, this PDF and the zip. Change the geometry, run both, and every file stays in step.

Typeface. Outfit, SIL Open Font License 1.1, from Google Fonts. In the SVG logos the letters are outlines drawn from Outfit, so they need no font; the PNG wordmark is checked against Outfit Medium's measured stroke-to-height ratio.

Formats. SVG for anything that scales; PNG with transparency where a raster is required. Do not use JPEG for the logo: it blurs the edges and has no transparency.

RESOURCES

Why it looks like this

- **One accent, not two.** An item that differs from its surroundings is remembered better (the von Restorff effect), and emphasis repeated on several elements cancels out. Sun appears in one place: the vane.
- **Light above, dark below.** The visual system assumes light comes from above, and darker objects look heavier. A bright vane over a deep bell reads as natural and stable; nothing bright pulls the eye to the bottom.
- **Measured proportions.** Sun covers about 15 % of the mark, well below the balance point for yellow and blue, so it stays an accent.
- **Corners without a kink.** The badge's corners change curvature continuously, the way a smoothly bent strip does; a circular corner meets the straight edge with a sudden change that shows at large sizes.
- **A badge, because the slots are square.** Home Assistant, app grids and browser tabs show icons in squares. The open mark is only 59 % as wide as it is tall; the badge fills the slot and brings its own ground.
- **Works without colour.** In greyscale the mark keeps clear steps of lightness, so it does not depend on hue.
- **Blue for trust.** Blue is linked with competence in brand research, the right note for a forecast.

REFERENCES

1. Kleffner, D. A. & Ramachandran, V. S. (1992). On the perception of shape from shading. *Perception & Psychophysics*, 52(1), 18–36.
2. Walker, P., Francis, B. J. & Walker, L. (2010). The brightness-weight illusion. *Experimental Psychology*, 57(6), 462–469.
3. von Restorff, H. (1933). Über die Wirkung von Bereichsbildungen im Spurenfeld. *Psychologische Forschung*, 18, 299–342.
4. Labrecque, L. I. & Milne, G. R. (2012). Exciting red and competent blue. *Journal of the Academy of Marketing Science*, 40(5), 711–727.
5. Itten, J. *The Art of Color*: contrast of extension (teaching ratio yellow : blue = 3 : 8).
6. Henderson, P. W. & Cote, J. A. (1998). Guidelines for selecting or modifying logos. *Journal of Marketing*, 62(2), 14–30.



Bellweather

Brand guidelines · Version 1.0 · November 2026

Generated from the project's own geometry source. Questions and changes: open an issue in the project repository.