NAME

insilicut.bash - manual page for insilicut.bash 1.0

SYNOPSIS

insilicut.bash [OPTIONS] ...

DESCRIPTION

'insilicut.bash' reports fragments when cutting genomic DNA with a restriction enzyme.

OPTIONS

-h, --help

display the help and exit

- -V, --version output version information and exit
- -v, --verbose verbosity level (0/default=1/2/3)
- **--gf** path to the file containing the genomic DNA (fasta format)
- --gn name of the genomic DNA (e.g. 'Athaliana')
- **--ef** path to the file containing the restriction enzyme (fasta format)
- **−−en** name of the enzyme (e.g. 'ApeKI')
- **--ls** lower bound on fragments size (default=100)
- **--us** upper bound on fragments size (default=300)
- --clean

remove temporary files

--p2i absolute path to the insilicut directory (default=) used for testing purposes only (e.g. in 'make check')

EXAMPLES

insilicut.bash --gf Athaliana_genome.fa --gn Athaliana --ef ApeKI.fa --en ApeKI

Remarks:

if R is installed, a histogram of fragments size is also produced

AUTHOR

Written by Timothée Flutre.

REPORTING BUGS

Report bugs to <timothee.flutre@supagro.inra.fr>.

COPYRIGHT

Copyright © 2014 Institut National de la Recherche Agronomique (INRA). License GPL-3+: GNU GPL version 3 or later http://gnu.org/licenses/gpl.html>

This is free software; see the source for copying conditions. There is NO warranty; not even for MER-CHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.