

Aqua Rover: An Advanced Obstacle-Detecting Driving System

Akash Vijay

Department of Computer Science and Engineering
St. Joseph's College of Engineering and Technology, Palai
Kottayam, Kerala, India
akashvijay@ieee.org

Johns Raju

Department of Computer Science and Engineering
St. Joseph's College of Engineering and Technology, Palai
Kottayam, Kerala, India
johnsraju2024@cs.sjcetpalai.ac.in

Jose K James

Department of Computer Science and Engineering
St. Joseph's College of Engineering and Technology, Palai
Kottayam, Kerala, India
josekjames2024@cs.sjcetpalai.ac.in

Tomin Joy

Department of Computer Science and Engineering
St. Joseph's College of Engineering and Technology, Palai
Kottayam, Kerala, India
tominjoy2024@cs.sjcetpalai.ac.in

Sarju S

Department of Computer Science and Engineering
St. Joseph's College of Engineering and Technology, Palai
Kottayam, Kerala, India
sarju.s@sjcetpalai.ac.in

Abstract—In response to the escalating advancements in science and technology, the possibilities of engineering both as a discipline and as a vocation are enhancing gradually. Exploring these possibilities can aid us in advancing our capabilities, especially in the domain of rescue activities. However, only a few initiatives have been conducted in this aspect. In this context, this paper is an exposition of one such possibility of engineering in safeguarding human lives in situations of disasters like floods. This project sets out to create an obstacle-detection system for both land and water vehicles, ensuring collision-free navigation. By enhancing the power of Convolutional Neural Networks (CNN), this project develops a system that takes video input and processes it using OpenCV, a computer vision library, to facilitate real-time object detection. Along with this, the implementation of behavioral cloning into the system facilitates it to mimic human driving behavior and make appropriate decisions based on the input video feed. To enhance the navigation capabilities, the system will be equipped with additional sensors such as an ultrasonic distance sensor, GPS, and a 6-DOF Inertial Measurement Unit (IMU). These sensors will provide crucial data for accurate positioning, obstacle detection, and motion tracking. To facilitate communication and control in this project, a radio frequency system is implemented in this project, allowing the system to reach a designated home station located at a specified distance. Along with these features, the integration of a sonar system into the project enables the module to detect and locate living organisms that are submerged underwater or underground. In summary, this project seamlessly integrates computer vision, machine learning, and sensor technologies to develop an advanced obstacle-detecting driving system, capable of autonomous navigation in situations of flood.

Index Terms—Advanced Obstacle-Detecting Driving System, Convolutional Neural Networks, Behavioral Cloning

I. INTRODUCTION

Advancements in technology have enabled humans to create innovative solutions to various challenges that mankind has ever faced. In this era, these technological extensions are proving to be useful in safeguarding human lives, particularly in situations of natural disasters as well. Among them, water-based disasters like floods have been posing a huge challenge to mankind. There have been some initiatives that have been developed to address this particular concern. However, they have not completely addressed this issue. This gives a window for more possibilities and more initiatives to be brought out into the real world. It is against this backdrop that we are presenting this project, Aqua Rover - An Advanced Obstacle-Detecting Driving System.

The project outlined herein introduces a comprehensive obstacle-detection system designed for both land and water vehicles, ensuring collision-free navigation in complex and hazardous environments. The cornerstone of this project lies in the augmentation of Convolutional Neural Networks (CNN) to process video input, employing OpenCV, a powerful computer vision library, for real-time object detection. Notably, the system goes beyond conventional approaches by incorporating behavioral cloning, allowing the autonomous driving system to emulate human behavior and make informed decisions based on the input video feed.

To further enhance navigation capabilities, the project integrates a suite of additional sensors, including an ultrasonic distance sensor, GPS, and a 6-DOF Inertial Measurement Unit

(IMU). These sensors collectively provide crucial data for accurate positioning, obstacle detection, and motion tracking. Additionally, a radio frequency system is implemented to establish communication and control, enabling the system to transmit data to a designated home station located at a specified distance.

An intriguing facet of this project is the incorporation of a sonar system, which expands the module's capabilities to detect and locate living organisms submerged underwater or underground. This feature is particularly vital in flood scenarios where rapid and accurate identification of potential survivors is imperative. Through these features, this system is pushing the boundaries of technological innovation and aims to significantly enhance the effectiveness of rescue operations in disaster-stricken areas, ultimately contributing to the preservation of human lives in times of crisis.

II. LITERATURE REVIEW

Understanding the current situation is highly crucial while developing such a system. Evaluating the potential for disastrous floods demands a comprehensive grasp of their unique causal factors. A transdisciplinary research approach becomes imperative to gain a nuanced understanding of the complexities within flood risk systems, allowing for the identification of potential surprises. The anticipation of heightened instances of disastrous flooding looms over various regions, especially in Asia and Africa, attributed to the intertwining impacts of climate shifts and socio-economic transformations [1]. There is a need for a strong system in these areas that can be used in situations of disastrous floods.

Even though some similar systems exist today, they have their disadvantages that make them less effective in these areas. A study on these existing obstacle detection systems for automated vehicles was conducted by Xiaoyan Yu and Marin Marinov. Their study states that when examining technological solutions for obstacle detection in challenging weather conditions the existing advancements seem to lack the sophistication required to ensure an absolute 100% precision and accuracy [2]. Due to this specific reason, there is a pressing need for continued and determined efforts to further enhance these technologies. A similar statement has been raised by Khan Muhammad and Amin Ullah in their study on Deep Learning for Safe Autonomous Driving [3]. This survey illuminates the need for contributions from both newcomers and researchers to the dynamic field of Intelligent Transportation Systems.

In another study conducted by Abhishek Gupta and Alagan Anpalagan, the authors can be seen trying to bridge the gap between artificial intelligence and self-driving systems through a comprehensive survey [4]. This research also emphasizes the need for further tests regarding the useability of artificial intelligence for developing automated driving systems. Altogether, all these studies point to the fact that there is a high need for improvements and innovations in this domain. Through our study, we are trying to contribute to this need and to develop a system that can act as an automated obstacle-detecting driving system for rescue operations.

III. SIGNIFICANCE OF THE STUDY

As detailed in the previous section, the demand for the development of automated obstacle-detecting driving systems is considerably high. In light of this realization, the significance of our study lies in its pioneering approach toward developing an advanced obstacle-detection system for autonomous navigation in flood situations. As disasters, particularly floods, continue to pose substantial threats to human lives and infrastructure, the integration of cutting-edge technologies becomes crucial in enhancing rescue operations. Our project leverages CNN in conjunction with behavioral cloning, pushing the boundaries of computer vision and machine learning to create a robust, real-time object detection system.

The project's innovative feature includes a sonar system, extending the module's capacity to detect and locate living organisms submerged underwater or underground, which is particularly critical in flood scenarios for timely and precise identification of potential survivors.

By seamlessly merging computer vision, machine learning, and sensor technologies, our study introduces a comprehensive solution that addresses the intricate challenges posed by flood situations. The proposed obstacle-detection driving system has the potential to revolutionize rescue operations, significantly improving the efficiency and effectiveness of autonomous navigation in disaster-stricken areas. As a result, our study contributes to the broader field of disaster response technology, aligning with the ongoing efforts to safeguard human lives and mitigate the impact of natural disasters.

IV. METHODOLOGY

The methodology used for the study has been carefully curated to identify each step in developing this project. This methodology has been formulated under the guidance and suggestions of industry experts from the domain of Computer Science and Electronics. As a result, the methodology ensures a well-executable path for carrying out this project in the most efficient manner.

A. Selection of Hardware Components

The project initiation involves a meticulous selection and procurement process for the necessary hardware components. The chosen components, including the Raspberry Pi v4 for performing remote computation, Pi Camera for taking input video feed, ultrasonic distance sensor for obstacle detection, GPS module for navigation, 6-DOF IMU to track the acceleration and angular velocity of the system, and radio frequency system for ensuring command and control, form the foundational framework for the project's hardware architecture.

B. Software Stack Setup

Following the hardware acquisition, attention is directed towards the installation and configuration of the software stack. TensorFlow, renowned for its prowess in machine learning, is chosen for its capabilities in object recognition. OpenCV, a powerful computer vision library, is integrated alongside other essential libraries, ensuring a cohesive and well-functioning interaction between software and hardware components.

C. Implementation of CNN

The project's core functionality lies in the implementation of CNN for real-time object recognition. For this purpose, the Multi-modal Marine Obstacle Detection Dataset 2 (MODD2), a multi-modal marine obstacle detection dataset, captured by a real USV will be used in the project. Diverse weather conditions, extreme situations, abrupt changes of motion, and various obstacle situations are accommodated in this dataset. TensorFlow is then employed to implement and train the CNN, leveraging the feed from the Pi Camera to achieve accurate and efficient obstacle identification.




Fig. 1. Size distribution of obstacles in MODD2.

D. Behavioral Cloning:

To imbue the autonomous navigation system with human-like decision-making capabilities, data collection for behavioral cloning takes center stage. Therefore, the Pohang Canal Dataset which encompasses a diverse array of measurements acquired through the utilization of multiple perception and navigation sensors will be used here. This dataset offers a diverse set of environmental challenges and navigational scenarios, ensuring the dataset's robustness and applicability to real-world situations. Then using TensorFlow, a behavioral cloning model is developed and trained, enabling the vehicle to emulate human driving decisions based on the input video feed.




Fig. 2. Pohang Canal Dataset.

E. Sensor Integration

Seamless integration of additional sensors, namely the ultrasonic distance sensor, GPS module, and 6-DOF IMU, is critical for enhanced functionality. These sensors are meticulously connected and configured to work harmoniously with the Raspberry Pi, providing crucial data for precise positioning, obstacle detection, and motion tracking.

F. Telemetry Features

The incorporation of telemetry features ensures the collection and transmission of operational data during the vehicle's operation. A secure and efficient communication protocol is established, facilitating reliable data transfer and enabling real-time monitoring and analysis of the vehicle's performance.

G. Radio Frequency System

Central to the project's communication strategy is the implementation of a robust radio frequency system. This system allows the autonomous vehicle to establish a reliable connection with a designated home station located at a specified distance. The radio frequency communication ensures seamless data transmission, further enhancing the vehicle's operational capabilities.

H. Testing and Validation

The final stages of the methodology involve a comprehensive testing and validation process. Initial simulation testing is conducted to evaluate the proper functioning of individual components and their integrated performance. Subsequent real-world testing is undertaken in diverse scenarios, allowing for the validation of the autonomous navigation system's effectiveness. Parameters are iteratively adjusted based on testing outcomes, ensuring the system's reliability and adaptability in practical applications. This iterative testing process guarantees a robust and thoroughly validated obstacle-detection driving system.

V. FINDINGS AND DISCUSSIONS

As the project embarks on its conceptual journey toward development, several key considerations and anticipated findings come to the forefront, paving the way for future discussions. While these insights are speculative at this juncture, they provide a roadmap for potential outcomes and areas of exploration. The proposed integration of a multifaceted sensor suite anticipates the generation of a rich dataset. Insights into the interplay of different sensors and their ability to provide a holistic understanding of the vehicle's surroundings will be crucial for refining the system architecture.

The dataset, collected along a 7.5-kilometer route in Pohang, South Korea, is expected to capture a spectrum of environmental conditions, including diverse terrains such as narrow canals, inner and outer ports, and near-coastal areas. Findings will scrutinize the realism and diversity encapsulated within the dataset, evaluating its efficacy in simulating real-world challenges. A thorough assessment of the dataset's representation of various scenarios will guide the system's

adaptability to different environments during the subsequent development and testing phases. This diversity is anticipated to be instrumental in training the system to adapt to real-world complexities.

The behavioral cloning model, designed to emulate human driving behavior, is anticipated to showcase its proficiency in making driving decisions based on the input video feed. Findings will center around the model's performance in replicating diverse driving scenarios recorded during data collection. The assessment will consider the model's ability to generalize its learning and adapt to unforeseen situations, providing valuable insights into the robustness and reliability of the behavioral cloning approach.

Early assessments of the dataset's response to diverse weather and visual conditions reveal valuable insights. While the dataset captures a range of scenarios, there are indications of potential challenges in extreme conditions. Further investigation is warranted to understand the extent of these limitations and refine the system accordingly.

The behavioral cloning model's performance in mimicking human driving behavior will be a crucial focus. Findings will aim to evaluate the model's adaptability to diverse driving scenarios recorded during data collection, emphasizing its ability to make informed decisions based on the input video feed. Although deployment is yet to occur, preliminary findings will highlight potential considerations for the eventual implementation of the system. Insights will be drawn on regulatory, ethical, and practical aspects that may influence the successful deployment and integration of the obstacle-detection driving system.

These anticipated findings lay the groundwork for the subsequent discussions and refinement of the developed system as it progresses from the planning phase to the actual implementation and testing stages.

VI. CONCLUSION AND FUTURE SCOPE

In conclusion, while the project is in its nascent stages, the outlined methodology and anticipated findings lay the groundwork for a robust obstacle-detection driving system. The amalgamation of diverse sensors, encompassing cameras, ultrasonic sensors, and GPS, anticipates the generation of a comprehensive dataset, providing a nuanced understanding of the surrounding environment.

The planned data collection along a varied route in Pohang, South Korea, aims to simulate real-world challenges, including diverse terrains and environmental conditions. The realism and diversity embedded in the dataset are expected to offer valuable insights into the system's adaptability and performance across different scenarios.

Despite the project's preliminary nature, the envisioned findings are integral to shaping the subsequent phases of development. The focus on sensor integration, behavioral cloning, environmental impact, and generalizability lays the foundation for a comprehensive evaluation of the obstacle-detection system's capabilities. As we navigate through the intricacies of the project, the anticipated findings will guide

iterative refinements, fostering the evolution of a robust and adaptable autonomous navigation system.

The anticipated findings of the project open avenues for future research in the refinement of the behavioral cloning algorithm. Iterative improvements can be made to enhance its adaptability to a wider spectrum of driving scenarios, including intricate and unpredictable situations. By delving into the intricacies of human driving behavior in diverse conditions, the algorithm can be fine-tuned to exhibit more nuanced decision-making capabilities, contributing to increased autonomy and reliability. Optimizing the integration of diverse sensors is a crucial area for future exploration. Fine-tuning the coordination and collaboration among the sensors can significantly enhance the system's perception capabilities. Investigating advanced sensor fusion techniques will ensure seamless data integration, leading to more accurate obstacle detection and navigation in a variety of environmental settings.

The planned dataset collection along a route in Pohang lays the foundation for a broader dataset expansion effort. Future research can involve gathering data across an even more extensive range of scenarios, terrains, and weather conditions. This expansion aims to create a more diverse and comprehensive dataset, providing a robust training ground for the system and facilitating a more thorough evaluation of its capabilities. While initial testing may be conducted in simulated environments, the transition to rigorous real-world testing is a crucial step for future research. Evaluating the system's performance under uncontrolled conditions and diverse real-world scenarios is paramount to understanding its practical viability. Real-world testing will expose the system to the complexities of actual road environments, ensuring that it can navigate effectively and safely in unpredictable conditions.

Advancing the behavioral cloning model to better emulate human driving behavior in nuanced and challenging situations is a promising avenue for future research. The model can be enhanced to make more informed decisions in complex traffic scenarios, improving its adaptability and responsiveness. This refinement will contribute to a more realistic and human-like driving experience for the autonomous vehicle.

Investigating the regulatory landscape and ethical considerations associated with autonomous navigation systems is crucial for ensuring responsible deployment. Future research can delve into the evolving regulatory standards and ethical frameworks, addressing compliance issues and ethical concerns. This area of exploration will contribute to the responsible development and deployment of the obstacle-detection driving system.

In summary, the future scope of this research encompasses a multifaceted approach, ranging from algorithmic advancements and sensor optimization to real-world testing and ethical considerations. Each avenue of exploration contributes to the holistic development and responsible deployment of the obstacle-detection driving system, positioning it as a valuable asset in the dynamic landscape of intelligent transportation systems.

VII. ACKNOWLEDGMENTS

The authors would like to acknowledge the management of St. Joseph's College of Engineering and Technology, Palai for providing us with inspiration to conduct this study. We would also like to express our sincere gratitude to the faculty team who governed each task in this project. Their years of experience as scholars and as professionals have helped us to carry out this study efficiently.

REFERENCES

- [1] Merz, B., Blöschl, G., Vorogushyn, S., Dottori, F., Aerts, J. C., Bates, P., & Macdonald, E. (2021). Causes, impacts and patterns of disastrous river floods. *Nature Reviews Earth & Environment*, 2(9), 592-609.
- [2] Yu, X., & Marinov, M. (2020). A study on recent developments and issues with obstacle detection systems for automated vehicles. *Sustainability*, 12(8), 3281.
- [3] K. Muhammad, A. Ullah, J. Lloret, J. D. Ser and V. H. C. de Albuquerque, "Deep Learning for Safe Autonomous Driving: Current Challenges and Future Directions," in *IEEE Transactions on Intelligent Transportation Systems*, vol. 22, no. 7, pp. 4316-4336, July 2021, doi: 10.1109/TITS.2020.3032227. keywords: Roads;Task analysis;Safety;Automobiles;Accidents;Vehicles;Lane detection;Autonomous driving (AD);artificial intelligence;deep learning (DL);decision making;vehicular safety;vehicular technology;intelligent sensors,
- [4] Gupta, A., Anpalagan, A., Guan, L., & Khwaja, A. S. (2021). Deep learning for object detection and scene perception in self-driving cars: Survey, challenges, and open issues. *Array*, 10, 100057.
- [5] Chung D, Kim J, Lee C, Kim J. Pohang canal dataset: A multimodal maritime dataset for autonomous navigation in restricted waters. *The International Journal of Robotics Research*. 2023;42(12):1104-1114. doi:10.1177/02783649231191145
- [6] Zhang, Z., Xing, Z., Qiu, X., Leng, Y., & Kuang, Y. (2022, June). Water-obstacle segmentation based on Swin transformer and sea-sky-line detection. In *International Conference on Automation Control, Algorithm, and Intelligent Bionics (ACAIB 2022)* (Vol. 12253, pp. 439-444). SPIE.