

Rangga Karya Utama RKU

HOME / DOCUMENTATION

CONTRACTORX KIT V1 DOCUMENTATION

Everything you need to make this kit yours.

Twelve topics, in the order you'll need them. No build framework, no CLI to learn — a text editor and, if you want to change the styling, one SCSS command.

01	02
Install & preview	Folder structure
03	04
Compiling SCSS	Colours & tokens
05	06
Fonts	Images & duotone
07	08
Navigation	Adding a page
09	10
Section library	GSAP & motion
11	12
Wiring the forms	Deploying

01 INSTALL & PREVIEW

Open `dist/index.html` and you're running.

The `dist/` folder is the finished site. Every path in it is relative, so you can double-click `dist/index.html` and it works from your file system — no server needed.

To work on the source instead, you need Node 18+ once:

INSTALL TOOLING	<code>npm install</code>
BUILD EVERYTHING	<code>npm run build</code>
LOCAL PREVIEW AT :4321	<code>npm start</code>
WATCH SCSS WHILE EDITING	<code>npm run css:watch</code>

Editing only text and images? Skip Node entirely — edit the files in `dist/` directly and upload.

02 FOLDER STRUCTURE

Where everything lives.

PATH	WHAT IT HOLDS
src/html/	The 7 pages + docs, written with <code>{{> partial}}</code> includes
src/partials/	Head, navbar, footer, and the three reusable kit sections
src/scss/	Tokens, reset, typography, layout, and 23 section partials
src/js/	<code>nav.js</code> , <code>counters.js</code> , <code>main.js</code> — plain ES5, no bundler
src/img/ · src/icons/	Image plates and the three SVG sprites
dist/	The built site — this is what you upload
tools/	The page assembler and the asset generators
docs/	This documentation, plus the Day 08 structure sheet

03 COMPILING SCSS

One command, one output file.

All 27 SCSS partials compile into a single `dist/css/main.css`:

```
npx sass src/scss/main.scss dist/css/main.css --style=compressed --no-source-map
```

Or run `npm run css:watch` and leave it running while you edit — every save recompiles in about 200 ms. Bootstrap 5.3's grid and utilities are linked separately as `dist/css/bootstrap-grid.min.css`; the kit's own layer always loads after it, so your overrides win without `!important`.

04 COLOURS & TOKENS

Rebrand from seven values.

Everything visual routes through `src/scss/_variables.scss`. Change the seven palette tokens and the whole kit follows — including dark mode, which inverts automatically.

TOKEN	DEFAULT	USED FOR
<code>\$ink</code>	<code>#0A0A0A</code>	Text, dark surfaces
<code>\$paper</code>	<code>#FAF8F8</code>	Page ground
<code>\$panel</code>	<code>#F2F2EE</code>	Cards and panels
<code>\$rule</code>	<code>#111111</code>	Strong rules
<code>\$rule-soft</code>	<code>#D6D5D0</code>	Dividers and hairline grids
<code>\$mute</code>	<code>#6B6B66</code>	Captions, secondary text
<code>\$reverse-bg / \$reverse-fg</code>	<code>#111111 / #F6F6F0</code>	Reversal blocks — hero, stats, CTA

Adding a brand colour? Set it on `$reverse-bg` first and check contrast before touching anything else. The design was drawn to hold at 3 reversal blocks per page — more than that and the emphasis stops meaning anything.

05 FONTS

Three roles: display, body, data.

The demo loads Instrument Serif, Inter Tight, and JetBrains Mono from Google Fonts in `src/partials/head.html`. To self-host — recommended for production — drop the woff2 files into `dist/fonts/`, replace that `<link>` with `@font-face` rules, and preload the two faces used above the fold.

To change a family, edit `$font-display`, `$font-body`, or `$font-mono` in `_variables.scss`. Keep the roles: a display serif, a humanist sans at 16–18 px, and a mono for labels. Italic is reserved for exactly one highlighted word in the hero.

06 IMAGES & DUOTONE

Swapping in your own photography.

The kit ships vector plates in `dist/img/` so it weighs almost nothing out of the box. Replace them with real site photography — same filenames, and nothing else has to change.

For photographs, use a `<picture>` block so modern formats are served first:

```
<picture><source srcset="img/hero.avif" type="image/avif"><source  
srcset="img/hero.webp" type="image/webp"></picture>
```

The black-and-white treatment is applied in CSS (`filter: grayscale(1) contrast(1.06)` on `.plate img`), so colour photos land in the palette automatically. For a true duotone, export at 100% black on `#FAFAF8` in your editor and remove the filter.

Keep `width` and `height` on every image — that is what holds CLS under 0.05.

07 NAVIGATION

One file, both menus.

Desktop links and the mobile panel both live in `src/partials/nav.html` — edit them together so they never drift. The footer's four columns are in `src/partials/footer.html`.

The current page gets `aria-current="page"` automatically from the build script's page map (`tools/build.mjs`); add your new page there when you add a nav link.

08 ADDING A PAGE

Copy, retitle, rebuild.

Duplicate any file in `src/html/`, change the meta block at the top, then run `npm run build`:

```
<!--meta { "title": "Careers", "description": "Open roles at RKU." } -->
```

Those two values feed the `<title>`, meta description, Open Graph, and Twitter cards. Add the file to `sitemap.xml` and, if it belongs in the menu, to `nav.html`.

The six services all render from `service-detail.html`. For a static site, duplicate it once per service; if you later move to a CMS, the template maps cleanly to one content type.

09 SECTION LIBRARY

23 sections — 16 general, 7 built for contractors.

Every section is one SCSS partial in `src/scss/sections/`, named for what it is. Copy the markup from any page and it carries its own styling.

CODE	SECTION	WHERE TO COPY IT FROM
K-01	Certifications wall	<code>src/partials/certifications.html</code>
K-02	Equipment fleet	<code>services.html</code> — <code>#fleet</code>
K-03	Safety record	<code>about.html</code> — <code>#safety</code>
K-04	Ongoing projects + map	<code>projects.html</code> — <code>#ongoing</code>
K-05	Client logo strip	<code>src/partials/clients.html</code>
K-06	Tender CTA	<code>src/partials/tender.html</code>
K-07	Awards & press	<code>about.html</code> — <code>#awards</code>

10 GSAP & MOTION

Optional, and only in two places.

GSAP is loaded on the home page only, and drives exactly two things: the hero reveal and the stats counter run-up. Delete `<script src="js/gsap.min.js">` and both fall back to a CSS transition and a `requestAnimationFrame` counter — nothing breaks, nothing is missing.

Scroll reveals use `IntersectionObserver` on any element with `class="reveal"`. Everything respects `prefers-reduced-motion`: with it on, content appears immediately and counters show their final value.

11 WIRING THE FORMS

Validation ships; the endpoint is yours.

Both forms — general contact and the tender desk — validate in the browser, mark invalid fields, move focus to the first error, and disable the submit button while sending. No data leaves the page.

To connect Formspree, add the action and method, then delete the `e.preventDefault()` branch at the end of the submit handler in `src/js/main.js`:

```
<form class="form-x" action="https://formspree.io/f/YOUR_ID" method="POST" data-validate>
```

Netlify Forms: add `netlify` and a hidden `form-name` field. Your own backend: post the `FormData` from the handler. The tender form's file input accepts ZIP, PDF, DWG, and XLSX — check your endpoint's upload limit before promising 40 MB.

12 DEPLOYING

Upload `dist/`. That's the whole deploy.

It's static HTML, so anything works: Netlify, Vercel, Cloudflare Pages, GitHub Pages, or plain shared hosting over FTP. Drag the folder in; there is no build step to configure.

Before you go live: update `robots.txt` and `sitemap.xml` with your real domain, replace the `ranggakaryautama.example` URLs in the canonical and Open Graph tags, and swap the JSON-LD `GeneralContractor` block for your client's real business details — name, address, phone, and opening hours.

Something not covered here?

Every purchase includes six months of support. Reply to your receipt and a human answers.

[CONTACT SUPPORT →](#)

One contractor, from
ground-breaking to
hand-over.

SERVICES

General Contracting
Civil Works
Mechanical, Electrical & Plumbing
Renovation
Interior Fit-out
Site Preparation

HEAD OFFICE

*Menara Kadin, Lt. 9
Jl. H.R. Rasuna Said Kav. C-12
Jakarta Selatan 12940, Indonesia*

+62 21 555 0148

tender@rku.example

COMPANY

About RKU
Safety record
Awards & press
Projects
Contact
Kit documentation

TENDER DESK

Send an RFP and receive a full technical proposal within 5 business days.

[START A SUBMISSION →](#)

CONTRACTORX KIT V1 – DEMO CONTENT