



BadMethodCallException

Method Illuminate\Database\Eloquent\Collection::links does not exist.

```
Collapse vendor frames
               Illuminate \ Support \ Collection: 113
               __call
               \label{lem:c:pagina_web_seelin} C: \xoning \
               require
               Illuminate \ Filesystem \ Filesystem : 109
               Illuminate\Filesystem\{closure}
               Illuminate \ Filesystem \ Filesystem : 110
               getRequire
               Illuminate \ View \ Engines \ PhpEngine: 58
               evaluatePath
                                                           C: \xspace{$C: \times \mathbb{P}_{adiab} \xspace{$C: \times \mathbb{
      98
                                                                                                            return $macro(...$parameters);
                                                                              }
      99
 100
101
102
                                                                                      * Dynamically handle calls to the class.
103
104
                                                                                       * @param string $method
105
                                                                                       * @param array $parameters
106
                                                                                       * @return mixed
107
108
                                                                                      * @throws \BadMethodCallException
109
110
                                                                              public function __call($method, $parameters)
111
                                                                                {
                                                                                                            if (! static::hasMacro($method)) {
112
                                                                                                                                       throw new BadMethodCallException(sprintf(
113
                                                                                                                                                                     'Method %s::%s does not exist.', static::class, $method
114
115
                                                                                                                                       ));
```

```
≡ STACK

☐ CONTEXT ★ DEBUG

                                                                                               DOCS
118
                $macro = static::$macros[$method];
119
                if ($macro instanceof Closure) {
120
121
                    $macro = $macro->bindTo($this, static::class);
122
123
                return $macro(...$parameters);
124
125
        }
126
```

## **REQUEST**

http://localhost/Pagina\_web\_seelin/public/administrador/clientes POST

```
curl "http://localhost/Pagina_web_seelin/public/administrador/clientes" \
   -X POST \
   -H 'host: localhost' \
   -H 'connection: keep-alive' \
   -H 'content-length: 673' \
   -H 'cache-control: max-age=0' \
```

## **Headers ₹**

content-type

user-agent

host localhost connection keep-alive content-length 673 cache-control max-age=0 sec-ch-ua "Chromium"; v="112", "Microsoft Edge"; v="112", "Not:A-Brand"; v="99" sec-ch-ua-mobile ?0 sec-ch-ua-platf... "Windows" upgrade-insecur... origin http://localhost

accept text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,\*/

multipart/form-data; boundary=----WebKitFormBoundaryBe1tlXxv1d4KYXTP

Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Geck

**≡** STACK ☐ CONTEXT ★ DEBUG → SHARE **DOCS** sec-fetch-mode navigate sec-fetch-user ?1 sec-fetch-dest document referer http://localhost/Pagina\_web\_seelin/public/administrador/clientes/create accept-encoding gzip, deflate, br accept-language es,es-ES;q=0.9,en;q=0.8,en-GB;q=0.7,en-US;q=0.6 cookie XSRF-TOKEN=eyJpdiI6Ilc4dTVQNGhQN0t3YUpMRnY1dVk2SlE9PSIsInZhbHVlIjoiVi9Ga2FQampl Body </> { "\_token": "UPw1gFjC9IqI1Db5hCny4wZ7dn8EmXNL03pKQKZO", "nombre": "COOPROGETTI & ASOCIADOS", "estado": "Habilitado" } APP Routing 🔀 Controller App\Http\Controllers\ClienteController@store Route name admin.clientes.store Middleware web can:admin.clientes.store Views 7 View C:\xampp\htdocs\Pagina\_web\_seelin\resources\views\dashboard\clientes\index.blade .php Data Illuminate\Support\ViewErrorBag {#1450 ▼ #bags: [] } clientes Illuminate\Database\Eloquent\Collection {#1595 ▼ #items: array:8 [▶]

STACK ☐ CONTEXT 

DEBUG 

SHARE

DOCS 

DOCS

```
CONTEXT
User 🚢
  {
      "id": 1,
      "name": "Samuel",
      "lastName": "Flores",
      "usuario": "Sam",
      "role": "administrador".
Versions ≋
Php Version
                        8.0.25
Laravel Version
                        9.52.4
Laravel Locale
                        en
                       x false
Laravel Config C...

✓ true

App Debug
App Env
                        local
```

```
17:18:10  30.43MS  MYSQL

SELECT * FROM `users` WHERE `id` = ? limit 1

17:18:10  0.68MS  MYSQL

SELECT `permissions`.*, `model_has_permissions`.`model_id` AS `pivot_model_id`, `model_has_permissio

17:18:10  0.65MS  MYSQL

SELECT `roles`.*, `model_has_roles`.`model_id` AS `pivot_model_id`, `model_has_roles`.`role_id` AS `

17:18:10  0.54MS  MYSQL

SELECT count(*) AS aggregate FROM `clientes` WHERE `nombre` = ?
```

