

Alabama Inventory List

**The Rare, Threatened, & Endangered
Plants & Animals of Alabama**



June 2011

**Alabama Natural
Heritage Program**

TABLE OF CONTENTS

ALABAMA NATURAL HERITAGE PROGRAM.....	1
DEFINITION OF HERITAGE RANKS	3
DEFINITIONS OF FEDERAL & STATE LISTED SPECIES STATUS.....	5
VERTEBRATES	8
Birds.....	8
Mammals	13
Reptiles	15
<i>Lizards, Snakes, and Amphisbaenas</i>	15
<i>Turtles and Tortoises</i>	16
Amphibians	18
Fishes	21
<i>Ray-finned Fishes</i>	21
<i>Lampreys</i>	29
INVERTEBRATES	30
Bivalves (Clams & Mussels)	30
Gastropods (Slugs and Snails)	39
Crustaceans	46
Spiders, Scorpions, Pseudoscorpions, Harvestmen, Mites.....	50
Hexapods - Diplurans, Springtails, and Proturans	54
True Insects.....	56
<i>Beetles</i>	56
<i>True Flies</i>	59
<i>Mayflies</i>	59
<i>Butterflies and Moths</i>	59
<i>Dragonflies and Damselflies</i>	60
<i>Grasshoppers, Locusts, and Crickets</i>	61
<i>Stoneflies</i>	61
Millipedes	62
Terrestrial and Freshwater Worms.....	62
VASCULAR PLANTS	63
Ferns & Relatives	63
<i>Ferns</i>	63
<i>Succulent Ferns</i>	64
<i>Whiskferns</i>	64
<i>Quillworts & Spike-moss</i>	65
<i>Clubmosses</i>	66
<i>Horsetails</i>	66
Monocots	67
Dicots.....	74
Conifers	91
NON-VASCULAR PLANTS	92
Mosses	92
Liverworts.....	93
EXTINCT SPECIES THAT ONCE OCCURRED IN ALABAMA.....	94
Ray-finned Fishes	94
Birds.....	94
Bivalves (Clams & Mussels)	94
Gastropods (Snails & Slugs).....	95

Alabama Natural Heritage Program

Keeping Track of Alabama's Natural Heritage

The purpose of the Alabama Natural Heritage Program (ALNHP) is to provide the best available scientific information on the biological diversity of Alabama to guide conservation action and promote sound stewardship practices. Established by The Nature Conservancy in 1989, it is one of a network of such programs collectively known as the Natural Heritage Network, which is represented by its membership organization NatureServe. NatureServe works to aggregate data from individual Network Programs and is dedicated to the furtherance of the Network and the application of Heritage data to biodiversity conservation.. The mission of Natural Heritage Programs is to collect and manage data about the status and distribution of species and ecosystems of conservation concern. Natural heritage programs have become the recognized source for the most complete and detailed information on rare and endangered species and threatened ecosystems, relied upon by government agencies, corporations, and the conservation community alike. Today the NatureServe network includes 74 independent natural heritage programs and conservation data centers throughout the United States, Canada, Latin America, and the Caribbean. Most heritage programs (or conservation data centers) are housed within state or provincial government agencies, while some reside within universities or non-governmental organizations. ALNHP is administered through the Auburn University Environmental Institute. ALNHP provides the following services: biodiversity data management, inventory, biological monitoring, site prioritization, conservation planning, Geographic Information System services, and land management expertise.

Natural Heritage Programs have three broad functions: to collect information on the status and distribution of species and natural communities, to manage this information in a standardized way, and to disseminate this information to a wide array of users. Natural Heritage Programs use a standardized information management system to track biodiversity data including taxonomy, distribution, population trends, habitat requirements, relative abundance, quality, condition, and viability. Programs also track non-biological information including land ownership type, land-use and management, distribution of protected areas, and threats to species or their habitat.

One of the important tasks each heritage program performs is the regular compilation of a "Rare Species Inventory List" for the state that ranks by priority each element based on the number and quality of occurrences. In general, species are listed in alphabetical order (by Order, Family, Genus) within the taxonomic groups. The only exception is birds where the order in which the species are presented follows the American Ornithologists' Union's checklist of North American birds. Although the inventory list is compiled using the best scientific information available at the time, there is always more current information available on a particular species, distribution and/or status. We would appreciate any new information on the location, abundance, or rarity of any of the species on the following list. Please send your comments to the appropriate staff member.

Scientific classification, common names, and order in which species are presented follow AOU (1998) and Chesser et al. (2010) for birds, Wilson and Reader (2005) for mammals, and Williams et al. (2008) for mussels. Scientific names for reptiles and amphibians follow that of Crother (2008), but common names and order presented follow that used by Mirachi (2004). Other taxon are presented alphabetically.

Citation: Alabama Natural Heritage Program. 2011. *Alabama Inventory List: the Rare, Threatened and Endangered Plants & Animals of Alabama*. Privately printed by the Alabama Natural Heritage Program, 1090 South Donahue Drive, Auburn University, AL 36849.

Staff Directory, Resources, & Partners

Auburn University Environmental Institute

The mission of the Auburn University Environmental Institute (AUEI) is to serve the state, nation, and global community by providing leadership and coherence in all university areas of environmental instruction, research, and extension/outreach. The goal of the Environmental Institute is to promote, coordinate, and implement multi-disciplinary programs and activities to meet the environmental needs of the University, state, and nation.

NatureServe

NatureServe is a non-profit conservation organization whose mission is to provide the scientific basis for effective conservation action. NatureServe represents an international network of biological inventories—known as natural heritage programs or conservation data centers—operating in all 50 U.S. states, Canada, Latin America and the Caribbean. NatureServe's three organizational goals are:

- (1) Help make biodiversity a mainstream consideration in all significant conservation and natural resource management decisions by making it simple for conservationists, government agencies, corporations, and landowners to access and use high-quality biodiversity information.
- (2) Advance our scientific resources and information technology systems in order to meet the needs of our clients and partners.
- (3) Strengthen our organizational effectiveness and capacity and better leverage the power of the NatureServe network to inform conservation action at local, regional, national, and international scales.

Heritage Staff Directory

Michael Barbour
GIS Analyst
(334) 844-0517
msb0005@auburn.edu

Jim Godwin
Aquatic Zoologist
(334) 844-5020
jcg0001@auburn.edu

Al Schotz
Botanist/Community Ecologist
(334) 844-5019
ars0002@auburn.edu

Location

Alabama Natural Heritage Program
1090 S. Donahue Drive
Auburn University, AL 36849
Phone: (334) 844-4132
Fax: (334) 844-4462

Websites

ALNHP's Web Address:
<http://www.alnhp.org>

NatureServe's biodiversity site:
<http://www.natureserve.org>

**Auburn University Environmental
Institute's Web Address:**
<http://www.auei.auburn.edu/>

Definition of Heritage Ranks

The Alabama Natural Heritage Program uses the Heritage ranking system developed by The Nature Conservancy. Each species is assigned two ranks; one representing its range-wide or global status (G rank), and one representing its status in the state (S rank). Species with a rank of 1 are most critically imperiled; those with a rank of 5 are most secure.

Global Ranking System		State Ranking System	
G1	Critically Imperiled – At very high risk of extinction due to extreme rarity (often 5 or fewer populations), very steep declines, or other factors.	S1	Critically Imperiled - Critically imperiled in Alabama because of extreme rarity (5 or fewer occurrences of very few remaining individuals or acres) or because of some factor(s) making it especially vulnerable to extirpation from Alabama.
G2	Imperiled – At high risk of extinction due to very restricted range, very few populations (often 20 or fewer), steep declines, or other factors.	S2	Imperiled - Imperiled in state because of rarity (6 to 20 occurrences or few remaining individuals or acres) or because of some factor(s) making it very vulnerable to extirpation from Alabama.
G3	Vulnerable – At moderate risk of extinction due to a restricted range, relatively few populations (often 80 or fewer), recent and widespread declines, or other factors.	S3	Vulnerable - Rare or uncommon in Alabama (on the order of 21 to 100 occurrences).
G4	Apparently Secure – Uncommon but not rare; some cause for long-term concern due to declines or other factors.	S4	Apparently Secure - Apparently secure in Alabama, with many occurrences.
G5	Secure – Common; widespread and abundant.	S5	Secure - Demonstrably secure in Alabama; common, widespread, and abundant in the state
GX	Presumed Extinct (species) – Not located despite intensive searches and virtually no likelihood of rediscovery. Eliminated (ecological communities) – Eliminated throughout its range, with no restoration potential due to extinction of dominant or characteristic species.	SX	Presumed Extirpated – Species or community is believed to be extirpated from Alabama. Not located despite intensive searches of historical sites and other appropriate habitat, and virtually no likelihood that it will be rediscovered.
GH	Of historical occurrence throughout its range. Possibly Extinct (species) – Missing; known from only historical occurrences but still some hope of rediscovery. Presumed Eliminated – (Historic, ecological communities)-Presumed eliminated throughout its range, with no or virtually no likelihood that it will be rediscovered, but with the potential for restoration, for example, American Chestnut Forest.	SH	Historical (Possibly Extirpated) – Species or community occurred historically in Alabama, and there is some possibility that it may be rediscovered. Its presence may not have been verified in the past 20-40 years. A species or community could become SH without such a 20-40 year delay if the only known occurrences in a nation or state/province were destroyed or if it had been extensively and unsuccessfully looked for. The SH rank is reserved for species or communities for which some effort has been made to relocate occurrences, rather than simply using this status for all elements not known from verified extant occurrences.
GU	Unrankable – Currently unrankable due to lack of information or due to substantially conflicting information about status or trends.	SNR	Unranked – State conservation status not yet assessed.
GNR	Not ranked to date.	SNA	A conservation status rank is not applicable because the species is not a suitable target for conservation activities in the state. ¹
G#T#	Intraspecific Taxon (trinomial) – The status of intraspecific taxa (subspecies or varieties) are indicated by a "T-rank" following the species' global rank. Rules for assigning T-ranks follow the same principles outlined above for global conservation status ranks. A T-rank cannot imply the subspecies or variety is more abundant than the species as a whole-for example, a G1T2 cannot occur. At this time, the T rank is not used for ecological communities.	SU	Unrankable – Currently unrankable due to lack of information or due to substantially conflicting information about status or trends.
		SE	An exotic established in Alabama.

Variant Ranks and Rank Modifiers

- G#G#** Range Rank – A numeric range rank (e.g., G2G3) is used to indicate the range of uncertainty in the status of a species or community (e.g., an element may be given a G-rank of G2G3, indicating global status is somewhere between imperiled and vulnerable). Ranges cannot skip more than one rank (e.g., GU should be used rather than G1G4). Also applies to state ranks (e.g., S2S3)
- HYB** Hybrid
- Q** Questionable taxonomy – Taxonomic distinctiveness of this entity at the current level is questionable; resolution of this uncertainty may result in change from a species to a subspecies or hybrid, or the inclusion of this taxon in another taxon, with the resulting taxon having a lower-priority conservation priority.
- ?** Inexact Numeric Rank – Denotes inexact numeric rank (e.g., G2?)

Breeding Status Qualifiers²

- B** Breeding - Conservation status refers to the breeding population of the species in the state. Regularly occurring, usually migratory and may be present only during the breeding season.
- N** Nonbreeding - Conservation status refers to the non-breeding population of the species in the state. Regularly occurring, usually migratory and may not breed in Alabama; this category includes migratory birds, bats, sea turtles, and cetaceans.
- M** Migrant - Migrant species occurring regularly on migration at particular staging areas or concentration spots where the species might warrant conservation attention. Conservation status refers to the aggregating transient population of the species in the nation or state/province.

¹ A conservation status rank may be not applicable for some species, including long distance aerial and aquatic migrants, hybrids without conservation value, and non-native species or ecosystems, for several reason

² A breeding status is only used for species that have distinct breeding and/or non-breeding populations in the state.

Definitions of Federal & State Listed Species Status

Federal - U.S. Fish and Wildlife Service

The U.S. Endangered Species Act (U.S. ESA) is the primary legislation that affords federal legal protections to threatened and endangered species in the United States, and is administered by the U.S. Fish and Wildlife Service (USFWS) (<http://endangered.fws.gov/>) and U.S. National Marine Fisheries Service (NMFS) (http://www.nmfs.noaa.gov/prot_res/overview/es.html). As defined by the Act, endangered refers to species that are "in danger of extinction within the foreseeable future throughout all or a significant portion of its range," while threatened refers to "those animals and plants likely to become endangered within the foreseeable future throughout all or a significant portion of their ranges." Plant species and varieties (including fungi and lichens), animal species and subspecies, and vertebrate animal populations are eligible for listing under the Act. Status under the U.S. Endangered Species Act in data provided by ALNHP is based on formal notices published by USFWS or NMFS in the Federal Register. Where names used by the USFWS differ from those used by ALNHP, ALNHP records include notes indicating under what name the USFWS lists the species and how that relates to the name used by ALNHP.

ESA Status Definitions

LE – Listed Endangered: A species in danger of extinction throughout all or a significant portion of their range.

LT – Listed Threatened: A species likely to become endangered within the foreseeable future throughout all or a significant portion of their range.

PE – Proposed Endangered: A species proposed to be listed as endangered.

PT – Proposed Threatened: A species proposed to be listed as threatened.

PS – Partial Status: An infraspecific taxon or population has federal status but the entire species does not-- status is in only a portion of the species range.

C – Candidate: A species under consideration for official listing for which there is sufficient information to support listing. The USFWS encourages other agencies to give consideration to such taxa in environmental planning.

XN – Experimental Population, Nonessential: Experimental reintroduced population.

SC – Species of Concern: Species that have not been petitioned or been given Endangered, Threatened, or Candidate status, but have been identified as important to monitor.

UR – Under Review in the Candidate or Petition Process: A species under review in the candidate or petition process. A 90-day finding indicated that listing may be warranted, and a full status review has been initiated to determine if listing is warranted.

State - Alabama Department of Conservation and Natural Resources (ADCNR)

Wildlife & Freshwater Fisheries Division

Alabama does not have a state law equivalent to the federal endangered species act so species do not have regulatory protection as state endangered or threatened species. However, some species do receive regulatory protection through the *Alabama Regulations on Game Fish and Fur Bearing Animals* published annually. These are the primary regulations affording state protection for some species in Alabama, and are administered by the Alabama Department of Conservation and Natural Resources. Copies of these regulations may be obtained from the Division of Wildlife & Freshwater Fisheries, Alabama Department of Conservation & Natural Resources, 64 North Union Street, Montgomery, AL 36104. A digital version of these regulations is available online at

<http://www.outdooralabama.com/hunting/regulations/>.

The Nongame Species Regulation (Section 220-2-.92) is also available online at:

<http://www.outdooralabama.com/watchable-wildlife/regulations/nongame.cfm>.

State Status Code Definitions

SP – State Protected: Species protected by Regulation 220-2-.92 (Nongame Species Regulation, page 69-71 in the 2010-2011 Regulations), 220-2-.98 (Invertebrate Species Regulation, pages 65-66), 220-2-.26(4) (Protection of Sturgeon, page 40), 220-2-.94 (Prohibition of Taking or Possessing Paddlefish, page 57), or 220-2-.97 (Alligator Protection Regulation, page 72).

PSM – Partial Status Mussels: All mussel species not listed as a protected species under the Invertebrate Species Regulation are partially protected by other regulations of the Alabama Game, Fish, and Fur Bearing Animals Regulations. Regulation 220-2-.104 prohibits the commercial harvest of all but the 11 mussel species for which commercial harvest is legal. Regulation 220-2-.52 prohibits the take, capture, kill, or attempt to take, capture, or kill of any freshwater mussel from Wheeler Lake from Guntersville Dam downstream to the mouth of Shoal Creek and from the upstream end or head of Hobbs Island downstream to Whitesburg Bridge, Pickwick Lake from Wilson Dam downstream to the upper end or head of Seven Mile Island, Wilson Lake from Wheeler Dam downstream to the mouth of Town Creek on the south bank and the mouth of Bluewater Creek on the north bank, and the Cahaba River.

RT – Regulated Turtle: Species for which the Turtle Catcher/Dealer/Farmer Regulation (Regulation 220-2-.142) imposes a limit on the number which can be possessed or size limits.

GANOS – Game Animal - No Open Season: Species designated a game animal by Regulation 220-2-.07, but for which there is no open season.

GA - Game Animal (Managed hunting regulations).

GB – Game Bird (Managed hunting regulations).

GBNOS – Game Bird - No Open Season: Species designated a game bird by Regulation 220-2-.04, but for which there is no open season.

GF - Game Fish (Managed Fishing Regulations):

GF-HP – Game Fish – Harvest Prohibited: Species designated a game fish by Regulation 220-2-.34, but harvest of the species in the state is prohibited.

CNGF - Commercial or Non-Game Fish (Managed Fishing Regulations): Designated a commercial or non-game fish by Regulation 220-2-.45 of the Alabama Regulations on Game, Fish, and Fur Bearing Animals.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Vertebrates

CLASS AVES – Birds

ORDER CICONIIFORMES - Storks

Family Ciconiidae - Storks

<i>Mycteria americana</i>	Wood Stork	G4	S2N	LE ¹	SP
Counties of occurrence: Autauga, Baldwin, Barbour, Bibb, Bullock, Butler, Chilton, Choctaw, Clarke, Coffee, Conecuh, Covington, Crenshaw, Dallas, Escambia, Geneva, Greene, Hale, Houston, Lowndes, Macon, Marengo, Mobile, Monroe, Montgomery, Perry, Russell, Sumter, Tuscaloosa, Washington, Wilcox					

ORDER PELICANIFORMES - Pelicans, Herons, Ibises, and Allies

Family Ardeidae - Herons and Bitterns

<i>Botaurus lentiginosus</i>	American Bittern	G4	S3N		SP
Counties of occurrence: Baldwin, Mobile					
<i>Ixobrychus exilis</i>	Least Bittern	G5	S2N,S4B		SP
Counties of occurrence: Autauga, Baldwin, Barbour, Butler, Clarke, Dallas, Elmore, Houston, Jackson, Lamar, Lawrence, Lowndes, Macon, Mobile, Pike, Washington					
<i>Egretta rufescens</i>	Reddish Egret	G4	S1B,S3N		SP
Counties of occurrence: Baldwin, Mobile					

Family Threskiornithidae - Ibises and Spoonbills

<i>Eudocimus albus</i>	White Ibis	G5	S2B,S3N		SP
Counties of occurrence – breeding: Baldwin, Clarke, Covington, Geneva, Houston, Mobile					
Counties of occurrence – foraging or transient: Barbour, Butler, Chilton, Cleburne, Coffee, Conecuh, Crenshaw, Dale, Escambia, Henry, Lowndes, Marshall, Monroe, Montgomery, Russell, Shelby, Sumter, Wilcox, Washington					
<i>Plegadis falcinellus</i>	Glossy Ibis	G5	S1B,S3N		SP
Counties of occurrence: Mobile					

ORDER ANSERIFORMES - Screamers, Swans, Geese, and Ducks

Family Anatidae Swans, Geese, and Ducks

<i>Anas rubripes</i>	American Black Duck	G5	S2B,S5N		SP
Counties of occurrence: Limestone, Marshall, Morgan					
<i>Anas fulvigula</i>	Mottled Duck	G4	S2N,S3B		SP
Counties of occurrence: Baldwin, Mobile					

ORDER ACCIPITRIFORMES - Hawks, Kites, Eagles, and Allies

Family Accipitridae - Kites, Eagles, and Hawks

<i>Elanoides forficatus</i>	Swallow-tailed Kite	G5	S2		SP
Counties of occurrence: Autauga, Baldwin, Butler, Choctaw, Clarke, Conecuh, Covington, Dallas, Escambia, Geneva, Hale, Marengo, Mobile, Monroe, Sumter, Washington, Wilcox					
<i>Circus cyaneus</i>	Northern Harrier	G5	S3N		SP
Counties of occurrence: Autauga, Baldwin, Calhoun, Cherokee, Greene, Hale, Jefferson, Lee, Lowndes, Macon, Mobile, Wilcox					

¹ *Mycteria americana*, Listed by USFWS as Endangered in Alabama, Florida, Georgia, and South Carolina; not listed elsewhere.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

ORDER FALCONIFORMES - Caracaras and Falcons

Family Falconidae - Falcons

<i>Falco sparverius</i>	American Kestrel	G5	S3B,S5N		SP
Counties of occurrence: Bibb, Blount, Butler, Cherokee, Chilton, Choctaw, Clarke, Clay, Colbert, Coosa, Covington, Cullman, DeKalb, Etowah, Franklin, Hale, Houston, Jackson, Jefferson, Lauderdale, Lawrence, Lee, Limestone, Madison, Marengo, Marion, Marshall, Monroe, Montgomery, Morgan, Shelby, St. Clair, Tuscaloosa, Walker, Washington, Wilcox, Winston					
<i>Falco peregrinus</i>	Peregrine Falcon	G4	SHB,S3N		SP
Counties of occurrence: ² Colbert, Lauderdale, Lawrence, Limestone, Madison, Marshall					

ORDER GALLIFORMES - Gallinaceous Birds

Family Phasianidae - Grouse and Turkeys

<i>Bonasa umbellus</i>	Ruffed Grouse	G5	S1		GBNOS
Counties of occurrence: Jackson					

ORDER GRUIFORMES - Cranes, Rails, and Allies

Family Rallidae - Rails

<i>Coturnicops noveboracensis</i>	Yellow Rail	G4	S2N		GB
Counties of occurrence: Baldwin, Mobile					
<i>Laterallus jamaicensis</i>	Black Rail	G4	S2N	SC	GB
Counties of occurrence: Baldwin, Mobile					
<i>Rallus longirostris</i>	Clapper Rail	G5	S2	SC	GB
Counties of occurrence: Baldwin, Mobile					
<i>Rallus elegans</i>	King Rail	G4	S2S3B, S4N	SC	GB
Counties of occurrence: Baldwin, Barbour, Bullock, Crenshaw, Cullman, Lamar, Lauderdale, Lowndes, Macon, Marshall, Mobile, Montgomery, Morgan, Perry, Tuscaloosa, Wilcox					
<i>Porphyrio martinica</i>	Purple Gallinule	G5	S2B		GB
Counties of occurrence: Baldwin, Barbour, Choctaw, Clarke, Coffee, Covington, Crenshaw, Dale, Escambia, Geneva, Henry, Houston, Mobile, Washington					

Family Gruidae - Cranes

<i>Grus canadensis pulla</i>	Mississippi Sandhill Crane	G5T1	SH	LE	SP
Counties of occurrence: Baldwin ³					

ORDER CHARADRIIFORMES - Shorebirds, Gulls, Auks, and Allies

Family Charadriidae - Plovers and Lapwings

<i>Charadrius alexandrinus</i>	Snowy Plover	G4T3Q	S1B,S2N		SP
Counties of occurrence: Baldwin, Mobile					
<i>Charadrius wilsonia</i>	Wilson's Plover	G5	S1		SP
Counties of occurrence: Baldwin, Mobile					
<i>Charadrius melodus</i>	Piping Plover	G3	S1N	LT ⁴	SP
Counties of occurrence: Baldwin, Mobile					

Family Haematopodidae - Oystercatchers

<i>Haematopus palliatus</i>	American Oystercatcher	G5	S1		SP
Counties of occurrence: Mobile					

² Species may occur in any county if suitable habitat exists.

³ Historic occurrence.

⁴ *Charadrius melodus*, LE, LT; Listed by USFWS as Endangered in Great Lakes watersheds of Illinois, Indiana, Michigan, Minnesota, New York, Ohio, Pennsylvania, and Wisconsin; Listed as Threatened elsewhere, including Alabama.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
Family Scolopacidae - Snipe, Woodcock, and Sandpipers					
<i>Tringa semipalmata</i>	Willet	G5	S2B,S5N		SP
Counties of occurrence: Baldwin, Mobile					
<i>Numenius americanus</i>	Long-Billed Curlew	G5	S2N		SP
Counties of occurrence: Mobile					
<i>Scolopax minor</i>	American Woodcock	G5	S3B,S5N		GB
Counties of occurrence: Baldwin, Barbour, Blount, Butler, Chambers, Cherokee, Cleburne, Colbert, Conecuh, Covington, Crenshaw, Cullman, DeKalb, Escambia, Etowah, Franklin, Geneva, Jackson, Jefferson, Lauderdale, Lawrence, Lee, Limestone, Lowndes, Macon, Madison, Marion, Mobile, Montgomery, Morgan, Perry, Shelby, St. Clair, Tallapoosa, Wilcox, Winston					
Family Laridae - Jagers, Skuas, Gulls, and Terns					
<i>Sternula antillarum</i>	Least Tern	G4	S2B,S4N		SP
Counties of occurrence: Baldwin, Mobile					
<i>Gelochelidon nilotica</i>	Gull-Billed Tern	G5	S2B,S4N		SP
Counties of occurrence: Baldwin, Mobile					
<i>Hydroprogne caspia</i>	Caspian Tern	G5	S2B,S4N		SP
Counties of occurrence: Baldwin, Mobile					
<i>Sterna hirundo</i>	Common Tern	G5	S1B,S4N		SP
Counties of occurrence: Mobile					
<i>Sterna forsteri</i>	Forster's Tern	G5	S1B,S5N		SP
Counties of occurrence: Mobile					
<i>Thalasseus maximus</i>	Royal Tern	G5	S2B,S5N		SP
Counties of occurrence: Baldwin, Mobile					
<i>Thalasseus sandvicensis</i>	Sandwich Tern	G5	S1B,S5N		SP
Counties of occurrence: Baldwin, Mobile					
<i>Rynchops niger</i>	Black Skimmer	G5	S2B,S4N		SP
Counties of occurrence: Baldwin, Mobile					
ORDER COLUMBIFORMES - Pigeons and Doves					
Family Columbidae - Doves and Pigeons					
<i>Zenaisa asiatica</i>	White-winged Dove	G5	S2B,S3N		GB
Counties of occurrence: Baldwin, Mobile					
<i>Columbina passerine</i>	Common Ground-dove	G5	S3		SP
Counties of occurrence: Autauga, Baldwin, Barbour, Bullock, Butler, Chambers, Chilton, Choctaw, Clarke, Clay, Cleburne, Coffee, Conecuh, Coosa, Covington, Crenshaw, Dale, Dallas, Elmore, Escambia, Geneva, Henry, Houston, Lee, Lowndes, Macon, Marengo, Mobile, Monroe, Montgomery, Perry, Pike, Randolph, Russell, Shelby, Sumter, Talladega, Tallapoosa, Washington, Wilcox					
ORDER CUCULIFORMES - Cuckoos and Allies					
Family Cuculidae - Cuckoos, Roadrunners, and Anis					
<i>Coccyzus erythrophthalmus</i>	Black-billed Cuckoo	G5	S1B		SP
Counties of occurrence: Cullman, Jackson, Marshall, Morgan					
<i>Crotophaga sulcirostris</i>	Groove-billed Ani	G5	S2N		SP
Counties of occurrence: Mobile					
ORDER STRIGIFORMES - Owls					
Family Strigidae - Typical Owls					
<i>Athene cunicularia</i>	Burrowing Owl	G4	S2N		SP
Counties of occurrence: Mobile					

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Asio flammeus</i>	Short-Eared Owl	G5	S2N		SP
Counties of occurrence: Autauga, Baldwin, Bibb, Dallas, Etowah, Henry, Jefferson, Lauderdale, Limestone, Marshall, Mobile, Montgomery					
ORDER PICIFORMES - Puffbirds, Jacamars, Toucans, Woodpeckers, and Allies					
Family Picidae - Woodpeckers and Allies					
<i>Picoides borealis</i>	Red-cockaded Woodpecker	G3	S2	LE	SP
Counties of occurrence ² : Baldwin ³ , Barbour, Bibb, Bullock, Butler, Calhoun, Chilton, Clay, Cleburne, Colbert ³ , Conecuh, Coosa, Covington, Dallas, Escambia, Hale, Jefferson ³ , Lawrence ³ , Macon, Marengo ³ , Marshall ³ , Perry, St. Clair ³ , Talladega, Tallapoosa, Tuscaloosa, Washington ³ , Winston ³					
<i>Campephilus principalis</i>	Ivory-Billed Woodpecker	GH	SX	LE	SP
Counties of occurrence ³ : Dallas, Hale, Lamar, Marengo, Pike, Wilcox					
ORDER PASSERIFORMES - Passerine Birds					
Family Tyrannidae - Tyrant Flycatchers					
<i>Empidonax trailii</i>	Willow Flycatcher	G5	S1B	SC	SP
Counties of occurrence: Cherokee, Lawrence, Limestone					
<i>Tyrannus dominicensis</i>	Gray Kingbird	G5	S1B		SP
Counties of occurrence: Baldwin, Mobile					
<i>Tyrannus forficatus</i>	Scissor-tailed Flycatcher	G5	S2		SP
Counties of occurrence: Autauga, Baldwin, Blount, Colbert, Cullman, Dallas, Franklin, Hale, Jackson, Jefferson, Lauderdale, Lowndes, Madison, Marengo, Mobile, Morgan, Perry, Shelby, Sumter, Talladega, Wilcox					
Family Vireonidae - Vireos					
<i>Vireo solitarius</i>	Blue-Headed Vireo	G5	S3B,S4N		SP
Counties of occurrence: Blount, Calhoun, Cherokee, Clay, Cleburne, Cullman, DeKalb, Etowah, Jackson, Lawrence, Marshall, Morgan, Randolph, St. Clair, Talladega, Tallapoosa, Winston					
<i>Vireo gilvus</i>	Warbling Vireo	G5	S1B		SP
Counties of occurrence: Colbert, Crenshaw, Jackson, Lauderdale					
Family Corvidae - Crows and Jays					
<i>Corvus corax</i>	Common Raven	G5	SX		SP
Counties of occurrence ³ : Cullman, DeKalb, Jackson, Walker, Winston					
Family Troglodytidae - Wrens					
<i>Thryomanes bewickii</i>	Bewick's Wren	G5	SHB, S1N		SP
Counties of occurrence ³ : Autauga, Clay, Colbert, Coosa, Cullman, DeKalb, Elmore, Etowah, Franklin, Jackson, Jefferson, Lauderdale, Lawrence, Limestone, Madison, Marshall, Morgan, Randolph, Shelby, St. Clair, Sumter, Talladega, Tuscaloosa, Walker					
<i>Cistothorus palustris</i>	Marsh Wren	G5	S2B, S4N		SP
Counties of occurrence: Baldwin, Mobile					
Family Parulidae - Wood-warblers					
<i>Vermivora bachmanii</i>	Bachman's Warbler	GH	SX	LE	SP
Counties of occurrence ³ : Autauga, Baldwin, Clarke, Coosa, Cullman, Mobile, Tuscaloosa, Washington					
<i>Dendroica petechia</i>	Yellow Warbler	G5	S2B		SP
Counties of occurrence: Autauga, Cherokee, Colbert, DeKalb, Fayette, Franklin, Jackson, Jefferson, Lamar, Lauderdale, Lee, Limestone, Madison, Marshall, Montgomery, Morgan, Walker					

² Species may occur in any county if suitable habitat exists.

³ Historic occurrence.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Dendroica cerulea</i>	Cerulean Warbler	G4	S1B		SP
Counties of occurrence: Colbert, Cullman ³ , DeKalb ³ , Fayette, Franklin, Jackson, Jefferson ³ , Lauderdale ³ , Lawrence, Limestone ³ , Madison ³ , Marshall ³ , Morgan ³ , Tuscaloosa ³ , Winston					
Family Emberizidae - Emberizids					
<i>Peucaea aestivalis</i>	Bachman's Sparrow	G3	S3		SP
Counties of occurrence: Baldwin, Barbour, Bibb, Bullock, Butler, Calhoun, Chambers, Clarke, Cleburne, Conecuh, Coosa, Covington, Dallas, DeKalb, Escambia, Fayette, Franklin, Greene, Henry, Houston, Jackson ³ , Limestone, Lowndes, Macon, Madison, Marion, Mobile, Monroe, MontgomeryMorgan, Pike, Russell, Tuscaloosa, Washington, Wilcox, Winston					
<i>Chondestes grammacus</i>	Lark Sparrow	G5	S3B		SP
Counties of occurrence: Autauga, Chilton, Colbert, Dallas, Elmore, Franklin, Greene, Hale, Jackson, Lauderdale, Lawrence, Limestone, Madison, Marion, Morgan, Perry, Pickens, Shelby, Sumter					
<i>Ammodramus henslowii</i>	Henslow's Sparrow	G4	S2N		SP
Counties of occurrence: Baldwin, Covington, Escambia, Mobile					
<i>Ammodramus leconteii</i>	Le Conte's Sparrow	G4	S3N		SP
Counties of occurrence: Baldwin, Mobile					
<i>Ammodramus nelsoni</i>	Nelson's Sparrow	G5	S3N		SP
Counties of occurrence: Baldwin, Mobile					
<i>Ammodramus maritimus</i>	Seaside Sparrow	G4	S2		SP
Counties of occurrence: Baldwin, Mobile					
Family Cardinalidae - Cardinals and Allies					
<i>Passerina ciris</i>	Painted Bunting	G5	S2B		SP
Counties of occurrence: Baldwin, Barbour, Butler, Covington, Crenshaw, Dallas, Greene, Hale, Lamar, Marengo, Mobile, Monroe, Montgomery, Pike, Sumter, Washington, Wilcox					
Family Fringillidae - Fringilline and Cardueline Finches and Allies					
<i>Loxia curvirostra</i>	Red Crossbill	G5	S1B		SP
Counties of occurrence: Cleburne					

³ Historic occurrence.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

CLASS MAMMALIA – Mammals

ORDER SORICOMORPHA - Shrews, Moles, and Solenodons

Family Soricidae - Shrews

<i>Sorex hoyi</i>	pygmy shrew	G5	S1		
Counties of occurrence: Jackson					

ORDER CHIROPTERA - Bats

Family Vespertilionidae - Vespertilionid Bats

<i>Corynorhinus rafinesquii</i>	Rafinesque's big-eared bat	G3G4	S2		SP
Counties of occurrence: Blount, Clarke, Jackson, Marshall					

<i>Lasiurus intermedius</i>	northern yellow bat	G4G5	S1		SP
Counties of occurrence: Mobile					

<i>Myotis austroriparius</i>	southeastern myotis	G3G4	S2		SP
Counties of occurrence: Conecuh, Covington, Monroe					

<i>Myotis grisescens</i>	gray myotis	G3	S2	LE	SP
Counties of occurrence: Bibb ⁵ , Calhoun ⁵ , Colbert, Conecuh, DeKalb, Franklin, Jackson, Lauderdale, Lawrence, Limestone, Madison, Marshall, Morgan, Shelby					

<i>Myotis leibii</i>	eastern small-footed myotis	G3	S1	UR	
----------------------	-----------------------------	----	----	----	--

<i>Myotis lucifugus</i>	little brown myotis	G5	S3		SP
Counties of occurrence: Conecuh, Madison					

<i>Myotis septentrionalis</i>	northern long-eared myotis	G4	S2	UR	SP
Counties of occurrence: Franklin, Lawrence					

<i>Myotis sodalis</i>	Indiana bat	G2	S2	LE	SP
Counties of occurrence: Bibb ⁵ , Blount, Calhoun ⁵ , Colbert ⁵ , DeKalb ⁵ , Franklin ⁵ , Jackson, Lauderdale ⁵ , Lawrence, Limestone ⁵ , Madison ⁵ , Marshall, Morgan, Shelby					

Family Molossidae - Free-tailed Bats

<i>Tadarida brasiliensis</i>	Brazilian free-tailed bat	G5	S3		
Counties of occurrence: Bullock, Lee					

ORDER LAGOMORPHA - Rabbits, Hares, and Picas

Family Leporidae - Rabbits and Hares

<i>Sylvilagus obscurus</i>	Appalachian cottontail	G4	S1		GA
Counties of occurrence: Clay, Cullman, Lawrence, Winston					

<i>Sylvilagus palustris</i>	marsh rabbit	G5	S3		GA
Counties of occurrence: Baldwin, Escambia ⁶ , Covington ⁶ , Geneva ⁶ , Houston ⁶					

ORDER RODENTIA - Rodents

Family Geomyidae - Pocket Gophers

<i>Geomys pinetis</i>	southeastern pocket gopher	G5	S3		SP
Counties of occurrence: Autauga, Baldwin, Barbour, Bullock, Clarke ³ , Coffee, Conecuh ³ , Covington, Crenshaw, Dale, Dallas ³ , Escambia, Geneva, Henry ³ , Houston, Macon, Monroe ³ , Montgomery, Russell, Tuscaloosa ³					

Family Cricetidae - New World Rats and Mice, Voles, Hamsters, and Relatives

<i>Microtus ochrogaster</i>	prairie vole	G5	S2		
Counties of occurrence: Limestone, Madison					

³ Historic occurrence.

⁵ No occurrence record in ALNHP database but the US Fish & Wildlife Service lists this species as occurring or believed to occur in the county (<http://www.fws.gov/daphne/es/specieslst.html>).

⁶ Historic occurrence, no recent information although it still likely occurs in the county.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Neotoma magister</i> Counties of occurrence: Jackson, Madison, Marshall	Allegheny woodrat	G3G4	S3		
<i>Peromyscus polionotus ammobates</i> Counties of occurrence: Baldwin	Alabama beach mouse ⁷	G5T1	S1	LE	SP
<i>Peromyscus polionotus trissyllepsis</i> Counties of occurrence: Baldwin	Perdido key beach mouse	G5T1	S1	LE	SP
Family Dipodidae - Birch Mice, Jerboas, and Jumping Mice					
<i>Zapus hudsonius</i> Counties of occurrence ⁸ : Chambers, Chilton, Lee	meadow jumping mouse	G5	S1		SP
ORDER CARNIVORA - Carnivores					
Family Canidae - Wolves, Dogs, Foxes, and Jackals					
<i>Canis rufus</i>	red wolf	G1Q	SX	LE ⁹	GANOS
Family Ursidae - Bears					
<i>Ursus americanus</i> Counties of occurrence: Baldwin, Barbour ¹⁰ , Bibb ¹⁰ , Butler ¹⁰ , Chambers ¹⁰ , Cherokee ¹⁰ , Chilton ¹⁰ , Choctaw ¹⁰ , Clark, Cleburne ¹⁰ , Coffe ¹⁰ , Conecuh, Coosa ¹⁰ , Covington ¹⁰ , Cullman ¹⁰ , Dale ¹⁰ , Dallas ¹⁰ , DeKalb ¹⁰ , Elmore ¹⁰ , Escambia ¹⁰ , Etowah ¹⁰ , Fayette ¹⁰ , Geneva ¹⁰ , Jefferson ¹⁰ , Lee ¹⁰ , Limestone ¹⁰ , Lowndes ¹⁰ , Macon ¹⁰ , Madison ¹⁰ , Marengo ¹⁰ , Marion ¹⁰ , Marshall ¹⁰ , Mobile, Monroe, Montgomery ¹⁰ , Randolph ¹⁰ , St. Clair ¹⁰ , Talladega ¹⁰ , Tallapoosa ¹⁰ , Tuscaloosa ¹⁰ , Walker ¹⁰ , Washington	black bear	G5	S2		GANOS
Family Mustelidae - Weasels, Badgers, and Otters					
<i>Mustela frenata</i> Counties of occurrence ⁴ : Baldwin, Bibb, Butler, Clarke, Geneva, Greene, Jackson, Walker	long-tailed weasel	G5	S3		SP
Family Mephitidae - Skunks					
<i>Spilogale putorius</i> Counties of occurrence: Clarke, Pickens	eastern spotted skunk	G5	S2S3		SP
Family Felidae - Cats					
<i>Puma concolor</i>	mountain lion	G5	SX	LE ¹¹	GANOS
ORDER SIRENIA - Sirenians					
Family Trichechidae - Manatees					
<i>Trichechus manatus</i> Counties of occurrence: Baldwin, Mobile	West Indian manatee	G2	S1	LE	SP
ORDER ARTIODACTYLA - Even-toed Hoofed Mammals					
Family Cervidae - Deer, Elk, Caribou, and Moose					
<i>Cervus elaphus</i>	elk	G5	SX		
Family Bovidae - Antelopes, Bison, Cattle, Goats, and Sheep					
<i>Bos bison</i>	American bison	G4	SX		

⁴ Species potentially occurs in every county, but little is known about its current status.

⁷ Alabama endemic.

⁸ Historic occurrence, no reported collections from Alabama since the mid- to late 1970s.

⁹ *Canis rufus*, LE - listed endangered range wide, except where listed as experimental populations; presumed extinct in wild except experimental populations in North Carolina and Tennessee.

¹⁰ Black bear sightings have been reported from the county, but there likely is not an established, self-sustaining population in the county.

¹¹ Both subspecies that occurred in the eastern United states (*Puma concolor cougari*, presumed extinct in wild, and *P. concolor coryi*) are listed as endangered.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Reptiles

Class Reptilia – Lizards, Snakes, and Amphisbaenas

ORDER SQUAMATA, SUBORDER LACERTILIA - Lizards

Family Anguidae - Glass Lizard

<i>Ophisaurus mimicus</i>	mimic glass lizard	G3	S1		SP
Counties of occurrence: Baldwin ³ , Conecuh, Covington ³ , Mobile ³					

Family Scincidae - Skinks

<i>Plestiodon anthracinus</i>	coal skink	G5	S3		SP
Counties of occurrence: Bibb, Blount, Chilton, Choctaw, Colbert, Coosa, Elmore, Lawrence, Marion, Mobile ³ , Monroe, Russell, Shelby, St. Clair, Tuscaloosa					

<i>Plestiodon inexpectatus</i>	southeastern five-lined skink	G5	S3		SP
Counties of occurrence: Autauga, Bibb, Calhoun, Chambers, Cherokee, Chilton, Choctaw, Clarke, Clay, Cleburne, Colbert, Conecuh, Coosa, Covington, Cullman, Elmore, Etowah, Fayette, Franklin, Greene, Houston, Lamar, Lee, Macon, Marengo, Marion, Mobile, Pickens, Randolph, Russell, Shelby, Talladega, Tallapoosa, Washington					

ORDER SQUAMATA, SUBORDER SERPENTES - Snakes

Family Colubridae - Colubrid Snakes

<i>Drymarchon couperi</i>	eastern indigo snake	G3	S1	LT	SP
Counties of occurrence: Baldwin ³ , Coffee, Conecuh, Covington ³ , Escambia ³ , Mobile, Washington ³					

<i>Farancia erythrogramma</i>	rainbow snake	G4	S3		SP
Counties of occurrence: Baldwin, Chilton, Covington, Escambia, Henry, Mobile, Shelby, Tuscaloosa					

<i>Heterodon simus</i>	southern hognose snake	G2	SH		SP
Counties of occurrence ¹² : Autauga, Baldwin, Calhoun, Choctaw, Clarke, Covington, Dale, Escambia, Shelby					

<i>Lampropeltis calligaster calligaster</i>	prairie kingsnake	G5T5	S1S2		
Counties of occurrence: Madison					

<i>Lampropeltis calligaster rhombomaculata</i>	mole kingsnake	G5T5	S3		
Counties of occurrence: Baldwin, Bibb, Calhoun, Etowah, Jefferson, Lee, Marshall, Mobile, Randolph, Russell, Shelby, St. Clair, Tuscaloosa					

<i>Lampropeltis getula getula</i>	eastern kingsnake	G5T5	S4		SP
Counties of occurrence: Baldwin, Barbour, Bullock, Butler, Chambers, Coffee, Conecuh, Covington, Crenshaw, Dale, Escambia, Geneva, Henry, Houston, Lee, Macon, Mobile, Pike, Russell					

<i>Lampropeltis getula holbrooki</i>	speckled kingsnake	G5T5	S3		SP
Counties of occurrence: Autauga, Bullock, Choctaw, Clarke, Dallas, Elmore, Greene, Hale, Lowndes, Macon, Marengo, Mobile, Monroe, Montgomery, Perry, Pickens, Sumter, Tuscaloosa, Washington, Wilcox					

<i>Lampropeltis triangulum sypila</i>	red milk snake	G5T5	S2		
Counties of occurrence: Madison, Winston					

<i>Lampropeltis triangulum triangulum</i>	eastern milk snake	G5T5	S2		
Counties of occurrence: DeKalb					

<i>Masticophis flagellum</i>	coachwhip	G5	S3		SP
Counties of occurrence: Autauga, Baldwin, Barbour, Bibb, Butler, Calhoun, Chambers, Coffee, Conecuh, Covington, Crenshaw, Dale, Dallas, DeKalb, Escambia, Jefferson, Lauderdale, Lee, Macon, Mobile, Monroe, Pickens, Pike, Russell, Shelby, Sumter, Tallapoosa, Tuscaloosa, Walker					

³ Historic occurrence.

¹² Historic occurrence, may be extirpated in Alabama.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Nerodia clarkii clarkii</i> Counties of occurrence: Baldwin, Mobile	Gulf salt marsh snake	G4T4	S2		SP
<i>Nerodia cyclopion</i> Counties of occurrence: Baldwin, Mobile	green water snake	G5	S1S2		
<i>Nerodia fasciata</i> Counties of occurrence: Baldwin, Conecuh, Covington, Escambia, Monroe	southern water snake	G5	S4		
<i>Nerodia floridana</i> Counties of occurrence: Baldwin	Florida green water snake	G5	S1S2		
<i>Nerodia taxispilota</i> Counties of occurrence: Baldwin, Barbour, Coffee, Covington, Dale, Escambia, Geneva, Henry, Houston, Lee, Russell	brown water snake	G5	S3		
<i>Pituophis melanoleucus lodingi</i> Counties of occurrence: Clarke, Mobile, Washington	black pine snake	G4T2T3	S2	C	SP
<i>Pituophis melanoleucus melanoleucus</i> Counties of occurrence: Autauga, Calhoun, Cherokee, Chilton, Colbert, Crenshaw ¹³ , DeKalb, Elmore ¹³ , Jackson, Jefferson, Lauderdale, Shelby, St. Clair, Tuscaloosa	northern pine snake	G4T4	S3		SP
<i>Pituophis melanoleucus mugitus</i> Counties of occurrence: Baldwin ¹⁴ , Covington, Crenshaw, Escambia ¹⁴ , Russell	Florida pine snake	G4T3	S2		SP
<i>Rhadinaea flavilata</i> Counties of occurrence: Baldwin, Clarke, Mobile, Washington	pine woods snake	G4	S2		
<i>Seminatrix pygaea</i> Counties of occurrence: Covington, Escambia	black swamp snake	G5	S1		
Family Elapidae - Coral Snakes					
<i>Micrurus fulvius</i> Counties of occurrence: Autauga ³ , Baldwin, Barbour, Bibb, Clarke, Coffee, Coosa, Covington, Dale, Geneva, Greene ³ , Henry, Houston, Mobile, St. Clair, Talladega, Washington	eastern coral snake	G5	S3		SP
Family Viperidae - Pit Vipers					
<i>Crotalus adamanteus</i> Counties of occurrence: Baldwin, Barbour, Choctaw, Clarke, Coffee, Conecuh, Covington, Crenshaw, Dale, Escambia, Geneva, Henry, Houston, Mobile, Monroe, Washington	eastern diamondback rattlesnake	G4	S3		

Class Chelonia – Turtles and Tortoises

ORDER CRYPTODEIRA - Straightneck Turtles

Family Cheloniidae - Sea Turtles

<i>Caretta caretta</i> Counties of occurrence: Baldwin, Mobile	loggerhead sea turtle	G3	S1	LT	SP
<i>Chelonia mydas</i> Counties of occurrence: Baldwin, Mobile	green sea turtle	G3	S1	LT ¹⁵	SP
<i>Lepidochelys kempii</i> Counties of occurrence: Baldwin, Mobile	Kemp's ridley sea turtle	G1	S1	LE	SP

³ Historic occurrence.

¹³ Intergradient between northern and Florida pine snakes.

¹⁴ Individuals from the county are intergradient with black pine snake.

¹⁵ *Chelonia mydas*, LT throughout most of its range, including Alabama; LE in Florida, Mexico.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Family Chelydridae - Snapping Turtles

<i>Macrochelys temminckii</i>	alligator snapping turtle	G3G4	S3		SP
Counties of occurrence: Baldwin, Bullock, Calhoun, Chilton, Choctaw, Clarke, Colbert, Coosa, Covington, Elmore, Escambia, Franklin, Houston, Lauderdale, Lee, Lowndes, Macon, Marshall, Mobile, Monroe, Montgomery, Perry, Russell, Shelby, St. Clair, Sumter, Talladega, Tuscaloosa, Walker, Washington, Wilcox					

Family Dermochelyidae - Leatherback Sea Turtles

<i>Dermochelys coriacea</i>	leatherback sea turtle	G2	SNA	LE	SP
Counties of occurrence ¹⁶ : Baldwin, Mobile					

Family Emydidae - Emydid Turtles

<i>Deirochelys reticularia</i>	chicken turtle	G5	S3		
Counties of occurrence: Baldwin, Calhoun, Covington, Crenshaw, Dallas, Escambia, Geneva, Greene, Henry, Houston, Lee, Macon, Mobile, Pickens, Russell, Shelby, St. Clair					
<i>Graptemys barbouri</i>	Barbour's map turtle	G2	S2		SP
Counties of occurrence: Barbour, Coffee, Dale, Geneva, Houston, Russell					
<i>Graptemys ernsti</i>	Escambia map turtle	G2	S2		SP
Counties of occurrence: Coffee, Covington, Escambia, Geneva					
<i>Graptemys geographica</i>	northern map turtle	G5	S3		
Counties of occurrence: Bibb, Blount, Colbert, Coosa, Cullman, Jefferson, Lauderdale, Lawrence, Limestone, Madison, Marshall, Morgan, Shelby					
<i>Graptemys nigrinoda delticola</i>	Delta map turtle ⁹	G3T2Q	S2		SP
Counties of occurrence: Baldwin, Clarke, Mobile, Washington					
<i>Graptemys nigrinoda nigrinoda</i>	black-knobbed sawback	G3T3Q	S3		SP
Counties of occurrence: Autauga, Bibb, Chilton, Choctaw, Clarke, Coosa, Dallas, Elmore, Greene, Hale, Lowndes, Macon, Marengo, Monroe, Montgomery, Perry, Sumter, Tallapoosa, Washington, Wilcox					
<i>Graptemys ouachitensis</i>	Ouachita map turtle	G5	S3		
Counties of occurrence: Colbert, Jackson, Lauderdale, Lawrence, Madison, Marshall, Morgan					
<i>Graptemys pulchra</i>	Alabama map turtle	G4	S3		SP
Counties of occurrence: Autauga, Baldwin, Bibb, Cherokee, Chilton, Choctaw, Clarke, Coosa, Dallas, Elmore, Etowah, Greene, Hale, Jefferson, Lowndes, Marengo, Mobile, Monroe, Montgomery, Perry, Shelby, Sumter, Talladega, Tallapoosa, Washington, Wilcox					
<i>Malaclemys terrapin pileata</i>	Mississippi diamondback terrapin	G4T3Q	S2		SP
Counties of occurrence: Baldwin, Mobile					
<i>Pseudemys alabamensis</i>	Alabama red-bellied turtle	G1	S1	LE	SP
Counties of occurrence: Baldwin, Mobile, Monroe ³					

Family Kinosternidae - Mud and Musk Turtles

<i>Sternotherus carinatus</i>	razor-backed musk turtle	G5	S1		
Counties of occurrence: Mobile, Washington ¹⁷					
<i>Sternotherus depressus</i>	flattened musk turtle ⁹	G2	S2	LT	SP ¹⁸
Counties of occurrence: Blount, Cullman, Etowah ⁵ , Fayette, Jefferson, Marshall ⁵ , Tuscaloosa, Walker, Winston					

³ Historic occurrence.

⁵ No occurrence record in ALNHP database but the US Fish & Wildlife Service lists this species as occurring or believed to occur in the county (<http://www.fws.gov/daphne/es/specieslst.html>).

⁹ Alabama endemic.

¹⁶ An occasional visitor to Alabama waters, but not known to nest in the state.

¹⁷ Possibly occurs in the county.

¹⁸ *Sternotherus depressus* is protected under Alabama Game, Fish and Wildlife Laws, Section 9-11-269 as well as the Nongame Regulation.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Family Testudinidae - Tortoises

<i>Gopherus polyphemus</i>	gopher tortoise	G3	S3	LT, PT ¹⁹	SP
Counties of occurrence: Baldwin, Barbour, Bullock, Butler, Choctaw, Clarke, Coffee, Conecuh, Covington, Crenshaw, Dale, Escambia, Geneva, Henry, Houston, Mobile, Monroe, Pike, Russell, Washington					

Family Trionychidae - Softshell Turtles

<i>Apalone ferox</i>	Florida softshell	G5	S2		RT
Counties of occurrence: Baldwin, Covington, Escambia, Geneva, Mobile					

³ Historic occurrence.

¹⁹ *Gopherus polyphemus*, Listed by USFWS as Threatened west of the Mobile and Tombigbee rivers in Alabama (Choctaw, Mobile, and Washington counties), Mississippi, and Louisiana. Eastern populations have been proposed for listing, and the status of eastern populations is currently under review.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

CLASS AMPHIBIA – *Amphibians*

ORDER ANURA - Frogs and Toads

Family Hylidae - Treefrogs and Allies

Hyla andersonii Pine Barrens treefrog G4 S2 SP
Counties of occurrence: Covington, Escambia, Geneva

Pseudacris ocularis little grass frog G5 S1
Counties of occurrence: Houston

Family Ranidae - “True” Frogs

Rana capito gopher frog G3 S2 SP
Counties of occurrence: Barbour³, Coffee³, Covington, Escambia, Shelby³

Rana heckscheri river frog G5 S1 SP
Counties of occurrence³: Baldwin, Escambia, Henry, Mobile

Rana sevosa Mississippi gopher frog G1 SH LE SP
Counties of occurrence³: Mobile, Washington

Rana sylvatica wood frog G5 S2
Counties of occurrence: Clay, Cleburne, Randolph, Talladega, Tallapoosa

ORDER CAUDATA - Salamanders

Family Ambystomatidae - Mole Salamanders

Ambystoma bishopi reticulated flatwoods salamander G2 S1 LT SP
Counties of occurrence²⁰: Baldwin, Covington, Houston, Mobile

Ambystoma texanum smallmouth salamander G5 S3
Counties of occurrence: Choctaw, Madison, Marion, Montgomery, Morgan, Perry, Sumter, Tuscaloosa, Washington, Wilcox

Ambystoma tigrinum tiger salamander G5 S3
Counties of occurrence: Bibb, Bullock, Calhoun, Chilton, Cleburne, Covington, Crenshaw, Cullman, Dale, Escambia, Geneva, Henry, Houston, Macon, Shelby

Family Amphiumidae - Amphiumas

Amphiuma means two-toed amphiuma G5 S3
Counties of occurrence: Baldwin, Covington, Henry, Houston, Macon, Mobile, Monroe, Montgomery, Pike

Amphiuma pholeter one-toed amphiuma G3 S1 SP
Counties of occurrence: Baldwin, Mobile

Amphiuma tridactylum three-toed amphiuma G5 S3
Counties of occurrence: Dallas, Macon, Sumter, Tuscaloosa, Washington

Family Cryptobranchidae - Giant Salamanders

Cryptobranchus alleganiensis hellbender G3G4 S2 SP
Counties of occurrence: Colbert, Franklin, Lauderdale, Limestone, Madison, Marion, Marshall, Morgan

Family Plethodontidae - Lungless Salamanders

Aneides aeneus green salamander G3G4 S3 SP
Counties of occurrence: Cherokee, Colbert, DeKalb, Franklin, Jackson, Lauderdale, Lawrence, Madison, Marion, Marshall, St. Clair, Tuscaloosa³, Walker, Winston

Desmognathus aeneus seepage salamander G3G4 S2 SP
Counties of occurrence: Bibb, Calhoun, Cherokee, Chilton, Clay, Cleburne, Greene, Hale, Marion, Randolph, St. Clair, Talladega, Tuscaloosa

³ Historic occurrence.

²⁰ Historic occurrence: species has not been observed in Alabama since 1981.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Desmognathus apalachicola</i> Counties of occurrence: Barbour, Dale, Henry, Houston, Russell	Apalachicola dusky salamander	G3G4	S3		
<i>Desmognathus auriculatus</i> Counties of occurrence: Baldwin, Covington, Geneva, Houston, Mobile	southern dusky salamander	G5	S2		SP
<i>Desmognathus monticola</i> Counties of occurrence: Bibb, Blount, Butler, Calhoun, Chambers, Chilton, Choctaw, Clarke, Clay, Cleburne, Conecuh, Coosa, Elmore, Jackson, Jefferson, Lee, Macon, Monroe, Randolph, Russell, Shelby, St. Clair, Talladega, Tallapoosa	seal salamander	G5	S5		SP ²¹
<i>Desmognathus ocoee</i> Counties of occurrence: Blount, Cullman, DeKalb, Etowah, Jackson, Madison, Marshall, Morgan	mountain dusky salamander	G5	S2		
<i>Gyrinophilus palleucus palleucus</i> Counties of occurrence: Colbert, DeKalb, Jackson, Limestone, Madison, Marshall	pale salamander	G2G3T2	S2		SP
<i>Hemidactylium scutatum</i> Counties of occurrence: Tuscaloosa	four-toed salamander	G5	S3		
<i>Phaeognathus hubrichti</i> Counties of occurrence: Butler, Conecuh, Covington, Crenshaw, Monroe, Wilcox	Red Hills salamander ⁹	G2	S2	LT	SP
<i>Plethodon serratus</i> Counties of occurrence: Calhoun	southern red-backed salamander	G5	S2S3		
<i>Plethodon websteri</i> Counties of occurrence: Bibb, Blount, Clarke, Clay, Cleburne, Elmore, Etowah, Jefferson, Lee, Talladega, Tallapoosa	Webster's salamander	G3	S3		
Family Proteidae - Waterdogs and Mudpuppies					
<i>Necturus alabamensis</i> Counties of occurrence: Blount, Cullman ⁵ , Jefferson ⁵ , Marshall ⁵ , Tuscaloosa, Walker, Winston	black warrior waterdog ⁹	G2	S2	C	SP
Family Sirenidae - Sirens					
<i>Siren lacertina</i> Counties of occurrence: Baldwin, Covington, Henry	greater siren	G5	S3		

⁵ No occurrence record in ALNHP database but the US Fish & Wildlife Service lists this species as occurring or believed to occur in the county (<http://www.fws.gov/daphne/es/specieslst.html>).

⁹ Alabama endemic.

²¹ Only populations of Coastal Plain origin are protected by the Nongame Species Regulation.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Fishes

CLASS ACTINOPTERYGII – Ray-finned Fishes

ORDER ACIPENSERIFORMES - Sturgeons and Paddlefishes

Family Acipenseridae - Sturgeons

<i>Acipenser fulvescens</i>	lake sturgeon	G3G4	SX		SP
Counties of occurrence ³ : Limestone, Madison, Morgan, Shelby, St. Clair, Talladega					
<i>Acipenser oxyrinchus desotoi</i>	Gulf sturgeon	G3T2	S1	LT	SP
Counties of occurrence: Baldwin ³ , Bibb ³ , Chilton ³ , Choctaw ⁵ , Clarke ⁵ , Covington ⁵ , Dale, Escambia, Elmore ³ , Geneva ⁵ , Houston, Macon ³ , Marengo ³ , Mobile ⁵ , Monroe ⁵ , Sumter ³ , Washington ⁵ , Wilcox ⁵					
<i>Scaphirhynchus platyrhynchus</i>	shovelnose sturgeon	G4	SX		SP ²²
Counties of occurrence ³ : Colbert, Lauderdale, Lawrence, Limestone, Morgan					
<i>Scaphirhynchus suttkusi</i>	Alabama sturgeon	G1	S1	LE	SP
Counties of occurrence: Autauga ⁵ , Baldwin, Clarke, Dallas, Elmore ³ , Greene ³ , Monroe, Montgomery ³ , Perry ³ , Sumter ³ , Wilcox					

Family Polyodontidae - Paddlefishes

<i>Polyodon spathula</i>	paddlefish	G4	S3		CNGF, SP ²³
Counties of occurrence: Autauga, Baldwin, Choctaw, Clarke, Dallas, Elmore, Greene, Hale, Lauderdale, Limestone, Lowndes, Macon, Marengo, Mobile, Monroe, Montgomery, Perry, Sumter, Tallapoosa, Tuscaloosa, Walker, Washington, Wilcox					

ORDER CLUPEIFORMES - Anchovies and Herrings

Family Clupeidae – Herrings

<i>Alosa alabamiae</i>	Alabama shad	G3	S2	SC ²⁴	SP
Counties of occurrence: Baldwin ³ , Bibb ³ , Choctaw, Clarke ³ , Covington, Dale, Dallas, Elmore ³ , Escambia, Geneva, Greene, Hale, Houston, Marengo ³ , Mobile ³ , Monroe, Perry ³ , Shelby ³ , Sumter, Tuscaloosa, Wilcox					

ORDER CYPRINIFORMES - Carps, Minnows, and Suckers

Family Catostomidae - Suckers

<i>Carpionodes carpio</i>	river carpsucker	G5	S2		CNGF
Counties of occurrence: Colbert, Lauderdale, Limestone, Madison, Marshall					
<i>Cycleptus elongatus</i>	blue sucker	G3	S1		CNGF
Counties of occurrence: Colbert, Lauderdale					
<i>Cycleptus meridionalis</i>	southeastern blue sucker	G3G4	S3		CNGF
Counties of occurrence: Autauga, Baldwin, Bibb ²⁵ , Choctaw, Clarke, Dallas, Elmore, Greene, Lowndes, Macon, Marengo, Mobile, Monroe, Montgomery, Perry, Pickens, Shelby ³ , St. Clair ³ , Sumter, Talladega ³ , Wilcox,					
<i>Ictiobus cyprinellus</i>	bigmouth buffalo	G5	S2S3		CNGF
Counties of occurrence: Jackson, Lauderdale, Lawrence, Limestone, Madison, Marshall, Morgan					

³ Historic occurrence.

⁵ No occurrence record in ALNHP database but the US Fish & Wildlife Service lists this species as occurring or believed to occur in the county (<http://www.fws.gov/daphne/es/specieslst.html>).

²² *Scaphirhynchus platyrhynchus* is not included in Nongame Species Regulation (Regulation 220-2-.92) but all species of sturgeon are protected by Regulation 220-2-.26(4) Restrictions on Possession, Sale, Importation and/or Release of Certain Animals and Fish.

²³ *Polyodon spathula* is not included in Nongame Species Regulation (Regulation 220-2-.92), but is protected by Regulations 220-2-.94 Prohibition of Taking or Possessing Paddlefish (Spoonbill) and 220-2-.43 Unlawful to Willfully Waste Paddlefish.

²⁴ Listed as a species of concern by the National Marine Fisheries Service (Federal Register 69(73):19975-19979, available at <http://www.nmfs.noaa.gov/pr/pdfs/fr/fr64-19975.pdf>).

²⁵ Historic occurrence; evidence suggests it has been extirpated in the Cahaba River system.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Ictiobus cyprinellus</i> Counties of occurrence: Jackson, Lauderdale, Lawrence, Limestone, Madison, Marshall, Morgan	bigmouth buffalo	G5	S2S3		CNGF
<i>Ictiobus niger</i> Counties of occurrence: Franklin, Lauderdale, Lawrence, Limestone, Madison, Marshall, Morgan	black buffalo	G5	S2S3		CNGF
<i>Moxostoma anisurum</i> Counties of occurrence: Franklin, Jackson, Lauderdale, Lawrence, Limestone, Madison, Marshall, Morgan	silver redhorse	G5	S2		CNGF
<i>Moxostoma breviceps</i> Counties of occurrence: Franklin, Jackson, Lauderdale, Lawrence, Limestone, Madison, Marshall, Morgan	shorthead redhorse	G5	S3		CNGF
<i>Moxostoma lachneri</i> Counties of occurrence: Barbour, Chambers, Henry, Houston, Lee, Randolph, Russell	greater jumprock	G4	S3		CNGF
<i>Moxostoma</i> sp. cf. <i>poecilurum</i> Counties of occurrence: Barbour, Chambers, Henry, Houston, Lee, Russell	Apalachicola redhorse	G3	S2		CNGF
Family Cyprinidae - Carps and Minnows					
<i>Camptostoma pauciradii</i> Counties of occurrence: Barbour, Chambers, Houston, Lee, Randolph, Russell	bluefin stoneroller	G4	S2		
<i>Cyprinella caerulea</i> Counties of occurrence: Bibb ³ , Calhoun, Cherokee, Coosa, Cleburne ³ , DeKalb, Etowah ³ , Jefferson ³ , Shelby ³ , Talladega ³	blue shiner	G2	S1	LT	SP
<i>Cyprinella callitaenia</i> Counties of occurrence: Barbour, Clay, Henry, Houston, Lee, Randolph, Russell	bluestripe shiner	G2G3	S1S2		
<i>Cyprinella gibbsi</i> Counties of occurrence: Chambers, Clay, Cleburne, Coosa, Elmore, Lee, Macon, Randolph, Tallapoosa	Tallapoosa shiner	G4	S3		
<i>Erimonax monachus</i> Counties of occurrence ³ : Colbert, Lauderdale	spotfin chub	G2	SX	LT, XN ²⁶	SP
<i>Erimystax dissimilis</i> Counties of occurrence: Lauderdale	streamline chub	G4	S1		
<i>Erimystax insignis</i> Counties of occurrence: Jackson, Lauderdale, Madison, Marshall	blotched chub	G4	S2		
<i>Hemitremia flammea</i> Counties of occurrence: Blount, Calhoun, Colbert, DeKalb, Lauderdale, Lawrence, Limestone, Madison, Morgan, Talladega	flame chub	G3	S3		
<i>Hybognathus hayi</i> Counties of occurrence: Dallas, Perry	cypress minnow	G5	S3		
<i>Hybognathus nuchalis</i> Counties of occurrence: Autauga, Baldwin, Bibb, Dallas, Elmore, Fayette, Franklin, Greene, Marion, Perry, Pickens, Sumter, Tuscaloosa, Washington, Wilcox	Mississippi silvery minnow	G5	S4		
<i>Hybopsis amblops</i> Counties of occurrence: Colbert, Franklin, Jackson, Lauderdale, Lawrence, Limestone, Madison, Marion, Marshall	bigeye chub	G5	S3		

³ Historic occurrence.

²⁶ LT – Listed Threatened range wide except where listed as Experimental Population, Nonessential; XN – Experimental Population, Nonessential: TN-AL - Nonessential experimental population that would extend from the mouth of Long Branch, Lawrence County, Tennessee (Shoal Creek mile (CM) 41.7 (66.7 kilometers (km)), downstream to the backwaters of the Wilson Reservoir at Goose Shoals, Lauderdale County, Alabama (approximately CM 14 (22 km)), and would include the lower 5 CM (8 km) of all tributaries that enter this reach.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Hybopsis lineapunctata</i>	lined chub	G3G4	S3		
Counties of occurrence: Calhoun, Chambers, Clay, Cleburne, Coosa, Elmore, Etowah, Lee, Macon, Randolph, Talladega, Tallapoosa					
<i>Hybopsis</i> sp. cf. <i>winchelli</i>	coastal chub	G4Q	S3		
<i>Luxilus coccogenis</i>	warpaint shiner	G5	S1		
Counties of occurrence: DeKalb, Lauderdale					
<i>Luxilus zonistius</i>	bandfin shiner	G4	S3		
Counties of occurrence: Barbour, Chambers, Clay, Henry, Houston, Lee, Randolph, Russell					
<i>Lythrurus fumeus</i>	ribbon shiner	G5	S2		
Counties of occurrence: Colbert, Franklin, Lauderdale					
<i>Lythrurus lirus</i>	mountain shiner	G4	S3		
Counties of occurrence: Lauderdale					
<i>Lythrurus roseipinnis</i>	cherryfin shiner	G5	S2		
Counties of occurrence: Baldwin, Clarke, Escambia, Mobile, Monroe, Washington					
<i>Macrhybopsis hyostoma</i>	shoal chub	G5	S3		
Counties of occurrence: Limestone					
<i>Macrhybopsis</i> sp 2	Florida chub	G3	S3		
<i>Nocomis micropogon</i>	river chub	G5	S2		
Counties of occurrence: DeKalb, Franklin, Jackson, Lauderdale, Madison, Winston					
<i>Notropis albizonatus</i>	palezone shiner	G1	S1	LE	SP
Counties of occurrence: Jackson					
<i>Notropis ariommus</i>	popeye shiner	G3	SX		
Counties of occurrence: Lauderdale ³					
<i>Notropis boops</i>	bigeye shiner	G5	S2		
Counties of occurrence: Colbert, Franklin, Jackson, Lauderdale, Lawrence, Limestone, Madison, Marshall					
<i>Notropis buchanani</i>	ghost shiner	G5	S2		
Counties of occurrence: Colbert ³ , Lauderdale, Lawrence ³ , Limestone, Madison ³ , Marshall, Morgan ³					
<i>Notropis cahabae</i>	Cahaba shiner ⁹	G2	S2	LE	SP
Counties of occurrence: Bibb, Blount, Jefferson, Perry, Shelby					
<i>Notropis chalybaeus</i>	ironcolor shiner	G4	SH		SP
Counties of occurrence ³ : Baldwin, Clarke, Covington, Escambia, Henry, Houston, Mobile, Washington					
<i>Notropis cummingsae</i>	dusky shiner	G5	S2		
Counties of occurrence: Houston, Lee, Russell					
<i>Notropis harperi</i>	redeye chub	G4	S3		
Counties of occurrence: Barbour, Butler, Coffee, Covington, Crenshaw, Escambia, Geneva, Henry, Houston, Pike					
<i>Notropis hypsilepis</i>	highscale shiner	G3	S2		
Counties of occurrence: Chambers, Lee, Randolph, Russell					
<i>Notropis leuciodus</i>	Tennessee shiner	G5	S1		
Counties of occurrence: Jackson, Lauderdale, Madison, Marshall					
<i>Notropis maculatus</i>	taillight shiner	G5	S3		
Counties of occurrence: Baldwin, Clarke, Dale, Dallas, Escambia, Geneva, Greene, Houston, Lamar, Mobile, Monroe, Pickens, Russell, Sumter, Tuscaloosa, Washington, Wilcox					

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Notropis melanostomus</i> Counties of occurrence: Baldwin	blackmouth shiner	G2	S1		SP
<i>Notropis micropteryx</i> Counties of occurrence: Colbert, Franklin, Lauderdale, Lawrence, Limestone	highland shiner	G5	S2		
<i>Notropis photogenis</i> Counties of occurrence: Lauderdale, Limestone	silver shiner	G5	S1		
<i>Notropis</i> sp. cf. <i>spectrunculus</i> Counties of occurrence: Jackson, Lauderdale, Limestone	sawfin shiner	G4	S2		
<i>Notropis telescopus</i> Counties of occurrence: Colbert, Jackson, Lauderdale, Limestone, Madison	telescope shiner	G5	S3		
<i>Notropis uranoscopus</i> Counties of occurrence: Bibb, Dallas, Elmore, Macon, Monroe, Montgomery, Perry, Tallapoosa, Wilcox	skygazer shiner	G3	S2		
<i>Notropis wickliffi</i> Counties of occurrence: Franklin, Lauderdale, Madison, Marshall	channel shiner	G5	S1		
<i>Phenacobius mirabilis</i> Counties of occurrence: Franklin	suckermouth minnow	G5	S1		
<i>Phenacobius uranops</i> Counties of occurrence: Lauderdale, Limestone	stargazing minnow	G4	S1		
<i>Phoxinus erythrogaster</i> Counties of occurrence: Colbert, Franklin, Lauderdale, Lawrence, Limestone, Morgan	southern redbelly dace	G5	S3		
<i>Pteronotropis euryzonus</i> Counties of occurrence: Barbour, Henry, Houston, Lee, Russell	broadstripe shiner	G3	S2		
<i>Pteronotropis grandipinnis</i> Counties of occurrence: Houston	Apalachee shiner	GNR	S2		
<i>Pteronotropis merlini</i> Counties of occurrence: Barbour, Bullock, Coffee, Dale, Geneva, Henry, Houston, Pike	orangetail shiner	GNR	S3		
<i>Pteronotropis signipinnis</i> Counties of occurrence: Baldwin, Barbour, Choctaw, Clarke, Coffee, Conecuh, Covington, Dale, Escambia, Mobile, Monroe, Washington	flagfin shiner	G5	S3		
<i>Pteronotropis welaka</i> Counties of occurrence: Bibb, Clarke, Conecuh, Covington, Dallas, Geneva, Henry, Houston, Pickens, Tuscaloosa, Washington	bluenose shiner	G3G4	S2		

ORDER CYPRINODONTIFORMES - Topminnows, Livebearers, and Allies

Family Fundulidae - Topminnows

<i>Fundulus bifax</i> Counties of occurrence: Chambers, Coosa, Elmore, Randolph, Tallapoosa	stippled studfish	G2G3	S2		
<i>Fundulus blaire</i> Counties of occurrence: Autauga, Baldwin, Bibb, Choctaw, Clarke, Escambia, Mobile, Monroe, Perry, Wilcox	western starhead topminnow	G4	S3		
<i>Fundulus catenatus</i> Counties of occurrence: Colbert, Franklin, Jackson, Lauderdale, Limestone	northern studfish	G5	S3S4		
<i>Fundulus chrysotus</i> Counties of occurrence: Baldwin, Mobile	golden topminnow	G5	S3		
<i>Fundulus cingulatus</i> Counties of occurrence: Baldwin, Covington, Escambia, Mobile	banded topminnow	G4	S2		
<i>Fundulus confluentus</i> Counties of occurrence: Baldwin	marsh killifish	G5	S2		

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Fundulus dispar</i> Counties of occurrence: Choctaw, Clarke, Greene, Mobile, Sumter, Tuscaloosa	starhead topminnow	G4	S2		
<i>Fundulus escambiae</i> Counties of occurrence: Baldwin, Barbour, Bullock, Covington, Dale, Escambia, Geneva, Houston	russetfin topminnow	G4	S3		
<i>Fundulus jenkinsi</i> Counties of occurrence: Baldwin, Mobile	saltmarsh topminnow	G2	S1	SC ²⁷	
<i>Fundulus pulvereus</i> Counties of occurrence: Baldwin, Mobile	Bayou killifish	G5	S2		
<i>Leptolucania ommata</i> Counties of occurrence: Baldwin	pygmy killifish	G5	S1		
<i>Lucania goodei</i> Counties of occurrence: Houston	bluefin killifish	G5	S1		
<i>Lucania parva</i> Counties of occurrence: Baldwin, Clarke, Mobile, Washington	rainwater killifish	G5	S3		
Family Poeciliidae - Livebearers					
<i>Heterandria formosa</i> Counties of occurrence: Baldwin, Clarke, Geneva, Houston, Mobile, Washington, Wilcox	least killifish	G5	S3		
<i>Poecilia latipinna</i> Counties of occurrence: Baldwin, Mobile	sailfin molly	G5	S2		
ORDER HIODONTIFORMES - Mooneyes					
Family Hiodontidae - Mooneyes					
<i>Hiodon alosoides</i> Counties of occurrence ³ : Lawrence, Limestone, Madison, Morgan	goldeye	G5	SX		
<i>Hiodon tergisus</i> Counties of occurrence: Baldwin, Bibb, Chilton, Choctaw, Clarke, Colbert, Coosa, Dallas, Elmore, Greene, Hale, Lamar, Lauderdale, Lawrence, Limestone, Lowndes, Macon, Madison, Marengo, Marshall, Mobile, Monroe, Montgomery, Morgan, Perry, Pickens, Shelby, Sumter, Talladega, Tallapoosa, Washington, Wilcox	mooneye	G5	S3S4		
ORDER LEPISOSTEIFORMES - Gars					
Family Lepisosteidae - Gars					
<i>Atractosteus spatula</i> Counties of occurrence: Baldwin, Clarke, Escambia, Mobile, Monroe	alligator gar	G3G4	S2		CNGF
<i>Lepisosteus platostomus</i> Counties of occurrence ³ : Jackson, Lauderdale, Lawrence, Limestone, Madison, Marshall, Morgan	shortnose gar	G5	SX		CNGF
ORDER PERCIFORMES - Sunfishes, Perches, and Allies					
Family Centrarchidae - Sunfishes					
<i>Enneacanthus gloriosus</i> Counties of occurrence: Baldwin, Clarke, Covington, Mobile, Washington	bluespotted sunfish	G5	S3		GF
<i>Enneacanthus obesus</i> Counties of occurrence: Baldwin	banded sunfish	G5	S1		GF
<i>Micropterus cataractae</i> Counties of occurrence: Barbour, Chambers, Lee, Randolph, Russell	shoal bass	G3	S2		GF-HP

³ Historic occurrence.

²⁷ Listed as a species of concern by the National Marine Fisheries Service (Federal Register 69(73):19975-19979, available at <<http://www.nmfs.noaa.gov/pr/pdfs/fr/fr64-19975.pdf>>).

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
Family Elasmomatidae - Pygmy Sunfishes					
<i>Ellossoma alabamae</i>	spring pygmy sunfish ⁹	G1	S1		SP
Counties of occurrence: Lauderdale ³ , Limestone					
<i>Ellossoma evergladei</i>	Everglades pygmy sunfish	G5	S3		
Counties of occurrence: Baldwin, Covington, Escambia, Henry, Houston, Monroe					
Family Percidae - Perches					
<i>Ammocrypta bifascia</i>	Florida sand darter	G4	S3		
Counties of occurrence: Baldwin, Butler, Coffee, Conecuh, Covington, Crenshaw, Dale, Escambia, Geneva, Pike					
<i>Ammocrypta vivax</i>	scaly sand darter	G5	S1		
Counties of occurrence: Mobile					
<i>Crystallaria asprella</i>	crystal darter	G3	S3		SP
Counties of occurrence: Baldwin, Bibb, Choctaw, Clarke, Dallas, Elmore, Escambia, Greene, Macon, Monroe, Perry, Pickens, Sumter, Tallapoosa, Wilcox					
<i>Etheostoma bellator</i>	warrior darter	G2	S2		
Counties of occurrence: Blount, Cullman, Jefferson					
<i>Etheostoma</i> sp. cf. <i>bellator</i> "A"	Sipsey darter ⁹	G2	S2		
Counties of occurrence: Lawrence, Winston					
<i>Etheostoma</i> sp. cf. <i>bellator</i> "B"	Locust Fork Darter ⁹	GNR	S1		
Counties of occurrence: Blount, Etowah					
<i>Etheostoma blennioides</i>	greenside darter	G5	S3		
Counties of occurrence: Colbert, Franklin, Jackson, Lauderdale, Lawrence, Limestone, Madison, Marion, Morgan, Winston					
<i>Etheostoma blennius</i>	blenny darter	G4	S2		
Counties of occurrence: Lauderdale					
<i>Etheostoma boschungii</i>	slackwater darter	G1	S1	LT	SP
Counties of occurrence: Lauderdale, Limestone, Madison					
<i>Etheostoma brevirostrum</i>	holiday darter	G2	S1		SP
Counties of occurrence: Calhoun, Cleburne					
<i>Etheostoma camurum</i>	bluebreast darter	G4	S1		
Counties of occurrence: Limestone					
<i>Etheostoma chermocki</i>	vermilion darter ⁹	G1	S1	LE	SP
Counties of occurrence: Jefferson					
<i>Etheostoma chuckwachatte</i>	lipstick darter	G2G3	S2		SP
Counties of occurrence: Chambers, Clay, Cleburne, Randolph, Tallapoosa					
<i>Etheostoma cinereum</i>	ashy darter	G2G3	SX		
Counties of occurrence ³ : Lauderdale					
<i>Etheostoma corona</i>	crown darter	G3	S2		
Counties of occurrence: Lauderdale					
<i>Etheostoma crossopterum</i>	fringed darter	G4	S1		
Counties of occurrence: Lauderdale					
<i>Etheostoma davisoni</i>	Choctawhatchee darter	G4	S3		
Counties of occurrence: Barbour, Bullock, Butler, Coffee, Conecuh, Covington, Crenshaw, Dale, Escambia, Geneva, Henry, Houston, Pike					

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Etheostoma ditrema</i>	coldwater darter	G1G2	S1		SP
Counties of occurrence: Calhoun, Cherokee, Chilton, Coosa, Etowah, Shelby, Talladega					
<i>Etheostoma douglasi</i>	Tuskaloosa darter ⁹	G2	S2		
Counties of occurrence: Blount, Cullman, Jefferson, Lawrence, Walker, Winston					
<i>Etheostoma flabellare</i>	fantail darter	G5	S3		
Counties of occurrence: Colbert, Franklin, Jackson, Lauderdale, Lawrence, Limestone, Madison, Morgan					
<i>Etheostoma fusiforme</i>	swamp darter	G5	S3		
Counties of occurrence: Autauga, Baldwin, Chambers, Clarke, Conecuh, Covington, Escambia, Geneva, Houston, Lamar, Mobile, Monroe, Pickens, Sumter, Tuscaloosa, Washington					
<i>Etheostoma histrio</i>	harlequin darter	G5	S3		
Counties of occurrence: Bibb, Choctaw, Clarke, Colbert, Coosa, Covington, Dallas, Elmore, Escambia, Fayette, Franklin, Hale, Lamar, Lauderdale, Marion, Monroe, Montgomery, Pickens, Sumter, Tuscaloosa, Wilcox					
<i>Etheostoma jessiae</i>	blueside darter	G4Q	S3		
Counties of occurrence: DeKalb, Franklin, Jackson, Lauderdale, Lawrence ³ , Limestone, Madison					
<i>Etheostoma kennicotti</i>	stripetail darter	G4G5	S3		
Counties of occurrence: Colbert, Franklin, Jackson, Lauderdale, Lawrence, Limestone, Madison, Morgan					
<i>Etheostoma lynceum</i>	brighteye darter	G5	S1		SP
Counties of occurrence: Mobile, Washington					
<i>Etheostoma neopterum</i>	lollipop darter	G3	S1		SP
Counties of occurrence: Lauderdale					
<i>Etheostoma nuchale</i>	watercress darter ⁹	G1	S1	LE	SP
Counties of occurrence: Jefferson					
<i>Etheostoma phytophilum</i>	rush darter	G1	S1	C	SP
Counties of occurrence: Etowah, Jefferson, Winston					
<i>Etheostoma rufilineatum</i>	redline darter	G5	S3		
Counties of occurrence: Colbert, Franklin, Jackson, Lauderdale, Limestone, Marion					
<i>Etheostoma tallapoosae</i>	Tallapoosa darter	G4	S3		
Counties of occurrence: Chambers, Clay, Cleburne, Coosa, Lee, Randolph, Tallapoosa					
<i>Etheostoma tennesseense</i>	snubnose darter	G5	S3		
Counties of occurrence: Colbert, DeKalb, Franklin, Jackson, Lauderdale, Limestone, Madison, Morgan					
<i>Etheostoma trisella</i>	trispot darter	G1	S1		SP
Counties of occurrence: Cherokee, Etowah, St. Clair					
<i>Etheostoma tuscumbia</i>	Tuscumbia darter	G2	S2		SP
Counties of occurrence: Colbert, Lauderdale, Lawrence, Limestone, Madison, Morgan					
<i>Etheostoma</i> sp. cf. <i>zonistium</i>	blueface darter	G1	S1		
Counties of occurrence: Franklin, Lawrence, Marion, Winston					
<i>Perca flavescens</i>	yellow perch	G5	S3		GF
Counties of occurrence: Baldwin, Barbour, Chambers, Henry, Houston, Jackson, Lauderdale, Lawrence, Lee, Limestone, Marshall, Mobile, Morgan, Russell					
<i>Percina aurolineata</i>	goldline darter	G2	S1	LT	SP
Counties of occurrence: Bibb, Jefferson ⁵ , Shelby					

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Percina austroperca</i> Counties of occurrence: Crenshaw, Escambia, Geneva, Pike	southern logperch	G3	S2		
<i>Percina brevicauda</i> Counties of occurrence: Bibb, Blount, Coosa, Jefferson, Perry, Shelby, St. Clair ³ , Talladega ³ , Tuscaloosa ³	coal darter ⁹	G2	S2		
<i>Percina burtoni</i> Counties of occurrence: Jackson, Lauderdale ³	blotchside logperch	G2G3	S1		SP
<i>Percina crypta</i> Counties of occurrence: Russell	Halloween darter	G2	S1		SP
<i>Percina evides</i> Counties of occurrence: Colbert, Franklin, Lauderdale, Limestone	gilt darter	G4	S2		
<i>Percina lenticula</i> Counties of occurrence: Baldwin, Bibb, Cherokee ³ , Dallas, Elmore, Macon, Montgomery, Perry, Shelby, Sumter, Talladega, Tuscaloosa, Wilcox	freckled darter	G2	S2S3		
<i>Percina palmaris</i> Counties of occurrence: Calhoun, Chambers, Cherokee, Chilton, Clay, Cleburne, Coosa, DeKalb, Elmore, Etowah, Lee, Randolph, Shelby, St. Clair, Talladega, Tallapoosa	bronze darter	G4	S3		
<i>Percina phoxocephala</i> Counties of occurrence: Colbert, Franklin, Marion	slenderhead darter	G5	S2		SP
<i>Percina shumardi</i> Counties of occurrence: Bibb, Calhoun, Cherokee, Chilton, Choctaw, Clarke, Colbert, Coosa, Dallas, Elmore, Franklin, Greene, Hale, Jackson, Lamar, Lauderdale, Lawrence, Limestone, Macon, Marshall, Monroe, Perry, Pickens, Shelby, St. Clair, Sumter, Talladega, Tallapoosa, Tuscaloosa, Walker, Wilcox, Winston	river darter	G5	S3		
<i>Percina sipsi</i> Counties of occurrence: Lawrence, Winston	Bankhead darter ⁹	G1	S1		SP
<i>Percina smithvanizi</i> Counties of occurrence: Chambers, Clay, Cleburne, Coosa, Elmore, Lee, Randolph, Tallapoosa	muscadine darter	G2G3	S2		
<i>Percina suttkusi</i> Counties of occurrence: Baldwin, Choctaw, Clarke, Dallas, Greene, Hale, Monroe, Perry, Pickens, Sumter, Tuscaloosa, Washington, Wilcox	Gulf logperch	G5	S3		
<i>Percina tanasi</i> Counties of occurrence: Madison, Marshall	snail darter	G2G3	S1	LT	SP
<i>Sander sp. cf. viteus</i>	southern walleye	G3	S3		GF
ORDER PERCOPSIFORMES - Trout-perch and Allies					
Family Amblyopsidae - Cavefishes					
<i>Speoplatyrhinus poulsoni</i> Counties of occurrence: Lauderdale	Alabama cavefish ⁹	G1	S1	LE	SP
<i>Typhlichthys subterraneus</i> Counties of occurrence: Colbert, DeKalb, Jackson, Lauderdale, Lawrence, Limestone, Madison, Marshall, Morgan	southern cavefish	G3G4	S3		SP
ORDER SCORPAENIFORMES - Sculpins and Allies					
Family Cottidae - Sculpins					
<i>Cottus bairdii</i> Counties of occurrence: Jackson, Lauderdale, Madison	mottled sculpin	G5	S2		

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Cottus paulus</i> Counties of occurrence: Calhoun	pygmy sculpin ⁹	G1	S1	LT	SP
<i>Cottus tallapoosae</i> Counties of occurrence: Chambers, Clay, Cleburne, Elmore, Randolph, Tallapoosa	Tallapoosa sculpin	GNR	S3		
ORDER SILURIFORMES - Catfishes					
Family Ictaluridae - North American Catfishes					
<i>Ameiurus brunneus</i> Counties of occurrence: Barbour, Chambers, Houston, Lee, Randolph, Russell	snail bullhead	G4	S3		CNGF
<i>Ameiurus catus</i> Counties of occurrence: Barbour, Geneva, Henry, Houston, Lee, Russell	white catfish	G5	S3		CNGF
<i>Ameiurus serracanthus</i> Counties of occurrence: Barbour, Chambers, Henry, Houston, Lee, Russell	spotted bullhead	G3	S2		CNGF
<i>Noturus elegans</i> Counties of occurrence ³ : Jackson, Limestone, Madison	elegant madtom	G4	SX		CNGF
<i>Noturus eleutherus</i> Counties of occurrence: Limestone	mountain madtom	G4	S1		CNGF
<i>Noturus exilis</i> Counties of occurrence: Colbert, Franklin, Lauderdale, Lawrence, Limestone, Marion	slender madtom	G5	S3		CNGF
<i>Noturus</i> sp. cf. <i>flavus</i> Counties of occurrence: Lauderdale, Limestone	highlands stonecat	G5T4Q	S1		CNGF
<i>Noturus miurus</i> Counties of occurrence: Colbert, Franklin, Lauderdale ³	brindled madtom	G5	S1		CNGF
<i>Noturus munitus</i> Counties of occurrence: Bibb, Dallas, Greene, Lamar, Marion, Monroe, Perry, Pickens, Sumter, Tuscaloosa, Wilcox	frecklebelly madtom	G3	S2		SP, CNGF
<i>Noturus nocturnus</i> Counties of occurrence: Baldwin, Bibb, Choctaw, Clarke, Dallas, Franklin, Greene, Hale, Lamar, Lauderdale, Lowndes, Macon, Marengo, Marion, Mobile, Morgan, Pickens, Sumter, Tuscaloosa, Washington, Wilcox, Winston	freckled madtom	G5	S3		CNGF

Class Cephalaspidomorphi – Lampreys

ORDER PETROMYZONTIFORMES - Lampreys

Family Petromyzontidae - Lampreys

<i>Ichthyomyzon greeleyi</i> Counties of occurrence: Lauderdale, Madison, Marshall	mountain brook lamprey	G3G4	S2		
<i>Lampetra appendix</i> Counties of occurrence: Colbert, Franklin, Limestone	American brook lamprey	G4	S1		

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Invertebrates

Class Bivalvia – Bivalves (Clams & Mussels)

ORDER UNIONOIDA - Freshwater Mussels

Family Margaritiferidae - Margaritifids (Pearl Mussels)

Cumberlandia monodonta spectaclecase G3 S1 PE SP
Counties of occurrence: Colbert, Lauderdale, Limestone, Madison, Morgan

Margaritifera marrianae Alabama pearlshell⁹ G1 S1 C SP
Counties of occurrence: Conecuh, Crenshaw, Escambia, Marion³, Monroe, Wilcox

Family Unionidae - Unionids (River Mussels)

Actinonaias ligamentina mucket G5 S2 PS
Counties of occurrence: Colbert³, Jackson³, Lauderdale, Limestone³, Morgan³

Actinonaias pectorosa pheasantshell G4 SX PS
Counties of occurrence: Colbert³, Jackson³, Lauderdale, Limestone³

Alasmidonta marginata elktoe G4 S1 PS
Counties of occurrence: Colbert³, Franklin³, Jackson, Lauderdale³, Madison³

Alasmidonta triangulata southern elktoe G1Q S1 PS
Counties of occurrence: Russell

Alasmidonta viridis slippershell mussel G4G5 S1 SP
Counties of occurrence: Jackson, Madison

Amblema elliottii Coosa fiveridge G3 S3 PS
Counties of occurrence: Calhoun, Cherokee, Coosa, Elmore, Etowah, Jefferson, Shelby, St. Clair, Talladega, Tuscaloosa, Walker

Anodonta hartfieldorum cypress floater G4 S1 PS
Counties of occurrence: Baldwin, Covington, Escambia

Anodonta suborbiculata flat floater G5 S3 PS
Counties of occurrence: Calhoun, Cherokee, Colbert, Covington, Dallas, Etowah, Lauderdale, Limestone, Madison, Monroe, Morgan, St. Clair, Talladega, Wilcox

Anodontoides radiatus rayed creekshell G3 S3 PS
Counties of occurrence: Barbour, Bullock, Butler, Coffee, Conecuh, Covington, Dale, Dallas, Escambia, Fayette, Geneva, Hale, Henry, Houston, Lamar, Macon, Marion, Monroe, Perry, Pickens, Pike, Russell, Sumter, Tuscaloosa, Wilcox

Arcidens confragosus rock pocketbook G4 S3 PS
Counties of occurrence: Baldwin, Choctaw, Colbert, Dallas, Elmore, Greene, Hale, Lauderdale, Pickens, Sumter, Tuscaloosa, Wilcox

Cyprogenia stegaria fanshell G1Q S1 LE SP
Counties of occurrence: Colbert, Jackson³, Lauderdale, Limestone³, Madison³, Marshall³, Morgan³

Dromus dromas dromedary pearlymussel G1 S1 LE-XN²⁸ SP
Counties of occurrence: Colbert, Jackson³, Lauderdale, Limestone³, Madison³, Marshall³, Morgan³

³ Historic occurrence.

⁹ Alabama endemic.

²⁸ Listed Endangered range wide by USFWS except where listed as Experimental Population, Nonessential; XN - Experimental Population, Non-Essential: AL - free-flowing reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale counties, Alabama. This species was extirpated from Alabama until a successful trial transplant of 80 individuals was conducted in 2003.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Elliptio arca</i>	Alabama spike	G2G3Q	S2		PS
Counties of occurrence: Blount, Calhoun, Chambers, Cherokee, Chilton, Choctaw, Clarke, Cleburne, Coosa, Dallas, Etowah, Greene, Jefferson, Lamar, Marengo, Monroe, Pickens, Randolph, Shelby, St. Clair, Talladega, Tuscaloosa, Washington, Winston					
<i>Elliptio arctata</i>	delicate spike	G2G3Q	S2		PS
Counties of occurrence: Barbour, Blount, Calhoun, Cherokee, Cleburne, Coffee, Dale, DeKalb, Etowah, Geneva, Greene, Jefferson, Monroe, Pickens, Pike, Randolph, Shelby, St. Clair, Talladega, Tuscaloosa, Wilcox, Winston					
<i>Elliptio chipolaensis</i>	Chipola slabshell	G1	S1	LT	SP
Counties of occurrence: Houston					
<i>Elliptio dilatata</i>	spike	G5	S1		PS
Counties of occurrence: Colbert, Jackson, Lauderdale, Lawrence ³ , Limestone, Madison, Marshall, Morgan					
<i>Elliptio fraterna</i>	brother spike	G1	SX		PS
Counties of occurrence: Russell ³					
<i>Elliptio fumata</i>	Gulf slabshell	G4	S3		PS
Counties of occurrence: Barbour, Houston, Lee, Russell					
<i>Elliptio mcMichaeli</i>	fluted elephantear	G3	S2		PS
Counties of occurrence: Barbour, Coffee, Conecuh, Covington, Dale, Geneva, Henry, Houston, Pike					
<i>Elliptio purpurella</i>	inflated spike	G2	S1		PS
Counties of occurrence: Houston, Russell ³					
<i>Elliptioideus sloatianus</i>	purple bankclimber	G2	S1	LT	SP
Counties of occurrence: Houston ³ , Lee					
<i>Epioblasma brevidens</i>	Cumberlandian combshell	G1	S1	LE-XN ²⁹	SP
Counties of occurrence: Colbert, Franklin ³ , Jackson ³ , Lauderdale ³ , Morgan ³					
<i>Epioblasma capsaeformis</i>	oyster mussel	G1	SX	LE-XN ²⁹	SP
Counties of occurrence ³ : Colbert, Franklin, Jackson, Lauderdale, Limestone, Madison, Marshall, Morgan					
<i>Epioblasma florentina</i>	yellow blossom	G1	SX	LE-XN ²⁹	SP
Counties of occurrence ³ : Colbert, Lauderdale, Madison, Marshall					
<i>Epioblasma metastrata</i>	upland combshell	GH	SX	LE	SP
Counties of occurrence ³ : Bibb, Blount, Calhoun, Cherokee, Chilton, Coosa, Cullman, Etowah, Jefferson, Shelby, St. Clair, Talladega, Tuscaloosa, Walker					
<i>Epioblasma obliquata</i>	catpaw	G1	SX	LE-XN ²⁹	SP
Counties of occurrence ³ : Lauderdale, Colbert					
<i>Epioblasma othcaloogensis</i>	southern acornshell	GHQ	SX	LE	SP
Counties of occurrence ³ : Cherokee, Etowah, Shelby, St. Clair, Talladega					
<i>Epioblasma penita</i>	southern combshell	G1	S1	LE	SP
Counties of occurrence: Autauga ³ , Dallas ³ , Elmore ³⁰ , Greene ³ , Lamar, Lowndes ³ , Marengo ³ , Monroe ³ , Pickens ³ , St. Clair ³ , Sumter ³ , Talladega ³ , Wilcox ³					

³ Historic occurrence.

²⁹ Listed Endangered range wide by USFWS except where listed as Experimental Populations, Nonessential; XN Experimental Population, Non-Essential: AL - free-flowing reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale counties, Alabama, but no reintroductions have been made yet.

³⁰ An effort to reestablish *Epioblasma penita* into the Coosa River in the tailwaters below Jordan Dam was initiated in 2005.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Epioblasma</i> sp. cf. <i>capsaeformis</i> Counties of occurrence: Colbert, Lauderdale	Duck River oyster mussel	G1	S1	LE-XN ³¹	SP
<i>Epioblasma triquetra</i> Counties of occurrence: Colbert, Franklin ³ , Jackson, Lauderdale ³ , Limestone ³ , Madison, Marshall, Morgan ³	snuffbox	G3	S1		PS
<i>Fusconaia burkei</i> Counties of occurrence: Barbour, Coffee, Dale, Geneva, Henry, Pike	tapered pigtoe	G2G3	S2	C	SP
<i>Fusconaia cor</i> Counties of occurrence: Colbert ³ , Jackson, Lauderdale ³ , Madison, Marshall	shiny pigtoe	G1	S1	LE-XN ²⁹	SP
<i>Fusconaia cuneolus</i> Counties of occurrence: Colbert ³ , Jackson, Lauderdale ³ , Limestone ³ , Madison, Marshall, Morgan ³	finerayed pigtoe	G1	S1	LE-XN ²⁹	SP
<i>Fusconaia escambia</i> Counties of occurrence: Butler, Conecuh, Covington, Crenshaw, Escambia, Pike	narrow pigtoe	G2	S2	C	SP
<i>Fusconaia rotulata</i> Counties of occurrence: Conecuh, Covington, Escambia	round ebonyshell	G1	S1	C	SP
<i>Fusconaia subrotunda</i> Counties of occurrence: Colbert, Jackson, Lauderdale, Limestone ³ , Madison, Marshall, Morgan ³	longsolid	G3	S1		PS
<i>Glebula rotundata</i> Counties of occurrence: Baldwin, Choctaw, Clarke, Escambia, Mobile, Washington	round pearlshell	G4G5	S2		PS
<i>Hamiota altilis</i> Counties of occurrence: Bibb, Blount, Calhoun, Cherokee, Chilton, Clay, Cleburne, Coosa, Dallas, Elmore, Etowah, Jefferson, Lee, Macon, Monroe, Perry, Shelby, St. Clair, Talladega, Wilcox	finelined pocketbook	G2	S2	LT	SP
<i>Hamiota australis</i> Counties of occurrence: Barbour, Coffee, Conecuh, Covington, Crenshaw, Dale, Escambia, Geneva, Henry, Houston, Pike	southern sandshell	G2G3	S2	C	SP
<i>Hamiota perovalis</i> Counties of occurrence: Bibb, Blount, Choctaw, Dallas, Fayette, Greene, Jefferson, Lamar, Lawrence, Marion, Monroe, Pickens, Shelby, Sumter, Tuscaloosa, Winston	orangenacre mucket	G2	S2	LT	SP
<i>Hamiota subangulata</i> Counties of occurrence: Barbour ³ , Houston, Lee, Russell	shinyrayed pocketbook	G2	S1	LE	SP
<i>Hemistena lata</i> Counties of occurrence: Colbert ³ , Lauderdale ³ , Limestone	cracking pearlymussel	G1	S1	LE-XN ²⁹	SP
<i>Lampsilis abrupta</i> Counties of occurrence: Colbert, Jackson ³ , Lauderdale, Lawrence ³ , Limestone, Madison, Marshall, Morgan	pink mucket	G2	S1	LE	SP
<i>Lampsilis fasciola</i> Counties of occurrence: Colbert, Franklin, Lauderdale, Lawrence ³ , Limestone, Jackson, Madison, Marshall	wavyrayed lampmussel	G5	S2		PS
<i>Lampsilis floridensis</i> Counties of occurrence: Barbour, Butler, Covington, Crenshaw, Dale, Escambia, Geneva, Houston, Lee, Pike Russell	Florida sandshell	G3G4	S2		PS

³ Historic occurrence.

²⁹ Listed Endangered range wide by USFWS except where listed as Experimental Populations, Nonessential; XN Experimental Population, Non-Essential: AL - free-flowing reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale counties, Alabama, but no reintroductions have been made yet.

³¹ Listed Endangered (as *Epioblasma capsaeformis*) range wide by USFWS except where listed as Experimental Populations, Nonessential: XN - Experimental Population, Non-Essential; AL - free-flowing reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale counties, Alabama. A successful trial transplant of 80 individuals was conducted in 2003.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Lampsilis ovata</i>	pocketbook	G5	S2		PS
Counties of occurrence: Colbert, Franklin ³ , Jackson, Lauderdale, Limestone, Madison, Marshall, Morgan					
<i>Lampsilis virescens</i>	Alabama lampmussel	G1	S1	LE-XN ²⁹	SP
Counties of occurrence: Colbert ³ , Franklin, Jackson, Lauderdale ³ , Madison ³					
<i>Lasmigona alabamensis</i>	Alabama heelsplitter	G3	S3		PS
Counties of occurrence: Autauga, Bibb, Blount, Calhoun, Cherokee, Chilton, Coosa, Dallas, Elmore, Etowah, Greene, Jefferson, Lamar, Lowndes, Macon, Montgomery, Perry, Pickens, Shelby, St. Clair, Sumter, Talladega					
<i>Lasmigona complanata</i>	white heelsplitter	G5	S2		PS
Counties of occurrence: Colbert, Franklin, Jackson, Lauderdale, Lawrence, Limestone, Madison, Marshall, Morgan					
<i>Lasmigona costata</i>	flutedshell	G5	S2		PS
Counties of occurrence: Colbert, Franklin ³ , Jackson, Lauderdale ³ , Limestone, Madison, Marshall					
<i>Lasmigona etowaensis</i>	Etowah heelsplitter	G3	S2		PS
Counties of occurrence: Calhoun, Cherokee, Chilton, Cleburne, Coosa, Etowah, Jefferson, Shelby, St. Clair, Talladega					
<i>Lasmigona holstonia</i>	Tennessee heelsplitter	G3	S1		PS
Counties of occurrence: Jackson					
<i>Lasmigona subviridis</i>	green floater	G3	SX		PS
Counties of occurrence: Russel ³					
<i>Lemiox rimosus</i>	birdwing pearlymussel	G1	S1	LE-XN ³²	SP
Counties of occurrence: Colbert, Jackson ³ , Lauderdale, Madison ³ , Morgan ³					
<i>Leptodea leptodon</i>	scaleshell	G1G2	SX	LE	SP
Counties of occurrence ³ : Colbert, Lauderdale					
<i>Ligumia recta</i>	black sandshell	G5	S2		PS
Counties of occurrence: Bibb ³ , Calhoun ³ , Cherokee ³ , Colbert, Dallas ³ , Elmore ³ , Etowah ³ , Greene, Hale ³ , Jackson, Jefferson ³ , Lauderdale, Lawrence ³ , Limestone, Lowndes ³ , Macon ³ , Madison, Marshall, Monroe ³ , Montgomery ³ , Morgan, Perry ³ , Pickens, Shelby ³ , St. Clair ³ , Sumter ³ , Talladega ³ , Tuscaloosa ³ , Wilcox ³					
<i>Ligumia subrostrata</i>	pondmussel	G5	S2		PS
Counties of occurrence: Dallas ³ , Hale, Mobile, Pickens					
<i>Medionidus acutissimus</i>	Alabama moccasinshell	G2	S2	LT	SP
Counties of occurrence: Greene, Lamar, Lawrence, Pickens, Shelby, Tuscaloosa, Winston					
<i>Medionidus conradicus</i>	Cumberland moccasinshell	G3G4	S1		SP
Counties of occurrence: Colbert, Jackson, Lauderdale ³ , Madison ³ , Marshall ³					
<i>Medionidus parvulus</i>	Coosa moccasinshell	G1Q	SX	LE	SP
Counties of occurrence ³ : Bibb, Blount, Calhoun, Cherokee, Etowah, Jefferson, Shelby, St. Clair, Talladega, Winston					
<i>Medionidus penicillatus</i>	Gulf moccasinshell	G2	S1	LE	SP
Counties of occurrence: Houston, Russell ³					

³ Historic occurrence.

²⁹ Listed Endangered range wide by USFWS except where listed as Experimental Populations, Nonessential; XN Experimental Population, Non-Essential; AL - free-flowing reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale counties, Alabama, but no reintroductions have been made yet.

³² Listed Endangered range wide (as *Conradilla caelata*) by USFWS except where listed as Experimental Population, Nonessential; XN - Experimental Population, Non-Essential; AL - free-flowing reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale counties, Alabama. This species was extirpated from Alabama until a successful trial transplant of 80 individuals in Wilson Dam tailwaters was conducted in 2003.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Obovaria jacksoniana</i>	southern hickorynut	G2	S2		PS
Counties of occurrence: Bibb ³ , Fayette, Greene, Lamar, Marengo ³ , Marion, Monroe ³ , Pickens, Shelby ³ , Sumter, Tuscaloosa					
<i>Obovaria olivaria</i>	hickorynut	G4	SX		PS
Counties of occurrence ³ : Colbert, Lauderdale, Limestone, Madison, Marshall, Morgan					
<i>Obovaria retusa</i>	ring pink	G1	SH	LE	SP
Counties of occurrence ³ : Colbert, Jackson, Lauderdale, Limestone, Madison, Marshall, Morgan					
<i>Obovaria subrotunda</i>	round hickorynut	G4	S2		PS
Counties of occurrence: Colbert, Franklin ³ , Jackson, Lauderdale ³ , Limestone ³ , Madison, Marshall, Morgan ³					
<i>Obovaria unicolor</i>	Alabama hickorynut	G3	S2		PS
Counties of occurrence: Autauga ³ , Bibb ³ , Choctaw, Clarke ³ , Dallas ³ , Elmore ³ , Etowah ³ , Greene, Jefferson ³ , Lamar, Lowndes ³ , Marion, Montgomery ³ , Perry, Pickens, Shelby ³ , St. Clair ³ , Sumter, Talladega ³ , Tuscaloosa, Walker ³ , Washington ³ , Wilcox ³					
<i>Pegias fabula</i>	littlewing pearlymussel	G1	SX	LE	SP
Counties of occurrence ³ : Lauderdale, Limestone					
<i>Plethobasus cicatricosus</i>	white wartyback	G1	S1	LE	SP
Counties of occurrence: Colbert, Jackson ³ , Lauderdale, Madison ³ , Marshall ³ , Morgan ³					
<i>Plethobasus cooperianus</i>	orangefoot pimpleback	G1	SH	LE	SP
Counties of occurrence ³ : Colbert, Jackson, Lauderdale, Limestone, Madison, Marshall, Morgan					
<i>Plethobasus cyphus</i>	sheepnose	G3	S1	PE	SP
Counties of occurrence: Colbert, Jackson, Lauderdale, Limestone ³ , Madison, Marshall, Morgan					
<i>Pleurobema athearni</i>	Canoe Creek pigtoe ⁹	G1	S1		PS
Counties of occurrence: St. Clair					
<i>Pleurobema clava</i>	clubshell	G2	SX	LE-XN ²⁹	SP
Counties of occurrence: Colbert, Jackson, Lauderdale, Madison, Morgan					
<i>Pleurobema cordatum</i>	Ohio pigtoe	G4	S2		PS
Counties of occurrence: Colbert, Jackson ³ , Lauderdale, Limestone, Madison, Marshall, Morgan					
<i>Pleurobema curtum</i>	black clubshell	G1	SX	LE	SP
Counties of occurrence: Pickens ³					
<i>Pleurobema decisum</i>	southern clubshell	G2	S2	LE	SP
Counties of occurrence: Bibb, Calhoun, Cherokee, Chilton, Choctaw, Clarke, Cleburne, Coosa, Dallas, Elmore, Etowah, Greene, Jefferson, Lamar, Lee, Macon, Marion, Monroe, Montgomery, Perry, Pickens, Shelby, St. Clair, Sumter, Talladega, Tuscaloosa, Walker, Washington, Wilcox, Winston					
<i>Pleurobema georgianum</i>	southern pigtoe	G1	S1	LE	SP
Counties of occurrence: Calhoun, Cherokee, Clay, Cleburne, Coosa, Etowah, Shelby, St. Clair, Talladega					
<i>Pleurobema hanleyianum</i>	Georgia pigtoe	G1	SX	C	SP
Counties of occurrence ³ : Cherokee, Clay, Etowah, St. Clair					
<i>Pleurobema hartmanianum</i>	Cherokee pigtoe	G1	SX		PS
Counties of occurrence ³ : Cherokee, Elmore, Etowah, Shelby, Talladega					

³ Historic occurrence.

⁹ Alabama endemic.

²⁹ Listed Endangered range wide by USFWS except where listed as Experimental Populations, Nonessential; XN Experimental Population, Non-Essential; AL - free-flowing reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale counties, Alabama, but no reintroductions have been made yet.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Pleurobema marshalli</i> Counties of occurrence ³ : Pickens, Sumter	flat pigtoe	GH	SX	LE	SP
<i>Pleurobema oviforme</i> Counties of occurrence: Colbert ³ , Franklin ³ , Jackson, Lauderdale ³ , Limestone ³ , Madison, Marshall	Tennessee clubshell	G2G3	S1		PS
<i>Pleurobema perovatum</i> Counties of occurrence: Autauga ³ , Bibb, Blount, Cherokee, Choctaw ³ , Clarke ³ , Cullman, Dallas ³ , Elmore ³ , Etowah, Fayette ³ , Greene, Jefferson ³ , Lamar, Lee, Macon, Marion ³ , Monroe ³ , Perry, Pickens, Shelby ³ , St. Clair, Sumter, Tuscaloosa, Walker, Wilcox ³ , Winston	ovate clubshell	G1	S1	LE	SP
<i>Pleurobema plenum</i> Counties of occurrence: Colbert, Jackson ³ , Lauderdale, Lawrence ³ , Limestone ³ , Madison, Marshall, Morgan	rough pigtoe	G1	S1	LE	SP
<i>Pleurobema pyriforme</i> Counties of occurrence: Houston, Lee ³ , Russell ³	oval pigtoe	G2	S1	LE	SP
<i>Pleurobema rubellum</i> Counties of occurrence: Cullman ³ , Fayette, Jefferson ³ , Lawrence, Shelby ³ , Tuscaloosa, Winston	warrior pigtoe ⁹	G1	S1	LE ³³	SP
<i>Pleurobema rubrum</i> Counties of occurrence: Colbert, Jackson ³ , Lauderdale, Limestone ³ , Madison, Marshall, Morgan	pyramid pigtoe	G2G3	S1		SP
<i>Pleurobema sintoxia</i> Counties of occurrence: Colbert, Jackson ³ , Lauderdale, Limestone, Madison, Marshall, Morgan	round pigtoe	G4G5	S1		SP
<i>Pleurobema strodeanum</i> Counties of occurrence: Barbour, Bullock, Butler, Coffee, Conecuh, Covington, Crenshaw, Dale, Escambia, Geneva, Henry, Houston, Pike	fuzzy pigtoe	G2	S2	C	SP
<i>Pleurobema taitianum</i> Counties of occurrence: Choctaw, Clarke ³ , Dallas, Elmore ³ , Greene ³ , Jefferson ³ , Marengo, Monroe ³ , Montgomery ³ , Pickens ³ , Sumter ³ , Walker ³ , Washington ³ , Wilcox ³	heavy pigtoe	G1	S1	LE	SP
<i>Pleurobema barnesiana</i> Counties of occurrence: Colbert ³ , Franklin ³ , Jackson, Lauderdale ³ , Limestone, Madison, Marshall	Tennessee pigtoe	G2G3	S1		PS
<i>Pleurobema dolabelloides</i> Counties of occurrence: Colbert, Franklin ³ , Jackson, Lauderdale ³ , Limestone ³ , Madison, Marshall, Morgan ³	slabside pearlymussel	G2	S1	C	SP
<i>Potamilus inflatus</i> Counties of occurrence: Baldwin, Choctaw, Clarke, Dallas ³ , Greene, Hale, Marengo, Monroe ³ , Perry ³ , Pickens, Sumter, Tuscaloosa, Washington	Alabama heelsplitter	G1G2Q	S1S2	LT	SP
<i>Potamilus ohioensis</i> Counties of occurrence: Colbert, Jackson, Lauderdale, Limestone, Morgan	pink papershell	G5	S3		PS
<i>Ptychobranhus fasciolaris</i> Counties of occurrence: Colbert, Franklin, Jackson, Lauderdale, Limestone, Madison, Marshall, Morgan	kidneyshell	G4G5	S2		PS

³ Historic occurrence.

⁹ Alabama endemic.

³³ The USFWS lists *Pleurobema furvum* as endangered under the Endangered Species Act and considers *P. rubellum* as extinct. ALNHP considers *P. furvum* a synonym of *P. rubellum* following the taxonomy used by James D. Williams, Arthur E. Bogan, and Jeffrey T. Garner in *Freshwater Mussels of Alabama & the Mobile Basin in Georgia, Mississippi, and Tennessee* (2008). Williams et al. (2008) state "A formal reconciliation of the list should replace *P. furvum* with *P. rubellum*."

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Ptychobranchnus foremanianus</i>	rayed kidneyshell	G1	S1	LE ³⁴	SP
Counties of occurrence: Bibb, Calhoun, Cherokee, Chilton ³ , Cleburne, Coosa ³ , Elmore ³ , Etowah, Jefferson, Monroe ³ , Shelby, St. Clair, Talladega					
<i>Ptychobranchnus greenii</i>	triangular kidneyshell ⁹	G1Q	S1	LE	SP
Counties of occurrence: Blount, Cullman, Jefferson, Lawrence, Pickens ³ , Tuscaloosa, Walker, Winston					
<i>Ptychobranchnus jonesi</i>	southern kidneyshell	G1	S1	C	SP
Counties of occurrence: Barbour, Coffee, Conecuh ³ , Covington ³ , Dale, Escambia, Geneva, Henry ³ , Pike					
<i>Ptychobranchnus subtentum</i>	fluted kidneyshell	G2G3	SX	C	SP
Counties of occurrence ³ : Colbert, Jackson, Lauderdale, Limestone, Madison					
<i>Pyganodon cataract</i>	eastern floater	G5	S1		PS
Counties of occurrence: Barbour ³ , Russell, Tallapoosa					
<i>Quadrula cylindrica cylindrica</i>	rabbitsfoot	G3G4T3	S1		SP
Counties of occurrence: Colbert, Franklin ³ , Jackson, Lauderdale ³ , Limestone ³ , Madison, Marshall, Morgan ³					
<i>Quadrula infucata</i>	sculptured pigtoe	G3	S1		
Counties of occurrence: Barbour ³ , Chambers ³ , Henry ³ , Houston, Lee, Russell					
<i>Quadrula intermedia</i>	Cumberland monkeyface	G1	SX	LE-XN ²⁹	SP
Counties of occurrence ³ : Colbert, Lauderdale, Limestone, Madison, Marshall					
<i>Quadrula kieneriana</i>	Coosa orb	G3Q	SX		PS
Counties of occurrence ³ : Chilton, Coosa, Elmore, Shelby, St. Clair, Talladega					
<i>Quadrula metanevra</i>	monkeyface	G4	S3		
Counties of occurrence: Autauga, Bibb, Calhoun ³ , Cherokee ³ , Clarke, Colbert, Dallas, Greene, Jackson, Lauderdale, Lawrence ³ , Limestone, Lowndes, Madison, Marshall, Monroe, Montgomery, Morgan, Perry, Pickens, Shelby ³ , St. Clair ³ , Sumter, Talladega ³ , Washington, Wilcox					
<i>Quadrula nobilis</i>	Gulf Mapleleaf	G4	S3		PS
Counties of occurrence: Autauga, Clarke, Coosa, Dallas, Elmore, Greene, Jefferson, Lowndes, Macon, Monroe, Pickens, Sumter, Talladega, Tuscaloosa, Washington, Wilcox					
<i>Quadrula stapes</i>	stirrupshell	GH ³⁵	SX	LE	SP
Counties of occurrence ³ : Dallas, Green, Lowndes, Montgomery, Pickens, Sumter					
<i>Quadrula succissa</i>	purple pigtoe	G3G4	S3		PS
Counties of occurrence: Barbour, Bullock, Butler, Coffee, Conecuh, Covington, Crenshaw, Dale, Escambia, Geneva, Henry, Houston, Pike					
<i>Strophitus connasaugaensis</i>	Alabama creekmussel	G3	S3		PS
Counties of occurrence: Bibb, Calhoun, Cherokee, Chilton, Clay, Cleburne, Coosa, Dallas, Elmore, Etowah, Lee, Lowndes, Macon, Monroe, Montgomery, Perry, Shelby, St. Clair, Talladega, Wilcox					
<i>Strophitus subvexus</i>	southern creekmussel	G3	S3		PS
Counties of occurrence: Blount, Choctaw, , Fayette, Greene, Jefferson, Lamar, Lawrence, Marion, Pickens, Sumter, Tuscaloosa, Winston					

³ Historic occurrence.

⁹ Alabama endemic.

²⁹ Listed Endangered range wide by USFWS except where listed as Experimental Populations, Nonessential; XN Experimental Population, Non-Essential: AL - free-flowing reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale counties, Alabama, but no reintroductions have been made yet.

³⁴ *Ptychobranchnus greenii* was listed as endangered under the federal Endangered Species Act in 1993. Williams et al. (2008) restricted its distribution to the Black Warrior and Tombigbee River systems, with the form in the remainder of the Mobile Basin recognized as *Ptychobranchnus foremanianus*. The listing of *P. greenii* includes what is now considered to be *P. foremanianus*.

³⁵ Possibly extinct.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Strophitus undulatus</i>	creeper	G5	S1		PS
Counties of occurrence: Colbert, Franklin ³ , Lauderdale ³ , Madison ³					
<i>Toxolasma corvunculus</i>	southern purple lilliput	G1	S1		PS
Counties of occurrence: Bibb, Blount, Calhoun, Cherokee, Clay, Cullman, Dallas ³ , Etowah, Greene ³ , Lee ³ , Lowndes ³ , Macon ³ , Montgomery ³ , Shelby, St. Clair, Talladega, Tuscaloosa					
<i>Toxolasma cylindrellus</i>	pale lilliput	G1	S1	LE	SP
Counties of occurrence: Jackson, Lauderdale ³ , Limestone ³ , Madison ³					
<i>Toxolasma lividum</i>	purple lilliput	G3	S2		PS
Counties of occurrence: Colbert, Franklin, Jackson, Lauderdale, Lawrence, Limestone, Madison, Marshall					
<i>Toxolasma parvum</i>	lilliput	G5	S3		PS
Counties of occurrence: Calhoun, Cherokee, Clay, Colbert, Dallas, Elmore, Etowah, Fayette, Greene, Hale, Jackson, Jefferson, Lamar, Lauderdale, Lawrence, Lee, Limestone, Lowndes, Macon, Madison, Marengo, Marshall, Monroe, Morgan, Pickens, Shelby, St. Clair, Talladega, Tallapoosa, Walker, Washington, Wilcox					
<i>Toxolasma paulus</i>	iridescent lilliput	G4G5Q	S2		PS
Counties of occurrence: Houston, Lee, Russell					
<i>Toxoloasma sp. 1</i>	Gulf lilliput	G2	S2		PS
Counties of occurrence: Barbour, Bullock, Butler, Coffee, Conecuh, Covington, Crenshaw, Dale, Escambia, Geneva, Henry, Pike					
<i>Truncilla donaciformis</i>	fawnsfoot	G5	S3		PS
Counties of occurrence: Autauga, Bibb, Blount, Calhoun, Cherokee, Colbert, Dallas, Elmore, Etowah, Franklin ³ , Greene, Jackson, Jefferson, Lauderdale, Limestone, Lowndes, Madison, Marshall, Monroe, Montgomery, Morgan, Perry, Pickens, Shelby, St. Clair, Sumter, Talladega, Wilcox					
<i>Truncilla truncata</i>	deertoe	G5	S1		PS
Counties of occurrence: Colbert, Franklin ³ , Jackson, Lauderdale, Lawrence ³ , Limestone ³ , Madison, Marshall, Morgan ³					
<i>Uniomerus columbensis</i>	Apalachicola pondhorn	G3	S2		PS
Counties of occurrence: Henry, Houston, Lee, Russell					
<i>Uniomerus declivis</i>	tapered pondhorn	G5Q	S3		PS
Counties of occurrence: Dallas, Lowndes, Wilcox					
<i>Utterbackia peggyae</i>	Florida floater	G3	S1		PS
Counties of occurrence: Dale, Geneva, Henry, Houston					
<i>Villosa choctawensis</i>	Choctaw bean	G2	S2	C	SP
Counties of occurrence: Barbour, Bullock, Butler, Coffee, Conecuh, Covington, Crenshaw, Dale, Escambia, Geneva, Henry, Houston, Pike					
<i>Villosa iris</i>	rainbow	G5Q	S3		PS
Counties of occurrence: Colbert, Franklin, Jackson, Lauderdale, Lawrence ³ , Limestone, Madison, Marshall, Morgan					
<i>Villosa nebulosa</i>	Alabama rainbow	G3	S3		PS
Counties of occurrence: Bibb, Calhoun, Cherokee, Chilton, Clay, Etowah, Jefferson, Lawrence, Shelby, St. Clair, Talladega, Walker, Winston					
<i>Villosa taeniata</i>	painted creekshell	G3G4	S2		PS
Counties of occurrence: Colbert ³ , Jackson, Lauderdale, Limestone ³ , Madison, Marshall, Morgan ³					

³ Historic occurrence.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Villosa trabalis</i> Counties of occurrence ³ : Colbert, Jackson, Lauderdale, Morgan	Cumberland bean	G1	SX	LE-XN ²⁹	SP
<i>Villosa umbrans</i> Counties of occurrence: Calhoun, Cherokee ³ , Chilton ³ , Clay, Coosa, Etowah ³ , Shelby, St. Clair, Talladega	Coosa creekshell	G2	S2		PS
<i>Villosa vanuxemensis</i> Counties of occurrence: Colbert, Franklin, Jackson, Lauderdale, Lawrence, Limestone, Madison, Marshall, Morgan	mountain creekshell	G4	S3		PS
<i>Villosa villosa</i> Counties of occurrence: Conecuh, Houston, Lee	downy rainbow	G3	S1		PS

³ Historic occurrence.

²⁹ Listed Endangered range wide by USFWS except where listed as Experimental Populations, Nonessential; XN Experimental Population, Non-Essential: AL - free-flowing reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale counties, Alabama, but no reintroductions have been made yet.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Class Gastropoda – *Gastropods (Slugs and Snails)*

ORDER ARCHITAENIOGLOSSA

Family Viviparidae - Live-bearing Snails

<i>Campeloma decampi</i>	slender campeloma ⁹	G1	S1	LE	SP
Counties of occurrence: Limestone, Madison					
<i>Lioplax cyclostomaformis</i>	cylindrical lioplax	G1	S1	LE	SP
Counties of occurrence: Bibb, Jefferson, Shelby					
<i>Tulotoma magnifica</i>	Alabama livebearing snail ⁹	G2	S2	LT	SP
Counties of occurrence: Autauga, Calhoun, Coosa, Dallas, Elmore, Monroe, Shelby, St. Clair, Talladega, Wilcox					

ORDER BASOMMATOPHORA

Family Ancyliidae - Freshwater Limpets

<i>Ferrissia mcneili</i>	hood ancyliid ⁹	G2G3	S2		
Counties of occurrence: Mobile					
<i>Rhodacme elatior</i>	domed ancyliid	G1	S1		
Counties of occurrence: Bibb, Shelby					
<i>Rhodacme filosa</i>	wicker ancyliid ⁹	GH	SH		
<i>Rhodacme hinkleyi</i>	knobby ancyliid	G2G3	S2		

ORDER HETEROSTROPHA

Family Valvatidae - Valvatas

<i>Valvata bicarinata</i>	two-ridge valvata	G5	S3		
---------------------------	-------------------	----	----	--	--

ORDER NEOTAENIOGLOSSA

Family Hydrobiidae - Pebblesnails

<i>Antrorbis breweri</i>	Manitou snail ⁹	G1	S1		
Counties of occurrence: DeKalb					
<i>Clappia cahabensis</i>	Cahaba pebblesnail ⁹	G1	S1		
Counties of occurrence: Bibb, Shelby					
<i>Lepyrium showalteri</i>	flat pebblesnail ⁹	G1	S1	LE	SP
Counties of occurrence: Bibb, Dallas ³ , Shelby, Talladega ³					
<i>Marstonia angulobasis</i>	angled marstonia ⁹	G1	S1		
<i>Marstonia hershleri</i>	Coosa pyrg ⁹	G1	S1		
<i>Marstonia pachyta</i>	armored marstonia ⁹	G1	S1	LE	SP
Counties of occurrence: Limestone					
<i>Marstonia scalariformis</i>	moss pyrg ⁹	G1	S1		SP
Counties of occurrence: Madison					
<i>Pseudotryonia grahamae</i>	Salt Spring hydrobe ⁹	G1	S1		
<i>Rhapiinema dacryon</i>	teardrop snail	G5	S2		
<i>Somatogyrys aureus</i>	golden pebblesnail ⁹	GH	SH		
<i>Somatogyrys biangulatus</i>	angular pebblesnail ⁹	GH	SH		
Counties of occurrence ³ : Colbert, Lauderdale					
<i>Somatogyrys constrictus</i>	knotty pebblesnail ⁹	GH	SH		
<i>Somatogyrys coosaensis</i>	Coosa pebblesnail ⁹	GH	SH		
<i>Somatogyrys crassus</i>	stocky pebblesnail ⁹	GH	SH		
<i>Somatogyrys currierianus</i>	Tennessee pebblesnail ⁹	GH	SH		
Counties of occurrence: Madison ³					

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Somatogyrus decipiens</i>	hidden pebblesnail ⁹	GH	SH		
<i>Somatogyrus excavatus</i>	ovate pebblesnail ⁹	GH	SH		
Counties of occurrence: Lauderdale ³					
<i>Somatogyrus georgianus</i>	Cherokee pebblesnail ⁹	GH	SH		
<i>Somatogyrus humerosus</i>	atlas pebblesnail ⁹	GH	SH		
Counties of occurrence ³ : Colbert, Lauderdale					
<i>Somatogyrus nanus</i>	dwarf pebblesnail ⁹	GH	SH		
<i>Somatogyrus obtusus</i>	moon pebblesnail ⁹	GH	SH		
<i>Somatogyrus pygmaeus</i>	pygmy pebblesnail ⁹	GH	SH		
<i>Somatogyrus quadratus</i>	quadrate pebblesnail ⁹	GH	SH		
Counties of occurrence ³ : Lauderdale					
<i>Somatogyrus sargenti</i>	mud pebblesnail ⁹	GH	SH		
<i>Somatogyrus strengi</i>	rolling pebblesnail ⁹	GH	SH		
<i>Somatogyrus substriatus</i>	Choctaw pebblesnail	GH	SH		
<i>Somatogyrus tennesseensis</i>	opaque pebblesnail ⁹	G1	S1		
Counties of occurrence: Lauderdale					
<i>Somatogyrus walkerianus</i>	Gulf Coast pebblesnail	G2G3	S2		
Counties of occurrence: Escambia					
<i>Stiobia nana</i>	sculpin snail ⁹	G1	S1		
Counties of occurrence: Calhoun					
Family Pleuroceridae - Horn, River, and Rock Snails					
<i>Athearnia anthonyi</i>	Anthony riversnail	G1	S1	LE-XN ³⁶	SP
Counties of occurrence: Colbert, Jackson, Lauderdale, Limestone					
<i>Elimia acuta</i>	acute elimia	G2	S1		
<i>Elimia alabamensis</i>	mud elimia ⁹	G1	S1		
Counties of occurrence: Chilton					
<i>Elimia albanyensis</i>	black-crest elimia	G3	SNR		
<i>Elimia ampla</i>	ample elimia ⁹	G1	S1		
Counties of occurrence: Bibb, Shelby					
<i>Elimia annae</i>	rainbow elimia ⁹	G3	SNR		
<i>Elimia annettae</i>	lilyshoals elimia ⁹	G1	S1		
Counties of occurrence: Bibb					
<i>Elimia bellacrenata</i>	princess elimia ⁹	G1Q	S1		
Counties of occurrence: Bibb ³ , Shelby, Tuscaloosa ³					
<i>Elimia bellula</i>	walnut elimia ⁹	G1Q	S1		
Counties of occurrence: Shelby, Talladega					
<i>Elimia boykiniana</i>	flaxen elimia	G2Q	SNR		
<i>Elimia broccata</i>	brooch elimia ⁹	G1	S1		
Counties of occurrence: Calhoun					
<i>Elimia bullula</i>	a freshwater snail ⁹	G1G2Q	S1S2		
Counties of occurrence: Calhoun, Cleburne, Coosa, Shelby, Talladega					
<i>Elimia caelatura</i>	rippled elimia	G3	S3		

³ Historic occurrence.

⁹ Alabama endemic.

³⁶ Listed Endangered range wide by USFWS except where listed as Experimental Population, Nonessential; XN – Experimental Population, Nonessential: AL - free-flowing reach of the Tennessee River below the Wilson Dam, Colbert and Lauderdale counties, Alabama.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Elimia cahawbensis</i> Counties of occurrence: Bibb, Jefferson, Shelby, St. Clair	Cahaba elimia ⁹	G3	S3		
<i>Elimia chiltonensis</i> Counties of occurrence: Chilton, Coosa, Shelby, St. Clair	prune elimia ⁹	G2	S2		
<i>Elimia clara</i> Counties of occurrence: Bibb, Jefferson, Shelby, St. Clair	riffle elimia ⁹	G3	S3		
<i>Elimia clenchi</i>	slackwater elimia	G3	S3		
<i>Elimia cochliaris</i> Counties of occurrence: Bibb, Jefferson ³ , Tuscaloosa ³	cockle elimia ⁹	G1	S1		
<i>Elimia comma</i> Counties of occurrence: Blount, Jefferson	hispid elimia ⁹	G2	S2		
<i>Elimia crenatella</i> Counties of occurrence: Calhoun ³ , Chilton ³ , Coosa ³ , DeKalb ³ , Etowah ³ , Shelby ³ , St. Clair ³ , Talladega	lacey elimia ⁹	G1	S1	LT	SP
<i>Elimia curvicostata</i> Counties of occurrence: Covington	graphite elimia	G5	S3		
<i>Elimia cylindracea</i>	cylinder elimia	G2	S2		
<i>Elimia dickinsoni</i>	stately elimia	G5	S3		
<i>Elimia exusta</i> Counties of occurrence: Conecuh, Escambia	fire elimia ⁹	G2	S2		
<i>Elimia fascians</i>	banded elimia ⁹	G3	S3		
<i>Elimia glarea</i>	gravel elimia	G3	SNR		
<i>Elimia godwini</i> Counties of occurrence: Calhoun, St. Clair, Talladega	rusty elimia ⁹	G2G3	S2S3		
<i>Elimia haysiana</i>	silt elimia ⁹	G3	S3		SP
<i>Elimia hydei</i>	gladiator elimia ⁹	G2	S2		
<i>Elimia interveniens</i> Counties of occurrence: Colbert	slowwater elimia	G2	S2		
<i>Elimia lachryma</i> Counties of occurrence: Shelby, Talladega	nodulose Coosa River snail ⁹	G1	S1		
<i>Elimia laqueata</i> Counties of occurrence: Limestone	panel elimia	G5	S2		
<i>Elimia lecontiana</i>	rippled elimia	G3	SNR		
<i>Elimia melanoides</i> Counties of occurrence: Blount, Marshall	black mudalia ⁹	G2	S2		
<i>Elimia mihalcikae</i>	latticed elimia ⁹	G1	S1		
<i>Elimia nassula</i> Counties of occurrence: Colbert, Lawrence, Madison, Morgan	round-rib elimia ⁹	G1Q	S1		
<i>Elimia olivula</i> Counties of occurrence: Montgomery	caper elimia ⁹	G1Q	S1		
<i>Elimia paupercula</i>	sooty elimia ⁹	G3Q	S3		
<i>Elimia perstriata</i> Counties of occurrence: Lawrence, Madison	engraved elimia ⁹	G1	S1		
<i>Elimia pybasi</i>	spring elimia ⁹	G2	S2		

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Elimia showalteri</i> Counties of occurrence: Bibb, Shelby	compact elimia ⁹	G1Q	S1		
<i>Elimia taitiana</i> Counties of occurrence: Marengo, Monroe, Sumter, Wilcox	dented elimia ⁹	G3Q	S3		
<i>Elimia teretria</i>	auger elimia ⁹	G1	S1		
<i>Elimia ucheensis</i>	creek elimia	G3	S1		
<i>Elimia vanuxemiana</i>	cobble elimia ⁹	G1	S1		
<i>Elimia varians</i> Counties of occurrence: Bibb	puzzle elimia ⁹	G2Q	S1		
<i>Elimia variata</i> Counties of occurrence: Bibb, Jefferson ³ , Shelby	squat elimia ⁹	G1Q	S1		
<i>Io fluvialis</i>	spiny riversnail	G2	SX		
<i>Leptoxis ampla</i> Counties of occurrence: Bibb, Calhoun ³ , Chilton ³ , Shelby, St. Clair ³	round rocksnail ⁹	G2	S2	LT	SP
<i>Leptoxis formani</i> Counties of occurrence: Cherokee ³ , Elmore ³⁷	interrupted rocksnail	G1	SX	C	SP
<i>Leptoxis picta</i> Counties of occurrence: Autauga, Clarke, Dallas, Monroe, Wilcox	spotted rocksnail ⁹	G1	S1		SP
<i>Leptoxis plicata</i> Counties of occurrence: Blount ⁵ , Greene ³ , Jefferson, Tuscaloosa ³	plicate rocksnail ⁹	G1	S1	LE	SP
<i>Leptoxis taeniata</i> Counties of occurrence: Calhoun, Chilton ⁵ , Monroe ³ , Shelby, St. Clair ³ , Talladega	painted rocksnail ⁹	G1	S1	LT	SP
<i>Leptoxis virgata</i> Counties of occurrence: Jackson ³	smooth mudalia	G2	SX		
<i>Lithasia armigera</i> Counties of occurrence: Colbert, Lauderdale	armored rocksnail	G3G4	S1		
<i>Lithasia curta</i> Counties of occurrence ³ : Colbert, Lauderdale	knobby rocksnail	G1	SX		
<i>Lithasia geniculata</i> Counties of occurrence: Colbert, Lauderdale	ornate rocksnail	G3Q	S1		
<i>Lithasia lima</i> Counties of occurrence: Colbert, Lauderdale, Limestone	warty rocksnail	G2Q	S1		
<i>Lithasia salebrosa</i> Counties of occurrence: Colbert, Lauderdale, Limestone ³	rustic rocksnail	G3G4Q	S1		
<i>Lithasia verrucosa</i> Counties of occurrence: Colbert, Jackson, Lauderdale, Madison, Marshall	varicose rocksnail	G4Q	S3		
<i>Pleurocera alveare</i> Counties of occurrence: Colbert, Lauderdale, Lawrence, Limestone ³	rugged hornsnail	G3	S1		
<i>Pleurocera annulifera</i>	ringed hornsnail ⁹	G3G4	S3S4		
<i>Pleurocera brumbyi</i>	spiral hornsnail ⁹	G2G3	S2S3		

³ Historic occurrence.

⁵ No occurrence record in ALNHP database but the US Fish & Wildlife Service lists this species as occurring or believed to occur in the county (<http://www.fws.gov/daphne/es/specieslst.html>).

⁹ Alabama endemic.

³⁷ Reintroduced in the Coosa River below Jordan Dam in 2004.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Pleurocera corpulenta</i> Counties of occurrence: Jackson	corpulent hornsnail	G1	S1		
<i>Pleurocera curta</i>	shortspire hornsnail	G2	S1S2		
<i>Pleurocera foremani</i> Counties of occurrence: Elmore, Shelby	rough hornsnail ⁹	G1	S1	C	SP
<i>Pleurocera nobilis</i> Counties of occurrence: Jackson	noble hornsnail	G2	S2		
<i>Pleurocera postelli</i>	broken hornsnail ⁹	G2	S2		
<i>Pleurocera prasinata</i> Counties of occurrence: Choctaw, Dallas, Sumter, Washington, Wilcox	smooth hornsnail ⁹	G3Q	S3		
<i>Pleurocera pyrenella</i> Counties of occurrence: Limestone, Madison, Morgan ³	skirted hornsnail ⁹	G2	S2		
<i>Pleurocera showalteri</i> Counties of occurrence: Shelby, St. Clair, Talladega	upland hornsnail	G2Q	S2		
<i>Pleurocera trochiformis</i>	sulcate hornsnail	G2	S2		
<i>Pleurocera vestita</i> Counties of occurrence: Shelby	brook hornsnail	G3	S2		
<i>Pleurocera walkeri</i> Counties of occurrence: Lauderdale	telescope hornsnail	G3	S3		
ORDER STYLOMMATOPHORA - Terrestrial Snails and Slugs					
Family Bulimulidae					
<i>Rabdotus mooreanus</i>	prairie rabdotus	G5	SNR		
Family Cionellidae					
<i>Cochlicopa morseana</i>	Appalachian pillar	G5	SNR		
Family Discidae					
<i>Anguispira alabama</i>	Alabama tigersnail	G2	S2?		
<i>Anguispira alternata</i>	flamed tigersnail	G5	S1S2		
<i>Anguispira cumberlandiana</i>	Cumberland tigersnail	G3	S1S2		
<i>Anguispira jessica</i>	mountain disc	G3G4	S1S2		
<i>Anguispira mordax</i>	Appalachian tigersnail	G4	SNR		
<i>Discus bryanti</i>	sawtooth disc	G3	SNR		
<i>Discus clappi</i>	channelled disc	G1	S1		
<i>Discus nigrimontanus</i>	black mountain disc	G4	S1?		
Family Helicarionidae					
<i>Dryachloa dauca</i>	carrot glass	G2	S1		
Family Helicodiscidae					
<i>Helicodiscus aldrichianus</i>	burrowing coil	G3	SNR		
<i>Helicodiscus barri</i> Counties of occurrence: Colbert, Lauderdale, Madison	raccoon coil	G3G4	SNR		
<i>Helicodiscus fimbriatus</i> Counties of occurrence: Jackson, Madison	fringed coil	G4	SNR		
<i>Helicodiscus hadenoecus</i> Counties of occurrence: Madison	cricket coil	G3	SNR		
<i>Helicodiscus singleyanus</i>	smooth coil	G5	SX		
Family Limacidae					
<i>Deroceras laeve</i>	meadow slug	G5	SNR		

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
Family Philomycidae					
<i>Philomycus sellatus</i>	Alabama mantleslug	G2G3	S1?		
<i>Philomycus togatus</i>	toga mantleslug	G5	S1?		
Family Polygyridae					
<i>Daedalochila fatigiata</i>	new harmony liptooth	G3	S1?		
<i>Daedalochila subclausa</i>	Suwannee liptooth	G3	SNR		
<i>Daedalochila troostiana</i>	Nashville liptooth	G4	SNR		
<i>Inflectarius approximans</i>	tight-gapped shagreen	G2	S2?		
<i>Inflectarius downieanus</i>	dwarf globelet	G3	SNR		
<i>Inflectarius smithi</i>	Alabama shagreen	G2	S2		
<i>Linisa texasiana</i>	Texas liptooth	G3G4	SNR		
<i>Lobosculum pustule</i>	grooved liptooth	G3G4	SNR		
<i>Mesodon clausus trossulus</i>	a land snail	G5T2T3	S1S2		
<i>Mesodon normalis</i>	grand globe	G5	SNR		
<i>Mesodon sanus</i>	squat globelet	G3	SNR		
<i>Mesodon trossulus</i>	Danby globelet	G1	S1		
<i>Patera sargentiana</i>	grand bladetooth ⁹	G2	S2		
<i>Polygyra cereolus</i>	southern flatcoil	G4	SNR		
<i>Polygyra septemvolva</i>	Florida flatcoil	G5	SNR		
<i>Praticolella lawae</i>	Appalachian shrubsnail	G3	SNR		
<i>Praticolella mobiliana</i>	Choctaw shrubsnail	G3	SNR		
<i>Stenotrema brevipila</i>	Talladega slitmouth	G2	SNR		
<i>Stenotrema calvescens</i>	Chattanooga slitmouth	G3	SNR		
<i>Stenotrema exodon</i>	Alabama slitmouth	G2	SNR		
<i>Stenotrema florida</i>	Apalachicola slitmouth	G3	SNR		
<i>Stenotrema magnafumosum</i>	Appalachian slitmouth	G4	SNR		
<i>Stenotrema maxillatum</i>	ridge-lip slitmouth	G3	SNR		
<i>Triodopsis tennesseensis</i>	budded threetooth	G4	SNR		
<i>Xolotrema fosteri</i>	bladetooth wedge	G4	SNR		
<i>Xolotrema obstructum</i>	sharp wedge	G4	SNR		
Family Punctidae					
<i>Punctum blandianum</i>	brown spot	G4	SNR		
<i>Punctum smithi</i>	lamellate spot	G4	SNR		
<i>Punctum vitreum</i>	glass spot	G5	SNR		
Family Pupillidae					
<i>Columella edentula</i>	toothless column	G5	SNR		
<i>Columella simplex</i>	high spire column	G5Q	SNR		
<i>Gastrocopta abbreviata</i>	plains snaggletooth	G4	S1		
<i>Gastrocopta clappi</i>	bluegrass snaggletooth	G4G5	SNR		
<i>Gastrocopta pellucida</i>	slim snaggletooth	G5	S1		
<i>Gastrocopta procera</i>	wing snaggletooth	G5	SNR		
<i>Gastrocopta riparia</i>	Gulf Coast snaggletooth	G3G5	SNR		
<i>Gastrocopta rupicola</i>	tapered snaggletooth	G3G4	SNR		
<i>Pupisoma dioscoricola</i>	yam babybody	G3	SNR		
<i>Vertigo alabamensis</i>	Alabama vertigo	G3	S1S2		
<i>Vertigo conecuhensis</i>	Conecuh vertigo	G2	S1		
<i>Vertigo wheeleri</i>	Monte Sano vertigo	G1	S1		
Family Strobilopsidae					
<i>Strobilops hubbardi</i>	flattened pinecone	G3G4	SNR		

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
Family Succineidae					
<i>Catinella aprica</i>	diurnal ambersnail	G2	S2?		
<i>Catinella pugillator</i>	weedpatch ambersnail	G1G2	S1		
<i>Succinea forsheyi</i>	spotted ambersnail	G4	SNR		
<i>Succinea greerii</i>	dryland ambersnail	G3	SNR		
<i>Succinea indiana</i>	xeric ambersnail	G5	SNR		
<i>Succinea paralia</i>	saltmarsh ambersnail	G2	SNR		
<i>Succinea unicolor</i>	squatty ambersnail	G3	SNR		
<i>Succinea urbana</i>	urban ambersnail	G2G3	SNR		
Counties of occurrence: Montgomery ³					
Family Zonitidae					
<i>Glyphyalinia cumberlandiana</i>	hill glyph	G4	SNR		
<i>Glyphyalinia latebricola</i>	stone glyph	G1G2	SNR		
Counties of occurrence: Jackson					
<i>Glyphyalinia pecki</i>	blind glyph ⁹	G1G2	S1S2		
Counties of occurrence: Jefferson					
<i>Glyphyalinia specus</i>	hollow glyph	G4	SNR		
Counties of occurrence: Jackson					
<i>Mesomphix friabilis</i>	brittle button	G5	S1?		
<i>Mesomphix latior</i>	broad button	G3G4	S2?		
<i>Paravitrea bidens</i>	gray supercoil	G1	S1		
<i>Paravitrea conecuhensis</i>	triangular supercoil	G3	SNR		
<i>Paravitrea multidentata</i>	dentate supercoil	G5	S2?		
<i>Paravitrea petrophila</i>	Cherokee supercoil	G4	S1		
<i>Paravitrea pilsbryana</i>	translucent supercoil	G2	S2?		
<i>Paravitrea tantilla</i>	teasing supercoil	G3	S1?		
<i>Paravitrea tiara</i>	crowned supercoil	G1G2	S1?		
<i>Paravitrea toma</i>	sharp supercoil	G1	S1		
<i>Paravitrea umbilicaris</i>	open supercoil	G2	SNR		
<i>Paravitrea variabilis</i>	variable supercoil	G2G3	S1?		
<i>Ventridens acerra</i>	glossy dome	G4	SNR		
<i>Ventridens cerinoideus</i>	wax dome	G4	SNR		
<i>Ventridens collisella</i>	sculptured dome	G4	SNR		
<i>Ventridens lasmodon</i>	hollow dome	G4	SNR		
<i>Ventridens lawae</i>	rounded dome	G4	SNR		
<i>Ventridens monodon</i>	blade dome	G2	SNR		
<i>Zonitoides elliottii</i>	green dome	G4	SNR		
<i>Zonitoides lateumbilicatus</i>	striate gloss	G3G4	SNR		

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Crustaceans

Class Malacostraca – Crabs, Krill, Pill Bugs, Shrimp, and Relatives

ORDER AMPHIPODA - Amphipods

Family Crangonyctidae

<i>Batrurus wilsoni</i>	an amphipod	G1G2	S1		
<i>Crangonyx antennatus</i>	Appalachian Valley cave amphipod	G5	S3S5		
<i>Stygobromus alabamensis</i>	a cave obligate amphipod	G5	SNR		
<i>Stygobromus dicksoni</i>	a cave obligate amphipod	G5	SNR		
<i>Stygobromus exilis</i>	central Kentucky cave amphipod	G5	S1		
<i>Stygobromus inexpectatus</i>	a cave obligate amphipod	G1	S1		
<i>Stygobromus smithi</i>	Alabama well amphipod	G2G3	S1		
<i>Stygobromus vitreus</i>	an amphipod	G4	SNR		

Crayfish & Shrimp

ORDER DECAPODA - Crabs, Shrimps, and Relatives

Family Atyidae - Basket Shrimp

<i>Palaemonias alabamiae</i>	Alabama cave shrimp ⁹	G1	S1	LE	SP
Counties of occurrence: Madison					
<i>Palaemonias</i> sp.1	Tuscumbia cave shrimp ⁹	G1	S1		
Counties of occurrence: Colbert					

Family Cambaridae - Cambarid Crayfish and Crayfishes

<i>Cambarellus diminutus</i>	least crayfish	G3	S3		
Counties of occurrence: Mobile, Washington					
<i>Cambarellus lesliei</i>	angular dwarf crawfish	G3	S3		
Counties of occurrence: Baldwin ³ , Mobile ³ , Washington					
<i>Cambarellus shufeldtii</i>	Cajun dwarf crayfish	G5	S2		
Counties of occurrence: Mobile					
<i>Cambarus acanthura</i>	thornytail crayfish	G4G5	S3		
Counties of occurrence: Baldwin ³ , Blount ³ , Bullock ³ , Calhoun, Chilton, Choctaw ³ , Clarke ³ , Colbert ³ , Conecuh ³ , Crenshaw ³ , DeKalb, Escambia ³ , Etowah ³ , Hale ³ , Jefferson ³ , Lauderdale ³ , Limestone, Marengo ³ , Perry ³ , Pike ³ , Russell ³ , Shelby, St. Clair ³ , Talladega ³ , Tuscaloosa ³ , Washington ³					
<i>Cambarus bartonii</i>	Appalachian brook crayfish	G5	S2		
Counties of occurrence ³ : Chambers, DeKalb, Lee					
<i>Cambarus cracens</i>	slenderclaw crayfish ⁹	G1	S1		
Counties of occurrence: DeKalb ³ , Marshall ³					
<i>Cambarus distans</i>	boxclaw crayfish	G5	S1		
Counties of occurrence ³ : DeKalb, Jackson					
<i>Cambarus englishi</i>	Tallapoosa crayfish	G3	S3		
Counties of occurrence: Chambers, Clay, Cleburne, Randolph, Tallapoosa					
<i>Cambarus graysoni</i>	twospot crayfish	G5	S3		
Counties of occurrence: Lauderdale ³ , Limestone ³ , Madison ³					
<i>Cambarus halli</i>	slackwater crayfish	G3G4	S3		
Counties of occurrence: Chambers, Clay, Cleburne, Lee, Randolph, Tallapoosa					

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Cambarus hamulatus</i> Counties of occurrence: Blount ³ , Jackson ³ , Madison, Marshall	Prickly Cave crayfish	G3	S2		
<i>Cambarus howardi</i> Counties of occurrence: Lee	Chattahoochee crayfish	G3	S2		
<i>Cambarus jonesi</i> Counties of occurrence: Colbert, Lauderdale, Limestone, Madison, Morgan	Alabama cave crayfish ⁹	G2	S2		
<i>Cambarus laconensis</i> Counties of occurrence: Morgan	Lacon exit cave crayfish	G1	S1		
<i>Cambarus longirostris</i> Counties of occurrence: Calhoun, Cherokee ³ , Cleburne ³ , DeKalb ³ , Lauderdale ³ , Madison ³ , St. Clair ³	longnose crayfish	G5	S2		
<i>Cambarus ludovicianus</i> Counties of occurrence: Bibb, Dallas, Jefferson, Perry, Shelby, St. Clair	painted devil crayfish	G5	S2		
<i>Cambarus manningi</i> Counties of occurrence: Calhoun, Cherokee, Coosa, Etowah, St. Clair, Talladega	greensaddle crayfish	G4	S2		
<i>Cambarus miltus</i> Counties of occurrence: Baldwin, Covington, Escambia	rusty grave digger	G1G2	S1		
<i>Cambarus parvoculus</i> Counties of occurrence: Jackson ³	mountain midget crayfish	G5	S1		
<i>Cambarus polychromatus</i> Counties of occurrence: Pike	paintedhand mudbug	G5	S1		
<i>Cambarus rusticiformes</i> Counties of occurrence: Jackson	depression crayfish	G5	S1		
<i>Cambarus scotti</i> Counties of occurrence: Calhoun, Cherokee, Cleburne, Shelby, St. Clair ³ , Talladega	Chattooga River crayfish	G3	S2		
<i>Cambarus speleocoopi</i> Counties of occurrence: Marshall	sweet home Alabama crayfish	G1	S1		
<i>Cambarus unestami</i> Counties of occurrence: Jackson ³	blackbarred crayfish	G2	S1		
<i>Cambarus veitchorum</i> Counties of occurrence: Limestone	White Spring Cave crayfish ⁹	G1	S1		
<i>Fallicambarus burrisi</i> Counties of occurrence: Baldwin, Washington	burrowing bog crayfish	G3	S1		
<i>Fallicambarus byersi</i> Counties of occurrence ³ : Baldwin, Conecuh, Escambia, Monroe, Washington	lavender burrowing crayfish	G4	S2		
<i>Fallicambarus danielae</i> Counties of occurrence: Mobile	speckled burrowing crayfish	G2	S1		
<i>Fallicambarus fodiens</i> Counties of occurrence: Baldwin ³ , Bullock ³ , Butler ³ , Choctaw ³ , Dallas, Lamar ³ , Lauderdale ³ , Limestone ³ , Macon, Marengo ³ , Montgomery ³ , Perry ³ , Sumter ³	digger crayfish	G5	S3		
<i>Fallicambarus oryctes</i> Counties of occurrence ³ : Baldwin, Mobile	flatwoods digger	G4	S1		
<i>Hobbseus prominens</i> Counties of occurrence ³ : Chilton, Choctaw, Dallas, Greene, Hale, Marengo, Perry, Sumter	Prominence Riverlet crayfish	G4G5	S3		

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Orconectes alabamensis</i> Counties of occurrence: Colbert ³ , Lauderdale, Lawrence, Morgan	Alabama crayfish	G5	S2		
<i>Orconectes australis australis</i> Counties of occurrence: Jackson, Madison, Morgan	southern cave crayfish	G4T4	S3		
<i>Orconectes chickasawae</i> Counties of occurrence: Bibb, Chilton, Choctaw, Clarke, Dallas, Hale, Pickens, Sumter ³ , Tuscaloosa	Chickasaw crayfish	G5	S2		
<i>Orconectes cooperi</i> Counties of occurrence: Madison	Flint River crayfish	G1	S1		
<i>Orconectes durrelli</i> Counties of occurrence: Lauderdale	saddle Crayfish	G5	S1		
<i>Orconectes forceps</i> Counties of occurrence: Jackson, Lauderdale, Lawrence, Limestone, Madison	surgeon crayfish	G5	S3		
<i>Orconectes holti</i> Counties of occurrence: Autauga, Clarke, Dallas, Hale, Lowndes, Marengo, Monroe, Montgomery, Perry, Wilcox	bimaculate crayfish	G3	S3		
<i>Orconectes jonesi</i> Counties of occurrence: Autauga, Choctaw, Clarke, Marengo, Monroe, Perry ³ , Pickens ³ , Sumter	Sucarnoochee River crayfish	G3	S3		
<i>Orconectes lancifer</i> Counties of occurrence ³ : Baldwin, Clarke	shrimp crayfish	G5	S1		
<i>Orconectes mirus</i> Counties of occurrence: Jackson, Lauderdale, Limestone, Madison	wonderful crayfish	G4	S3		
<i>Orconectes placidus</i> Counties of occurrence: Colbert, Jackson, Lawrence, Limestone, Morgan	bigclaw crayfish	G5	S2		
<i>Orconectes putnami</i> Counties of occurrence: Lauderdale, Lawrence, Limestone, Morgan ³	phallic crayfish	G5	S3		
<i>Orconectes sheltae</i> Counties of occurrence: Madison	Shelta Cave crayfish ⁹	G1	S1		
<i>Procambarus bivittatus</i> Counties of occurrence ³ : Baldwin, Bullock, Clarke, Mobile, Monroe, Pike, Washington	ribbon crayfish	G5	S3S4		
<i>Procambarus capillatus</i> Counties of occurrence ³ : Conecuh, Escambia, Monroe	capillaceous crayfish	G3	S2		
<i>Procambarus clemmeri</i> Counties of occurrence: Mobile, Washington ³	cockscorb crayfish	G5	S2		
<i>Procambarus escambiensis</i> Counties of occurrence ³ : Baldwin, Escambia	Escambia crayfish	G2	S2		
<i>Procambarus evermanni</i> Counties of occurrence: Baldwin, Mobile	panhandle crayfish	G4	S3		
<i>Procambarus hagenianus hagenianus</i> Counties of occurrence: Sumter	southeastern prairie crayfish	G4G5T4	S1		
<i>Procambarus hayi</i> Counties of occurrence:	straightedge crayfish	G5	S1		
<i>Procambarus hubbelli</i> Counties of occurrence: Covington	jackknife crayfish	G4	S2		

³ Historic occurrence.

⁹ Alabama endemic

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Procambarus lagniappe</i> Counties of occurrence: Baldwin, Sumter, Washington	lagniappe crayfish	G2	S1		
<i>Procambarus leconteii</i> Counties of occurrence: Mobile, Washington	Mobile crayfish	G3G4	S3		
<i>Procambarus lewisi</i> Counties of occurrence ³ : Barbour, Bullock, Butler, Lowndes, Macon, Montgomery, Russell	spur crayfish ⁹	G4	S3		
<i>Procambarus marthae</i> Counties of occurrence: Dallas, Hale, Monroe, Perry	crisscross crayfish	G3	S2		
<i>Procambarus okaloosae</i> Counties of occurrence: Butler ³ , Covington, Escambia ³	Okaloosa crayfish	G4	S2		
<i>Procambarus paeninsulanaus</i> Counties of occurrence: Houston ³ , Lee	Peninsula crayfish	G5	S2		
<i>Procambarus pecki</i> Counties of occurrence: Colbert, Lauderdale, Morgan	phantom cave crayfish ⁹	G1G2	S1S2		
<i>Procambarus penni</i> Counties of occurrence ³ : Mobile, Washington	pearl blackwater crayfish	G3	S2		
<i>Procambarus shermani</i> Counties of occurrence: Baldwin ³ , Mobile, Washington	Gulf crayfish	G4	S2		
<i>Procambarus viaeviridis</i> Counties of occurrence ³ : Lauderdale, Tuscaloosa	vernal crayfish	G5	S1		
<i>Procambarus vioscai paynei</i> Counties of occurrence: Choctaw, Clarke, Greene ³ , Marengo, Tuscaloosa ³	Payne's Creek crayfish	G5T5	S3		

ORDER ISOPODA - Pillbugs and Sowbugs (Isopods)

Family Asellidae

<i>Caecidotea alabamensis</i>	a cave obligate isopod	G3G4	S1S2
<i>Caecidotea bicrenata bicrenata</i>	a cave obligate isopod	G3G4T3T4	SNR
<i>Caecidotea richardsonae</i>	Tennessee valley cave isopod	G5	SNR

Family Trichoniscidae

<i>Miktoniscus medcofi</i> Counties of occurrence: Jackson, Madison, Marshall	a cave isopod	GNR	SNR
----------------------------------------------------------------------------------	---------------	-----	-----

Class Ostracoda – Ostracods

ORDER PODOCOPIDA - Fresh-water Ostracods

Family Entocytheridae

<i>Dactylocythere arcuata</i>	a cave obligate shrimp	G1G2	S1S2
<i>Dactylocythere steevesi</i>	a cave obligate shrimp	G4	SNR

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Class Arachnida – Spiders, Scorpions, Pseudoscorpions, Harvestmen, Mites

ORDER ARANEAE - Spiders

Family Ctenidae - Wandering Spiders

Anahita punctulata southeastern wandering spider G4 SNR
Counties of occurrence: Colbert, Jackson, Madison, Marshall, Morgan

Family Dictynidae - Meshweb Spiders

Cicurina minima cave spider GNR SNR
Counties of occurrence: Calhoun, Jefferson, Lawrence

Cicurina wiltoni a cave obligate spider G1 S1

Family Leptonetidae - Cave Spiders

Appaleptoneta barrowsi a cave spider ⁹ G1 S1
Counties of occurrence: Blount

Appaleptoneta credulai a cave spider ⁹ G1 S1
Counties of occurrence: Lauderdale

Appaleptoneta jonesi a cave spider ⁹ G1 S1
Counties of occurrence: Jefferson

Neoleptoneta alabama a cave spider ⁹ GNR S1S2
Counties of occurrence: Calhoun, DeKalb, Marshall

Neoleptoneta archeri a spider GNR SH
Counties of occurrence: Tuscaloosa³

Neoleptoneta blanda a cave spider ⁹ GNR SH
Counties of occurrence: Blount³

Neoleptoneta serena a cave obligate spider ⁹ G1G2 S1S2
Counties of occurrence: Lauderdale

Family Linyphiidae - Sheet Weaver Spiders

Islandiana muma a cave spider G1G2 S1
Counties of occurrence: Colbert, Lawrence

Family Mysmenidae - Dwarf Cobweb Spiders

Maymena ambita minute cave spider GNR SH
Counties of occurrence: DeKalb, Madison, Marshall

Family Nesticidae - Scaffold Web Spiders

Nesticus barri a cave obligate spider G3 S3
Counties of occurrence: Jackson, Marshall

Nesticus jonesi Cave Spring cave spider ⁹ G1 S1
Counties of occurrence: Morgan

Family Tengellidae - Tengellid Spiders

Liocranoides archeri Archer's two-clawed spider G2 S2
Counties of occurrence: Jackson, Madison, Marshall

ORDER OPILONES - Harvestmen

Family Ceratolasmetidae

Hesperonemastoma pallidimaculosa a cave obligate harvestman ⁹ G3 S1?
Counties of occurrence: Marshall, Morgan

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
Family Phalangodidae					
<i>Bishopella jonesi</i> Counties of occurrence: Jackson	a cave obligate harvestman ⁹	G1	S1		
<i>Phalangodes appalachius</i> Counties of occurrence: Jackson	a cave obligate harvestman	G3G4	SNR		
ORDER PSEUDOSCORPIONES - Pseudoscorpions					
Family Chthoniidae					
<i>Aphrastochthonius pecki</i> Counties of occurrence: Jefferson	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Aphrastochthonius tenax</i> Counties of occurrence: Blount	a cave obligate pseudoscorpion	G1G2	S1S2		
<i>Apochthonius russelli</i> Counties of occurrence: Jackson	a cave obligate pseudoscorpion	G1	S1		
<i>Tyrannochthonius alabamensis</i> Counties of occurrence: Blount, Jackson	a pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius aladdinensis</i> Counties of occurrence: Madison	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius aralu</i> Counties of occurrence: Madison	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius archeri</i> Counties of occurrence: Morgan	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius attenuatus</i> Counties of occurrence: Madison	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius avernicolus</i> Counties of occurrence: Marshall	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius barri</i> Counties of occurrence: Marshall	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius binoculatus</i> Counties of occurrence: Jackson	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius chamberlini</i> Counties of occurrence: Calhoun	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius charon</i> Counties of occurrence: Jackson	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius diabolus</i> Counties of occurrence: Jackson	a cave obligate pseudoscorpion ⁹	G1G2	S1S2		
<i>Tyrannochthonius erebicus</i> Counties of occurrence: Jackson	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius felix</i> Counties of occurrence: Jackson	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius floridensis</i> Counties of occurrence: Cleburne, Hale, Lee, Marshall, Morgan	a pseudoscorpion	G1G2	S1S2		
<i>Tyrannochthonius gnomus</i> Counties of occurrence: Marshall	a cave obligate pseudoscorpion ⁹	G1	S1		

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Tyrannochthonius halopotamus</i> Counties of occurrence: Jackson	a cave obligate pseudoscorpion	G1	S1		
<i>Tyrannochthonius infernalis</i> Counties of occurrence: Jackson	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius jonesi</i> Counties of occurrence: Blount	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius nergal</i> Counties of occurrence: Madison	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius orpheus</i> Counties of occurrence: Madison	a cave obligate pseudoscorpion ⁹	G1G2	S1S2		
<i>Tyrannochthonius osiris</i> Counties of occurrence: Jackson	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius parvus</i> Counties of occurrence: Blount	a cave obligate pseudoscorpion ⁹	G1G2	S1S2		
<i>Tyrannochthonius pecki</i> Counties of occurrence: Madison	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius pholeter</i> Counties of occurrence: Madison	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius pluto</i> Counties of occurrence: Marshall	a cave obligate pseudoscorpion ⁹	G1G2	S1S2		
<i>Tyrannochthonius satan</i> Counties of occurrence: Marshall	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius sheltae</i> Counties of occurrence: Madison	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius skeletonis</i> Counties of occurrence: Jackson	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius stygius</i> Counties of occurrence: Jackson	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius tartarus</i> Counties of occurrence: Marshall	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius tenuis</i> Counties of occurrence: Madison	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Tyrannochthonius torodei</i> Counties of occurrence: Jackson	a cave obligate pseudoscorpion ⁹	G1	S1		
Family Neobisiidae					
<i>Alabamocreagris mortis</i> Counties of occurrence: Jackson	a cave obligate pseudoscorpion ⁹	G1G2	S1S2		
<i>Alabamocreagris pecki</i> Counties of occurrence: Marshall	a cave obligate pseudoscorpion ⁹	G1G2	S1S2		
<i>Lissocreagris persephone</i> Counties of occurrence: Marshall	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Lissocreagris pluto</i> Counties of occurrence: Marshall	a cave obligate pseudoscorpion ⁹	G1	S1		

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Lissocreagris subatlantica</i> Counties of occurrence: Blount, Colbert, Morgan, Shelby	a pseudoscorpion	G2G4	S1S2		
<i>Microcreagris eurydice</i> Counties of occurrence: Jackson	a cave obligate pseudoscorpion ⁹	G1	S1		
<i>Microcreagris nickajackensis</i> Counties of occurrence: Jackson	a cave obligate pseudoscorpion	G1G2	S1S2		
<i>Minicreagris pumila</i> Counties of occurrence: Blount, Jackson	a pseudoscorpion	GNR	S1S2		
<i>Novobisium ingratum</i> Counties of occurrence: Jackson	a pseudoscorpion	GNR	S1		
<i>Trisetobisium fallax</i> Counties of occurrence: Colbert, Lawrence	a pseudoscorpion	GNR	S1		

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Hexapods - Diplurans, Springtails, and Proturans

Class Diplura – Diplurans

ORDER DIPLURA - Diplurans

Family Campodeidae

<i>Litocampa cookei</i>	a dipluran	G5	S1		
Counties of occurrence: Madison					
<i>Litocampa henroti</i>	a hexapod ⁹	G1G2	S1		
Counties of occurrence: Madison					
<i>Litocampa</i> sp. 1	a cave dipluran (salamander cave)	G1	S1		
Counties of occurrence: Colbert, DeKalb, Jefferson					

Class Eллиplura – Springtails

ORDER COLLEMBOLA - Springtails

Family Entomobryidae - Slender Springtails

<i>Pseudosinella argentea</i>	a springtail	GNR	S1		
Counties of occurrence: Jefferson					
<i>Pseudosinella christianseni</i>	a cave obligate springtail	G5	S2		
Counties of occurrence: DeKalb, Jackson, Morgan					
<i>Pseudosinella collina</i>	a springtail	GNR	S1		
Counties of occurrence: Blount, Calhoun, Jackson, Jefferson					
<i>Pseudosinella folsomi</i>	a springtail	GNR	S1		
Counties of occurrence: Blount					
<i>Pseudosinella nata</i>	a cave obligate springtail ⁹	G1	S1		
Counties of occurrence: Jefferson					
<i>Pseudosinella pecki</i>	a cave obligate springtail	G2G3	S1		
Counties of occurrence: Jackson					
<i>Pseudosinella violenta</i>	a springtail	GNR	S1		
Counties of occurrence: Blount					
<i>Sinella barri</i>	a springtail	G5	S1		
Counties of occurrence: DeKalb					
<i>Sinella caeca</i>	a springtail	GNR	S1		
Counties of occurrence: Calhoun					
<i>Tomocerus bidentatus</i>	a springtail	GNR	S2		
Counties of occurrence: Blount, Colbert, DeKalb, Jackson, Madison, Marshall					
<i>Tomocerus dubius</i>	a springtail	GNR	S1		
Counties of occurrence: DeKalb, Jackson, Madison					
<i>Tomocerus flavescens</i>	a springtail	G5?	S1		
Counties of occurrence: Blount, Jackson, Marshall					
<i>Tomocerus lamelliferus</i>	a springtail	GNR	S1		
Counties of occurrence: Jackson, Madison					
Family Hypogastruridae					
<i>Hypogastrura denticulate</i>	a springtail	GNR	S1		
Counties of occurrence: Jackson					

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Schaefferia alabamensis</i> Counties of occurrence: Blount, Jackson	a cave obligate springtail	G1G2	S1		
<i>Schaefferia christianseni</i> Counties of occurrence: Morgan	a cave obligate springtail ⁹	G1	S1		
Family Isotomida					
<i>Folsomia candida</i> Counties of occurrence: Colbert	a springtail	GNR	S1		
<i>Folsomia</i> sp. 1 Counties of occurrence: Blount, Jackson	a springtail	GNR	S1		
Family Onychiuridae					
<i>Onychiurus janus</i> Counties of occurrence: Calhoun	a cave obligate springtail	G2G3	S1		
<i>Onychiurus paro</i> Counties of occurrence: Marshall	a cave obligate springtail ⁹	G1	S1		
Family Sminthuridae					
<i>Arrhopalites pygmaeus</i> Counties of occurrence: Blount, Jackson, Madison, Marshall	a springtail	GNR	S2		
<i>Arrhopalites whitesidei</i> Counties of occurrence: Talladega	a springtail	GNR	S1		

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Class Insecta – True Insects

ORDER COLEOPTERA - Beetles

Family Carabidae - Ground Beetles

<i>Pseudanophthalmus alabamiae</i> Counties of occurrence: DeKalb	a ground beetle	G2G3	SNR
<i>Pseudanophthalmus alladini</i> Counties of occurrence: Jackson, Madison	a cave obligate beetle	G3G4	S2
<i>Pseudanophthalmus assimilis</i> Counties of occurrence: DeKalb	West Wills Valley cave beetle	G1G2	S1
<i>Pseudanophthalmus distinguens</i> Counties of occurrence: Morgan	a ground beetle	G1G2	S1
<i>Pseudanophthalmus fluviatilis</i> Counties of occurrence: Marshall, Morgan	a cave obligate beetle	G3	S2
<i>Pseudanophthalmus lodingi</i> Counties of occurrence: Madison	a ground beetle	G1G2	S1S2
<i>Pseudanophthalmus meridionalis</i> Counties of occurrence: Marshall	a cave obligate beetle	G2G3	S2
<i>Pseudanophthalmus nickajackensis</i> Counties of occurrence: Jackson	Nickajack Cave beetle	G2G3	S1
<i>Pseudanophthalmus profundus</i> Counties of occurrence: Jackson, Madison	a cave obligate beetle	G2G3	S2
<i>Pseudanophthalmus sequoyah</i> Counties of occurrence: DeKalb	Sequoyah cave beetle ⁹	G1	S1
<i>Pseudanophthalmus steevesi</i> Counties of occurrence: Blount	a cave obligate beetle ⁹	G1G2	S1S2
<i>Rhadine caudata</i> Counties of occurrence: Blount, Colbert, DeKalb, Jackson, Jefferson, Limestone, Marshall,	a ground beetle	G3	S2
<i>Rhadine larvalis</i> Counties of occurrence: Conecuh	a beetle	GNR	S1
<i>Troglanillus valentinei</i> Counties of occurrence: DeKalb, Jefferson	a cave obligate beetle	G3G4	S1

Family Cerambycidae - Longhorn Beetles

<i>Dryobius sexnotatus</i>	six-banded longhorn beetle	GNR	SH
----------------------------	----------------------------	-----	----

Family Cicindelidae - Tiger Beetles

<i>Cicindela blanda</i>	a tiger beetle	G4	SNR
<i>Cicindela dorsalis saulcyi</i>	a tiger beetle	G4T4	SNR
<i>Cicindela hamata lacerata</i>	a tiger beetle	G5T5	SNR
<i>Cicindela lepida</i>	little white tiger beetle	G4	SNR
<i>Cicindela marginipennis</i> Counties of occurrence: Elmore, Perry	cobblestone tiger beetle	G2	S1

<i>Cicindela nigrior</i>	a tiger beetle	G2G4	S3
<i>Cicindela waplery</i>	a tiger beetle	G3G4	SNR

Family Dytiscidae - Predacious Diving Beetles

<i>Heterosternuta folkertsi</i>	Folkerts' hydroporus diving beetle	G1G3	S1S2
<i>Laccophilus schwarzi</i>	Schwarz' diving beetle	GNR	SNR

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Family Elmidae - Riffle Beetles

Stenelmis gammoni Gammon's stenelmis riffle beetle G1G3 S1S2

Family Eucnemidae - False Click Beetles

Dicranopselaphus variegatus variegated false water penny beetle G1G3 S1S3

Family Gyrinidae - Whirligig Beetles

Spanglerogyus albiventris primitive whirligig beetle G1G3 S1S2

Family Leiodidae - Round Fungus Beetles, Small Carrion Beetles, Mammal-nest Beetles

Catops gratiosa a beetle GNR S2

Counties of occurrence: Colbert, DeKalb, Jackson, Madison, Marshall, Morgan

Ptomaphagus cavernicola a cave carrion beetle G4 S1

Counties of occurrence: Morgan

Ptomaphagus chromolithus a cave obligate beetle G2G3 S2

Counties of occurrence: Jackson

Ptomaphagus episcopus a cave obligate beetle⁹ G1G2 S1S2

Counties of occurrence: Marshall

Ptomaphagus hatchi a cave obligate beetle G3 S3

Counties of occurrence: Jackson, Madison

Ptomaphagus hazelae a cave obligate beetle⁹ G1G2 S1S2

Counties of occurrence: Jackson

Ptomaphagus julius a cave obligate beetle⁹ G1G2 S1S2

Counties of occurrence: Jackson

Ptomaphagus laticornis a cave obligate beetle⁹ G1G2 S1

Counties of occurrence: Jackson, Madison

Ptomaphagus lodingi a cave obligate beetle⁹ G1G2 S1S2

Counties of occurrence: Madison

Ptomaphagus longicornis a cave obligate beetle⁹ G3G4 S2

Counties of occurrence: Jackson, Madison

Ptomaphagus solanum a cave obligate beetle⁹ G1 S1

Counties of occurrence: Jackson

Ptomaphagus torodei a cave obligate beetle⁹ G1G2 S1S2

Counties of occurrence: Jackson

Ptomaphagus valentinei a cave obligate beetle⁹ G3G4 S2

Counties of occurrence: Jackson, Marshall

Ptomaphagus walteri a cave obligate beetle⁹ G1G2 S1S2

Counties of occurrence: Blount

Ptomaphagus whiteselli a cave obligate beetle G2G3 S1

Counties of occurrence: DeKalb

Family Scarabaeidae - Scarab Beetles

Onthophagus polyphemi onthophagus tortoise commensal scarab beetle GNR SNR

Family Silphidae - Large Carrion and Burying Beetles

Nicrophorus americanus American burying beetle G2G3 SH LE SP

Family Staphylinidae - Rove Beetles

Arianops ashei a beetle⁹ GNR S1

Counties of occurrence: Butler

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Arianops barri</i> Counties of occurrence: Jackson	a beetle ⁹	GNR	S1		
<i>Arianops cavernensis</i> Counties of occurrence: Marshall	a cave obligate beetle ⁹	GNR	S1		
<i>Arianops clintoni</i> Counties of occurrence: Monroe	a beetle ⁹	GNR	S1		
<i>Arianops exera</i> Counties of occurrence: Jackson	a beetle ⁹	GNR	S1		
<i>Arianops fokertsi</i> Counties of occurrence: Walker	a beetle ⁹	GNR	S1		
<i>Arianops kingi</i> Counties of occurrence: St. Clair	a beetle ⁹	GNR	S1		
<i>Arianops steevesi</i> Counties of occurrence: Jackson	a cave obligate beetle ⁹	GNR	S1		
<i>Atheta alabama</i> Counties of occurrence: Morgan	a beetle	GNR	S1		
<i>Atheta lucifuga</i> Counties of occurrence: Blount, Jackson, Madison, Marshall	light shunning rove beetle	G4	S2		
<i>Batriasymmodes spelaeus</i> Counties of occurrence: Blount, DeKalb, Jackson, Lauderdale, Lawrence, Marshall, Morgan, St. Clair., Walker, Winston	a beetle	G3G4	S3		
<i>Batriasymmodes troglodytes</i> Counties of occurrence: Butler	a beetle ⁹	G1G2	S1		
<i>Batrisodes cavernosus</i> Counties of occurrence: Butler, Clarke	a cave obligate beetle ⁹	G1	S1		
<i>Batrisodes globosus</i> Counties of occurrence: Calhoun, Conecuh	a beetle	GNR	S1		
<i>Batrisodes jocuvestus</i> Counties of occurrence: Madison	a cave obligate beetle ⁹	G1	S1		
<i>Batrisodes jonesi</i> Counties of occurrence: Colbert	a cave obligate beetle ⁹	G2G3	S2S3		
<i>Batrisodes profundus</i> Counties of occurrence: Conecuh	a cave obligate beetle ⁹	G1G2	S1S2		
<i>Batrisodes specus</i> Counties of occurrence: Colbert, Jackson, Madison, Marshall	a cave obligate beetle	G3G4	S2		
<i>Batrisodes subterraneus</i> Counties of occurrence: Marshall	a cave obligate beetle	G1	S1		
<i>Batrisodes tumoris</i> Counties of occurrence: Colbert	a beetle ⁹	G1	S1		
<i>Batrisodes valentinei</i> Counties of occurrence: Jackson, Madison, Morgan	a cave obligate beetle	G2G4	S2		
<i>Lesteva pallipes</i> Counties of occurrence: Jackson, Madison, Marshall	a beetle	GNR	S1		

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Quedius erythrogaster</i> Counties of occurrence: Blount, Colbert, Jackson, Madison, Marshall	a beetle	GNR	S3		
<i>Quedius fulgidis</i> Counties of occurrence: Calhoun	a beetle	GNR	S1		
<i>Speleobama vana</i> Counties of occurrence: Jefferson	a cave obligate beetle ⁹	G1	S1		
<i>Speleochus croceus</i> Counties of occurrence: Madison	a cave obligate beetle ⁹	G1G2	S1S2		
<i>Speleochus stygicus</i> Counties of occurrence: Madison	a cave obligate beetle ⁹	G1G2	S1S2		
<i>Speleochus synstygicus</i> Counties of occurrence: Madison	a cave obligate beetle ⁹	G1	S1		
<i>Subterrochus eurous</i> Counties of occurrence: Jackson	a cave obligate beetle ⁹	G2G3	S1		
<i>Subterrochus ferus</i> Counties of occurrence: Jackson, Madison	a cave obligate beetle	G1G2	S1S2		
<i>Subterrochus steevesi</i> Counties of occurrence: Marshall	a cave obligate beetle	G4	SNR		
<i>Tmesiphorus costalis</i> Counties of occurrence: Marshall, Morgan	a beetle	GNR	SNR		
<i>Tychobythinus jonesi</i> Counties of occurrence: Colbert	a cave obligate beetle ⁹	G1G2	S1S2		
ORDER DIPTERA - True Flies					
Family Mycetophilidae - Fungus Gnats					
<i>Rymosia triangularis</i> Counties of occurrence: Madison	a fungus gnat	GNR	S1		
Family Sphaeroceridae					
<i>Spelobia tenebrarum</i> Counties of occurrence: Jackson, Madison	a cave obligate fly	G5	S2		
ORDER EMPHEMEROPTERA - Mayflies					
Family Baetiscidae					
<i>Baetisca becki</i>	a mayfly	G2G3	S1		
Family Behningiidae					
<i>Dolania americana</i>	American sand burrowing mayfly	G4	S1		
Family Ephemerellidae					
<i>Serratella frisoni</i>	Frison's serratellan mayfly	G4	SH		
Family Isonychiidae					
<i>Isonychia beneri</i>	a mayfly	G2G3	SNR		
Family Oligoneuriidae					
<i>Homoeoneuria cahabensis</i>	Cahaba sand-filtering mayfly	G2G3	S1S2		
ORDER LEPIDOPTERA - Butterflies and Moths					
Family Hesperidae - Skippers					
<i>Amblyscirtes alternata</i>	dusky roadside-skipper	G2G4	S2S4		
<i>Atrytone arogos arogos</i>	arogos skipper	G3T1T2	S1		
<i>Autochton cellus</i>	golden-banded skipper	G4	S2		
<i>Euphyes arpa</i>	palmetto skipper	G3G4	SNR		

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Euphyes dukes dukes</i>	Dukes' skipper	G3T3	SNR		
<i>Euphyes pilatka</i>	palatka skipper	G3G4	S3S4		
<i>Hesperia meskei</i>	Meske's skipper	G2G4	S3?		
<i>Problema byssus</i>	byssus skipper	G3G4	S2S3		
Family Lycaenidae - Gossamer-winged Butterflies					
<i>Callophrys hesseli</i>	Hessel's hairstreak	G3G4	SNR		
<i>Callophrys irus</i>	frosted elfin	G3	SU		
<i>Feniseca tarquinius</i>	harvester	G4	SU		
<i>Satyrus kingi</i>	King's hairstreak	G3G4	S2S3		
Counties of occurrence: Chilton					
Family Noctuidae - Noctuid and Owlet Moths					
<i>Pyreferra ceromatica</i>	anointed sallow moth	GU	SU		
<i>Scoliopteryx libatrix</i>	a moth	G5	S2		
Counties of occurrence: Jackson, Madison					
Family Nymphalidae					
<i>Chlosyne gorgone gorgone</i>	gorgone checkerspot	G5T1Q	S1		
<i>Enodia creola</i>	Creole pearly eye	G3G4	SU		
Counties of occurrence: Chilton					
<i>Neonympha areolata</i>	Georgia satyr	G3G4	SU		
<i>Neonympha mitchellii</i>	Mitchell's satyr	G1G2	S1S2	LE	SP
Counties of occurrence: Bibb, Hale, Perry ⁵ , Tuscaloosa ⁵					
<i>Speyeria diana</i>	Diana	G3G4	S2		
Counties of occurrence: Calhoun, Clay, Etowah					
Family Pieridae - Sulphurs and Whites					
<i>Pieris virginienensis</i>	West Virginia white	G3	SNR		
Counties of occurrence: Covington, Geneva, Mobile					
Family Saturniidae - Giant Silkworm Moths and Royal Moths					
<i>Hemileuca maia maia</i>	Coastal Barrens buckmoth	G5T5	SNR		
ORDER Odonata - Dragonflies and Damselflies					
Family Cordulegasteridae - Biddies					
<i>Cordulegaster fasciata</i>	spiketail	G3Q	S3?		
Family Corduliidae - Green-eyed Skimmers					
<i>Epithea spinosa</i>	robust baskettail	G4	S3S4		
<i>Neurocordulia molesta</i>	smoky shadowdragon	G4	S3?		
<i>Somatochlora calverti</i>	Calvert's emerald	G3	S1S3		
<i>Somatochlora georgiana</i>	coppery emerald	G3G4	S3S4		
<i>Somatochlora hineana</i>	Hine's emerald	G2G3	SH	LE	SP
Counties of occurrence: Jackson					
<i>Somatochlora provocans</i>	treetop emerald	G4	S3S4		
Family Gomphidae - Clubtails					
<i>Gomphus consanguis</i>	Cherokee clubtail	G3	S1S2		
<i>Gomphus crassus</i>	handsome clubtail	G3G4	S3		
<i>Gomphus geminatus</i>	twin-striped clubtail	G3	S3?		
<i>Gomphus hodgei</i>	Hodges' clubtail	G3	S3?		
<i>Gomphus hybridus</i>	cocoa clubtail	G4	S3S4		
<i>Gomphus modestus</i>	Gulf Coast clubtail	G3	S3?		

⁵ No occurrence record in ALNHP database but the US Fish & Wildlife Service lists this species as occurring or believed to occur in the county (<http://www.fws.gov/daphne/es/specieslst.html>).

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Gomphus quadricolor</i>	rapids clubtail	G3G4	S1		
<i>Gomphus septima</i>	Septima's clubtail	G2	S1S2		
<i>Gomphus viridifrons</i>	green-faced clubtail	G3G4	S3?		
<i>Ophiogomphus acuminatus</i>	acuminate snaketail	G3	S1S2		
<i>Ophiogomphus incurvatus alleghaniensis</i>	Allegheny snaketail	G3T2T3	S1S2		
<i>Ophiogomphus mainensis</i>	Maine snaketail	G4	SNR		
<i>Progomphus bellei</i>	Belle's sanddragon	G3	SH		
<i>Stylurus amnicola</i>	riverine clubtail	G4	S3S4		
<i>Stylurus laurae</i>	Laura's clubtail	G4	SH		
<i>Stylurus notatus</i>	elusive clubtail	G3	SH		
<i>Stylurus townesi</i>	Townes' clubtail	G3	S1S2		
Family Libellulidae - Common Skimmers					
<i>Nannothemis bella</i>	elfin skimmer	G4	SNR		
Family Macromiidae					
<i>Macromia margarita</i>	mountain river cruiser	G3	SNR		
ORDER ORTHOPTERA - Grasshoppers, Locusts, and Crickets					
Family Rhaphidophoridae - Camel Crickets					
<i>Ceuthophilus latens</i>	a camel cricket	GNR	S1		
Counties of occurrence: Marshall					
<i>Ceuthophilus stygius</i>	a cricket	GNR	S2		
Counties of occurrence: Jackson, Madison					
<i>Euhadenoecus putaneus</i>	a cave cricket	GNR	S1		
Counties of occurrence: DeKalb, Jackson					
ORDER PLECOPTERA - Stoneflies					
Family Perlidae - Common Stoneflies					
<i>Beloneuria jamesae</i>	Cheaha beloneurian stonefly ⁹	G1	S1S2		

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Class Diplopoda – *Millipedes*

ORDER CHORDEUMATIDA

Family Cleidogonidae

Pseudotremia eburnea a cave obligate millipede G2G4 SNR
Counties of occurrence: Jackson, Marshall

Pseudotremia minos a cave obligate millipede G1 S1
Counties of occurrence: Jackson

Pseudotremia nyx a cave obligate millipede⁹ G1 S1
Counties of occurrence: Marshall

Pseudotremia rhadamanthus a cave obligate millipede G1G2 SNR

Family Trichopetalidae

Scoterpes austrinus austrinus a cave obligate millipede G3G4T3T4 SNR
Counties of occurrence: DeKalb

ORDER JULIDA

Family Zosteractinidae

Ameractis satis a cave obligate millipede G2G4 SNR
Counties of occurrence: Jackson, Marshall

Class Oligochaeta – *Terrestrial and Freshwater Worms*

ORDER BRANCHIOBELLIDA

Family Branchiobdellidae

Cambarincola sheltensis a cave obligate worm G1G2 S1S2

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Vascular Plants

Ferns & Relatives

Class Filicopsida – Ferns

ORDER FILICALES

Family Aspleniaceae - Spleenwort Family

<i>Asplenium abscissum</i>	cutleaf spleenwort	G3	S1		
Counties of occurrence: Jackson					
<i>Asplenium bradleyi</i>	Bradley's spleenwort	G4	S2		
Counties of occurrence: Etowah, Jackson, Talladega					
<i>Asplenium monanthes</i>	single-sorus spleenwort	G4	S1		
<i>Asplenium ruta-muraria</i>	wall rue spleenwort	G5	S1		
Counties of occurrence: Bibb, Etowah, Jackson					
<i>Asplenium scolopendrium</i> var. <i>americanum</i>	American Hart's-tongue fern	G4T3	S1	LT	
Counties of occurrence: Jackson, Morgan					
<i>Asplenium trichomanes</i>	maidenhair spleenwort	G5	S2S3		
Counties of occurrence: Etowah, Jackson, Talladega, Tuscaloosa					
<i>Asplenium tutwilerae</i>	Scott's spleenwort ⁹	G1	S1		
Counties of occurrence: Hale					

Family Dryopteridaceae - Wood Fern Family

<i>Cystopteris tennesseensis</i>	Tennessee bladderfern	G5	S2		
Counties of occurrence: Jackson, Morgan					
<i>Dryopteris celsa</i>	log fern	G4	S1		
Counties of occurrence: Blount, Conecuh, Monroe					

Family Hymenophyllaceae - Filmy Fern Family

<i>Hymenophyllum tayloriae</i>	gorge filmy fern	G2	S1		
Counties of occurrence: Franklin, Lamar, Lawrence					
<i>Trichomanes petersii</i>	dwarf filmy-fern	G4G5	S2		
Counties of occurrence: Cleburne, DeKalb, Etowah, Fayette, Franklin, Jackson, Lamar, Lawrence, Marion, Marshall, Pickens, Tuscaloosa, Winston					

Family Lygodiaceae - Climbing Fern Family

<i>Lygodium palmatum</i>	climbing fern	G4	S1		
Counties of occurrence: DeKalb					

Family Pteridaceae - Maidenhair Fern Family

<i>Astrolepis x integerrima</i>	hybrid cloak fern	HYB	S1		
Counties of occurrence: Bibb					

Family Thelypteridaceae - Marsh Fern Family

<i>Thelypteris ovata</i>	ovate marsh fern	G3G5	S3		
Counties of occurrence: Bibb, Clarke, Covington, Escambia, Monroe					
<i>Thelypteris burksiorum</i>	Alabama streak-sorus fern ⁹	G1	S1	LT ³⁸	
Counties of occurrence: Winston					
<i>Thelypteris quadrangularis</i>	hairy maiden fern	G3G5	S2		
Counties of occurrence: Butler, Clarke, Conecuh, Crenshaw, Monroe					

⁹ Alabama endemic.

³⁸ *Thelypteris burksiorum* was listed (as *T. pilosa* var. *alabamensis*) as threatened under the federal Endangered Species Act in 1992. Watkins and Farrar (2002) elevated the Alabama variety of *T. pilosa* to specific status as *T. burksiorum*.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

ORDER MARSILEALES

Family Marsileaceae - Water Clover Family

<i>Pilularia americana</i>	American pillwort	G5	S1		
----------------------------	-------------------	----	----	--	--

Class Ophioglossopsida – Succulent Ferns

ORDER OPHIOGLOSSALES

Family Ophioglossaceae - Adder's-tongue Family

<i>Botrychium jenmanii</i>	Alabama grapefern	G3G4	S1		
----------------------------	-------------------	------	----	--	--

Counties of occurrence: Baldwin, Escambia, Lee, Mobile

<i>Ophioglossum engelmannii</i>	limestone adder's-tongue	G5	S2S3		
---------------------------------	--------------------------	----	------	--	--

Counties of occurrence: Bibb, Franklin, Lawrence, Madison, Morgan

Class Psilotopsida – Whiskferns

ORDER PSILOTALES

Family Psilotaceae - Whiskfern Family

<i>Psilotum nudum</i>	whiskfern	G5	S1		
-----------------------	-----------	----	----	--	--

Counties of occurrence: Lee

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Class Isoetopsida – Quillworts & Spike-moss

ORDER ISOETALES

Family Isoetaceae - Quillwort Family

<i>Isoetes appalachiana</i>	Appalachian quillwort	G4	S1		
Counties of occurrence: Covington					
<i>Isoetes butleri</i>	Butler's quillwort	G4	S2		
Counties of occurrence: Bibb, Franklin, Lawrence, Morgan					
<i>Isoetes flaccida</i>	southern quillwort	G3	S1		
Counties of occurrence: Houston					
<i>Isoetes hyemalis</i>	winter quillwort	G2G3	S1		
Counties of occurrence: Houston					
<i>Isoetes louisianensis</i>	Louisiana quillwort	G2	S1	LE	
Counties of occurrence: Conecuh, Monroe					
<i>Isoetes melanopoda</i>	blackfoot quillwort	G5	S1		
Counties of occurrence: Barbour, Bullock					
<i>Isoetes virginica</i>	Piedmont quillwort	G3	S2		
Counties of occurrence: Chamber, Lee, Randolph, Tallapoosa					

ORDER SELAGINELLALES

Family Selaginellaceae - Spike-moss Family

<i>Selaginella arenicola</i> ssp. <i>riddellii</i>	Riddell's spike-moss	G4T4	S2		
Counties of occurrence: Cullman, Franklin, Lee, Marion, Winston					
<i>Selaginella ludoviciana</i>	Gulf spike-moss	G3G4	S1S2		
Counties of occurrence: Baldwin, Conecuh, Henry, Houston					
<i>Selaginella rupestris</i>	ledge spike-moss	G5	S2		
Counties of occurrence: Chambers, Franklin, Lee, Marion, Tallapoosa					

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Class Lycopodiopsida – Clubmosses

ORDER LYCOPODALES

Family Lycopodiaceae - Clubmoss Family

<i>Diphasiastrum tristachyum</i>	deep-root clubmoss	G5	S1		
Counties of occurrence: Jackson					
<i>Huperzia lucidula</i>	shining clubmoss	G5	S2		
Counties of occurrence: Franklin, Lawrence, Marion, Winston					
<i>Huperzia porophila</i>	rock clubmoss	G4	S1		
Counties of occurrence: Franklin, Lawrence, Marion, Walker, Winston					
<i>Lycopodiella cernua</i>	nodding clubmoss	G5	S1S2		
Counties of occurrence: Baldwin, Clarke, Crenshaw, Houston					
<i>Lycopodium obscurum</i>	tree clubmoss	G5	S1		

Class Equisetopsida – Horsetails

ORDER EQUISETALES

Family Equisetaceae - Horsetail Family

<i>Equisetum arvense</i>	field horsetail	G5	S2		
Counties of occurrence: Calhoun, Greene, Hale, Jackson, Jefferson, Marshall, Morgan					

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Class Monocotyledoneae – *Monocots*

ORDER ALISMATALES

Family Alismataceae - Water-plantain Family

<i>Echinodorus parvulus</i>	dwarf burhead	G3Q	S1		
Counties of occurrence: Covington, Dallas, Escambia, Geneva					
<i>Sagittaria isoetiformis</i>	slender arrow-head	G4?	S2		
Counties of occurrence: Covington, Henry, Houston					
<i>Sagittaria secundifolia</i>	Little River arrow-head	G1	S1	LT	
Counties of occurrence: Cherokee, Coosa, DeKalb, Winston					

ORDER ARALES

Family Araceae - Arum Family

<i>Peltandra sagittifolia</i>	spoon-flower	G3G4	S2		
Counties of occurrence: Baldwin, Covington, Dale, Escambia, Geneva, Mobile					

ORDER COMMELINALES

Family Commelinaceae - Spiderwort Family

<i>Traadescantia ernestiana</i>	Ernest's spiderwort	G3	S1		
Counties of occurrence: DeKalb, Etowah, Jackson, Jefferson, Madison, Montgomery					

Family Xyridaceae - Yellow-eyed Grass Family

<i>Xyris chapmanii</i>	Chapman's yellow-eyed grass	G3	S1		
Counties of occurrence: Baldwin, Covington, Escambia, Mobile					
<i>Xyris drummondii</i>	Drummond's yellow-eyed grass	G3	S3		
Counties of occurrence: Baldwin, Covington, Escambia, Geneva, Mobile, Washington					
<i>Xyris isoetifolia</i>	quillwort yellow-eyed grass	G1	SH		
Counties of occurrence: Covington					
<i>Xyris longisepala</i>	Kral's yellow-eyed grass	G2	S1		
Counties of occurrence: Covington					
<i>Xyris scabrifolia</i>	Harper's yellow-eyed grass	G3	S1S2		
Counties of occurrence: Baldwin, Covington, Escambia, Houston, Mobile					
<i>Xyris serotina</i>	acid-swamp yellow-eyed grass	G3G4	S1		
Counties of occurrence: Houston					
<i>Xyris spathifolia</i>	a yellow-eyed grass ⁹	G1	S1		
Counties of occurrence: Bibb					
<i>Xyris tennesseensis</i>	Tennessee yellow-eyed grass	G2	S1	LE	
Counties of occurrence: Bibb, Calhoun, Franklin, Shelby					

ORDER CYPERALES

Family Cyperaceae - Sedge Family

<i>Bulbostylis warei</i>	Ware's hairsedge	G3G4	SH		
Counties of occurrence: Baldwin					
<i>Carex acidicola</i>	a sedge	G2G3	S1		
Counties of occurrence: Tuscaloosa					
<i>Carex aggregata</i>	glomerate sedge	G5	S1		
<i>Carex austrocaroliniana</i>	South Carolina sedge	G4	S2?		
Counties of occurrence: Jackson					

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Carex baltzellii</i> Counties of occurrence: Dale, Geneva, Pike	Baltzell's sedge	G3	S1		
<i>Carex barrattii</i>	Barratt's sedge	G4	S1?		
<i>Carex brysonii</i> Counties of occurrence: Tuscaloosa, Walker, Winston	Bryson's sedge ⁹	G1	S1		
<i>Carex decomposita</i> Counties of occurrence: Henry, Jefferson, Talladega	cypress-knee sedge	G3	S1		
<i>Carex eburnea</i> Counties of occurrence: Bibb, Greene, Jackson, Sumter	ebony sedge	G5	S2		
<i>Carex exilis</i> Counties of occurrence: Baldwin, Washington	coast sedge	G5	S1		
<i>Carex fissa</i> var. <i>aristata</i> Counties of occurrence: Barbour	hammock sedge	G4?T4?	S1		
<i>Carex godfreyi</i>	Godfrey's sedge	G3G4	S1		
<i>Carex impressinervia</i> Counties of occurrence: Autauga, Bibb, Butler, Chilton, Monroe, Russell, Wilcox	impressed-nerved sedge	G2	S1		
<i>Carex purpurifera</i> Counties of occurrence: Jackson, Madison, Marshall	purple sedge	G4?	S2		
<i>Carex socialis</i>	social sedge	G4	S1?		
<i>Carex striata</i> Counties of occurrence: Geneva, Houston, Mobile	Walter's sedge	G4G5	S1		
<i>Carex thornei</i>	a sedge	G2G3	S1		
<i>Carex vestita</i>	velvety sedge	G5	S1		
<i>Cladium mariscoides</i> Counties of occurrence: Baldwin, Mobile	twig rush	G5	S1		
<i>Cyperus granitophilus</i> Counties of occurrence: Chambers, Cherokee, Tallapoosa	granite-loving flatsedge	G3G4Q	S2		
<i>Eleocharis melanocarpa</i> Counties of occurrence: Covington, Houston	black-fruited spike-rush	G4	S1		
<i>Eleocharis olivacea</i> Counties of occurrence: Mobile	capitate spikerush	G5	S1		
<i>Eleocharis robbinsii</i> Counties of occurrence: Geneva, Henry, Mobile	Robbins' spikerush	G4G5	S1		
<i>Eleocharis rostellata</i> Counties of occurrence: Mobile	beaked spikerush	G5	S1		
<i>Eleocharis wolfii</i> Counties of occurrence: Lauderdale	Wolf's spikerush	G3G4	S1		
<i>Fimbristylis brevivaginata</i> Counties of occurrence: DeKalb	glade fimbristylis	G2	S1		
<i>Rhynchospora alba</i> Counties of occurrence: Escambia	white beakrush	G5	S1		
<i>Rhynchospora capillacea</i> Counties of occurrence: Bibb	horned beakrush	G4	S1		

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Rhynchospora crinipes</i> Counties of occurrence: Baldwin, Conecuh, Covington, Escambia, Mobile, Washington	hairy-peduncled beakrush	G2	S1		
<i>Rhynchospora fernaldii</i>	Fernald's beak rush	G3G4	S1?		
<i>Rhynchospora globularis</i> var. <i>saxicola</i> Counties of occurrence: Lee, Tallapoosa	Stone Mountain beakrush	G3Q	S1		
<i>Rhynchospora harperi</i>	Harper's beakrush	G4?	S1		
<i>Rhynchospora macra</i> Counties of occurrence: Covington, Mobile	southern white beak rush	G3	S1		
<i>Rhynchospora pleiantha</i> Counties of occurrence: Baldwin, Covington, Houston	brown beakrush	G3	S1		
<i>Rhynchospora stenophylla</i> Counties of occurrence: Baldwin, Covington, Escambia, Geneva, Mobile	Chapman beakrush	G4	S2		
<i>Rhynchospora thornei</i> Counties of occurrence: Bibb, Cherokee, Geneva	Thorne's beakrush	G3	S1		
<i>Rhynchospora tracyi</i> Counties of occurrence: Baldwin, Houston, Mobile	Tracy's beak rush	G4	S1		
<i>Schoenoplectus subterminalis</i> Counties of occurrence: Monroe	water bulrush	G4G5	S1		
Family Poaceae - Grass Family					
<i>Amphicarpum muehlenbergianum</i> Counties of occurrence: Covington, Houston	blue maiden-cane	G4	S1		
<i>Andropogon arctatus</i> Counties of occurrence: Covington, Geneva	pine-woods bluestem	G3	S1		
<i>Andropogon gyrans</i> var. <i>stenophyllus</i>	beardgrass	G5T4	S1		
<i>Andropogon virginicus</i> var. <i>glaucus</i> Counties of occurrence: Covington, Houston, Mobile	beardgrass	G4T4T5	S2		
<i>Aristida simpliciflora</i> Counties of occurrence: Baldwin, Covington, Dale, Escambia	southern three-awned grass	G3G4	S1		
<i>Aristida spiciformis</i> Counties of occurrence: Baldwin	pine barren three-awned grass	G4	S1		
<i>Calamovilfa arcuata</i> Counties of occurrence: Blount	Cumberland sandgrass	G2	S1		
<i>Chasmanthium nitidum</i> Counties of occurrence: Houston, Mobile	shiny spikegrass	G3	S1		
<i>Coelorachis tuberculosa</i> Counties of occurrence: Covington, Geneva, Houston	Florida jointgrass	G3	S1		
<i>Diarrhena americana</i> Counties of occurrence: Jackson, Madison	American beakgrain	G4G5	S2		
<i>Eustachys floridana</i> Counties of occurrence: Geneva	two-spike finger grass	G2?	S1		
<i>Luziola bahiensis</i>	Brazilian luziola	G4G5	S1		
<i>Melica nitens</i> Counties of occurrence: Lawrence	three-flower melic grass	G5	S1		
<i>Muhlenbergia sobolifera</i> Counties of occurrence: Franklin, Jackson, Lauderdale, Madison	cliff muhly	G5	S1		

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Panicum lithophilum</i> Counties of occurrence: DeKalb, Lee	Swallen's panic-grass	G2G3Q	S1		
<i>Panicum nudicaule</i> Counties of occurrence: Baldwin, Covington, Escambia, Mobile, Washington	naked-stemmed panic grass	G3Q	S2		
<i>Schizachyrium maritimum</i> Counties of occurrence: Mobile	Gulf bluestem	G3G4Q	S1		
<i>Schizachyrium scoparium</i> ssp. <i>divergens</i> Counties of occurrence: Mobile	eastern little bluestem	G5T5	SH		
<i>Sporobolus curtissii</i> Counties of occurrence: Covington	pineland dropseed	G3	S1		
<i>Sporobolus teretifolius</i> Counties of occurrence: Houston	wire-leaved dropseed	G2	S1		
<i>Tridens carolinianus</i>	Carolina fluff grass	G3G4	S1		
ORDER ERIOCAULALES					
Family Eriocaulaceae - Pipewort Family					
<i>Eriocaulon aquaticum</i>	seven-angled pipewort	G5	SH		
<i>Eriocaulon lineare</i> Counties of occurrence: Covington, Houston	narrow pipewort	G4	S2		
<i>Eriocaulon texense</i> Counties of occurrence: Baldwin, Escambia, Mobile, Washington	Texas pipewort	G4	S2		
<i>Lachnocaulon digynum</i> Counties of occurrence: Baldwin, Covington, Escambia, Mobile	pineland bogbutton	G3	S2		
<i>Lachnocaulon engleri</i>	Engler's bogbutton	G3	S1?		
<i>Lachnocaulon minus</i> Counties of occurrence: Covington, Houston	Small's bog-button	G3G4	S1?		
ORDER HYDROCHARITALES					
Family Hydrocharitaceae - Frog's-bit Family					
<i>Elodea canadensis</i> Counties of occurrence: Limestone, Marshall	broad waterweed	G5	S1		
ORDER JUNCALES					
Family Juncaceae - Rush Family					
<i>Juncus georgianus</i> Counties of occurrence: Chambers, Lee, Randolph, Tallapoosa	Georgia rush	G4	S1		
<i>Juncus gymnocarpus</i> Counties of occurrence: Covington, Dale, Geneva, Mobile	naked-fruited rush	G4	S2		
<i>Juncus interior</i> var. <i>interior</i> Counties of occurrence: Perry	inland rush	G3	S1		
<i>Juncus nodatus</i>	stout rush	G5	S1		
ORDER LILIALES					
Family Iridaceae - Iris Family					
<i>Nemastylis geminiflora</i> Counties of occurrence: Greene, Pickens, Sumter	prairie pleatleaf	G4	S1		
Family Liliaceae - Lily Family					
<i>Allium speculae</i> Counties of occurrence: Cherokee, DeKalb, Jackson, Marshall	Little River Canyon onion	G2	S2		
<i>Allium tricoccum</i> Counties of occurrence: Jackson, Marshall	wild leek	G5	S1		

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Erythronium albidum</i> Counties of occurrence: Franklin	white trout lily	G5	S1S2		
<i>Hymenocallis coronaria</i> Counties of occurrence: Bibb, Blount, Chilton, Coosa, Cullman, Jefferson, Lee, Randolph, Shelby, Talladega, Tallapoosa	shoals spider-lily	G2Q	S2		
<i>Lilium canadense</i> Counties of occurrence: Etowah, Jackson, Lawrence, Madison, Morgan, St. Clair	Canada lily	G5	S2		
<i>Lilium iridollae</i> Counties of occurrence: Baldwin, Covington, Escambia	panhandle lily	G2	S1		
<i>Lilium michiganense</i> Counties of occurrence: Shelby	Michigan lily	G5	S1		
<i>Lilium superbum</i> Counties of occurrence: Butler, Conecuh, Henry, Jackson, Madison	Turk's-cap lily	G5	S2		
<i>Melanthium latifolium</i> Counties of occurrence: Bibb	broadleaf bunchflower	G5	S1		
<i>Melanthium parviflorum</i> Counties of occurrence: DeKalb, Jackson, Marshall	small-flowered false hellebore	G4?	S1S2		
<i>Melanthium woodii</i> Counties of occurrence: Bibb, Geneva, Henry	wood's false hellebore	G5	S1		
<i>Pleea tenuifolia</i> Counties of occurrence: Baldwin, Escambia	rush false-asphodel	G4	S1S2		
<i>Prosartes maculata</i> Counties of occurrence: Jackson	spotted mandarin	G3G4	S1		
<i>Schoenolirion croceum</i> Counties of occurrence: Bibb, Blount, Colbert, DeKalb, Franklin, Jackson, Lawrence, Morgan, Sumter	yellow sunnybell	G4	S2		
<i>Schoenolirion wrightii</i> Counties of occurrence: Cherokee, DeKalb, Etowah, Marshall	Texas sunnybell	G3	S1		
<i>Trillium flexipes</i> Counties of occurrence: Etowah, Jackson, Lawrence, Marshall, Morgan, Winston	nodding trillium	G5	S2S3		
<i>Trillium grandiflorum</i> Counties of occurrence: Jackson	large-flowered trillium	G5	S1		
<i>Trillium lancifolium</i> Counties of occurrence: Calhoun, Cherokee, Dallas, Greene, Houston, Jackson, Marengo, Montgomery, Perry, Shelby, Tuscaloosa, Wilcox	narrow-leaved trillium	G3	S2S3		
<i>Trillium pusillum</i> var. 1 Counties of occurrence: Jackson, Limestone, Madison, Marshall	Alabama least trillium	G3T2Q	S2		
<i>Trillium recurvatum</i> Counties of occurrence: Franklin, Lawrence, Morgan, Pickens	prairie trillium	G5	S2		
<i>Trillium reliquum</i> Counties of occurrence: Bullock, Henry, Lee	relict trillium	G3	S2	LE	
<i>Trillium rugelii</i> Counties of occurrence: Clay, Coosa, Lee, Shelby, Tuscaloosa, Wilcox	southern nodding trillium	G3	S2?		
<i>Trillium sessile</i> Counties of occurrence: Blount, Cullman, Jackson, Limestone, Marshall	toadshade	G4G5	S2		
<i>Trillium sulcatum</i> Counties of occurrence: DeKalb, Jackson, Marshall	southern red trillium	G4	S1		

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Trillium vaseyi</i> Counties of occurrence: Lee	Vasey's trillium	G4	S1?		
<i>Uvularia floridana</i> Counties of occurrence: Escambia, Houston, Montgomery, Perry, Wilcox	Florida bellwort	G3	S1		
<i>Xerophyllum asphodeloides</i> Counties of occurrence: Calhoun	turkeybeard	G4	S1		
<i>Zephyranthes atamasca</i> var. <i>treatiae</i>	Easter lily	G4G5T4	S1?		
<i>Zigadenus leimanthoides</i> Counties of occurrence: Barbour, Calhoun ³⁹ , Monroe, Washington	crow-poison	G4Q	S1		
Family Stemonaceae - Stemona Family					
<i>Croomia pauciflora</i> Counties of occurrence: Autauga, Barbour, Bibb, Bullock, Chambers, Chilton, Conecuh, Etowah, Henry, Lee, Monroe, Russell, Shelby, Tuscaloosa	croomia	G3	S2		
ORDER NAJADALES					
Family Najadaceae - Naiad Family					
<i>Najas gracillima</i> Counties of occurrence: Chambers	thread-like naiad	G5?	S1		
Family Potamogetonaceae - Pondweed Family					
<i>Potamogeton floridanus</i> Counties of occurrence: Baldwin	Florida pondweed	G1	S1?		
ORDER ORCHIDALES					
Family Orchidaceae - Orchid Family					
<i>Aplectrum hyemale</i> Counties of occurrence: Conecuh, Etowah, Lawrence	puttyroot	G5	S2		
<i>Calopogon barbatus</i> Counties of occurrence: Escambia, Mobile	bearded grass-pink	G4?	S1		
<i>Calopogon multiflorus</i> Counties of occurrence: Baldwin, Mobile	many-flowered grass-pink	G2G3	S1		
<i>Calopogon oklahomensis</i> Counties of occurrence: Baldwin	Oklahoma grass-pink	G3	S1		
<i>Corallorhiza wisteriana</i> Counties of occurrence: Bibb, Choctaw, Houston, Jackson, Lamar, Tuscaloosa	spring coralroot	G5	S2		
<i>Cypripedium candidum</i> Counties of occurrence: Colbert, Dallas	small white lady's-slipper	G4	S1		
<i>Cypripedium kentuckiense</i> Counties of occurrence: Clarke, Coosa, Hale, Lowndes, Sumter, Tallapoosa, Washington	southern lady's-slipper	G3	S1		
<i>Epidendrum magnoliae</i> Counties of occurrence: Baldwin, Conecuh, Covington, Dale, Escambia, Houston, Mobile	green-fly orchid	G4	S2		
<i>Habenaria quinqueseta</i> var. <i>quinqueseta</i> Counties of occurrence: Baldwin	Michaux's orchid	G4G5T4?	S1		
<i>Isotria verticillata</i> Counties of occurrence: Bibb, Cherokee, Cleburne, DeKalb, Etowah, Jackson, Madison, Winston	large whorled pogonia	G5	S2		
<i>Liparis liliifolia</i> Counties of occurrence: Jackson	lily-leaved twayblade	G5	S1		

³⁹ Historic occurrence, possibly mis-identified to species.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Liparis loeselii</i> Counties of occurrence: Lee	Loesel's twayblade	G5	S1?		
<i>Platanthera blephariglottis</i> var. <i>conspicua</i> Counties of occurrence: Escambia, Mobile	large white fringed orchid	G4G5T3T4	S1S2		
<i>Platanthera integra</i> Counties of occurrence: Baldwin, Conecuh, Escambia, Mobile	yellow fringeless orchid	G3G4	S2		
<i>Platanthera integrilabia</i> Counties of occurrence: Calhoun, Clay ⁵ , Cleburne, Jackson, Marion, Tuscaloosa, Winston	white fringeless orchid	G2G3	S2	C	
<i>Platanthera lacera</i> Counties of occurrence: Cleburne, Geneva, Limestone, Walker	green-fringed orchid	G5	S2		
<i>Platanthera nivea</i> Counties of occurrence: Covington, Escambia, Geneva, Houston, Mobile	snowy orchis	G5	S2		
<i>Platanthera peramoena</i> Counties of occurrence: Clay, Lauderdale, Madison ³	purple fringeless orchid	G5	S1		
<i>Ponthieva racemosa</i> Counties of occurrence: Baldwin, Bibb, Dallas, Lowndes, Montgomery, Shelby, Sumter	shadow-witch orchid	G4G5	S2		
<i>Pteroglossaspis ecristata</i> Counties of occurrence: Baldwin, Mobile	crestless eulophia	G2	S1		
<i>Spiranthes brevilabris</i>	Texas ladies'-tresses	G1G2	SH		
<i>Spiranthes floridana</i>	Florida ladies'-tresses	G1G2	SH		
<i>Spiranthes longilabris</i> Counties of occurrence: Mobile	giant spiral ladies'-tresses	G3	S1		
<i>Spiranthes lucida</i> Counties of occurrence: Bibb	shining ladies'-tresses	G5	S1		
ORDER ZINGIBERALES					
Family Cannaceae - Canna Family					
<i>Canna flaccida</i> Counties of occurrence: Baldwin, Mobile	bandana-of-the-Everglades	G4?	S1		
Family Marantaceae - Arrowroot Family					
<i>Thalia dealbata</i> Counties of occurrence: Baldwin	powdery thalia	G4	S1		

³ Historic occurrence.

⁵ No occurrence record in ALNHP database but the US Fish & Wildlife Service lists this species as occurring or believed to occur in the county (<http://www.fws.gov/daphne/es/specieslst.html>).

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Class Dicotyledoneae – *Dicots*

ORDER APIALES

Family Apiaceae - Carrot Family

<i>Lilaeopsis carolinensis</i>	Carolina lilaeopsis	G3G5	S1		
Counties of occurrence: Covington, Mobile					
<i>Ptilimnium costatum</i>	eastern bishop-weed	G4	S1		
Counties of occurrence: Mobile, St. Clair					
<i>Ptilimnium nodosum</i>	harperella	G2	S1	LE	
Counties of occurrence: Cherokee, Cullman ³ , DeKalb, Tuscaloosa ³					
<i>Sium floridanum</i>	Florida water-parsnip	G1Q	S1		
Counties of occurrence: Houston					

Family Araliaceae - Aralia Family

<i>Aralia racemosa</i>	American spikenard	G4G5	S1		
Counties of occurrence: Etowah, Jackson					

ORDER ARISTOLOCHIIALES

Family Aristolochiaceae - Birthwort Family

<i>Hexastylis shuttleworthii</i> var. <i>harperi</i>	Harper's wild ginger	G4T3	S2		
Counties of occurrence: Autauga, Bibb, Chilton, Perry, Russell					
<i>Hexastylis speciosa</i>	Harper's heartleaf ⁹	G2	S2		
Counties of occurrence: Autauga Chilton, Elmore					

ORDER ASTERALES

Family Asteraceae - Aster Family

<i>Arnoglossum diversifolium</i>	variable-leaved Indian-plantain	G2	S1		
Counties of occurrence: Houston					
<i>Arnoglossum sulcatum</i>	Indian-plantain	G3	S2S3		
Counties of occurrence: Baldwin, Covington, Escambia, Geneva					
<i>Balduina atropurpurea</i>	purple balduina	G2	SH		
Counties of occurrence: Geneva ³					
<i>Bidens cernua</i>	nodding beggar-ticks	G5	S1		
<i>Bigelovia nuttallii</i>	Nuttall's rayless goldenrod	G3G4	S3		
Counties of occurrence: Blount, Cherokee, DeKalb, Etowah, Jackson, Jefferson, Marshall					
<i>Brickellia cordifolia</i>	Flyr's brickell-bush	G2G3	S2		
Counties of occurrence: Bullock, Coffee, Conecuh, Covington, Crenshaw, Dale, Geneva, Henry, Houston, Lee, Macon, Pike, Russell					
<i>Chrysopsis godfreyi</i>	Godfrey's golden-aster	G2	S1		
Counties of occurrence: Baldwin					
<i>Chrysopsis gossypina</i> ssp. <i>cruiseana</i>	Cruise's golden-aster	G5T2	SH		
<i>Cirsium lecontei</i>	Le Conte's thistle	G2G3	S1		
Counties of occurrence: Baldwin, Mobile					
<i>Cirsium muticum</i>	swamp thistle	G5	S1		
<i>Coreopsis gladiata</i>	southeastern tickseed	G4G5	S2		
Counties of occurrence: Baldwin, Covington, Henry, Houston, Mobile, Washington					
<i>Coreopsis grandiflora</i> var. <i>inclinata</i>	Ketona tickseed ⁹	G5T2	S2		
Counties of occurrence: Bibb					

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Coreopsis nudata</i> Counties of occurrence: Geneva, Houston, Mobile	Georgia tickseed	G3?	S1		
<i>Coreopsis pulchra</i> Counties of occurrence: Cherokee, DeKalb, Etowah, Jackson	Woodland tickseed	G2	S2		
<i>Echinacea pallida</i> Counties of occurrence: Calhoun, Chambers, Greene, Lee, Sumter	pale-purple coneflower	G4	S2		
<i>Echinacea simulata</i> Counties of occurrence: Cherokee	wavy-leaf purple coneflower	G3	S1		
<i>Erigeron strigosus</i> var. <i>dolomitica</i> Counties of occurrence: Bibb	Cahaba daisy fleabane ⁹	G5T2?	S2?		
<i>Eurybia chapmanii</i> Counties of occurrence: Geneva, Houston, Mobile	Chapman aster	G2G3	SH		
<i>Eurybia eryngiifolia</i> Counties of occurrence: Covington, Geneva	coyote-thistle aster	G3G4	S2		
<i>Eurybia spectabilis</i> Counties of occurrence: Covington, DeKalb	showy aster	G5	S2		
<i>Eurybia surculosus</i> Counties of occurrence: Jackson	creeping aster	G4G5	S1		
<i>Helenium brevifolium</i> Counties of occurrence: Baldwin, Escambia, Geneva	little leaf sneezeweed	G4	S1		
<i>Helenium vernale</i> Counties of occurrence: Baldwin, Escambia, Geneva	spring sneezeweed	G4?	S2		
<i>Helianthus eggertii</i> Counties of occurrence: Blount, DeKalb, Franklin, Madison	Eggert's sunflower	G3	S1		
<i>Helianthus glaucophyllus</i> Counties of occurrence: Coosa, Jackson	white-leaved sunflower	G3G4	SH		
<i>Helianthus longifolius</i> Counties of occurrence: Cherokee, DeKalb, Jackson	longleaf sunflower	G3	S1S2		
<i>Helianthus porteri</i> Counties of occurrence: Chambers, Lee, Randolph	confederate daisy	G4	S2		
<i>Helianthus smithii</i>	Smith's sunflower	G2Q	S2		
<i>Helianthus verticillatus</i> Counties of occurrence: Cherokee	whorled sunflower	G1Q	S1	C	
<i>Iva microcephala</i> Counties of occurrence: Houston	small-headed marsh-elder	G5	S1		
<i>Jamesianthus alabamensis</i> Counties of occurrence: Bibb, Blount, Calhoun, Cleburne, Colbert, Franklin, Jefferson, Shelby, Winston	jamesianthus	G3	S3		
<i>Liatris chapmanii</i> Counties of occurrence: Baldwin, Escambia ³	Chapman's gay-feather	G5	S1		
<i>Liatris cylindracea</i> Counties of occurrence: Bibb	slender blazing-star	G5	S2		
<i>Liatris oligocephala</i> Counties of occurrence: Bibb	Cahaba torch ⁹	G1	S1		

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Marshallia mohrii</i> Counties of occurrence: Bibb, Calhoun, Cherokee, Cullman ³ , Etowah, Walker	Mohr's Barbara's buttons	G3	S3	LT	
<i>Phoebanthus tenuifolius</i> Counties of occurrence: Escambia	pineland false sunflower	G3	SH		
<i>Pityopsis oligantha</i> Counties of occurrence: Covington, Escambia, Geneva	Coastal-Plain golden-aster	G2G4	S1		
<i>Pityopsis pinifolia</i> Counties of occurrence: Autauga	golden aster	G4	S1		
<i>Polymnia laevigata</i> Counties of occurrence: Bibb, Jackson, Madison, Tuscaloosa	Tennessee leafcup	G3	S2S3		
<i>Prenanthes barbata</i> Counties of occurrence: Cherokee, Clarke, Dallas, Etowah, Madison	barbed rattlesnake-root	G3	S1S2		
<i>Rudbeckia auriculata</i> Counties of occurrence: Barbour, Blount, Covington, Crenshaw, Geneva, Jefferson, Pike, Shelby, St. Clair	eared coneflower	G2	S2		
<i>Rudbeckia heliopsidis</i> Counties of occurrence: Cherokee, DeKalb, Lee, Macon, Monroe	sun-facing coneflower	G2	S2		
<i>Rudbeckia mollis</i> Counties of occurrence: Bibb, Henry, Tuscaloosa	soft-hair coneflower	G3G5	S1		
<i>Rudbeckia nitida</i> var. <i>nitida</i>	yellow coneflower	G3?T2T3	S1?		
<i>Rudbeckia triloba</i> var. <i>pinnatiloba</i> Counties of occurrence: Autauga, Bibb, Dallas, Lowndes, Tallapoosa, Wilcox	pinnate-lobed black-eyed Susan	G5T3	S2S3		
<i>Silphium brachiatum</i> Counties of occurrence: Blount, Jackson, Madison, Marshall, Morgan	Cumberland rosinweed	G2G3	S2		
<i>Silphium glutinosum</i> Counties of occurrence: Bibb	sticky rosinweed ⁹	G2	S2		
<i>Silphium mohrii</i> Counties of occurrence: Cherokee, Jackson, Marshall	Mohr's rosinweed	G3?Q	S1		
<i>Silphium perplexum</i> Counties of occurrence: Dallas, Perry	Old Cahaba rosinweed ⁹	G1	S1		
<i>Silphium pinnatifidum</i>	prairie-dock	G3?Q	S1		
<i>Solidago arenicola</i> Counties of occurrence: Blount	southern racemose goldenrod	G2G3	S1		
<i>Symphyotrichum drummondii</i> var. <i>texanum</i>	Texas aster	G5T3T4	S1?		
<i>Symphyotrichum ericoides</i> Counties of occurrence: Sumter	heath aster	G5	S1		
<i>Symphyotrichum georgianum</i> Counties of occurrence: Bibb, Blount, Clay, Etowah ³ , Shelby ³ , St. Clair ³ , Talladega ³ , Tuscaloosa ³	Georgia aster	G2G3	S2S3	C	
<i>Symphyotrichum kralii</i> Counties of occurrence: Houston	pale-violet aster	GNR	SH		
<i>Symphyotrichum laeve</i> var. <i>concinnum</i> Counties of occurrence: Clay, Jackson, Talladega	smooth blue aster	G5T4	S2		
<i>Symphyotrichum oolentangiense</i> var. <i>oolentangiense</i> Counties of occurrence: Calhoun	sky blue aster	G5T5	S1		

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Symphotrichum pratense</i>	barrens silky aster	G4?	S1		
<i>Symphotrichum sericeum</i>	western silvery aster	G5	S1		
<i>Thelesperma filifolium</i>	stiff greenthread	G4G5	S1		
Counties of occurrence: Sumter					
<i>Verbesina walteri</i>	Carolina Crownbeard	G4	S1		
Counties of occurrence: Sumter					
ORDER CAMPANULALES					
Family Campanulaceae - Bellflower Family					
<i>Lobelia boykinii</i>	Boykin's lobelia	G2G3	S1S2		
Counties of occurrence: Barbour, Henry, Houston					
ORDER CAPPARALES					
Family Brassicaceae - Mustard Family					
<i>Arabis georgiana</i>	Georgia rockcress	G1	S1	C	
Counties of occurrence: Bibb, Dallas, Elmore, Monroe, Russell, Sumter, Wilcox					
<i>Arabis patens</i>	spreading rockcress	G3	S1		
Counties of occurrence: Marengo, Pickens					
<i>Armoracia lacustris</i>	lake cress	G4?	S1		
Counties of occurrence: Colbert, Greene, Lawrence, Limestone					
<i>Cardamine clematitis</i>	mountain bitter cress	G3	SH		
<i>Draba cuneifolia</i>	wedge-leaf Whitlow-grass	G5	S1		
Counties of occurrence: Autauga, Dallas, Lowndes, Sumter, Wilcox					
<i>Leavenworthia alabamica</i>	Alabama glade-cress ⁹	G2	S2		
Counties of occurrence: Franklin, Lawrence					
<i>Leavenworthia crassa</i>	fleshy-fruit glade cress ⁹	G2	S2	C	
Counties of occurrence: Lawrence, Morgan					
<i>Leavenworthia exigua</i> var. <i>lutea</i>	pasture glade-cress	G4T1	S1		
Counties of occurrence: Bibb, Jefferson, Marshall, St. Clair					
<i>Leavenworthia torulosa</i>	necklace glade cress	G4	SX		
<i>Leavenworthia uniflora</i>	Michaux leavenworthia	G4	S2		
Counties of occurrence: Bibb, Lawrence, Madison, Morgan					
<i>Lesquerella densipila</i>	duck river bladderpod	G3	S1		
Counties of occurrence: Lawrence, Limestone, Morgan					
<i>Lesquerella lyrata</i>	lyrate bladderpod ⁹	G1	S1	LT	
Counties of occurrence: Colbert, Franklin, Lawrence					
<i>Warea sessilifolia</i>	sessile-leaved warea	G2G4	S1		
Counties of occurrence: Houston, Pike					
Family Capparaceae - Caper Family					
<i>Polanisia tenuifolia</i>	slenderleaf clammy-weed	G5	S1		
Counties of occurrence: Baldwin					
ORDER CARYOPHYLLALES					
Family Caryophyllaceae - Pink Family					
<i>Minuartia godfreyi</i>	Godfrey's sandwort	G1	SH		
Counties of occurrence: Pickens ³					
<i>Paronychia herniarioides</i>	coastal plain nailwort	G2G4	S1		
Counties of occurrence: Autauga, Dallas					

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Paronychia rugelii</i> Counties of occurrence: Geneva	Rugel's nailwort	G2?	S1		
<i>Paronychia virginica</i> Counties of occurrence: Bibb	yellow nailwort	G4	S2		
<i>Silene caroliniana</i> ssp. <i>wherryi</i> Counties of occurrence: Bibb, Chilton, DeKalb	Wherry's catchfly	G5T2T4Q	S1S2		
<i>Silene ovata</i> Counties of occurrence: Dallas, Etowah, Geneva, Henry, Madison, Marengo, Marshall, St. Clair	ovate catchfly	G3	S2		
<i>Silene regia</i> Counties of occurrence: Bibb, Monroe, Wilcox	royal catchfly	G3G4	S2?		
<i>Silene rotundifolia</i> Counties of occurrence: Jackson, Lawrence, Winston	roundleaf catchfly	G4	S1S2		
<i>Stellaria corei</i>	chickweed	G4	S1		
Family Nyctaginaceae - Four-o'clock Family					
<i>Mirabilis albidia</i> Counties of occurrence: Bibb, Dallas, Franklin, Greene, Sumter	pale umbrella-wort	G5	S2		
Family Portulacaceae - Purslane Family					
<i>Claytonia caroliniana</i>	Carolina spring beauty	G5	S1		
<i>Phemeranthus calcaricum</i> Counties of occurrence: Franklin, Lawrence	limestone fame-flower	G3	S2		
<i>Phemeranthus parviflorum</i> Counties of occurrence: Coosa	small-flowered fame-flower	G5	S1		
<i>Phemeranthus teretifolium</i>	quill fame-flower	G4	S1		
ORDER CELASTRALES					
Family Aquifoliaceae - Holly Family					
<i>Ilex amelanchier</i> Counties of occurrence: Baldwin, Houston, Mobile, Washington	serviceberry holly	G4	S2		
Family Celastraceae - Bittersweet Family					
<i>Celastrus scandens</i> Counties of occurrence: Etowah	climbing bittersweet	G5	S2		
ORDER DIPSACALES					
Family Caprifoliaceae - Honeysuckle Family					
<i>Diervilla rivularis</i> Counties of occurrence: Jackson	mountain bush-honeysuckle	G3	S2		
<i>Triosteum angustifolium</i> Counties of occurrence: Calhoun, Colbert, Dallas, Etowah, Franklin, Jackson, Jefferson, Morgan	yellowleaf tinker's-weed	G5	S1		
<i>Viburnum bracteatum</i> Counties of occurrence: Calhoun, Etowah ³ , Jackson, Madison	limerock arrowwood	G1G2	S1		
<i>Viburnum obovatum</i> Counties of occurrence: Geneva, Houston	small-leaf viburnum	G5	S1		
Family Valerianaceae - Valerian Family					
<i>Valeriana pauciflora</i> Counties of occurrence: Jackson, Madison	valerian	G4	S1		

³ Historic occurrence.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
ORDER EBENALES					
Family Sapotaceae - Sapote Family					
<i>Sideroxylon reclinatum</i>	buckthorn	G4G5	S1?		
Counties of occurrence: Houston					
<i>Sideroxylon thornei</i>	swamp buckthorn	G2	S1		
Counties of occurrence: Baldwin, Clarke, Geneva, Houston					
ORDER ERICALES					
Family Clethraceae - Pepperbush Family					
<i>Clethra acuminata</i>	mountain pepper-bush	G4	S1		
Counties of occurrence: Clay					
Family Ericaceae - Heath Family					
<i>Kalmia hirsuta</i>	hairy laurel	G5	S2		
Counties of occurrence: Baldwin					
<i>Pieris phillyreifolia</i>	climbing fetter-bush	G3	S2		
Counties of occurrence: Covington, Geneva, Mobile					
<i>Rhododendron austrinum</i>	orange azalea	G3	S2S3		
Counties of occurrence: Coffee, Covington, Geneva					
<i>Rhododendron cumberlandense</i>	Cumberland azalea	G4?	S2		
Counties of occurrence: Calhoun, Clay, Jackson					
<i>Rhododendron minus</i>	Carolina rhododendron	G4	S2		
Counties of occurrence: Barbour, Coosa, Henry, Jackson, Monroe					
<i>Rhododendron prunifolium</i>	plumleaf azalea	G3	S2S3		
Counties of occurrence: Barbour, Henry, Lee, Russell					
Family Monotropaceae - Indian Pipe Family					
<i>Monotropsis odorata</i> var. <i>odorata</i>	sweet pinesap	G3T?	S1		
Counties of occurrence: Cullman, Hale, Lawrence					
ORDER EUPHORBIALES					
Family Buxaceae - Boxwood Family					
<i>Pachysandra procumbens</i>	Allegheny-spurge	G4G5	S2S3		
Counties of occurrence: Bibb, Colbert, Franklin, Lamar, Lawrence, Monroe					
Family Euphorbiaceae - Spurge Family					
<i>Croton alabamensis</i> var. <i>alabamensis</i>	Alabama croton ⁹	G3T3	S3		
Counties of occurrence: Bibb, Tuscaloosa					
<i>Croton elliotii</i>	Elliott's croton	G2G3	S1		
Counties of occurrence: Barbour, Escambia, Geneva, Houston					
<i>Euphorbia discoidalis</i>	euphorbia	G3?Q	S2?		
Counties of occurrence: Baldwin					
<i>Euphorbia inundata</i>	Florida pine spurge	G4G5	S1		
<i>Leptopus phyllanthoides</i>	maidenbush	G4	S2S3		
Counties of occurrence: Bibb, Blount					
<i>Stillingia aquatica</i>	water toothleaf	G4G5	S1		
Counties of occurrence: Baldwin, Houston					
ORDER FABALES					
Family Fabaceae - Pea Family					
<i>Amorpha nitens</i>	indigo bush	G3?	S1?		

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Apios priceana</i> Counties of occurrence: Autauga, Dallas, Jackson, Lawrence, Madison, Marshall, Monroe, Wilcox	Price's potato-bean	G2	S2	LT	
<i>Astragalus canadensis</i> Counties of occurrence: Dallas, Geneva, Sumter	Canadian milkvetch	G5	S1		
<i>Astragalus obcordatus</i> Counties of occurrence: Dallas	Florida milkvetch	G3G4	S1		
<i>Astragalus tennesseensis</i> Counties of occurrence: Lawrence, Morgan	Tennessee milkvetch	G3	S1S2		
<i>Astragalus villosus</i>	hoary milkvetch	G4	S2		
<i>Baptisia australis</i> var. <i>aberrans</i> Counties of occurrence: Bibb	blue wild indigo	G5T2	S1		
<i>Baptisia megacarpa</i> Counties of occurrence: Autauga, Bibb, Bullock, Crenshaw, Elmore, Henry, Lee, Lowndes, Macon, Montgomery, Pike, Tallapoosa	Apalachicola wild indigo	G2	S2		
<i>Baptisia perfoliata</i> Counties of occurrence: Sumter	catbells	G4?	S1		
<i>Chamaecrista deeringiana</i> Counties of occurrence: Covington, Escambia, Geneva, Houston	Florida senna	G2G4Q	S1		
<i>Dalea cahaba</i> Counties of occurrence: Bibb	Cahaba prairie clover ⁹	G2	S2		
<i>Dalea foliosa</i> Counties of occurrence: Franklin, Lawrence, Jefferson, Morgan	leafy prairie clover	G2G3	S1	LE	
<i>Dalea gattereri</i> Counties of occurrence: Cherokee, Franklin, Lawrence, Morgan	Gattinger's prairie clover	G3G4	S3		
<i>Desmodium ochroleucum</i> Counties of occurrence: Autauga, Clarke, Dallas, Greene, Hale, Lowndes, Monroe, Montgomery, Sumter, Wilcox	creamflower tick-trefoil	G1G2	S1S2		
<i>Galactia floridana</i>	Florida milk pea	G3G4	SH		
<i>Lathyrus venosus</i> Counties of occurrence: Bibb, Cherokee, Chilton, Clay, St. Clair	smooth veiny peavine	G5	S1		
<i>Orbexilum lupinellum</i>	lupine scurfpea	G3G4	S1?		
<i>Orbexilum simplex</i> Counties of occurrence: Mobile	single-stemmed scurf-pea	G4G5	SH		
<i>Pedimelum subacaule</i> Counties of occurrence: Colbert, Franklin, Lawrence	Nashville breadroot	G4	S2		
<i>Tephrosia mohrii</i> Counties of occurrence: Covington, Houston	pineland hoary-pea	G3	S1S2		
<i>Thermopsis mollis</i> Counties of occurrence: Jackson, Marshall	soft-haired thermopsis	G3G4	S1		
ORDER FAGALES					
Family Fagaceae - Beech Family					
<i>Castanea pumila</i> var. <i>ozarkensis</i>	Ozark chinquapin	G5T3	SH		
<i>Quercus arkansana</i> Counties of occurrence: Autauga, Bibb, Chilton, Hale, Henry, Perry, Pike, Sumter	Arkansas oak	G3	S2		

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Quercus boyntonii</i> Counties of occurrence: Blount, Etowah, St. Clair	Boynton's sand post oak	G1	S1		
<i>Quercus georgiana</i> Counties of occurrence: Chambers, Jefferson, St. Clair	Georgia oak	G3	S2		
<i>Quercus macrocarpa</i> Counties of occurrence: Montgomery, Pickens, Sumter	bur oak	G5	S2		
<i>Quercus minima</i> Counties of occurrence: Baldwin, Geneva	dwarf live oak	G5	S2		
<i>Quercus oglethorpensis</i> Counties of occurrence: Sumter	Oglethorpe's oak	G3	S1		
<i>Quercus similis</i> Counties of occurrence: Mobile	bottomland-post oak	G4	S1		
ORDER GENTIANALES					
Family Apocynaceae - Dogbane Family					
<i>Amsonia rigida</i> Counties of occurrence: Geneva, Houston	stiff blue-star	G4	S1		
Family Asclepiadaceae - Milkweed Family					
<i>Asclepias cinerea</i> Counties of occurrence: Covington, Geneva	Carolina milkweed	G4?	S1		
<i>Asclepias exaltata</i> Counties of occurrence: Etowah, Jackson, Winston	poke milkweed	G5	S1		
<i>Asclepias rubra</i> Counties of occurrence: Autauga, Covington, Escambia	red milkweed	G4G5	S1		
<i>Asclepias viridula</i> Counties of occurrence: Houston	southern milkweed	G2	S1		
<i>Matelea alabamensis</i> Counties of occurrence: Henry	Alabama anglepod	G2	S1		
<i>Matelea baldwyniana</i> Counties of occurrence: Barbour, Clarke, Monroe, Tallapoosa, Wilcox	Baldwin's milkvine	G3	S1		
Family Gentianaceae - Gentian Family					
<i>Frasera caroliniensis</i> Counties of occurrence: Chilton, Colbert, Franklin, Jackson, Jefferson, Lawrence	Carolina gentian	G5	S2		
<i>Sabatia brevifolia</i> Counties of occurrence: Baldwin	short-leaved pink	G3G4	S1		
<i>Sabatia capitata</i> Counties of occurrence: Calhoun, Chilton, Clay, Cleburne, DeKalb, St. Clair	rose gentian	G2	S2		
<i>Sabatia grandiflora</i>	large-flowered pink	G3G4	S1?		
<i>Sabatia quadrangula</i> Counties of occurrence: Houston	four-angled pink	G4G5	SH		
Family Loganiaceae - Logania Family					
<i>Mitreola angustifolia</i> Counties of occurrence: Houston	narrow-leaf miterwort	G4G5	S1		
<i>Spigelia gentianoides</i> var. <i>alabamensis</i> Counties of occurrence: Bibb	gentian pinkroot ⁹	G1T1	S1	LE	

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Spigelia gentianoides</i> var. <i>gentianoides</i>	gentian pinkroot	G1T1	S1	LE	
ORDER GERANIALES					
Family Oxalidaceae - Oxalis Family					
<i>Oxalis grandis</i>	giant wood-sorrel	G4G5	S1		
Counties of occurrence: Jackson, Madison,					
ORDER HALORAGALES					
Family Haloragaceae - Water-milfoil Family					
<i>Myriophyllum laxum</i>	loose water-milfoil	G3	S2		
Counties of occurrence: Conecuh, Covington, Escambia, Mobile, Washington					
ORDER HAMAMELIDALES					
Family Hamamelidaceae - Witch-hazel Family					
<i>Fothergilla gardenii</i>	dwarf witch-alder	G3G4	S1		
Counties of occurrence: Baldwin, Escambia ³ , Geneva ³					
<i>Fothergilla major</i>	mountain witch-alder	G3	S2		
Counties of occurrence: Blount, Cherokee, Cullman, DeKalb, Franklin, Jackson, Marshall, St. Clair					
<i>Hamamelis ovalis</i>	Mississippi witch hazel	G1	S1		
Counties of occurrence: Clarke, Covington, Monroe					
ORDER ILLICIALES					
Family Schisandraceae - Starvine Family					
<i>Schisandra glabra</i>	bay starvine	G3	S2		
Counties of occurrence: Bibb, Clarke, Monroe					
ORDER JUGLANDALES					
Family Juglandaceae - Walnut Family					
<i>Juglans cinerea</i>	butternut	G4	S1		
Counties of occurrence: DeKalb, Jackson, Lawrence, Madison, Winston					
ORDER LAMIALES					
Family Boraginaceae - Borage Family					
<i>Onosmodium decipiens</i>	Alabama marbleseed ⁹	G2	S2		
Counties of occurrence: Bibb					
<i>Onosmodium molle</i> ssp. <i>molle</i>	soft false gromwell	G4G5T3	S2		
Counties of occurrence: Franklin, Lawrence, Wilcox					
Family Lamiaceae - Mint Family					
<i>Agastache nepetoides</i>	yellow giant hyssop	G5	S1		
Counties of occurrence: Jackson, Lawrence, Marshall					
<i>Blephilia subnuda</i>	smooth blephilia	G1G2	S1S2		
Counties of occurrence: Jackson, Madison					
<i>Dicerandra linearifolia</i>	large-flowered pennyroyal	G4G5	S2		
Counties of occurrence: Covington, Houston					
<i>Hedeoma drummondii</i>	Drummond's pennyroyal	G5	S2		
Counties of occurrence: Greene, Marengo, Sumter					
<i>Monarda clinopodia</i>	basil bee-balm	G5	S2		
Counties of occurrence: Etowah, Jackson, Jefferson, Lauderdale, Madison, Shelby					
<i>Pycnanthemum curvipes</i>	a mountain-mint	G3	S1?		
Counties of occurrence: Calhoun, Chambers, Lee, Randolph					

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Pycnanthemum virginianum</i> Counties of occurrence: Cherokee	Virginia mountain mint	G5	S1		
<i>Scutellaria alabamensis</i> Counties of occurrence: Bibb, Calhoun, Cullman, Jefferson, St. Clair, Walker	Alabama skullcap ⁹	G2	S2		
<i>Scutellaria glabriuscula</i> Counties of occurrence: Geneva	glabrous skullcap	G2?	S1		
<i>Scutellaria saxatilis</i> Counties of occurrence: Henry	rock skullcap	G3	S1		
<i>Stachys eplingii</i> Counties of occurrence: Clay	Epling's hedgenettle	G5	S1		
<i>Synandra hispidula</i> Counties of occurrence: Jackson	Guyandotte beauty	G4	S1		
ORDER LAURALES					
Family Lauraceae - Laurel Family					
<i>Lindera melissifolia</i> Counties of occurrence: Covington, Wilcox ³	pondberry	G2G3	S1	LE	
<i>Lindera subcoriacea</i> Counties of occurrence: Baldwin, Clarke, Escambia, Mobile	bog spicebush	G2G3	S1		
ORDER LINALES					
Family Linaceae - Flax Family					
<i>Linum macrocarpum</i> Counties of occurrence: Baldwin, Escambia, Mobile, Washington	flax	G2	S1		
<i>Linum sulcatum</i> var. <i>harperi</i> Counties of occurrence: Autauga, Colbert, Dallas, Franklin, Hale, Lawrence, Lowndes, Marengo, Sumter	Harper's grooved-yellow flax	G5T2	S1		
ORDER MAGNOLIALES					
Family Magnoliaceae - Magnolia Family					
<i>Magnolia fraseri</i>	Fraser's magnolia	G5	S1		
ORDER MALVALES					
Family Malvaceae - Mallow Family					
<i>Callirhoe alcaeoides</i> Counties of occurrence: Bibb, Morgan	clustered poppy-mallow	G5?	S2		
<i>Callirhoe triangulata</i> Counties of occurrence: Autauga ³ , Elmore, Sumter	clustered poppy-mallow	G3?	S1		
<i>Hibiscus coccineus</i> Counties of occurrence: Mobile, Wilcox	brilliant hibiscus	G4?	S1		
<i>Kosteletzkya smilacifolia</i>	southern seashore mallow	G1G3Q	S1?		
ORDER MYRTALES					
Family Melastomataceae - Melastome Family					
<i>Rhexia aristosa</i> Counties of occurrence: Barbour, Choctaw, Henry	awned meadowbeauty	G3	S1		
<i>Rhexia parviflora</i> Counties of occurrence: Covington, Escambia, Geneva	small-flowered meadowbeauty	G2	S1		

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Rhexia salicifolia</i> Counties of occurrence: Covington, Houston	panhandle meadowbeauty	G2	S1		
Family Onagraceae - Evening Primrose Family					
<i>Epilobium coloratum</i>	purple-leaf willow-herb	G5	S1		
<i>Ludwigia arcuata</i> Counties of occurrence: Mobile	pond seedbox	G4G5	SH		
<i>Ludwigia spathulata</i> Counties of occurrence: Covington, Geneva, Houston, Mobile	spathulate seedbox	G2	S1S2		
<i>Oenothera heterophylla</i> Counties of occurrence: Pickens, Sumter	vari-leaf evening-primrose	G4	SH		
ORDER NEPENTHALES					
Family Droseraceae - Sundew Family					
<i>Drosera rotundifolia</i> Counties of occurrence: Lawrence	round-leaved sundew	G5	S1		
Family Sarraceniaceae - Pitcher-plant Family					
<i>Sarracenia leucophylla</i> Counties of occurrence: Baldwin, Conecuh, Covington, Escambia, Geneva, Mobile, Monroe, Washington	whitetop pitcher-plant	G3	S3		
<i>Sarracenia oreophila</i> Counties of occurrence: Cherokee, DeKalb, Elmore ³ , Etowah, Jackson, Marshall	green pitcher-plant	G2	S2	LE	
<i>Sarracenia rubra</i> ssp. <i>alabamensis</i> Counties of occurrence: Autauga, Chilton, Elmore	Alabama canebroke pitcher-plant ⁹	G4T1T2	S1S2	LE	
<i>Sarracenia rubra</i> ssp. <i>wherryi</i> Counties of occurrence: Baldwin, Covington, Escambia, Mobile, Monroe, Washington	Wherry's sweet pitcher-plant	G4T3	S3		
ORDER NYMPHAEALES					
Family Nymphaeaceae - Water Lily Family					
<i>Nuphar lutea</i> ssp. <i>ulvacea</i> Counties of occurrence: Baldwin	west Florida cowlily	G5T2	S1		
ORDER PAPAVERALES					
Family Fumariaceae					
<i>Dicentra cucullaria</i> Counties of occurrence: Calhoun, Colbert, Etowah, Jackson, Lauderdale, Lawrence, Madison, Marshall	Dutchman's breeches	G5	S2		
Family Papaveraceae - Poppy Family					
<i>Stylophorum diphyllum</i> Counties of occurrence: Colbert, Jackson, Madison	celandine poppy	G5	S1		
ORDER PLANTAGINALES					
Family Plantaginaceae - Plantain Family					
<i>Plantago cordata</i> Counties of occurrence: Bibb, Cherokee, Colbert, Lowndes, Wilcox	heart-leaved plantain	G4	S2		
ORDER POLYGALALES					
Family Polygalaceae - Milkwort Family					
<i>Polygala baldunii</i>	white milkwort	G4	S1?		
<i>Polygala crenata</i> Counties of occurrence: Baldwin, Mobile	crenate milkwort	G4?	S1		

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Polygala hookeri</i> Counties of occurrence: Baldwin, Covington, Escambia, Geneva	Hooker's milkwort	G3	S1S2		
<i>Polygala senega</i> var. <i>latifolia</i> Counties of occurrence: Franklin, Jackson	Seneca snakeroot	G4G5T?	S1		
ORDER POLYGONALES					
Family Polygonaceae - Buckwheat Family					
<i>Eriogonum longifolium</i> var. <i>harperi</i> Counties of occurrence: Colbert, Franklin, Lawrence, Madison	Harper's umbrella plant	G4T2	S1		
<i>Polygonella americana</i> Counties of occurrence: Blount, Cherokee, Cullman, DeKalb, Lamar	southern jointweed	G5	S1		
<i>Polygonella macrophylla</i> Counties of occurrence: Baldwin	large-leaved jointweed	G3	S1		
ORDER PRIMULALES					
Family Primulaceae - Primrose Family					
<i>Dodecatheon frenchii</i> Counties of occurrence: Colbert	French's shooting star	G3	S1		
<i>Hottonia inflata</i> Counties of occurrence: Dallas, Greene, Jefferson, Macon, Madison, Montgomery, Perry	featherfoil	G4	S2		
<i>Lysimachia fraseri</i> Counties of occurrence: Calhoun, St. Clair	Fraser's loosestrife	G3	S1		
<i>Lysimachia graminea</i> Counties of occurrence: Cherokee	grass-leaf loosestrife	G1Q	S1		
ORDER RANUNCALLES					
Family Berberidaceae - Barberry Family					
<i>Berberis canadensis</i> Counties of occurrence: Jefferson ³ , Lee ³	American barberry	G3	SH		
<i>Jeffersonia diphylla</i> Counties of occurrence: Jackson, Madison	twinleaf	G5	S2		
Family Ranunculaceae - Buttercup Family					
<i>Aconitum uncinatum</i>	blue monkshood	G4	S1		
<i>Actaea rubifolia</i> Counties of occurrence: Madison	Appalachian bugbane	G3	SH		
<i>Clematis morefieldii</i> Counties of occurrence: Jackson, Madison	Morefield's leather-flower	G2	S2	LE	
<i>Clematis socialis</i> Counties of occurrence: Cherokee, Etowah, St. Clair	Alabama leather-flower	G1	S1	LE	
<i>Delphinium alabamicum</i> Counties of occurrence: Autauga, Blount, Dallas, Franklin, Jefferson, Lawrence, Lowndes, Monroe	Alabama larkspur ⁹	G2	S2		
<i>Delphinium carolinianum</i> ssp. <i>calciphilum</i>	prairie larkspur	G5T2T4	S1		
<i>Delphinium exaltatum</i> Counties of occurrence: Morgan ³	tall larkspur	G3	SH		
<i>Enemion biternatum</i> Counties of occurrence: Bibb, Colbert, Jackson, Madison, Tuscaloosa, Winston	false rue-anemone	G5	S2		

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Hydrastis canadensis</i>	golden seal	G4	S2		
Counties of occurrence: Blount, Franklin, Jackson, Lawrence, Marshall					
<i>Ranunculus flabellaris</i>	yellow water-crowfoot	G5	S1		
Counties of occurrence: Greene, Limestone, Madison, Sumter					
<i>Thalictrum debile</i>	southern meadowrue	G2	S2		
Counties of occurrence: Colbert, Greene, Lawrence, Madison, Pickens, Sumter, Wilcox					
<i>Thalictrum mirabile</i>	Little Mountain meadowrue	G3Q	S2		
Counties of occurrence: Colbert, Franklin, Lawrence, Winston					
ORDER RHAMNALES					
Family Rhamnaceae - Buckthorn Family					
<i>Rhamnus lanceolata</i>	lance-leaved buckthorn	G5	S2		
Counties of occurrence: Dallas, Hale, Lowndes, Pickens, Sumter					
<i>Sageretia minutiflora</i>	tiny-leaved buckthorn	G4	S1		
Counties of occurrence: Baldwin, Mobile					
Family Vitaceae - Grape Family					
<i>Vitis mustangensis</i>	mustang grape	G4?	S1		
Counties of occurrence: Mobile, Wilcox					
<i>Vitis rotundifolia</i> var. <i>munsoniana</i>	Munson grape	G5T4?	S1		
Counties of occurrence: Baldwin, Covington, Escambia					
ORDER ROSALES					
Family Crassulaceae - Stonecrop Family					
<i>Sedum nevii</i>	Nevius' stonecrop	G3	S3		
Counties of occurrence: Bibb, Fayette, Greene, Hale, Jefferson, Talladega, Tuscaloosa, Walker					
Family Grossulariaceae - Gooseberry Family					
<i>Ribes curvatum</i>	granite gooseberry	G4	S2		
Counties of occurrence: DeKalb, Jackson, Marshall					
<i>Ribes cynosbati</i>	prickly gooseberry	G5	S1S2		
Counties of occurrence: Cherokee, DeKalb, Jackson, Madison, Marshall					
Family Rosaceae - Rose Family					
<i>Agrimonia incisa</i>	incised groovebur	G3	S2		
Counties of occurrence: Baldwin, Mobile, Washington					
<i>Crataegus aemula</i>	Rome hawthorn	G2G3	S1		
<i>Crataegus ashei</i>	Ash's hawthorn	G1	S1		
Counties of occurrence: Autauga, Dallas, Lowndes					
<i>Crataegus triflora</i>	three-flowered hawthorn	G2G3	S2		
Counties of occurrence: Autauga, Clarke, Colbert, Crenshaw, Dallas, Franklin, Marion, Sumter					
<i>Geum laciniatum</i>	rough avens	G5	S1		
<i>Geum virginianum</i>	pale avens	G5	S2		
Counties of occurrence: Jackson					
<i>Neviusia alabamensis</i>	Alabama snow-wreath	G2	S2		
Counties of occurrence: Bibb, Blount, Jackson, Jefferson, Limestone, Madison, St. Clair, Tuscaloosa					
<i>Rubus allegheniensis</i>	Allegheny blackberry	G5	S1		
Counties of occurrence: Madison					
<i>Waldsteinia lobata</i>	Piedmont barren strawberry	G2G3	S1		
Counties of occurrence: Lee, Randolph					

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
Family Saxifragaceae - Saxifrage Family					
<i>Boykinia aconitifolia</i>	brook saxifrage	G4	S1		
Counties of occurrence: Franklin, Marion					
<i>Chrysosplenium americanum</i>	American golden-saxifrage	G5	SH		
Counties of occurrence: Madison ³					
<i>Heuchera longiflora</i>	long-flower alumroot	G4	S1		
Counties of occurrence: Clay, Talladega					
<i>Lepuropetalon spathulatum</i>	southern lepuropetalon	G4G5	S1		
Counties of occurrence: Mobile, Sumter					
<i>Mitella diphylla</i>	miterwort	G5	S1		
Counties of occurrence: Jackson, Morgan					
<i>Parnassia asarifolia</i>	kidneyleaf grass-of-parnassus	G4	S2		
Counties of occurrence: Clay, Cleburne, Jackson, Lee					
<i>Parnassia grandifolia</i>	large-leaved grass-of-parnassus	G3	S1		
Counties of occurrence: Bibb, Choctaw ³ , Washington ³					
ORDER RUBIALES					
Family Rubiaceae - Madder Family					
<i>Galium lanceolatum</i>	Torrey's wild licorice	G5	S1		
ORDER SALICALES					
Family Salicaceae - Willow Family					
<i>Salix floridana</i>	Florida willow	G2	S1		
Counties of occurrence: Covington, Houston					
<i>Salix humilis</i>	tall prairie willow	G5	S2S3		
Counties of occurrence: Calhoun, Clay, Cleburne, DeKalb, Jackson, Talladega					
ORDER SANTALALES					
Family Santalaceae - Sandalwood Family					
<i>Comandra umbellata</i>	bastard toad-flax	G5	S1		
Counties of occurrence: Colbert, Jackson					
<i>Nestronia umbellula</i>	nestronia	G4	S2		
Counties of occurrence: Cherokee, Clarke, DeKalb, Hale, Lowndes, Marshall, Winston					
<i>Pyrularia pubera</i>	buffalo-nut	G5	S2		
Counties of occurrence: Cherokee, Cleburne, DeKalb, Tallapoosa					
ORDER SAPINDALES					
Family Anacardiaceae - Cashew Family					
<i>Cotinus obovatus</i>	American smoke-tree	G4	S2		
Counties of occurrence: DeKalb, Jackson, Madison, Morgan					
Family Rutaceae - Rue Family					
<i>Zanthoxylum americanum</i>	northern prickley ash	G5	S1		
Counties of occurrence: Bibb, Lowndes, Tuscaloosa					
ORDER SCROPHULARIALES					
Family Acanthaceae - Acanthus Family					
<i>Dyschoriste oblongifolia</i>	oblong-leaved dyschoriste	G4G5	S1		
Counties of occurrence: Barbour, Henry					
<i>Ruellia noctiflora</i>	night-flowering wild-petunia	G2	S1		
Counties of occurrence: Covington, Escambia, Mobile					

³ Historic occurrence.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
Family Lentibulariaceae - Bladderwort Family					
<i>Pinguicula planifolia</i>	Chapman's butterwort	G3?	S1S2		
Counties of occurrence: Baldwin, Mobile					
<i>Pinguicula pumila</i>	small butterwort	G4	S1?		
<i>Utricularia floridana</i>	Florida bladderwort	G3G5	S1S2		
Counties of occurrence: Covington, Mobile					
<i>Utricularia inflata</i>	swollen bladderwort	G5	S1S2		
Counties of occurrence: Autauga, Baldwin, Chilton					
<i>Utricularia olivacea</i>	dwarf bladderwort	G4	S1		
Counties of occurrence: Baldwin					
<i>Utricularia resupinata</i>	northeastern bladderwort	G4	S1S2		
Counties of occurrence: Covington					
Family Orobanchaceae - Broomrape Family					
<i>Orobanche uniflora</i>	one-flowered broomrape	G5	S2		
Counties of occurrence: Bibb, Blount, Cherokee, Cullman, DeKalb, Etowah, Jackson, Marshall					
Family Scrophulariaceae - Figwort Family					
<i>Agalinis aphylla</i>	leafless false-foxglove	G3G4	S2		
Counties of occurrence: Baldwin, Mobile, Washington					
<i>Agalinis auriculata</i>	auriculate false-foxglove	G3	S1		
Counties of occurrence: Montgomery ³ , Morgan ³ , Pickens, Wilcox ³					
<i>Agalinis divaricata</i>	pineland false-foxglove	G3?	S1		
Counties of occurrence: Covington, Geneva					
<i>Agalinis filicaulis</i>	thin-stemmed false-foxglove	G3G4	S2		
Counties of occurrence: Mobile					
<i>Agalinis gattingeri</i>	Gattinger's false-foxglove	G4	SH		
<i>Agalinis georgiana</i>	Georgia false-foxglove	GNR	S1		
Counties of occurrence: Covington, Geneva					
<i>Agalinis heterophylla</i>	prairie false-foxglove	G4G5	S2		
Counties of occurrence: Dallas, Hale, Marengo, Perry, Sumter					
<i>Agalinis linifolia</i>	flax-leaf false-foxglove	G4?	S2		
Counties of occurrence: Baldwin, Covington, Houston, Mobile					
<i>Agalinis oligophylla</i>	ridge-stem false-foxglove	G4	S1		
Counties of occurrence: Dallas, Sumter					
<i>Amphianthus pusillus</i>	granite pool sprite	G2	S1	LT	
Counties of occurrence: Chambers, Randolph, Tallapoosa					
<i>Aureolaria dispersa</i>	false-foxglove	GNR	S2?		
<i>Aureolaria patula</i>	spreading false-foxglove	G3	S1		
Counties of occurrence: Cherokee					
<i>Castilleja coccinea</i>	scarlet Indian paintbrush	G5	S1		
Counties of occurrence: DeKalb, Jackson, Madison, Marshall					
<i>Castilleja kraliana</i>	Cahaba paintbrush ⁹	G2	S2		
Counties of occurrence: Bibb					

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
<i>Chelone lyonii</i> Counties of occurrence: DeKalb, Jackson	Pink turtlehead	G4	S1		
<i>Collinsia verna</i> Counties of occurrence: Colbert	blue-eyed Mary	G5	S1		
<i>Macranthera flammea</i> Counties of occurrence: Conecuh, Covington, Escambia, Geneva, Mobile	flame flower	G3	S2		
<i>Penstemon multiflorus</i> Counties of occurrence: Baldwin, Houston	many-flower beardtongue	G4	S1		
<i>Penstemon smallii</i>	Small's beardtongue	G3	S1		
<i>Schwalbea americana</i> Counties of occurrence: Baldwin, Bullock, Geneva ³ , Mobile ³	chaffseed	G2G3	S1	LE	
<i>Veronicastrum virginicum</i> Counties of occurrence: Bibb, Coosa, Dallas	Culver's root	G4	S1		
ORDER SOLANALES					
Family Convolvulaceae - Morning-glory Family					
<i>Evolvulus sericeus</i> var. <i>sericeus</i> Counties of occurrence: Dallas	creeping morning-glory	G5T3T5	S1		
<i>Stylisma aquatica</i> Counties of occurrence: Covington, Dallas, Escambia, Houston	water southern morning-glory	G4	S1		
<i>Stylisma pickeringii</i> var. <i>pickeringii</i> Counties of occurrence: Autauga, Dallas, Wilcox	Pickering's morning-glory	G4T3	S1		
Family Cuscutaceae - Dodder Family					
<i>Cuscuta harperi</i> Counties of occurrence: Chambers, Cherokee, DeKalb, Etowah, Franklin, Jackson, Jefferson, Marion, Marshall, Winston	Harper's dodder	G2G3	S2		
Family Hydrophyllaceae - Waterleaf Family					
<i>Hydrophyllum appendiculatum</i> Counties of occurrence: Jackson	appendage waterleaf	G5	S2?		
<i>Phacelia dubia</i> var. <i>georgiana</i> Counties of occurrence: Chambers, Chilton, Lee, Randolph, Tallapoosa	outcrop small-flower phacelia	G5T3	S2		
<i>Phacelia ranunculacea</i> Counties of occurrence: Monroe	blue scorpion-weed	G4	S1		
<i>Phacelia strictiflora</i> var. <i>robbinsii</i> Counties of occurrence: Sumter	prairie scorpion-weed	G5T4	S1		
Family Polemoniaceae - Phlox Family					
<i>Phlox pulchra</i> Counties of occurrence: Autauga, Bibb, Butler, Elmore, Lawrence, Pike, Shelby, Winston	Wherry's phlox ⁹	G2	S2		
Family Solanaceae - Nightshade Family					
<i>Lycium carolinianum</i> Counties of occurrence: Mobile	Christmas berry	G4	S1S2		
<i>Physalis carpenteri</i> Counties of occurrence: Autauga, Monroe, Wilcox	carpenter's ground-cherry	G3	S1		
<i>Solanum carolinense</i> var. <i>hirsutum</i> Counties of occurrence: Bibb, Coosa	horse-nettle	G5T1	S1		

³ Historic occurrence.

⁹ Alabama endemic.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

ORDER THEALES

Family Clusiaceae - St. John's-wort Family

Hypericum dolabriforme straggling St. John's-wort G4 SH
Counties of occurrence: Cherokee³

Hypericum harperi Harper's St. John's-wort G3G4 S1
Counties of occurrence: Henry, Houston

Hypericum lloydii Lloyd St. John's-wort G4? S1
Counties of occurrence: Randolph

Hypericum nitidum Carolina St. John's-wort G4 S2
Counties of occurrence: Covington

Hypericum nudiflorum pretty St. John's-wort G5 S2
Counties of occurrence: Bibb, Choctaw, Clarke, Henry, Lee, Madison, Tallapoosa

Hypericum reductum Atlantic St. John's-wort G5 S2
Counties of occurrence: Baldwin, Covington, Escambia, Geneva, Mobile, Washington

Family Theaceae - Tea Family

Gordonia lasianthus loblolly bay G5 S1
Counties of occurrence: Baldwin, Houston, Mobile

Stewartia malacodendron silky camellia G4 S2S3
Counties of occurrence: Barbour, Bibb, Blount, Bullock, Butler, Chilton, Coosa, Dale, DeKalb, Geneva, Houston, Jackson, Marshall, Pike, Shelby

Stewartia ovata mountain camellia G4 S2S3
Counties of occurrence: Cullman, DeKalb, Franklin, Jackson, Lamar, Lawrence, Marion, Winston

ORDER VIOALES

Family Cistaceae - Rockrose Family

Helianthemum arenicola coastal-sand frostweed G3 S1
Counties of occurrence: Baldwin, Mobile

Family Violaceae - Violet Family

Viola canadensis Canada violet G5 S2
Counties of occurrence: Autauga, DeKalb, Jackson, Tuscaloosa

Viola egglestonii Eggleston's violet G4 S1
Counties of occurrence: Franklin, Lawrence

³ Historic occurrence.

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Class Pinopsida – *Conifers*

ORDER PINALES

Family Cupressaceae - Cypress Family

<i>Juniperus communis</i>	ground juniper	G5	S1		
Counties of occurrence: Calhoun					

Family Pinaceae - Pine Family

<i>Pinus clausa</i>	sand pine	G4	S2		
Counties of occurrence: Baldwin					

<i>Pinus serotina</i>	pond pine	G5	S1		
Counties of occurrence: Barbour, Butler, Covington, Geneva					

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

Non-vascular plants

MOSSES

Class Bryopsida – Mosses With Arthrodontous Peristome

ORDER ARCHIDIALES

Family Archidiaceae

<i>Archidium tenerrimum</i>	large-spored moss	G5?	S1?
-----------------------------	-------------------	-----	-----

ORDER BRYALES

Family Bryaceae

<i>Brachymerium macrocarpon</i>	tree moss	GNRQ	S1?
---------------------------------	-----------	------	-----

ORDER DICRANALES

Family Bryoxiphiaceae

<i>Bryoxiphium norvegicum</i>	sword moss	G5?	S1
-------------------------------	------------	-----	----

Family Dicranaceae

<i>Dichodontium pellucidum</i>	a moss	G4G5	S1
--------------------------------	--------	------	----

ORDER FISSIDENTALES

Family Fissidentaceae

<i>Fissidens hyalinus</i>	filmy fissidens	GNR	S1
<i>Fissidens kegelianus</i>	fan moss	GNRQ	S1?
<i>Fissidens neonii</i>	moss	G2?	S1?

ORDER GRIMMIALES

Family Grimmiaceae

<i>Schistidium alpicola</i>	rock moss	GNRQ	S2?
-----------------------------	-----------	------	-----

Counties of occurrence: Jackson

ORDER POTTIALES

Family Calymperaceae

<i>Syrrhopodon prolifer</i>	moss	G5	S1
-----------------------------	------	----	----

Family Pottiaceae

<i>Tortula rhizophylla</i>	moss	G3G5	S1
----------------------------	------	------	----

Counties of occurrence: Shelby

<i>Trichostomum crispulum</i>	moss	G5?	S2
-------------------------------	------	-----	----

Counties of occurrence: Morgan

Scientific Name	Common Name	Global Rank	State Rank	Federal Status	State Status
-----------------	-------------	-------------	------------	----------------	--------------

LIVERWORTS

Class Jungermannopsida – *Liverworts*

ORDER JUNGERMANNIALES

Family Jubulaceae

<i>Frullania riparia</i>	liverwort	G4G5	S1?
Counties of occurrence: Jackson			

Family Lejeuneaceae

<i>Cheilolejeunea evansii</i>	liverwort	G1	S1
<i>Cololejeunea ornata</i>	liverwort	G2G4	S1
Counties of occurrence: Jackson			

<i>Lejeunea blomquistii</i>	liverwort	GNR	S1
<i>Lejeunea cardoti</i>	liverwort	G3	S1
Counties of occurrence: Lamar			

Family Plagiochilaceae

<i>Homaliadelphus sharpii</i>	liverwort	GNR	S1
<i>Myurella siberica</i>	liverwort	GNR	S1

EXTINCT SPECIES THAT ONCE OCCURRED IN ALABAMA

Class Actinopterygii – *Ray-finned Fishes*

ORDER CYPRINODONTIFORMES - Topminnows, Livebearers, and Allies

Family Fundulidae - Topminnows

Fundulus albolineatus whiteline topminnow⁹

ORDER CYPRINIFORMES - Carps, Minnows, and Suckers

Family Catostomidae - Suckers

Moxostoma lacerum harelip sucker

Class Aves – *Birds*

ORDER COLUMBIFORMES - Pigeons and Doves

Family Columbidae - Doves and Pigeons

Ectopistes migratorius passenger pigeon

ORDER PSITTACIFORMES - Parrots

Family Psittacidae - Lorises, Parakeets, Macaws, and Parrots

Conuropsis carolinensis Carolina parakeet

Class Bivalvia – *Bivalves (Clams & Mussels)*

ORDER UNIONOIDA - Freshwater Mussels

Family Margaritiferidae

<i>Alasmidonta mccordi</i>	Coosa elktoe ⁹
<i>Elliptio nigella</i>	winged spike
<i>Epioblasma arcaeformis</i>	sugarspoon
<i>Epioblasma biemarginata</i>	angled riffleshell
<i>Epioblasma cincinnatiensis</i>	Gulf riffleshell
<i>Epioblasma flexuosa</i>	leafshell
<i>Epioblasma haysiana</i>	acornshell
<i>Epioblasma lenior</i>	narrow catspaw
<i>Epioblasma lewisii</i>	forkshell
<i>Epioblasma personata</i>	round combshell
<i>Epioblasma propinqua</i>	Tennessee riffleshell
<i>Epioblasma stewardsonii</i>	Cumberland leafshell
<i>Epioblasma torulosa torulosa</i>	tubercled blossom
<i>Epioblasma turgidula</i>	turgid blossom
<i>Fusconaia apalachicola</i>	Apalachicola ebonyshell
<i>Lampsilis binominata</i>	lined pocketbook
<i>Medionidus mcglameriae</i>	Tombigbee moccasinshell ⁹
<i>Obovaria haddletoni</i>	Haddleton lampmussel ⁹
<i>Pleurobema fibuloides</i>	Kusha pigtoe
<i>Pleurobema stabilis</i>	Coosa pigtoe
<i>Pleurobema verum</i>	true pigtoe ⁹

⁹ Alabama endemic.

Class Gastropoda – Gastropods (Snails & Slugs)

ORDER BASOMMATOPHORA

Family Planorbidae - Rams-horn Snails

<i>Amphigyra alabamensis</i>	shoal sprite ⁹
<i>Neoplanorbis carinatus</i>	carinate flat-top snail ⁹
<i>Neoplanorbis smithi</i>	angled flat-top snail ⁹
<i>Neoplanorbis tantillus</i>	little flat-top snail ⁹
<i>Neoplanorbis umbilicatus</i>	umbilicate flat-top snail ⁹

ORDER NEOTAENIOGLOSSA

Family Hydrobiidae - Pebblesnails

<i>Clappia umbilicata</i>	umbilicate pebblesnail ⁹
<i>Marstonia olivacea</i>	olive marstonia ⁹

Family Pleuroceridae - Horn, River, and Rock Snails

<i>Elimia brevis</i>	short-spire elimia ⁹
<i>Elimia capillaris</i>	spindle elimia
<i>Elimia clausa</i>	closed elimia ⁹
<i>Elimia fusiformis</i>	fusiform elimia ⁹
<i>Elimia gibbera</i>	shouldered elimia
<i>Elimia hartmaniana</i>	high-spired elimia ⁹
<i>Elimia impressa</i>	constricted elimia ⁹
<i>Elimia jonesi</i>	hearty elimia ⁹
<i>Elimia laeta</i>	ribbed elimia ⁹
<i>Elimia macglameriana</i>	Macglamery's Coosa river snail
<i>Elimia pilsbryi</i>	rough-lined elimia ⁹
<i>Elimia pupaeformis</i>	pupa elimia ⁹
<i>Elimia pupoidea</i>	bot elimia ⁹
<i>Elimia pygmaea</i>	pygmy elimia ⁹
<i>Gyrotoma excisa</i>	excised slitshell ⁹
<i>Gyrotoma lewisii</i>	striate slitshell ⁹
<i>Gyrotoma pagoda</i>	pagoda slitshell ⁹
<i>Gyrotoma pumila</i>	ribbed slitshell ⁹
<i>Gyrotoma pyramidata</i>	pyramid slitshell ⁹
<i>Gyrotoma walkeri</i>	round slitshell ⁹
<i>Leptoxis clipeata</i>	agate rocksnail ⁹
<i>Leptoxis compacta</i>	oblong rocksnail ⁹
<i>Leptoxis formosa</i>	maiden rocksnail
<i>Leptoxis ligata</i>	rotund rocksnail ⁹
<i>Leptoxis lirata</i>	lirate rocksnail ⁹
<i>Leptoxis minor</i>	knob mudalia ⁹
<i>Leptoxis occultata</i>	bigmouth rocksnail ⁹
<i>Leptoxis showalterii</i>	Coosa rocksnail ⁹
<i>Leptoxis torrefacta</i>	squat rocksnail ⁹
<i>Leptoxis vittata</i>	striped rocksnail ⁹

Family Pomatiopsidae - Seep Snails

<i>Pomatiopsis hinkleyi</i>	Dixie seep snail
-----------------------------	------------------

⁹ Alabama endemic.

References

- American Ornithologists' Union. 1998. Check-list of North American Birds. 7th edition. American Ornithologists' Union, Washington, D.C. 829 pages.
- Chesser, R. T., R. C. Banks, F. K. Barker, C. Cicero, J. L. Dunn, A. W. Kratter, I. J. Lovette, P. C. Rasmussen, J. V. Remsen, Jr., J. D. Rising, D. F. Stotz, and K. Winker. 2010. Fifty-first supplement to the American Ornithologists' Union Checklist of North American Birds. *The Auk* 127: 726-744.
- Crother, B. I. (editor). 2008. Scientific and standard English names of Amphibians and Reptiles of North America North of Mexico. Society for the Study of Amphibians and Reptiles Herpetological Circular 37. 84 pages.
- Mirarchi, R.E., editor. 2004. Alabama Wildlife. Volume 1. A checklist of vertebrates and selected invertebrates: aquatic mollusks, fishes, amphibians, reptiles, birds, and mammals. The University of Alabama Press, Tuscaloosa, Alabama. 209 pages.
- Williams, J. D., A. E. Bogan, and J. T. Garner. 2008. Freshwater mussels of Alabama and the Mobile Basin in Georgia, Mississippi, and Tennessee. University of Alabama Press, Tuscaloosa, Alabama. 960 pages.
- Wilson, D. E. and D. M. Reeder, editors. 2005. Mammals species of the world. A taxonomic and geographic reference. 3rd edition. Johns Hopkins University Press, Baltimore, Maryland. 2,142 pages.