



Java VM version




```
lauracantu — bash — 80x24
Last login: Wed Aug 30 19:46:30 on ttys000
148-100-140-62:~ lauracantu$ java -version
java version "1.6.0_65"
Java(TM) SE Runtime Environment (build 1.6.0_65-b14-466.1-11M4716)
Java HotSpot(TM) 64-Bit Server VM (build 20.65-b04-466.1, mixed mode)
148-100-140-62:~ lauracantu$
```

Java compiler version




```
lauracantu — bash — 80x24
Last login: Wed Aug 30 19:46:30 on ttys000
148-100-140-62:~ lauracantu$ java -version
java version "1.6.0_65"
Java(TM) SE Runtime Environment (build 1.6.0_65-b14-466.1-11M4716)
Java HotSpot(TM) 64-Bit Server VM (build 20.65-b04-466.1, mixed mode)
148-100-140-62:~ lauracantu$
148-100-140-62:~ lauracantu$ javac -version
javac 1.6.0_65
148-100-140-62:~ lauracantu$
```


Kattis account




Configured GIT account for MAC



GitHub account



[Pull requests](#) [Issues](#) [Marketplace](#) [Explore](#)



ProTip! Updating your profile with your name, location, and a profile picture helps other GitHub users get to know you.

[Edit profile](#)

[Overview](#) [Repositories 1](#) [Stars 0](#) [Followers 0](#) [Following 0](#)

Popular repositories

Customize your pinned repositories

[cmpt220cantu](#)

2 contributions in the last year

Contribution settings ▾

	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug
Mon												
Wed												
Fri												

[Learn how we count contributions.](#)


[Less](#)[More](#)

Contribution activity


Jump to ▾ [2017](#)

August 2017

GitHub class repository



[Pull requests](#) [Issues](#) [Marketplace](#) [Explore](#)



Laura

[lauracantu1 / cmpt220cantu](#)

[Watch 0](#) [Star 0](#) [Fork 0](#)


[Code](#) [Issues 0](#) [Pull requests 0](#) [Projects 0](#) [Wiki](#) [Settings](#) [Insights ▾](#)

[Options](#)

[Collaborators](#)[Webhooks](#)[Integrations & services](#)[Deploy keys](#)

Collaborators

Push access to the repository

**Juan Arias**
Awaiting jfac55-marist's response


[Copy invite link ▾](#) [Cancel invite](#)

Search by username, full name or email address

You'll only be able to find a GitHub user by their email address if they've chosen to list it publicly. Otherwise, use their username instead.

[Add collaborator](#)



© 2017 GitHub, Inc. [Terms](#) [Privacy](#) [Security](#) [Status](#) [Help](#)



[Contact GitHub](#) [API](#) [Training](#) [Shop](#) [Blog](#) [About](#)

https://github.com/lauracantu1/cmpt220cantu/settings/collaboration

GitHub class repository HTTPS link

 This repository Search Pull requests Issues Marketplace Explore +

lauracantu1 / cmpt220cantu Watch 0 Star 0 Fork 0

<> Code 1 Issues 0 Pull requests 0 Projects 0 Wiki Settings Insights

Quick setup — if you've done this kind of thing before

Set up in Desktop or HTTPS SSH

We recommend every repository include a [README](#), [LICENSE](#), and [.gitignore](#).

...or create a new repository on the command line

```
echo "# cmpt220cantu" >> README.md
git init
git add README.md
git commit -m "first commit"
git remote add origin https://github.com/lauracantu1/cmpt220cantu.git
git push -u origin master
```

...or push an existing repository from the command line

```
git remote add origin https://github.com/lauracantu1/cmpt220cantu.git
git push -u origin master
```

...or import code from another repository

You can initialize this repository with code from a Subversion, Mercurial, or TFS project.