[UG-36] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando el campo de peso del producto es un string vacío Created: 25/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Highest
Reporter:	Laura Ciro	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	curl --location 'https://cnt-9c0555f0-af96-495d-9942-f2c9a01e97b0.containerhub.tripleten-services.com/order-and-go/v1/delivery' \
	 --header 'Content-Type: application/json' \
	 --data '{
	     "deliveryTime": 15,
	     "productsCount": 11,
	     "productsWeight": null
	 }'		

Attachments:	🖼️image-20250325-211640.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

```
{
"deliveryTime": 15,
"productsCount": 11,
"productsWeight": null
}
```

Resultado esperado:
200 OK
```
{
"name": "Order and Go",
```

```json
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 5,
"isItPossibleToDeliver": true
}
```

Resultado Actual:
200 OK

```json
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}
```

[UG-35] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando el peso del producto es un espacio Created: 25/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	curl --location 'https://cnt-9c0555f0-af96-495d-9942-f2c9a01e97b0.containerhub.tripleten-services.com/order-and-go/v1/delivery' \
	--header 'Content-Type: application/json' \
	--data '{
	    "deliveryTime": 15,
	    "productsCount": 11,
	    "productsWeight": " "
	}'		

Attachments:	🖼image-20250325-211416.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": 15,
"productsCount": 11,
"productsWeight": " "
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 5,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}
```

[UG-34] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando el peso del producto son letras del alfabeto latino Created: 25/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	```curl --location 'https://cnt-9c0555f0-af96-495d-9942-f2c9a01e97b0.containerhub.tripleten-services.com/order-and-go/v1/delivery' \`
	```--header 'Content-Type: application/json' \```
	```--data '{```
	``` "deliveryTime": 15,```
	``` "productsCount": 11,```
	``` "productsWeight": "cuatro"```
	```}'```		

Attachments:	🖼 image-20250325-211243.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

```
{
"deliveryTime": 15,
"productsCount": 11,
"productsWeight": "cuatro"
}
```

Resultado esperado:
200 OK
```
{
"name": "Order and Go",
```

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 5,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}
```

[UG-33] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando el peso del producto son caracteres especiales Created: 25/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Highest
Reporter:	Laura Ciro	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	curl --location 'https://cnt-9c0555f0-af96-495d-9942-f2c9a01e97b0.containerhub.tripleten-services.com/order-and-go/v1/delivery' \
	--header 'Content-Type: application/json' \
	--data '{
	    "deliveryTime": 15,
	    "productsCount": 11,
	    "productsWeight": "*/-+"
	}'		

Attachments:	🖼 image-20250325-211104.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": 15,
"productsCount": 11,
"productsWeight": "*/-+"
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 5,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}
```

[UG-32] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando el peso del producto son caracteres de otros idiomas Created: 25/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	`curl --location 'https://cnt-9c0555f0-af96-495d-9942-f2c9a01e97b0.containerhub.tripleten-services.com/order-and-go/v1/delivery' \`
	`--header 'Content-Type: application/json' \`
	`--data '{`
	`    "deliveryTime": 15,`
	`    "productsCount": 11,`
	`    "productsWeight": "加布"`
	`}'`		

Attachments:	🖼image-20250325-210927.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": 15,
"productsCount": 11,
"productsWeight": "加布"
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 5,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}
```

[UG-31] POST /order-and-go/v1/delivery devuelve clientDeliveryCost $0 cuando el peso es de 6.1kg Created: 25/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	```curl --location 'https://cnt-9c0555f0-af96-495d-9942-f2c9a01e97b0.containerhub.tripleten-services.com/order-and-go/v1/delivery' \ --header 'Content-Type: application/json' \ --data '{ "deliveryTime": 15, "productsCount": 11, "productsWeight": 6.1 }'```		

Attachments:	🖼image-20250325-210709.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": 15,
"productsCount": 11,
"productsWeight": 6.1
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 9,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 5,
"isItPossibleToDeliver": true
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 5,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}
```

[UG-30] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando el peso del producto es -1 Created: 25/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	```curl --location 'https://cnt-9c0555f0-af96-495d-9942-f2c9a01e97b0.containerhub.tripleten-services.com/order-and-go/v1/delivery' \ --header 'Content-Type: application/json' \ --data '{ "deliveryTime": 15, "productsCount": 11, "productsWeight": -1 }'```		

Attachments:	🖼️image-20250325-210416.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": 15,
"productsCount": 11,
"productsWeight": -1
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 5,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 5,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}
```

[UG-29] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando el campo cantidad de productos está vacío Created: 24/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	curl --location 'https://cnt-cba32c88-3edf-4845-83c7-3af4ea36e616.containerhub.tripleten-services.com/order-and-go/v1/delivery' \
	--header 'Content-Type: application/json' \
	--data '{
	    "deliveryTime": 15,
	    "productsCount": null,
	    "productsWeight": 3
	}'		

Attachments:	🖼 image-20250324-212923.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

```
{
"deliveryTime": 15,
"productsCount": null,
"productsWeight": 3
}
```

Resultado esperado:
200 OK
{
"name": "Order and Go",

"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 3,
"isItPossibleToDeliver": false
}

Resultado Actual:
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}

[UG-28] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando la cantidad de productos es un espacio Created: 24/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	```curl --location 'https://cnt-cba32c88-3edf-4845-83c7-3af4ea36e616.containerhub.tripleten-services.com/order-and-go/v1/delivery' \` `--header 'Content-Type: application/json' \` `--data '{` ` "deliveryTime": 15,` ` "productsCount": " ",` ` "productsWeight": 3` `}'```		

Attachments:	🖼️image-20250324-212735.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": 15,
"productsCount": " ",
"productsWeight": 3
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 3,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}
```

[UG-27] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando la cantidad de productos son letras latinas Created: 24/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	```curl --location 'https://cnt-cba32c88-3edf-4845-83c7-3af4ea36e616.containerhub.tripleten-services.com/order-and-go/v1/delivery' \ --header 'Content-Type: application/json' \ --data '{ "deliveryTime": 15, "productsCount": "tres", "productsWeight": 3 }'```		

Attachments:	🖼 image-20250324-212543.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

```
{
"deliveryTime": 15,
"productsCount": "tres",
"productsWeight": 3
}
```

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 3,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}
```

[UG-26] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando la cantidad de productos son caracteres especiales Created: 24/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Highest
Reporter:	Laura Ciro	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	curl --location 'https://cnt-cba32c88-3edf-4845-83c7-3af4ea36e616.containerhub.tripleten-services.com/order-and-go/v1/delivery' \
	--header 'Content-Type: application/json' \
	--data-raw '{
	    "deliveryTime": 15,
	    "productsCount": "*/@",
	    "productsWeight": 3
	}'		

Attachments:	🖼 image-20250324-212418.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": 15,
"productsCount": "*/@",
"productsWeight": 3
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 3,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}
```

[UG-25] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando la cantidad de productos son caracteres de otros idiomas Created: 24/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	`curl --location 'https://cnt-cba32c88-3edf-4845-83c7-3af4ea36e616.containerhub.tripleten-services.com/order-and-go/v1/delivery' \`
	`--header 'Content-Type: application/json' \`
	`--data '{`
	`    "deliveryTime": 15,`
	`    "productsCount": "加布",`
	`    "productsWeight": 3`
	`}'`		

Attachments:	🖼image-20250324-212254.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": 15,
"productsCount": "加布",
"productsWeight": 3
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 3,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
200 OK
```
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}
```

[UG-24] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando la cantidad de productos es 7.1 Created: 24/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	`curl --location 'https://cnt-cba32c88-3edf-4845-83c7-3af4ea36e616.containerhub.tripleten-services.com/order-and-go/v1/delivery' \`
	`--header 'Content-Type: application/json' \`
	`--data '{`
	`    "deliveryTime": 15,`
	`    "productsCount": 7.1,`
	`    "productsWeight": 3`
	`}'`		

Attachments:	🖼 image-20250324-212115.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": 15,
"productsCount": 7.1,
"productsWeight": 3
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 3,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}
```

[UG-23] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando la cantidad de productos es -1 Created: 24/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	curl --location 'https://cnt-95732f8a-b1ec-4c99-9ba9-3c62a3a83649.containerhub.tripleten-services.com/order-and-go/v1/delivery' \
	--header 'Content-Type: application/json' \
	--data '{
	    "deliveryTime": 15,
	    "productsCount": -1,
	    "productsWeight": 5
	}'		

Attachments:	🖼image-20250324-211519.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": 15,
"productsCount": -1,
"productsWeight": 5
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 3,
"isItPossibleToDeliver": false
}
```

Resultado Actual:

```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 5,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}
```

[UG-22] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando el campo hora esta vacío Created: 24/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Highest
Reporter:	Laura Ciro	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	``curl --location 'https://cnt-95732f8a-b1ec-4c99-9ba9-3c62a3a83649.containerhub.tripleten-services.com/order-and-go/v1/delivery' \``
	 ``--header 'Content-Type: application/json' \``
	 ``--data '{``
	 ``    "deliveryTime": null,``
	 ``    "productsCount": 8,``
	 ``    "productsWeight": 3``
	 ``}'``		

Attachments:	🖼image-20250324-211307.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": null,
"productsCount": 8,
"productsWeight": 3
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 3,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 5
}
```

[UG-21] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando la hora es un espacio Created: 24/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Highest
Reporter:	Laura Ciro	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	curl --location 'https://cnt-95732f8a-b1ec-4c99-9ba9-3c62a3a83649.containerhub.tripleten-services.com/order-and-go/v1/delivery' \
	--header 'Content-Type: application/json' \
	--data '{
	    "deliveryTime": " ",
	    "productsCount": 8,
	    "productsWeight": 3
	}'		

Attachments:	🖼 image-20250324-211058.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": " ",
"productsCount": 8,
"productsWeight": 3
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 3,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 5
}
```

[UG-20] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando la hora son letras del alfabeto latino Created: 24/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Highest
Reporter:	Laura Ciro	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	curl --location 'https://cnt-95732f8a-b1ec-4c99-9ba9-3c62a3a83649.containerhub.tripleten-services.com/order-and-go/v1/delivery' \ --header 'Content-Type: application/json' \ --data '{ "deliveryTime": "ocho", "productsCount": 8, "productsWeight": 3 }'		

Attachments:	image-20250324-210906.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": "ocho",
"productsCount": 8,
"productsWeight": 3
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 3,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}
```

[UG-19] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando la hora son caracteres especiales Created: 24/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	curl --location 'https://cnt-95732f8a-b1ec-4c99-9ba9-3c62a3a83649.containerhub.tripleten-services.com/order-and-go/v1/delivery' \ --header 'Content-Type: application/json' \ --data-raw '{ "deliveryTime": "*/@", "productsCount": 8, "productsWeight": 3 }'		

Attachments:	image-20250324-210200.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": "*/@",
"productsCount": 8,
"productsWeight": 3
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 3,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}
```

Status:	To Do
Project:	[Urban Grocers](#)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	[Laura Ciro](#)	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	<pre>curl --location 'https://cnt-95732f8a-b1ec-4c99-9ba9-3c62a3a83649.containerhub.tripleten-services.com/order-and-go/v1/delivery' \\
	--header 'Content-Type: application/json' \\
	--data '{
	    "deliveryTime": "加布",
	    "productsCount": 8,
	    "productsWeight": 3
	}'</pre>		

Attachments:	🖼️image-20250324-205922.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": "加布",
"productsCount": 8,
"productsWeight": 3
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 3,
"isItPossibleToDeliver": false
}
```

Resultado actual:

```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}
```

[UG-17] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando la hora es 8.3 Created: 24/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	```curl --location 'https://cnt-95732f8a-b1ec-4c99-9ba9-3c62a3a83649.containerhub.tripleten-services.com/order-and-go/v1/delivery' \ --header 'Content-Type: application/json' \ --data '{ "deliveryTime": 8.3, "productsCount": 8, "productsWeight": 3 }'```		

Attachments:	🖼 image-20250324-205635.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": 8.3,
"productsCount": 8,
"productsWeight": 3
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 3,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
200 OK
```
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 0
}
```

[UG-16] POST /order-and-go/v1/delivery devuelve que es posible la entrega cuando la hora es -8 Created: 24/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	curl --location 'https://cnt-95732f8a-b1ec-4c99-9ba9-3c62a3a83649.containerhub.tripleten-services.com/order-and-go/v1/delivery' \
	--header 'Content-Type: application/json' \
	--data '{
	    "deliveryTime": -8,
	    "productsCount": 8,
	    "productsWeight": 3
	}'		

Attachments:	🖼 image-20250324-205409.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": -8,
"productsCount": 8,
"productsWeight": 3
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 3,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 5
}
```

[UG-15] POST /order-and-go/v1/delivery devuelve clientDeliveryCost $0 cuando el peso es de 6.1 kg Created: 24/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	```curl --location 'https://cnt-95732f8a-b1ec-4c99-9ba9-3c62a3a83649.containerhub.tripleten-services.com/order-and-go/v1/delivery' \ --header 'Content-Type: application/json' \ --data '{ "deliveryTime": 9, "productsCount": 10, "productsWeight": 6.1 }'```		

Attachments:	🖼image-20250324-205005.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": 9,
"productsCount": 10,
"productsWeight": 6.1
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 9,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }


,
"hostDeliveryCost": 7,
"isItPossibleToDeliver": true
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 5,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }


,
"clientDeliveryCost": 0
}
```

[UG-14] POST /order-and-go/v1/delivery devuelve clientDeliveryCost $5 cuando el peso es de 7kg Created: 24/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	curl --location 'https://cnt-95732f8a-b1ec-4c99-9ba9-3c62a3a83649.containerhub.tripleten-services.com/order-and-go/v1/delivery' \ --header 'Content-Type: application/json' \ --data '{ "deliveryTime": 10, "productsCount": 16, "productsWeight": 7 }'		

Attachments:	🖼 image-20250324-203320.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": 10,
"productsCount": 16,
"productsWeight": 7
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 9,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 7,
"isItPossibleToDeliver": true
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 5,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 5
}
```

[UG-13] POST /order-and-go/v1/delivery devuelve que es posible de entregar cuando la hora es 23 Created: 23/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	<pre>curl --location 'https://cnt-b023eaa9-dc1a-4c54-b90d-ff783ab59a12.containerhub.tripleten-services.com/order-and-go/v1/delivery' \
	--header 'Content-Type: application/json' \
	--data '{
	    "deliveryTime": 23,
	    "productsCount": 10,
	    "productsWeight": 11
	}'</pre>		

Attachments:	image-20250323-205024.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": 23,
"productsCount": 10,
"productsWeight": 11
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 9,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 7,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 5,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 5
}
```

[UG-12] Probar el servicio de entrega: "Order and Go" con "deliveryTime" a las 7 horas Created: 23/Mar/25 Updated: 23/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	```curl --location 'https://cnt-b023eaa9-dc1a-4c54-b90d-ff783ab59a12.containerhub.tripleten-services.com/order-and-go/v1/delivery' \```
	 ```--header 'Content-Type: application/json' \```
	 ```--data '{```
	 ``` "deliveryTime": 7,```
	 ``` "productsCount": 8,```
	 ``` "productsWeight": 3```
	 ```}'```		

Attachments:	🖼image-20250323-204635.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /order-and-go/v1/delivery

Datos de prueba:

{
"deliveryTime": 7,
"productsCount": 8,
"productsWeight": 3
}

Resultado esperado:
200 OK
{
"name": "Order and Go",

```
"clientDeliveryCost": 0,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"hostDeliveryCost": 3,
"isItPossibleToDeliver": false
}
```

Resultado Actual:
```
200 OK
{
"name": "Order and Go",
"isItPossibleToDeliver": true,
"hostDeliveryCost": 3,
"toBeDeliveredTime":

{ "min": 20, "max": 25 }

,
"clientDeliveryCost": 5
}
```

[UG-11] POST a /api/v1/kits/:id/products devuelve error 500 cuando el id en la URL son caracteres de otro idioma Created: 23/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	High
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	```curl --location 'https://cnt-b023eaa9-dc1a-4c54-b90d-ff783ab59a12.containerhub.tripleten-services.com/api/v1/kits/加布/products' \ --header 'Content-Type: application/json' \ --data '{ "productsList": [{ "id": 8, "quantity": 1 }] }'```		

Attachments:	🖼image-20250323-204218.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /api/v1/kits/:id/products con una ID de kit en la URL y una ID existente de producto en el cuerpo de la solicitud.

Datos de prueba:

Parámetros de ruta: id=加布
{
"productsList": [

{ "id": 8, "quantity": 1 }

```
  ]
  }
}
```

Resultado esperado:
404 Not found

Resultado Actual:
500 Internal Server Error

[UG-10] POST a /api/v1/kits/:id/products devuelve error 500 cuando el id en la URL es -1 Created: 16/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	High
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	curl --location 'https://cnt-b023eaa9-dc1a-4c54-b90d-ff783ab59a12.containerhub.tripleten-services.com/api/v1/kits/dos/products' \ --header 'Content-Type: application/json' \ --data '{ "productsList": [{ "id": 7, "quantity": 3 }] }'		

Attachments:	🖼️image-20250323-203609.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /api/v1/kits/:id/products con una ID de kit en la URL y una ID existente de producto en el cuerpo de la solicitud.

Datos de prueba:

Parámetros de ruta: id=-1
{
"productsList": [

{ "id": 6, "quantity": 1 }

```
]
}
```

Resultado esperado:
404 Not found

Resultado Actual:
500 Internal Server Error

[UG-9] POST a /api/v1/kits/:id/products devuelve error 500 cuando el id en la URL es 1.2 Created: 16/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	High
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	curl --location 'https://cnt-b023eaa9-dc1a-4c54-b90d-ff783ab59a12.containerhub.tripleten-services.com/api/v1/kits/1.2/products' \ --header 'Content-Type: application/json' \ --data '{ "productsList": [{ "id": 6, "quantity": 1 }] }'		

Attachments:	image-20250323-203244.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /api/v1/kits/:id/products con una ID de kit en la URL y una ID existente de producto en el cuerpo de la solicitud.

Datos de prueba:

Parámetros de ruta: id=1.2
{
"productsList": [

{ "id": 6, "quantity": 1 }

```
]
}
```

Resultado esperado:
404 Not found

Resultado Actual:
500 Internal Server Error

[UG-8] [POST a /api/v1/kits/:id/products devuelve error 500 cuando el id en la URL son fracciones](#) Created: 15/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	[Urban Grocers](#)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	High
Reporter:	[Laura Ciro](#)	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	```curl --location 'https://cnt-b023eaa9-dc1a-4c54-b90d-ff783ab59a12.containerhub.tripleten-services.com/api/v1/kits/½/products' \ --header 'Content-Type: application/json' \ --data '{ "productsList": [{ "id": 6, "quantity": 1 }] }'```		

Attachments:	🖼️image-20250323-203036.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /api/v1/kits/:id/products con una ID de kit en la URL y una ID existente de producto en el cuerpo de la solicitud.

Datos de prueba:

Parámetros de ruta: id=½
{
"productsList": [

{ "id": 6, "quantity": 1 }

```
]
}
```

Resultado esperado:
404 Not found

Resultado Actual:
500 Internal Server Error

[UG-7] POST a /api/v1/kits/:id/products devuelve error 500 cuando el campo cantidad se encuentra vacío Created: 15/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Highest
Reporter:	Laura Ciro	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	curl --location 'https://cnt-b150f298-0e1a-468f-878d-dfe51a35ae34.containerhub.tripleten-services.com/api/v1/kits/4/products' \ --header 'Content-Type: application/json' \ --data '{ "productsList": [{ "id": 7, "quantity": null }] }'		

Attachments:	image-20250322-224342.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /api/v1/kits/:id/products con una ID de kit en la URL y una ID existente de producto en el cuerpo de la solicitud.

Datos de prueba:

Parámetros de ruta: id=4

{
"productsList": [

{ "id": 7, "quantity": null }

```
]
}
```

Resultado esperado:
404 Not found

Resultado Actual:
200 OK

[UG-6] POST a /api/v1/kits/:id/products devuelve error 500 cuando la cantidad son decimales Created: 15/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	```curl --location 'https://cnt-b150f298-0e1a-468f-878d-dfe51a35ae34.containerhub.tripleten-services.com/api/v1/kits/4/products' \ --header 'Content-Type: application/json' \ --data '{ "productsList": [{ "id": 1, "quantity": "½" }] }'```		

Attachments:	🖼️image-20250322-223945.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /api/v1/kits/:id/products con una ID de kit en la URL y una ID existente de producto en el cuerpo de la solicitud.

Datos de prueba:

Parámetros de ruta: id=4

```
{
"productsList": [

{ "id": 1, "quantity": "½" }
```

```
]
}
```

Resultado esperado:
404 Not found

Resultado Actual:
500 Internal Server Error

[UG-5] [POST a /api/v1/kits/:id/products devuelve error 500 cuando la cantidad es espacio](#) Created: 15/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	[Urban Grocers](#)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	[Laura Ciro](#)	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	<pre>curl --location 'https://cnt-b150f298-0e1a-468f-878d-dfe51a35ae34.containerhub.tripleten-services.com/api/v1/kits/4/products' \
	--header 'Content-Type: application/json' \
	--data '{
	 "productsList": [
	 {
	 "id": 1,
	 "quantity": " "
	 }
	]
	 }'</pre>		

Attachments:	🖼image-20250322-223603.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /api/v1/kits/:id/products con una ID de kit en la URL y una ID existente de producto en el cuerpo de la solicitud.

Datos de prueba:

Parámetros de ruta: id=4

{
"productsList": [

{ "id": 1, "quantity": " " }

```
]
}
```

Resultado esperado:
404 Not found

Resultado Actual:
200 OK

[UG-4] POST a /api/v1/kits/:id/products devuelve error 500 cuando la cantidad son letras latinas
Created: 15/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	Laura Ciro	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	<pre>curl --location 'https://cnt-b150f298-0e1a-468f-878d-dfe51a35ae34.containerhub.tripleten-services.com/api/v1/kits/4/products' \
	--header 'Content-Type: application/json' \
	--data '{
	 "productsList": [
	 {
	 "id": 7,
	 "quantity": "dos"
	 }
	]
	 }'</pre>		

Attachments:	🖼 image-20250322-223354.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /api/v1/kits/:id/products con una ID de kit en la URL y una ID existente de producto en el cuerpo de la solicitud.

Datos de prueba:

Parámetros de ruta: id=4

{
"productsList": [

{ "id": 7, "quantity": "dos" }

```
]
}
}
```

Resultado esperado:
404 Not found

Resultado Actual:
500 Internal Server Error

[UG-3] [POST a /api/v1/kits/:id/products devuelve error 500 cuando la cantidad son caracteres especiales](#) Created: 15/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	[Urban Grocers](#)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	**Priority:**	Highest
Reporter:	[Laura Ciro](#)	**Assignee:**	Unassigned
Resolution:	Unresolved	**Votes:**	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		

Environment:	<pre>curl --location 'https://cnt-b150f298-0e1a-468f-878d-dfe51a35ae34.containerhub.tripleten-services.com/api/v1/kits/4/products' \
	--header 'Content-Type: application/json' \
	--data '{
	 "productsList": [
	 {
	 "id": 12,
	 "quantity": "*/"
	 }
	]
	 }'</pre>		

Attachments:	🖾image-20250322-222736.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /api/v1/kits/:id/products con una ID de kit en la URL y una ID existente de producto en el cuerpo de la solicitud.

Datos de prueba:

Parámetros de ruta: id=4

{
"productsList": [

{ "id": 12, "quantity": "*/" }

```
]
}
```

Resultado esperado:
404 Not found

Resultado Actual:
500 Internal Server Error

[UG-2] POST a /api/v1/kits/:id/products devuelve error 500 cuando la cantidad son caracteres de otro idioma Created: 15/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	Urban Grocers
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Highest
Reporter:	Laura Ciro	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	curl --location 'https://cnt-f6f9d273-12b7-4350-948a-971a169c03c0.containerhub.tripleten-services.com/api/v1/kits/2/products' \ --header 'Content-Type: application/json' \ --data '{ "productsList": [{ "id": 7, "quantity": null }] }'		

Attachments:	🖼️image-20250322-221508.png

Description

Pasos de la prueba:

1. Envía una solicitud POST a /api/v1/kits/:id/products con una ID de kit en la URL y una ID existente de producto en el cuerpo de la solicitud.

Datos de prueba:

Parámetros de ruta: id=4

{
"productsList": [

{ "id": 3, "quantity": "加布" }

```
]
}
```

Resultado esperado:
404 Not found

Resultado Actual:
500 Internal Server Error

[UG-1] [POST a /api/v1/kits/:id/products devuelve error 500 cuando la cantidad es de 1.2](#) Created: 15/Mar/25 Updated: 26/Mar/25

Status:	To Do
Project:	[Urban Grocers](#)
Components:	None
Affects versions:	None
Fix versions:	None

Type:	Bug	Priority:	Highest
Reporter:	[Laura Ciro](#)	Assignee:	Unassigned
Resolution:	Unresolved	Votes:	0
Labels:	None		
Remaining Estimate:	Not Specified		
Time Spent:	Not Specified		
Original estimate:	Not Specified		
Environment:	(see below)		

```
curl --location 'https://cnt-b150f298-0e1a-468f-878d-
dfe51a35ae34.containerhub.tripleten-
services.com/api/v1/kits/4/products' \
--header 'Content-Type: application/json' \
--data '{
    "productsList": [
        {
            "id": 10,
            "quantity": "1.2"
        }
    ]
}'
```

Attachments:	🖼️image-20250322-220940.png

Description

Pasos de la prueba:
1. Envía una solicitud POST a /api/v1/kits/:id/products con una ID de kit en la URL y un ID existente de producto en el cuerpo de la solicitud.

Datos de prueba:

Parámetros de ruta: id=4

{
"productsList": [

{ "id": 10, "quantity": "1.2" }

```
]
}
```

Resultado esperado:
404 Not found

Resultado Actual:
500 Internal Server Error