

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file index.html

Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.

From line 1, column 16; to line 2, column 6

TYPE HTML><<html><< <

For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

From line 25, column 46; to line 25, column 78

ion-item"></nav>

3. **Warning** The `name` attribute is obsolete. Consider putting an `id` attribute on the nearest container instead.

From line 37, column 17; to line 37, column 34

<h1>Welcom

4. **Error** Duplicate ID `packages`.

From line 49, column 13; to line 49, column 58

<section class="flex-container" id="packages"><

5. **Warning** The first occurrence of ID `packages` was here.
From line 46, column 9; to line 46, column 31
`<section id="packages">`
6. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
From line 51, column 21; to line 51, column 68
`<section class="flex-item r" id="grouplearning">`
7. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
From line 53, column 25; to line 53, column 68
`<section class="flex-item s" id="icediving">`
8. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
From line 54, column 25; to line 54, column 69
`<section class="flex-item s" id="cavediving">`
9. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
From line 52, column 21; to line 52, column 52
`<section class="flex-container">`
10. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
From line 50, column 17; to line 50, column 55
`<section class="flex-container-column">`
11. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
From line 57, column 17; to line 57, column 66
`<section class="flex-item large" id="ourpackages">`
12. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).
From line 60, column 25; to line 60, column 70
`<section class="flex-item s" id="nightdiving">`
13. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

From line 61, column 25; to line 61, column 69

```
<section class="flex-item s" id="techdiving"><a cla
```

14. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

From line 59, column 21; to line 59, column 52

```
<section class="flex-container">↵
```

15. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

From line 63, column 21; to line 63, column 66

```
<section class="flex-item r" id="wreckdiving"><a cla
```

16. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

From line 58, column 17; to line 58, column 55

```
<section class="flex-container-column">↵
```

17. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

From line 49, column 13; to line 49, column 58

```
<section class="flex-container" id="packages">↵
```

18. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

From line 46, column 9; to line 46, column 31

```
>↵ <section id="packages">↵
```

19. **Error** Attribute `volume` not allowed on element `iframe` at this point.

From line 80, column 13; to line 80, column 280

```
<iframe class="videoContainer__video" width="1920" height="1080"
src="http://www.youtube.com/embed/_...
&fs=0&loop=1&rel=0&showinfo=0&disablekb=1&playlist=_38JDGnr0vA"
```

Attributes for element `iframe`:

[Global attributes](#)

`src` - Address of the resource

`srcdoc` - A document to render in the `iframe`

[name](#) - Name of [nested browsing context](#)

[sandbox](#) - Security rules for nested content

`allowfullscreen` - Whether to allow the `iframe`'s contents to use `requestFullscreen()`

[allowpaymentrequest](#) - Whether the iframe's contents are allowed to use the [PaymentRequest](#) interface to make payment requests

width - Horizontal dimension

height - Vertical dimension

referrerpolicy - [Referrer policy](#) for [fetches](#) initiated by the element

20. **Error** The `frameborder` attribute on the `iframe` element is obsolete. [Use CSS instead.](#)

From line 80, column 13; to line 80, column 280

```
<iframe class="videoContainer__video" width="1920" height="1080"
src="http://www.youtube.com/embed/_...
&fs=0&loop=1&rel=0&showinfo=0&disablekb=1&playlist=_38JDGnr0vA"
```

21. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections.](#)

From line 83, column 9; to line 83, column 17

```
<section>
```

22. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections.](#)

From line 87, column 13; to line 87, column 46

```
<section class="flexitemmaxwidth">
```

23. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections.](#)

From line 94, column 13; to line 94, column 57

```
<section class="flexitemmaxwidth leftborder">
```

24. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections.](#)

From line 101, column 13; to line 101, column 57

```
<section class="flexitemmaxwidth leftborder">
```

25. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections.](#)

From line 86, column 9; to line 86, column 63

```
<section class="flex-container flex-containermaxwidth">
```

26. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections.](#)

From line 115, column 17; to line 115, column 50

```
<section class="flexitemmaxwidth">↵
```

27. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

From line 118, column 17; to line 118, column 63

```
<section class="flexitemmaxwidth borderfooter">↵
```

28. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

From line 121, column 17; to line 121, column 63

```
<section class="flexitemmaxwidth borderfooter">↵
```

29. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

From line 124, column 17; to line 124, column 63

```
<section class="flexitemmaxwidth borderfooter">↵
```

30. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

From line 127, column 17; to line 127, column 63

```
<section class="flexitemmaxwidth borderfooter">↵
```

31. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#).

From line 114, column 13; to line 114, column 67

```
<section class="flex-container flex-containermaxwidth">↵
```

32. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 37, column 13; to line 37, column 16

```
<h1><a nam
```

33. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 69, column 13; to line 69, column 16

```
<h1>We are
```

Document checking completed.

Used the HTML parser.

Total execution time 15 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 17.11.1