MLS	Dataset	RBST(AIC) I	RBST(AICc)	RBST(BIC) R	BST(HQIC) RI	BST(GMDL)
	abalone	47.39(3)	47.39(3)	47.39(3)	47.39(3)	47.39(3)
	airfoil_self_noise	49.42(3)	49.42(3)	49.42(3)	49.42(3)	49.42(3)
	auto_mpg	18.42(3)	18.42(3)	18.42(3)	18.42(3)	18.42(3)
	automobile	19.10(2)	19.10(2)	19.10(2)	19.10(2)	19.91(5)
	concrete_data	39.50(3)	39.50(3)	39.50(3)	39.50(3)	39.50(3)
	crime	34.71(3)	34.71(3)	34.71(3)	34.71(3)	34.71(3)
	fertility	106.65(3)	106.65(3)	106.65(3)	106.65(3)	106.65(3)
Ridge	flow	64.26(3)	64.26(3)	64.26(3)	64.26(3)	64.26(3)
	forest	102.13(3)	102.13(3)	102.13(3)	102.13(3)	102.13(3)
	qsar	43.08(3)	43.08(3)	43.08(3)	43.08(3)	43.08(3)
	servo	61.51(3)	61.51(3)	61.51(3)	61.51(3)	61.51(3)
	slump	86.94(3)	86.94(3)	86.94(3)	86.94(3)	86.94(3)
	traffic	45.01(3)	45.01(3)	45.01(3)	45.01(3)	45.01(3)
	wine_red	65.01(3)	65.01(3)	65.01(3)	65.01(3)	65.01(3)
	wine_white	73.10(3)	73.10(3)	73.10(3)	73.10(3)	73.10(3)
Avg. Rank	((2.97)	(2.97)	(2.97)	(2.97)	(3.13)
	abalone	42.96(3)	42.96(3)	42.96(3)	42.96(3)	42.96(3)
SVR	airfoil_self_noise	77.57(3)	77.57(3)	77.57(3)	77.57(3)	77.57(3)
	auto_mpg	19.22(3)	19.22(3)	19.22(3)	19.22(3)	19.22(3)
	automobile	19.48(3)	19.48(3)	19.48(3)	19.48(3)	19.48(3)
	concrete_data	42.45(3)	42.45(3)	42.45(3)	42.45(3)	42.45(3)
	crime	36.53(3)	36.53(3)	36.53(3)	36.53(3)	36.53(3)
	fertility	108.31(3)	108.31(3)	108.31(3)	108.31(3)	108.31(3)
	flow	69.56(3)	69.56(3)	69.56(3)	69.56(3)	69.56(3)
	forest	101.88(3)	101.88(3)	101.88(3)	101.88(3)	101.88(3)
	qsar	39.03(4)	39.03(4)	38.98(1)	39.03(4)	38.98(1)
	servo	16.75(4)	16.75(4)	15.07(2)	15.07(2)	15.07(2)
	slump	83.74(3)	83.74(3)	83.74(3)	83.74(3)	83.74(3)
	traffic	47.10(2)	47.10(2)	47.10(2)	47.10(2)	57.27(5)
	wine_red	65.68(3)	65.68(3)	65.68(3)	65.68(3)	65.68(3)
	wine_white	61.10(2)	61.10(2)	61.10(2)	61.10(2)	73.34(5)
Avg. Rank	((3.10)	(3.10)	(2.77)	(2.93)	(3.10)
	abalone	45.23(3)	45.23(3)	45.23(3)	45.23(3)	45.23(3)
RFR	airfoil_self_noise	18.53(3)	18.53(3)	18.53(3)	18.53(3)	18.53(3)
	auto_mpg	14.76(3)	14.76(3)	14.76(3)	14.76(3)	14.76(3)
	automobile	12.49(3)	12.49(3)	12.49(3)	12.49(3)	12.49(3)
	concrete_data	11.99(3)	11.99(3)	11.99(3)	11.99(3)	11.99(3)
	crime	36.99(3)	36.99(3)	36.99(3)	36.99(3)	36.99(3)
	fertility	102.29(3)	102.29(3)	102.29(3)	102.29(3)	102.29(3)
	flow	67.06(3)	67.06(3)	67.06(3)	67.06(3)	67.06(3)
	forest	123.56(3)	123.56(3)	123.56(3)	123.56(3)	123.56(3)
	qsar	38.67(3)	38.67(3)	38.67(3)	38.67(3)	38.67(3)
	servo	18.08(3)	18.08(3)	18.08(3)	18.08(3)	18.08(3)
	slump	71.35(3)	71.35(3)	71.35(3)	71.35(3)	71.35(3)
	traffic	45.28(3)	45.28(3)	45.28(3)	45.28(3)	45.28(3)
	wine_red	59.09(3)	59.09(3)	59.09(3)	59.09(3)	59.09(3)
	wine_white	60.67(3)	60.67(3)	60.67(3)	60.67(3)	60.67(3)
Avg. Rank		(3.00)	(3.00)	(3.00)	(3.00)	(3.00)
Mean Ran		(3.02)	(3.02)	(2.91)	(2.97)	

Table 10: The 3-fold cross validation relative mean squared error and Friedman ranks for all the datasets when RBST, using several stop criteria (AIC, AICc, BIC, HQIC and GMDL), taking into account some baseline systems (Ridge, SVR and RFR) and the RS sampling strategy.