

Complete Bibliography of Literature-in-Progress

- [1]
J. Aerts, N. Gehlenborg, G. E. Marai, and K. K. Nieselt, “Visualization of Biological Data - Crossroads (Dagstuhl Seminar 18161),” p. 40 pages, 2018, doi: [10.4230/DAGREP.8.4.32](https://doi.org/10.4230/DAGREP.8.4.32).
- [2]
W. Aigner, S. Miksch, H. Schumann, and C. Tominski, *Visualization of Time-Oriented Data*. Springer London, 2011. doi: [10.1007/978-0-85729-079-3](https://doi.org/10.1007/978-0-85729-079-3).
- [3]
R. Ananthanarayanan, S. K. Esser, H. D. Simon, and D. S. Modha, “The Cat is Out of the Bag: Cortical Simulations with 10^9 Neurons, 10^{13} Synapses,” 2009.
- [4]
E. W. Anderson, G. A. Preston, and C. T. Silva, “Using Python for Signal Processing and Visualization,” *Computing in Science and Engineering*, vol. 12, no. 4, pp. 90–95, 2010, doi: [10.1109/MCSE.2010.91](https://doi.org/10.1109/MCSE.2010.91).
- [5]
P. Angelelli and H. Hauser, “Straightening Tubular Flow for Side-by-Side Visualization,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 17, no. 12, pp. 2063–2070, 2011, doi: [10.1109/TVCG.2011.235](https://doi.org/10.1109/TVCG.2011.235).
- [6]
P. Angelelli, S. R. Snare, S. A. Nyrnes, S. Bruckner, H. Hauser, and L. Løvstakken, “Live ultrasound-based particle visualization of blood flow in the heart,” in *Proceedings of the 30th Spring Conference on Computer Graphics*, 2014, pp. 42–49. doi: [10.1145/2643188.2643200](https://doi.org/10.1145/2643188.2643200).
- [7]
P. Armitage, C. Behrenbruch, M. Brady, and N. Moore, “Extracting and visualizing physiological parameters using dynamic contrast-enhanced magnetic resonance imaging of the breast,” *Medical Image Analysis*, vol. 9, no. 4, pp. 315–329, 2005, doi: [10.1016/j.media.2005.01.001](https://doi.org/10.1016/j.media.2005.01.001).
- [8]
A. Aroussi, L. Howden, and M. Vloeberghs, “3D Visualisation of Cerebrospinal Fluid Flow Within the Human Central Nervous System,” in *Distributed Frameworks for Multimedia Applications*, 2006, pp. 1–7. doi: [10.1109/DFMA.2006.296914](https://doi.org/10.1109/DFMA.2006.296914).
- [9]
D. S. Asakawa *et al.*, “Real-Time Imaging of Skeletal Muscle Velocity,” *Journal of Magnetic Resonance Imaging*, vol. 18, no. 6, pp. 734–739, 2003, doi: [10.1002/jmri.10422](https://doi.org/10.1002/jmri.10422).
- [10]
S. L. Ashworth, R. M. Sandoval, G. A. Tanner, and B. A. Molitoris, “Two-photon microscopy: Visualization of kidney dynamics,” *Kidney International*, vol. 72, no. 4, pp. 416–421, 2007, doi: [10.1038/sj.ki.5002315](https://doi.org/10.1038/sj.ki.5002315).
- [11]
N. Ayache, J.-P. Boissel, S. Brunak, and G. Clapworthy, “Towards virtual physiological human: Multilevel modelling and simulation of the human anatomy and physiology,” VPH Institute, 2005.

[12]

B. Bach, P. Dragicevic, D. Archambault, C. Hurter, and S. Carpendale, “A Descriptive Framework for Temporal Data Visualizations Based on Generalized Space-Time Cubes,” *Computer Graphics Forum*, vol. 36, no. 6, pp. 36–61, 2017, doi: [10.1111/cgf.12804](https://doi.org/10.1111/cgf.12804).

[13]

V. Bandi and C. Gutwin, “Interactive Exploration of Genomic Conservation,” Apr. 2020, Accessed: Oct. 08, 2021. [Online]. Available: <https://openreview.net/forum?id=7-C5VJWbnI>

[14]

A. Banos, C. Lang, and N. Marilleau, *Agent-Based Spatial Simulation with NetLogo Volume 1*. ISTE Press - Elsevier, 2015.

[15]

E. Bartocci, E. M. Cherry, J. Glimm, R. Grosu, S. A. Smolka, and F. H. Fenton, “Toward Real-time Simulation of Cardiac Dynamics,” in *Proceedings of the 9th International Conference on Computational Methods in Systems Biology*, 2011, pp. 103–112. doi: [10.1145/2037509.2037525](https://doi.org/10.1145/2037509.2037525).

[16]

Y. Bazilevs, J. R. Gohean, T. J. R. Hughes, R. D. Moser, and Y. Zhang, “Patient-specific isogeometric fluid–structure interaction analysis of thoracic aortic blood flow due to implantation of the Jarvik 2000 left ventricular assist device,” *Computer Methods in Applied Mechanics and Engineering*, vol. 198, no. 45–46, pp. 3534–3550, 2009, doi: [10.1016/j.cma.2009.04.015s](https://doi.org/10.1016/j.cma.2009.04.015s).

[17]

Y. Berranen, M. Hayashibe, B. Gilles, and D. Guiraud, “3D volumetric muscle modeling for real-time deformation analysis with FEM,” in *Engineering in Medicine and Biology Society (EMBC), 2012 Annual International Conference of the IEEE*, 2012, pp. 4863–4866. doi: [10.1109/EMBC.2012.6347083](https://doi.org/10.1109/EMBC.2012.6347083).

[18]

J. Beyer, M. Hadwiger, and H. Pfister, “State-of-the-Art in GPU-Based Large-Scale Volume Visualization,” *Computer Graphics Forum*, vol. 34, no. 8, pp. 13–37, 2015, doi: [10.1111/cgf.12605](https://doi.org/10.1111/cgf.12605).

[19]

E. T. Bieging *et al.*, “In Vivo Three-Dimensional MR Wall Shear Stress Estimation in Ascending Aortic Dilatation,” *Journal of Magnetic Resonance Imaging*, vol. 33, no. 3, pp. 589–597, 2011, doi: [10.1002/jmri.22485](https://doi.org/10.1002/jmri.22485).

[20]

Å. Birkeland *et al.*, “The Ultrasound Visualization Pipeline,” in *Scientific Visualization: Uncertainty, Multifield, Biomedical, and Scalable Visualization*, Springer-Verlag London, 2014. doi: [10.1007/978-1-4471-6497-5_24](https://doi.org/10.1007/978-1-4471-6497-5_24).

[21]

E. Blanco, M. González-Ramírez, and L. Di Croce, “Productive visualization of high-throughput sequencing data using the SeqCode open portable platform,” *Sci Rep*, vol. 11, no. 1, p. 19545, Oct. 2021, doi: [10.1038/s41598-021-98889-7](https://doi.org/10.1038/s41598-021-98889-7).

[22]

J. Bock *et al.*, “4D phase contrast MRI at 3 T: Effect of standard and blood-pool contrast agents on SNR, PC-MRA, and blood flow visualization,” *Magnetic Resonance in Medicine*, vol. 63, no. 2, pp. 330–338, 2009, doi: [10.1002/mrm.22199](https://doi.org/10.1002/mrm.22199).

[23]

D. Bolinsky, “The Inner Life of Cell.” 2006. [Online]. Available:

<http://multimedia.mcb.harvard.edu/>

[24]

M. Borkin *et al.*, “Evaluation of Artery Visualizations for Heart Disease Diagnosis,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 17, no. 12, pp. 2479–2488, 2011, doi: [10.1109/TVCG.2011.192](https://doi.org/10.1109/TVCG.2011.192).

[25]

S. Born, M. Pfeifle, M. Markl, M. Gutberlet, and G. Scheuermann, “Visual Analysis of Cardiac 4D MRI Blood Flow Using Line Predicates,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 19, no. 6, pp. 900–912, 2013, doi: [10.1109/TVCG.2012.318](https://doi.org/10.1109/TVCG.2012.318).

[26]

R. Bourqui, D. Auber, V. Lacroix, and F. Jourdan, “Metabolic network visualization using constraint planar graph drawing algorithm,” in *Tenth International Conference on Information Visualization*, 2006, pp. 489–496. doi: [10.1109/IV.2006.75](https://doi.org/10.1109/IV.2006.75).

[27]

C. Bradley *et al.*, “OpenCMISS: a multi-physics & multi-scale computational infrastructure for the VPH/Physiome project,” *Prog Biophys Mol Biol*, vol. 107, no. 1, pp. 32–47, Oct. 2011, doi: [10.1016/j.pbiomolbio.2011.06.015](https://doi.org/10.1016/j.pbiomolbio.2011.06.015).

[28]

U. Brandes, T. Dwyer, and F. Schreiber, “Visual Understanding of Metabolic Pathways Across Organisms Using Layout in Two and a Half Dimensions,” *Journal of Integrative Bioinformatics*, vol. 1, no. 1, pp. 1–16, 2004, doi: [10.2390/biecoll-jib-2004-2](https://doi.org/10.2390/biecoll-jib-2004-2).

[29]

A. J. Brockmeier, E. G. Kriminger, J. C. Sanchez, and J. C. Príncipe, “Latent state visualization of neural firing rates,” in *5th International IEEE/EMBS Conference on Neural Engineering (NER)*, 2011, 2011, pp. 144–147. doi: [10.1109/NER.2011.5910509](https://doi.org/10.1109/NER.2011.5910509).

[30]

A. J. M. Broos, N. H. L. C. de Hoon, P. J. H. de Koning, R. J. van der Geest, A. Vilanova, and A. C. Jalba, “A framework for fast initial exploration of PC-MRI cardiac flow,” p. 10, 2016.

[31]

A. Bryden, G. N. P. Jr, and M. Gleicher, “Automated Illustration of Molecular Flexibility,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 18, no. 1, pp. 132–145, 2012, doi: [10.1109/TVCG.2010.250](https://doi.org/10.1109/TVCG.2010.250).

[32]

R. Buels *et al.*, “JBrowse: a dynamic web platform for genome visualization and analysis,” *Genome Biol.*, vol. 17, p. 66, Apr. 2016, doi: [10.1186/s13059-016-0924-1](https://doi.org/10.1186/s13059-016-0924-1).

[33]

J. Byška, A. Jurčík, M. E. Gröller, I. Viola, and B. Kozlíková, “MoleCollar and Tunnel Heat Map Visualizations for Conveying Spatio-Temporo-Chemical Properties Across and Along Protein Voids,” *Computer Graphics Forum*, vol. 34, no. 3, pp. 1–10, 2015, doi: [10.1111/cgf.12612](https://doi.org/10.1111/cgf.12612).

[34]

E. Cakmak, D. Jackle, T. Schreck, D. Keim, and J. Fuchs, “Multiscale Visualization: A Structured Literature Analysis,” *IEEE Transactions on Visualization and Computer Graphics*, pp. 1–1, 2021, doi: [10.1109/TVCG.2021.3109387](https://doi.org/10.1109/TVCG.2021.3109387).

[35]

R. Caspi *et al.*, “The MetaCyc database of metabolic pathways and enzymes and the BioCyc collection of pathway/genome databases,” *Nucleic Acids Research*, vol. 44, no. D1, p. D471, 2015, doi: [10.1093/nar/gkv1164](https://doi.org/10.1093/nar/gkv1164).

[36]

L. Chaari, T. Vincent, F. Forbes, M. Dojat, and P. Ciuciu, “Fast Joint Detection-Estimation of Evoked Brain Activity in Event-Related fMRI Using a Variational Approach,” *IEEE Transactions on Medical Imaging*, vol. 32, no. 5, pp. 821–837, 2013, doi: [10.1109/TMI.2012.2225636](https://doi.org/10.1109/TMI.2012.2225636).

[37]

H. Chen, L. Guo, J. Nie, T. Zhang, X. Hu, and T. Liu, “A Dynamic Skull Model for Simulation of Cerebral Cortex Folding,” in *Medical Image Computing and Computer-Assisted Intervention – MICCAI 2010*, Springer Berlin Heidelberg, 2010. doi: [10.1007/978-3-642-15745-5_51](https://doi.org/10.1007/978-3-642-15745-5_51).

[38]

L. Chittaro, C. Combi, and G. Trapasso, “Data mining on temporal data: a visual approach and its clinical application to hemodialysis,” *Journal of Visual Languages & Computing*, vol. 14, no. 6, pp. 591–620, 2003, doi: [10.1016/j.jvlc.2003.06.003](https://doi.org/10.1016/j.jvlc.2003.06.003).

[39]

T. M. Cickovski *et al.*, “A framework for three-dimensional simulation of morphogenesis,” *IEEE/ACM Transactions on Computational Biology and Bioinformatics*, vol. 2, no. 4, pp. 273–288, 2005, doi: [10.1109/TCBB.2005.46](https://doi.org/10.1109/TCBB.2005.46).

[40]

P. de H. Ciechomski, M. Klann, R. Mange, and H. Koeppl, “From biochemical reaction networks to 3D dynamics in the cell: The ZigCell3D modeling, simulation and visualisation framework,” in *2013 IEEE Symposium on Biological Data Visualization (BioVis)*, 2013, pp. 41–48. doi: [10.1109/BioVis.2013.6664345](https://doi.org/10.1109/BioVis.2013.6664345).

[41]

G. Cipriano and M. Gleicher, “Molecular Surface Abstraction,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 13, no. 6, pp. 1608–1615, 2007, doi: [10.1109/TVCG.2007.70578](https://doi.org/10.1109/TVCG.2007.70578).

[42]

ClaraFi, “mMaya – ClaraFi.” 2015. [Online]. Available: <https://claraFi.com/tools/mmaya/>

[43]

M. Clerx *et al.*, “CellML 2.0,” *J Integr Bioinform*, vol. 17, no. 2–3, Jul. 2020, doi: [10.1515/jib-2020-0021](https://doi.org/10.1515/jib-2020-0021).

[44]

S. Coelho, S. P. Poland, V. Devaughes, and S. M. Ameer-Beg, “Adaptive optics for a time-resolved Förster resonance energy transfer (FRET) and fluorescence lifetime imaging microscopy (FLIM) in vivo,” *Opt Lett*, vol. 45, no. 10, pp. 2732–2735, May 2020, doi: [10.1364/OL.385950](https://doi.org/10.1364/OL.385950).

[45]

E. J. Crampin *et al.*, “Computational physiology and the physiome project,” *Experimental Physiology*, vol. 89, no. 1, pp. 1–26, 2004, doi: [10.1113/expphysiol.2003.026740](https://doi.org/10.1113/expphysiol.2003.026740).

[46]

A. Cruz, J. P. Arrais, and P. Machado, “Exploring Time-Series Through Force-Directed Timelines,” in *2020 24th International Conference Information Visualisation (IV)*, Sep. 2020, pp. 328–335. doi: [10.1109/IV51561.2020.00061](https://doi.org/10.1109/IV51561.2020.00061).

[47]

S. M. Dabdoub, R. W. Rumpf, A. D. Shindhelm, and W. C. Ray, “MoFlow: visualizing conformational changes in molecules as molecular flow improves understanding,” *BMC Bioinformatics* 2016, vol. 9, no. 6, pp. 1–12, 2015, doi: [10.1186/1753-6561-9-S6-S5](https://doi.org/10.1186/1753-6561-9-S6-S5).

[48]

A. C. E. Dahl, M. Chavent, and M. S. P. Sansom, “Bendix: intuitive helix geometry analysis and abstraction,” *Bioinformatics*, vol. 28, no. 16, pp. 2193–2194, 2012, doi: [10.1093/bioinformatics/bts357](https://doi.org/10.1093/bioinformatics/bts357).

[49]

J. H. Dayan *et al.*, “Computer-generated three-dimensional animation of the mitral valve,” *The Journal of Thoracic and Cardiovascular Surgery*, vol. 127, no. 3, pp. 763–769, 2004, doi: [10.1016/S0022-5223\(03\)00959-0](https://doi.org/10.1016/S0022-5223(03)00959-0).

[50]

A. F. van Dixhoorn, B. H. Vissers, L. Ferrarini, J. Milles, and C. P. Botha, “Visual Analysis of Integrated Resting State Functional Brain Connectivity and Anatomy,” in *Eurographics Workshop on Visual Computing for Biology and Medicine*, 2010, pp. 57–64. doi: [10.2312/VCBM/VCBM10/057-064](https://doi.org/10.2312/VCBM/VCBM10/057-064).

[51]

N. Dowson *et al.*, “Joint Factor and Kinetic Analysis of Dynamic FDOPA PET Scans of Brain Cancer Patients,” in *Medical Image Computing and Computer-Assisted Intervention – MICCAI 2010*, Springer Berlin Heidelberg, 2010. doi: [10.1007/978-3-642-15745-5_23](https://doi.org/10.1007/978-3-642-15745-5_23).

[52]

W. L. Dunin-Barkowski *et al.*, “L-plotting—A method for visual analysis of physiological experimental and modeling multi-component data,” *Neurocomputing*, vol. 74, no. 1–3, pp. 328–336, 2010, doi: [10.1016/j.neucom.2010.03.015](https://doi.org/10.1016/j.neucom.2010.03.015).

[53]

B. Dunmire, K. W. Beach, K.-H. Labs, M. Plett, and D. E. S. Jr, “Cross-beam vector Doppler ultrasound for angle-independent velocity measurements,” *Ultrasound in Medicine & Biology*, vol. 26, no. 8, pp. 1213–1235, 2000, doi: [10.1016/S0301-5629\(00\)00287-8](https://doi.org/10.1016/S0301-5629(00)00287-8).

[54]

R. Durikovic, K. Kaneda, and H. Yamashita, “Animation of Biological Organ Growth Based on L-systems,” *Computer Graphics Forum*, vol. 17, no. 3, pp. 1–13, 1998, doi: [10.1111/1467-8659.00248](https://doi.org/10.1111/1467-8659.00248).

[55]

M. Egeblad *et al.*, “Visualizing stromal cell dynamics in different tumor microenvironments by spinning disk confocal microscopy,” *Disease Models and Mechanisms*, vol. 1, no. 2–3, pp. 155–167, 2008, doi: [10.1242/dmm.000596](https://doi.org/10.1242/dmm.000596).

[56]

M. Ehlke, H. Ramm, H. Lamecker, H.-C. Hege, and S. Zachow, “Fast Generation of Virtual X-ray Images for Reconstruction of 3D Anatomy,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 19, no. 12, pp. 2673–2682, 2013, doi: [10.1109/TVCG.2013.159](https://doi.org/10.1109/TVCG.2013.159).

[57]

J. Ehrhardt, R. Werner, A. Schmidt-Richberg, and H. Handels, “Statistical Modeling of 4D Respiratory Lung Motion Using Diffeomorphic Image Registration,” *IEEE Transactions on Medical Imaging*, vol. 30, no. 2, pp. 251–265, 2011, doi: [10.1109/TMI.2010.2076299](https://doi.org/10.1109/TMI.2010.2076299).

[58]

R. Englund, T. Ropinski, and I. Hotz, “Coherence Maps for Blood Flow Exploration,” in *Eurographics Workshop on Visual Computing for Biology and Medicine*, 2016, pp. 79–88. doi: [10.2312/vcbm.20161274](https://doi.org/10.2312/vcbm.20161274).

[59]

M. I. Falcon, J. D. Riley, V. Jirsa, A. R. McIntosh, E. E. Chen, and A. Solodkin, “Functional Mechanisms of Recovery after Chronic Stroke: Modeling with the Virtual Brain,” *eNeuro*, vol. 3, no. 2, pp. 1–14, 2016, doi: [10.1523/ENEURO.0158-15.2016](https://doi.org/10.1523/ENEURO.0158-15.2016).

[60]

M. Falk, “Modeling and Visualization of Receptor Clustering on the Cellular Membrane,” in *Proceedings of the 2011 IEEE Symposium on Biological Data Visualization*, 2011, pp. 9–15. doi: [10.1109/BioVis.2011.6094042](https://doi.org/10.1109/BioVis.2011.6094042).

[61]

M. Falk, M. Klann, M. Reuss, and T. Ertl, “Visualization of signal transduction processes in the crowded environment of the cell,” in *IEEE Pacific Visualization Symposium, 2009. PacificVis '09*, 2009, pp. 169–176. doi: [10.1109/PACIFICVIS.2009.4906853](https://doi.org/10.1109/PACIFICVIS.2009.4906853).

[62]

M. Falk, M. Krone, and T. Ertl, “Atomistic Visualization of Mesoscopic Whole-Cell Simulations Using Ray-Casted Instancing,” *Computer Graphics Forum*, vol. 32, no. 8, pp. 195–206, 2013, doi: [10.1111/cgf.12197](https://doi.org/10.1111/cgf.12197).

[63]

Z. Fang, T. Möller, G. Hamarneh, and A. Celler, “Visualization and Exploration of Time-varying Medical Image Data Sets,” in *Proceedings of Graphics Interface 2007*, 2007, pp. 281–288. doi: [10.1145/1268517.1268563](https://doi.org/10.1145/1268517.1268563).

[64]

D. Feng and W. Cai, “Visualization of biomedical processes: local quantitative physiological functions in living human body,” in *Computer Graphics International, 2000. Proceedings*, 2000, pp. 319–323. doi: [10.1109/CGI.2000.852348](https://doi.org/10.1109/CGI.2000.852348).

[65]

J. W. Fenner *et al.*, “The EuroPhysiome, STEP and a roadmap for the virtual physiological human,” *Philosophical Transactions of Royal Society A*, vol. 366, no. 1878, pp. 2979–2999, 2008, doi: [10.1098/rsta.2008.0089](https://doi.org/10.1098/rsta.2008.0089).

[66]

M. Fioravante, A. Shook, I. Thorpe, and P. Rheingans, “Visualizing Motional Correlations in Molecular Dynamics Using Geometric Deformations,” in *Proceedings of the 15th Eurographics Conference on Visualization*, 2013, pp. 311–320. doi: [10.1111/cgf.12118](https://doi.org/10.1111/cgf.12118).

[67]

N. D. Forkert, J. Fiehler, T. Illies, D. P. F. Möller, H. Handels, and D. Säring, “4D blood flow visualization fusing 3D and 4D MRA image sequences,” *Journal of Magnetic Resonance Imaging*, vol. 36, no. 2, pp. 443–453, 2012, doi: [10.1002/jmri.23652](https://doi.org/10.1002/jmri.23652).

[68]

O. Friman, A. Hennemuth, A. Harloff, J. Bock, M. Markl, and H.-O. Peitgen, “Probabilistic 4D Blood Flow Mapping,” in *Medical Image Computing and Computer-Assisted Intervention – MICCAI 2010*, Springer Berlin Heidelberg, 2010. doi: [10.1007/978-3-642-15711-0_52](https://doi.org/10.1007/978-3-642-15711-0_52).

[69]

A. Frydrychowicz, T. A. Bley, S. Dittrich, J. Hennig, M. Langer, and M. Markl, “Visualization of Vascular Hemodynamics in a Case of a Large Patent Ductus Arteriosus Using Flow Sensitive 3D CMR at 3T,” *Journal of Cardiovascular Magnetic Resonance*, vol. 9, no. 3, pp. 585–587, 2007, doi: [10.1080/10976640601015219](https://doi.org/10.1080/10976640601015219).

[70]

A. Funahashi, M. Morohashi, H. Kitano, and N. Tanimura, “CellDesigner: a process diagram editor for gene-regulatory and biochemical networks,” *BIOSILICO*, vol. 1, no. 5, pp. 159–162, 2003, doi: [10.1016/S1478-5382\(03\)02370-9](https://doi.org/10.1016/S1478-5382(03)02370-9).

[71]

K. Furmanova *et al.*, “Interactive Exploration of Ligand Transportation through Protein Tunnels,” *BMC Bioinformatics 2016*, vol. —, no. —, p. —, 2016, doi: [—](https://doi.org/10.1186/s12922-016-0000-0).

[72]

D. Garcia *et al.*, “Two-Dimensional Intraventricular Flow Mapping by Digital Processing Conventional Color-Doppler Echocardiography Images,” *IEEE Transactions on Medical Imaging*, vol. 29, no. 10, pp. 1707–1713, 2010, doi: [10.1109/TMI.2010.2049656](https://doi.org/10.1109/TMI.2010.2049656).

[73]

R. Gasteiger, M. Neugebauer, O. Beuing, and B. Preim, “The FLOWLENS: A Focus-and-Context Visualization Approach for Exploration of Blood Flow in Cerebral Aneurysms,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 17, no. 12, pp. 2183–2192, 2011, doi: [10.1109/TVCG.2011.243](https://doi.org/10.1109/TVCG.2011.243).

[74]

B. Ge, L. Guo, T. Zhang, X. Hu, J. Han, and T. Liu, “Resting State fMRI-guided Fiber Clustering: Methods and Applications,” *Neuroinformatics*, vol. 11, no. 1, pp. 119–133, 2013, doi: [10.1007/s12021-012-9169-7](https://doi.org/10.1007/s12021-012-9169-7).

[75]

N. Gehlenborg, “Visualization and Exploration of Transcriptomics Data,” *Doctoral Thesis*, p. 224, Oct. 2010.

[76]

N. Gehlenborg *et al.*, “Visualization of omics data for systems biology,” *Nat Methods*, vol. 7, no. 3, pp. S56–S68, Mar. 2010, doi: [10.1038/nmeth.1436](https://doi.org/10.1038/nmeth.1436).

[77]

S. Gerhard, A. Daducci, A. Lemkaddem, R. Meuli, J.-P. Thiran, and P. Hagmann, “The Connectome Viewer Toolkit: An Open Source Framework to Manage, Analyze, and Visualize Connectomes,” *Front Neuroinformatics*, vol. 5, no. 3, pp. 1–15, 2011, doi: [10.3389/fninf.2011.00003](https://doi.org/10.3389/fninf.2011.00003).

[78]

O. H. Gilja, T. Hausken, S. Ødegaard, and A. Berstad, “Three-dimensional ultrasonography of the gastric antrum in patients with functional dyspepsia,” *Scandinavian journal of gastroenterology*, vol. 31, no. 9, pp. 847–855, 1996, doi: [10.3109/00365529609051991](https://doi.org/10.3109/00365529609051991).

[79]

S. Glaßer, U. Preim, K. Tönnies, and B. Preim, “A visual analytics approach to diagnosis of breast DCE-MRI data,” *Computers & Graphics*, vol. 34, no. 5, pp. 602–611, 2010, doi: [10.1016/j.cag.2010.05.016](https://doi.org/10.1016/j.cag.2010.05.016).

[80]

D. S. Goodsell, *The Machinery of Life*. Copernicus, 2009. [Online]. Available: [10.1007/978-0-387-84925-6](https://doi.org/10.1007/978-0-387-84925-6)

[81]

D. S. Goodsell, A. J. Olson, and S. Forli, “Art and Science of the Cellular Mesoscale,” *Trends in Biochemical Sciences*, vol. 45, no. 6, pp. 472–483, Jun. 2020, doi: [10.1016/j.tibs.2020.02.010](https://doi.org/10.1016/j.tibs.2020.02.010).

[82]

D. L. Gresh, B. E. Rogowitz, R. L. Winslow, D. F. Scollan, and C. K. Yung, “WEAVE: a system for visually linking 3-D and statistical visualizations applied to cardiac simulation and measurement data,” in *Proceedings of Visualization 2000*, 2000, pp. 489–492. doi: [10.1109/VISUAL.2000.885739](https://doi.org/10.1109/VISUAL.2000.885739).

[83]

D. Günther, R. A. Boto, J. Contreras-Garcia, J.-P. Piquemal, and J. Tierny, “Characterizing Molecular Interactions in Chemical Systems,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 20, no. 14, pp. 2476–2485, 2014, doi: [10.1109/TVCG.2014.2346403](https://doi.org/10.1109/TVCG.2014.2346403).

[84]

J. E. Hall and A. C. Guyton, *Guyton and Hall textbook of medical physiology*, 12th ed. Saunders/Elsevier, 2011. [Online]. Available: <https://books.google.no/books?id=Po0zyO0BFzwC>

[85]

S. Halladjian, D. Kouřil, H. Miao, E. Gröller, I. Viola, and T. Isenberg, “Multiscale Unfolding: Illustratively Visualizing the Whole Genome at a Glance,” *IEEE Transactions on Visualization and Computer Graphics*, 2021, doi: [10.1109/TVCG.2021.3065443](https://doi.org/10.1109/TVCG.2021.3065443).

[86]

J. W. Handley, K. W. Brodli, and R. H. Clayton, “Multi-Variate Visualization of Cardiac Virtual Tissue,” in *19th IEEE International Symposium on Computer-Based Medical Systems*, 2006, pp. 665–672. doi: [10.1109/CBMS.2006.120](https://doi.org/10.1109/CBMS.2006.120).

[87]

J. Hansegård, F. Orderud, and S. I. Rabben, “Real-Time Active Shape Models for Segmentation of 3D Cardiac Ultrasound,” in *Computer Analysis of Images and Patterns: 12th International Conference*, 2007, pp. 157–164. doi: [10.1007/978-3-540-74272-2_20](https://doi.org/10.1007/978-3-540-74272-2_20).

[88]

X. Hao, A. Varshney, and S. Sukharev, “Real-Time Visualization of Large Time-Varying Molecules,” in *Proceedings of High-Performance Computing Symposium*, 2004, pp. 109–114. doi: [10.1109/10.1.1.2.2390](https://doi.org/10.1109/10.1.1.2.2390).

[89]

T. A. Harbig *et al.*, “OncoThreads: Visualization of Large Scale Longitudinal Cancer Molecular Data.” OSF Preprints, Jan. 27, 2021. doi: [10.31219/osf.io/b3n4u](https://doi.org/10.31219/osf.io/b3n4u).

[90]

T. Harbig, J. Fratte, M. Krone, and K. Nieselt, “OmicsTIDE: Interactive Exploration of Trends in Multi-Omics Data,” Feb. 2021. doi: [10.1101/2021.02.01.428836](https://doi.org/10.1101/2021.02.01.428836).

[91]

A. Harloff *et al.*, “3D blood flow characteristics in the carotid artery bifurcation assessed by flow-sensitive 4D MRI at 3T,” *Magnetic Resonance in Medicine*, vol. 61, no. 1, pp. 65–74, 2009, doi: [10.1002/mrm.21774](https://doi.org/10.1002/mrm.21774).

[92]

A. Heimdal, A. Støylen, H. Torp, and T. Skjærpe, “Real-Time Strain Rate Imaging of the Left Ventricle by Ultrasound,” *Journal of the American Society of Echocardiography*, vol. 11, no. 11, pp. 1013–1019, 1998, doi: [10.1016/S0894-7317\(98\)70151-8](https://doi.org/10.1016/S0894-7317(98)70151-8).

[93]

A. Hennemuth, A. Mahnken, C. Kühnel, S. Oeltze, and H.-O. Peitgen, “CT Late Enhancement Segmentation for the Combined Analysis of Coronary Arteries and Myocardial Viability,” in *Proceedings of the First Eurographics Conference on Visual Computing for Biomedicine*, 2008, pp. 1–9. doi: [10.2312/VCBM/VCBM08/001-009](https://doi.org/10.2312/VCBM/VCBM08/001-009).

[94]

A. Henney and H. Coaker, “The Virtual Liver Network: systems understanding from bench to bedside,” *Future Medicinal Chemistry*, vol. 6, no. 16, pp. 1735–1740, 2014, doi: [10.4155/fmc.14.127](https://doi.org/10.4155/fmc.14.127).

[95]

P. Hermosilla, J. Estrada, V. Guallar, T. Ropinski, À. Vinacua, and P.-P. Vázquez, “Physics-based Visual Characterization of Molecular Interaction Forces,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 23, no. 1, pp. 731–740, 2017, doi: [10.1109/TVCG.2016.2598825](https://doi.org/10.1109/TVCG.2016.2598825).

[96]

S. Hoehme *et al.*, “Prediction and validation of cell alignment along microvessels as order principle to restore tissue architecture in liver regeneration,” *Proceedings of the National Academy of Sciences*, vol. 107, no. 23, pp. 10371–10376, 2010, doi: [10.1073/pnas.0909374107](https://doi.org/10.1073/pnas.0909374107).

[97]

S. Hoehme and D. Drasdo, “A cell-based simulation software for multi-cellular systems,” *Bioinformatics*, vol. 26, no. 20, pp. 2641–2642, 2010, doi: [10.1093/bioinformatics/btq437](https://doi.org/10.1093/bioinformatics/btq437).

[98]

A. G. Hoekstra, E. van Bavel, M. Siebes, F. Gijsen, and L. Geris, “Virtual physiological human 2016: translating the virtual physiological human to the clinic,” *Interface Focus*, vol. 8, no. 1, p. 20170067, Feb. 2018, doi: [10.1098/rsfs.2017.0067](https://doi.org/10.1098/rsfs.2017.0067).

[99]

G.-R. Hong *et al.*, “Characterization and Quantification of Vortex Flow in the Human Left Ventricle by Contrast Echocardiography Using Vector Particle Image Velocimetry,” *JACC: Cardiovascular Imaging*, vol. 1, no. 6, pp. 705–717, 2008, doi: [10.1016/j.jcmg.2008.06.008](https://doi.org/10.1016/j.jcmg.2008.06.008).

[100]

N. de Hoon, R. van Pelt, A. Jalba, and A. Vilanova, “4D MRI Flow Coupled to Physics-Based Fluid Simulation for Blood-Flow Visualization,” *Computer Graphics Forum*, vol. 33, no. 3, pp. 121–130, 2014, doi: [10.1111/cgf.12368](https://doi.org/10.1111/cgf.12368).

[101]

N. H. L. C. de Hoon, A. C. Jalba, E. Eisemann, and A. Vilanova, “Temporal interpolation of 4D PC-MRI blood-flow measurements using bidirectional physics-based fluid simulation,” in *Eurographics Workshop on Visual Computing for Biology and Medicine*, 2016, pp. 59–68. doi: [10.2312/vcbm.20161272](https://doi.org/10.2312/vcbm.20161272).

[102]

N. H. L. C. D. Hoon, A. C. Jalba, E. Eisemann, and A. Vilanova, "Temporal Interpolation of 4D PC-MRI Blood-flow Measurements Using Bidirectional Physics-based Fluid Simulation," *Eurographics Workshop on Visual Computing for Biology and Medicine*, p. 10 pages, 2016, doi: [10.2312/VCBM.20161272](https://doi.org/10.2312/VCBM.20161272).

[103]

W. Humphrey, A. Dalke, and K. Schulten, "VMD: Visual molecular dynamics," *Journal of Molecular Graphics*, vol. 14, no. 1, pp. 33–38, 1996, doi: [10.1016/0263-7855\(96\)00018-5](https://doi.org/10.1016/0263-7855(96)00018-5).

[104]

P. J. Hunter, "Modeling Human Physiology: The IUPS/EMBS Physiome Project," *Proceedings of the IEEE*, vol. 94, no. 4, pp. 678–691, 2006, doi: [10.1109/jproc.2006.871767](https://doi.org/10.1109/jproc.2006.871767).

[105]

R. I. Ionasec *et al.*, "Complete Valvular Heart Apparatus Model from 4D Cardiac CT," in *Medical Image Computing and Computer-Assisted Intervention – MICCAI 2010*, Springer Berlin Heidelberg, 2010. doi: [10.1007/978-3-642-15705-9_27](https://doi.org/10.1007/978-3-642-15705-9_27).

[106]

T. Isenberg, "A Survey of Illustrative Visualization Techniques for Diffusion-Weighted MRI Tractography," in *Visualization and Processing of Higher Order Descriptors for Multi-Valued Data*, I. Hotz and T. Schultz, Eds. Cham: Springer International Publishing, 2015, pp. 235–256. doi: [10.1007/978-3-319-15090-1_12](https://doi.org/10.1007/978-3-319-15090-1_12).

[107]

J. Iwasa, "Visualizing the origins of life: Molecular animation for scientific research and education," in *ACM SIGGRAPH 2007: Educators Program*, Springer Berlin Heidelberg, 2007. doi: [10.1145/1282040.1282062](https://doi.org/10.1145/1282040.1282062).

[108]

J. A. Insley, L. Grinberg, and M. E. Papka, "Visualizing multiscale, multiphysics simulation data: Brain blood flow," in *2011 IEEE Symposium on Large Data Analysis and Visualization (LDAV)*, 2011, pp. 3–7. doi: [10.1109/LDAV.2011.6092176](https://doi.org/10.1109/LDAV.2011.6092176).

[109]

F. Janoos *et al.*, "Visual Analysis of Brain Activity from fMRI Data," *Computer Graphics Forum*, vol. 28, no. 3, pp. 903–910, 2009, doi: [10.1111/j.1467-8659.2009.01458.x](https://doi.org/10.1111/j.1467-8659.2009.01458.x).

[110]

R. Jianu, Y. Keping, C. Lulu, N. Vinh, A. R. Salomon, and D. H. Laidlaw, "Visual Integration of Quantitative Proteomic Data, Pathways, and Protein Interactions," *IEEE Transactions on Visualization and Computer Graphics*, vol. 16, no. 4, pp. 609–620, 2010, doi: [10.1109/TVCG.2009.106](https://doi.org/10.1109/TVCG.2009.106).

[111]

L. Jiquan, F. Jingyi, H. Duan, and C. Siping, "Simulation data mapping in virtual cardiac model," in *26th Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, 2004, pp. 1937–1940. doi: [10.1109/IEMBS.2004.1403573](https://doi.org/10.1109/IEMBS.2004.1403573).

[112]

G. T. Johnson and S. Hertig, "A guide to the visual analysis and communication of biomolecular structural data," *Nat Rev Mol Cell Biol*, vol. 15, no. 10, pp. 690–698, Oct. 2014, doi: [10.1038/nrm3874](https://doi.org/10.1038/nrm3874).

[113]

G. T. Johnson, A. Noske, and B. Marsh, "Rapid Visual Inventory & Comparison of Complex 3D Structures." 2011. [Online]. Available: <http://www.wired.com/2012/02/science-visualizations-2011/>

[114]

T. V. Karathanos, J. D. Bayer, D. Wang, P. M. Boyle, and N. A. Trayanova, "Opsin spectral sensitivity determines the effectiveness of optogenetic termination of ventricular fibrillation in the human heart: a simulation study," *The Journal of Physiology*, vol. 594, no. 23, pp. 6879–6891, 2016, doi: [10.1113/JP271739](https://doi.org/10.1113/JP271739).

[115]

C. Kasai, K. Namekawa, A. Koyano, and R. Omoto, "Real-Time Two-Dimensional Blood Flow Imaging Using an Autocorrelation Technique," *IEEE Transactions on Sonics and Ultrasonics*, vol. 32, no. 3, pp. 458–464, 1985, doi: [10.1109/T-SU.1985.31615](https://doi.org/10.1109/T-SU.1985.31615).

[116]

D. F. Keefe, M. Ewert, W. Ribarsky, and R. Chang, "Interactive Coordinated Multiple-View Visualization of Biomechanical Motion Data," *IEEE Transactions on Visualization and Computer Graphics*, vol. 15, no. 6, pp. 1383–1390, 2009, doi: [10.1109/TVCG.2009.152](https://doi.org/10.1109/TVCG.2009.152).

[117]

J. Kehrer and H. Hauser, "Visualization and Visual Analysis of Multifaceted Scientific Data: A Survey," *IEEE Transactions on Visualization and Computer Graphics*, vol. 19, no. 3, pp. 495–513, Mar. 2013, doi: [10.1109/TVCG.2012.110](https://doi.org/10.1109/TVCG.2012.110).

[118]

T. K. Kerppola, "Visualization of molecular interactions by fluorescence complementation," *Nature Reviews Molecular Cell Biology*, vol. 7, no. 6, pp. 449–456, 2006, doi: [10.1038/nrm1929](https://doi.org/10.1038/nrm1929).

[119]

A. Kheradvar *et al.*, "Echocardiographic Particle Image Velocimetry: A Novel Technique for Quantification of Left Ventricular Blood Vorticity Pattern," *Journal of the American Society of Echocardiography*, vol. 23, no. 1, pp. 86–94, 2010, doi: [10.1016/j.echo.2009.09.007](https://doi.org/10.1016/j.echo.2009.09.007).

[120]

H. Kim, P. Jürgens, S. Weber, L.-P. Nolte, and M. Reyes, "A new soft-tissue simulation strategy for cranio-maxillofacial surgery using facial muscle template model," *Progress in Biophysics and Molecular Biology*, vol. 103, no. 2–3, pp. 284–291, 2010, doi: [10.1016/j.pbiomolbio.2010.09.004](https://doi.org/10.1016/j.pbiomolbio.2010.09.004).

[121]

G. Kindlmann and C.-F. Westin, "Diffusion Tensor Visualization with Glyph Packing," *IEEE Transactions on Visualization and Computer Graphics*, vol. 12, no. 5, pp. 1329–1336, 2006, doi: [10.1109/TVCG.2006.134](https://doi.org/10.1109/TVCG.2006.134).

[122]

Z. A. King, A. Dräger, A. Ebrahim, N. Sonnenschein, N. E. Lewis, and B. O. Palsson, "Escher: A Web Application for Building, Sharing, and Embedding Data-Rich Visualizations of Biological Pathways," *PLOS Computational Biology*, vol. 11, no. 8, pp. 1–13, 2015, doi: [10.1371/journal.pcbi.1004321](https://doi.org/10.1371/journal.pcbi.1004321).

[123]

P. Kingman, "Negative Charge and Poly-ADP-Ribosylation: A Scientific Animation." 2014.

[124]

P. Kingman, *Our Resilient Genome*, (2014). [Online Video]. Available: http://ii.uib.no/vis_old/projects/physioillustration/research/our-resilient-genome.html

[125]

T. Klinder, C. Lorenz, and J. Ostermann, “Prediction Framework for Statistical Respiratory Motion Modeling,” in *Medical Image Computing and Computer-Assisted Intervention – MICCAI 2010*, Springer Berlin Heidelberg, 2010. doi: [10.1007/978-3-642-15711-0_41](https://doi.org/10.1007/978-3-642-15711-0_41).

[126]

R. H. Klipstein, D. N. Firmin, S. R. Underwood, and D. B. L. R. Simon O. Rees, “Blood flow patterns in the human aorta studied by magnetic resonance,” *British Heart Journal*, vol. 58, no. 4, pp. 316–323, 1987.

[127]

B. Köhler, S. Born, R. F. P. van Pelt, U. Preim, and B. Preim, “A Survey of Cardiac 4D PC-MRI Data Processing,” in *Eurographics Workshop on Visual Computing for Biology and Medicine*, 2015, pp. 1–30. doi: [10.2312/vcbm.20151217](https://doi.org/10.2312/vcbm.20151217).

[128]

B. Köhler, R. Gasteiger, U. Preim, H. Theisel, M. Gutberlet, and B. Preim, “Semi-Automatic Vortex Extraction in 4D PC-MRI Cardiac Blood Flow Data using Line Predicates,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 19, no. 12, pp. 2773–2782, 2013, doi: [10.1109/TVCG.2013.189](https://doi.org/10.1109/TVCG.2013.189).

[129]

I. Kolesár, J. Byška, J. Parulek, H. Hauser, and B. Kozlíková, “Unfolding and Interactive Exploration of Protein Tunnels and their Dynamics,” in *Eurographics Workshop on Visual Computing for Biology and Medicine*, 2016, pp. 1–10. doi: [10.2312/vcbm.20161265](https://doi.org/10.2312/vcbm.20161265).

[130]

I. Kolesár, J. Byška, J. Parulek, H. Hauser, and B. Kozlíková, “Unfolding and interactive exploration of protein tunnels and their dynamics,” in *Proceedings of the Eurographics Workshop on Visual Computing for Biology and Medicine*, Goslar, DEU, Sep. 2016, pp. 1–10.

[131]

I. Kolesar, J. Parulek, I. Viola, S. Bruckner, A.-K. Stavrum, and H. Hauser, “Interactively illustrating polymerization using three-level model fusion,” *BMC Bioinformatics 2014*, vol. 15, no. 345, pp. 1–16, 2014, doi: [10.1186/1471-2105-15-345](https://doi.org/10.1186/1471-2105-15-345).

[132]

P. Kondratieva, J. Krüger, and R. Westermann, “The application of GPU particle tracing to diffusion tensor field visualization,” in *IEEE Visualization, 2005*, 2005, pp. 73–78. doi: [10.1109/VISUAL.2005.1532780](https://doi.org/10.1109/VISUAL.2005.1532780).

[133]

B. Kozlíková *et al.*, “Visualization of Biomolecular Structures: State of the Art Revisited,” *Computer Graphics Forum*, vol. 36, no. 8, pp. 178–204, 2017, doi: [10.1111/cgf.13072](https://doi.org/10.1111/cgf.13072).

[134]

B. Kozlíková *et al.*, “Visualization of Biomolecular Structures: State of the Art,” in *Eurographics Conference on Visualization – STARs*, 2015, pp. 61–81. doi: [10.2312/eurovisstar.20151112](https://doi.org/10.2312/eurovisstar.20151112).

[135]

P. R. Krekel, C. P. Botha, E. R. Valstar, P. W. de Bruin, P. M. Rozing, and F. H. Post, “Interactive simulation and comparative visualisation of the bone-determined range of motion of the human shoulder,” in *Simulation and Visualization (SimVis)*, 2006, pp. 275–288.

[136]

P. R. Krekel, E. R. Valstar, J. de Groot, F. H. Post, R. G. H. H. Nelissen, and C. P. Botha, “Visual Analysis of Multi-Joint Kinematic Data,” *Computer Graphics Forum*, vol. 29, no. 3, pp. 1123–1132, 2010, doi: [10.1111/j.1467-8659.2009.01681.x](https://doi.org/10.1111/j.1467-8659.2009.01681.x).

[137]

H. Krishnan, C. Garth, J. Gühring, M. A. Gülsün, A. Greiser, and K. I. Joy, “Analysis of Time-Dependent Flow-Sensitive PC-MRI Data,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 18, no. 6, pp. 966–977, 2012, doi: [10.1109/TVCG.2011.80](https://doi.org/10.1109/TVCG.2011.80).

[138]

M. Krone *et al.*, “Molecular Surface Maps,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 23, no. 1, pp. 701–710, 2017, doi: [10.1109/TVCG.2016.2598824](https://doi.org/10.1109/TVCG.2016.2598824).

[139]

S. Kulp, D. Metaxas, Z. Qian, S. Voros, L. Axel, and V. Mihalef, “Patient-specific modeling and visualization of blood flow through the heart,” in *2011 IEEE International Symposium on Biomedical Imaging: From Nano to Macro*, 2011, pp. 1692–1697. doi: [10.1109/ISBI.2011.5872730](https://doi.org/10.1109/ISBI.2011.5872730).

[140]

F. T. Kurz *et al.*, “Network dynamics: quantitative analysis of complex behavior in metabolism, organelles, and cells, from experiments to models and back,” *WIREs Systems Biology and Medicine*, vol. 9, no. 1, p. e1352, 2017, doi: [10.1002/wsbm.1352](https://doi.org/10.1002/wsbm.1352).

[141]

S. L’Yi, Q. Wang, F. Lekschas, and N. Gehlenborg, “Gosling: A Grammar-based Toolkit for Scalable and Interactive Genomics Data Visualization.” OSF Preprints, Mar. 31, 2021. doi: [10.31219/osf.io/6evmb](https://doi.org/10.31219/osf.io/6evmb).

[142]

O. D. Lampe, I. Viola, N. Reuter, and H. Hauser, “Two-Level Approach to Efficient Visualization of Protein Dynamics,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 13, no. 6, pp. 1616–1623, 2007, doi: [10.1109/TVCG.2007.70517](https://doi.org/10.1109/TVCG.2007.70517).

[143]

S. Lasserre *et al.*, “A Neuron Membrane Mesh Representation for Visualization of Electrophysiological Simulations,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 18, no. 2, pp. 214–227, 2012, doi: [10.1109/TVCG.2011.55](https://doi.org/10.1109/TVCG.2011.55).

[144]

K. Lawonn, S. Glaßer, A. Vilanova, B. Preim, and T. Isenberg, “Occlusion-free Blood Flow Animation with Wall Thickness Visualization,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 22, no. 1, pp. 728–737, 2016, doi: [10.1109/TVCG.2015.2467961](https://doi.org/10.1109/TVCG.2015.2467961).

[145]

K. Lawonn, N. n. Smit, K. Bühler, and B. Preim, “A Survey on Multimodal Medical Data Visualization,” *Computer Graphics Forum*, vol. 37, no. 1, pp. 413–438, 2018, doi: [10.1111/cgf.13306](https://doi.org/10.1111/cgf.13306).

[146]

K. Lawonn, R. Gasteiger, and B. Preim, “Adaptive Surface Visualization of Vessels with Animated Blood Flow,” *Computer Graphics Forum*, vol. 33, no. 8, pp. 16–27, 2014, doi: [10.1111/cgf.12355](https://doi.org/10.1111/cgf.12355).

[147]

K. Lawonn, T. Günther, and B. Preim, “Coherent View-Dependent Streamlines for Understanding Blood Flow,” in *EuroVis - Short Papers*, 2014, pp. 19–23. doi: [10.2312/eurovisshort.20141151](https://doi.org/10.2312/eurovisshort.20141151).

[148]

A. Lawson, A. Schritz, L. Villarroel, and G. A. Aguayo, “Multi-Scale Multivariate Models for Small Area Health Survey Data: A Chilean Example,” *Int J Environ Res Public Health*, vol. 17, no. 5, p. E1682, Mar. 2020, doi: [10.3390/ijerph17051682](https://doi.org/10.3390/ijerph17051682).

[149]

D. Lee, M. Glueck, A. Khan, E. Fiume, and K. Jackson, “Modeling and Simulation of Skeletal Muscle for Computer Graphics: A Survey,” *Foundations and Trends in Computer Graphics and Vision*, vol. 7, no. 4, pp. 229–276, 2012, doi: [10.1561/06000000036](https://doi.org/10.1561/06000000036).

[150]

R. Lee, J. R. Karr, and M. W. Covert, “WholeCellViz: data visualization for whole-cell models,” *BMC Bioinformatics*, vol. 14, no. 1, pp. 1–9, 2013, doi: [10.1186/1471-2105-14-253](https://doi.org/10.1186/1471-2105-14-253).

[151]

S.-H. Lee, E. Sifakis, and D. Terzopoulos, “Comprehensive Biomechanical Modeling and Simulation of the Upper Body,” *ACM Transactions on Graphics*, vol. 28, no. 4, p. 99:1-99:17, 2009, doi: [10.1145/1559755.1559756](https://doi.org/10.1145/1559755.1559756).

[152]

T.-Y. Lee, A. Chaudhuri, F. Porikli, and H.-W. Shen, “CycleStack: Inferring periodic behavior via temporal sequence visualization in ultrasound video,” in *2010 IEEE Pacific Visualization Symposium (PacificVis)*, 2010, pp. 89–96. doi: [10.1109/PACIFICVIS.2010.5429602](https://doi.org/10.1109/PACIFICVIS.2010.5429602).

[153]

K. Lekadir, B. Ghafaryasl, E. Muñoz-Moreno, C. Butakoff, C. Hoogendoorn, and A. F. Frangi, “A Dynamic Skull Model for Simulation of Cerebral Cortex Folding,” in *Medical Image Computing and Computer-Assisted Intervention – MICCAI 2011*, Springer Berlin Heidelberg, 2011. doi: [10.1007/978-3-642-23629-7_7](https://doi.org/10.1007/978-3-642-23629-7_7).

[154]

I. Letunic, T. Yamada, M. Kanehisa, and P. Bork, “iPath: interactive exploration of biochemical pathways and networks,” *Trends in Biochemical Sciences*, vol. 33, no. 3, pp. 101–103, 2008, doi: [10.1016/j.tibs.2008.01.001](https://doi.org/10.1016/j.tibs.2008.01.001).

[155]

A. Lex *et al.*, “Entourage: Visualizing Relationships Between Biological Pathways Using Contextual Subsets,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 19, no. 12, pp. 2536–2545, 2013, doi: [10.1109/TVCG.2013.154](https://doi.org/10.1109/TVCG.2013.154).

[156]

A. Lex, M. Streit, E. Kruijff, and D. Schmalstieg, “Caleydo: Design and evaluation of a visual analysis framework for gene expression data in its biological context,” in *2010 IEEE Pacific Visualization Symposium (PacificVis)*, 2010, pp. 57–64. doi: [10.1109/PACIFICVIS.2010.5429609](https://doi.org/10.1109/PACIFICVIS.2010.5429609).

[157]

D. W. Lin, S. Johnson, and C. A. Hunt, "Modeling Liver Physiology: Combining Fractals, Imaging and Animation," in *26th Annual International Conference of the IEEE Engineering in Medicine and Biology Society*, 2004, pp. 3120–3123. doi: [10.1109/IEMBS.2004.1403881](https://doi.org/10.1109/IEMBS.2004.1403881).

[158]

A. Lundervold, "On consciousness, resting state fMRI, and neurodynamics," *Nonlinear biomedical physics*, vol. 4, no. 1, pp. 1–18, 2010, doi: [10.1186/1753-4631-4-S1-S9](https://doi.org/10.1186/1753-4631-4-S1-S9).

[159]

T. Mansi *et al.*, "Towards Patient-specific Finite-element Simulation of Mitralclip Procedure," in *Proceedings of the 14th International Conference on Medical Image Computing and Computer-assisted Intervention - Volume Part I MICCAI' 11*, 2011, pp. 452–459. doi: [10.1007/978-3-642-23623-5](https://doi.org/10.1007/978-3-642-23623-5).

[160]

A. Maries *et al.*, "GRACE: A Visual Comparison Framework for Integrated Spatial and Non-Spatial Geriatric Data," *IEEE Transactions on Visualization and Computer Graphics*, vol. 19, no. 12, pp. 2916–2925, 2013, doi: [10.1109/TVCG.2013.161](https://doi.org/10.1109/TVCG.2013.161).

[161]

M. Markl, A. Frydrychowicz, S. Kozerke, M. Hope, and O. Wieben, "4D flow MRI," *Journal of Magnetic Resonance Imaging*, vol. 36, no. 5, pp. 1015–1036, 2012, doi: [10.1002/jmri.23632](https://doi.org/10.1002/jmri.23632).

[162]

M. Markl, P. Kilner, and T. Ebbers, "Comprehensive 4D velocity mapping of the heart and great vessels by cardiovascular magnetic resonance," *Journal of Cardiovascular Magnetic Resonance*, vol. 13, no. 1, p. 7, 2011, doi: [10.1186/1532-429X-13-7](https://doi.org/10.1186/1532-429X-13-7).

[163]

S. Masoumi, M. W. Libbrecht, and K. C. Wiese, "SigTools: Exploratory Visualization for Genomic Signals," Aug. 2021. doi: [10.1101/2021.08.02.454408](https://doi.org/10.1101/2021.08.02.454408).

[164]

N. J. B. Mcfarlane, X. Ma, G. J. Clapworthy, N. Bessis, and D. Testi, "A Survey and Classification of Visualisation in Multiscale Biomedical Applications," in *2012 16th International Conference on Information Visualisation*, Jul. 2012, pp. 561–566. doi: [10.1109/IV.2012.95](https://doi.org/10.1109/IV.2012.95).

[165]

F. McGee, M. Ghoniem, G. Melançon, B. Otjacques, and B. Pinaud, "The State of the Art in Multilayer Network Visualization," *Computer Graphics Forum*, vol. 38, no. 6, pp. 125–149, 2019, doi: [10.1111/cgf.13610](https://doi.org/10.1111/cgf.13610).

[166]

S. Meier, A. Hennemuth, O. Friman, J. Bock, M. Markl, and T. Preusser, "Non-invasive 4D blood flow and pressure quantification in central blood vessels via PC-MRI," in *Computing in Cardiology*, 2010, pp. 903–906.

[167]

C. Metz *et al.*, "Conditional Shape Models for Cardiac Motion Estimation," in *Medical Image Computing and Computer-Assisted Intervention – MICCAI 2010*, Springer-Verlag Berlin Heidelberg, 2010. doi: [10.1007/978-3-642-15705-9_55](https://doi.org/10.1007/978-3-642-15705-9_55).

[168]

M. Meuschke, B. Köhler, U. Preim, B. Preim, and K. Lawonn, “Semi-automatic Vortex Flow Classification in 4D PC-MRI Data of the Aorta,” *Computer Graphics Forum*, vol. 35, no. 3, pp. 351–360, 2016, doi: [10.1111/cgf.12911](https://doi.org/10.1111/cgf.12911).

[169]

J. Meyer-Spradow, L. Stegger, C. Döring, T. Ropinski, and K. Hinrichs, “Glyph-Based SPECT Visualization for the Diagnosis of Coronary Artery Disease,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 14, no. 6, pp. 1499–1506, 2008, doi: [10.1109/TVCG.2008.136](https://doi.org/10.1109/TVCG.2008.136).

[170]

R. M. Millán Vaquero, J. Rzepecki, K.-I. Friese, and F.-E. Wolter, “Visualization and User Interaction Methods for Multiscale Biomedical Data,” in *3D Multiscale Physiological Human*, N. Magnenat-Thalmann, O. Ratib, and H. F. Choi, Eds. London: Springer, 2014, pp. 107–133. doi: [10.1007/978-1-4471-6275-9_5](https://doi.org/10.1007/978-1-4471-6275-9_5).

[171]

J. C. Mills, K. A. Roth, R. L. Cagan, and J. I. Gordon, “DNA microarrays and beyond: completing the journey from tissue to cell,” *Nat Cell Biol*, vol. 3, no. 8, pp. E175–178, Aug. 2001, doi: [10.1038/35087108](https://doi.org/10.1038/35087108).

[172]

F. Miwakeichi, Y. Oku, Y. Okada, S. Kawai, Y. Tamura, and M. Ishiguro, “Detection and Visualization Method of Dynamic State Transition for Biological Spatio-Temporal Imaging Data,” *IEEE Transactions on Medical Imaging*, vol. 30, no. 3, pp. 859–866, 2011, doi: [10.1109/TMI.2011.2104419](https://doi.org/10.1109/TMI.2011.2104419).

[173]

A. M. Mulder *et al.*, “Visualizing ribosome biogenesis: parallel assembly pathways for the 30S subunit,” *Science*, vol. 330, no. 6004, pp. 673–677, 2010, doi: [10.1126/science.1193220](https://doi.org/10.1126/science.1193220).

[174]

W. L. Murfee, R. S. Sweat, K.-I. Tsubota, F. Mac Gabhann, D. Khismatullin, and S. M. Peirce, “Applications of computational models to better understand microvascular remodelling: a focus on biomechanical integration across scales,” *Interface Focus*, vol. 5, no. 2, p. 20140077, Apr. 2015, doi: [10.1098/rsfs.2014.0077](https://doi.org/10.1098/rsfs.2014.0077).

[175]

M. L. Muzic, J. Parulek, A. K. Stavrum, and I. Viola, “Illustrative Visualization of Molecular Reactions Using Omniscient Intelligence and Passive Agents,” *Computer Graphics Forum*, vol. 33, no. 3, pp. 141–150, 2014, doi: [10.1111/cgf.12370](https://doi.org/10.1111/cgf.12370).

[176]

M. L. Muzic, M. Waldner, J. Parulek, and I. Viola, “Illustrative Timelapse: A Technique for Illustrative Visualization of Particle Simulations on the Mesoscale Level,” in *2015 IEEE Pacific Visualization Symposium*, 2015, pp. 247–254. doi: [10.1109/PACIFICVIS.2015.7156384](https://doi.org/10.1109/PACIFICVIS.2015.7156384).

[177]

S. Nayak, H. Liu, G. I. Hsu, and J. H. Iwasa, “Using 3D Animation to Visualize Hypotheses,” *Trends in Biochemical Sciences*, vol. 45, no. 7, pp. 633–634, Jul. 2020, doi: [10.1016/j.tibs.2020.04.009](https://doi.org/10.1016/j.tibs.2020.04.009).

[178]

L. P. Nedel and D. Thalmann, “Real time muscle deformations using mass-spring systems,” in *Proceedings Computer Graphics International*, 1998, pp. 156–165. doi: [10.1109/CGI.1998.694263](https://doi.org/10.1109/CGI.1998.694263).

[179]

M. Neugebauer, R. Gasteiger, O. Beuing, V. Diehl, M. Skalej, and B. Preim, “Map Displays for the Analysis of Scalar Data on Cerebral Aneurysm Surfaces,” *Computer Graphics Forum*, vol. 28, no. 3, pp. 895–902, 2009, doi: [10.1111/j.1467-8659.2009.01459.x](https://doi.org/10.1111/j.1467-8659.2009.01459.x).

[180]

T. K. Nguyen *et al.*, “Concurrent Volume Visualization of Real-time fMRI,” in *Proceedings of the 8th IEEE/EG International Conference on Volume Graphics*, 2010, pp. 53–60. doi: [10.2312/VG/VG10/053-060](https://doi.org/10.2312/VG/VG10/053-060).

[181]

D. P. Nickerson *et al.*, “Using CellML with OpenCMISS to Simulate Multi-Scale Physiology,” *Front Bioeng Biotechnol*, vol. 2, p. 79, Jan. 2015, doi: [10.3389/fbioe.2014.00079](https://doi.org/10.3389/fbioe.2014.00079).

[182]

C. B. Nielsen, M. Cantor, I. Dubchak, D. Gordon, and T. Wang, “Visualizing genomes: techniques and challenges,” *Nature methods*, vol. 7, no. 3s, pp. S5–S15, 2010, doi: [10.1038/nmeth.1422](https://doi.org/10.1038/nmeth.1422).

[183]

T. H. C. Nobrega, D. D. B. Carvalho, and A. V. Wangenheim, “Simplified simulation and visualization of tubular flows with approximate centerline generation,” in *22nd IEEE International Symposium on Computer-Based Medical Systems*, 2009, pp. 1–7. doi: [10.1109/CBMS.2009.5255378](https://doi.org/10.1109/CBMS.2009.5255378).

[184]

M. Nunes *et al.*, “An integrated visual analysis system for fusing MR spectroscopy and multi-modal radiology imaging,” in *2014 IEEE Conference on Visual Analytics Science and Technology (VAST)*, 2014, pp. 53–62. doi: [10.1109/VAST.2014.7042481](https://doi.org/10.1109/VAST.2014.7042481).

[185]

S. A. Nytnes, L. Løvstakken, H. Torp, and B. O. Haugen, “Blood Flow Imaging—A New Angle-Independent Ultrasound Modality for the Visualization of Flow in Atrial Septal Defects in Children,” *Echocardiography*, vol. 24, no. 9, pp. 975–981, 2007, doi: [10.1111/j.1540-8175.2007.00508.x](https://doi.org/10.1111/j.1540-8175.2007.00508.x).

[186]

S. I. O’Donoghue, “Grand Challenges in Bioinformatics Data Visualization,” *Frontiers in Bioinformatics*, vol. 1, p. 13, 2021, doi: [10.3389/fbinf.2021.669186](https://doi.org/10.3389/fbinf.2021.669186).

[187]

S. I. O’Donoghue *et al.*, “Visualizing biological data—now and in the future,” *Nat Methods*, vol. 7, no. 3, pp. S2–S4, Mar. 2010, doi: [10.1038/nmeth.f.301](https://doi.org/10.1038/nmeth.f.301).

[188]

S. I. O’Donoghue *et al.*, “Visualization of macromolecular structures,” *Nature methods*, vol. 7, no. 3s, pp. S42–S55, 2010, doi: [10.1038/nmeth.1427](https://doi.org/10.1038/nmeth.1427).

[189]

S. I. O’Donoghue *et al.*, “Visualizing biological data — now and in the future,” *Nature methods*, vol. 7, no. 3s, pp. S2–S4, 2010, doi: [10.1038/nmeth.f.301](https://doi.org/10.1038/nmeth.f.301).

[190]

S. Oeltze, F. Grothues, A. Hennemuth, and B. Preim, “Integrated Visualization of Morphologic and Perfusion Data for the Analysis of Coronary Artery Disease,” in *Joint Eurographics - IEEE VGTC Symposium on Visualization*, 2006, pp. 131–138. doi: [10.2312/VisSym/EuroVis06/131-138](https://doi.org/10.2312/VisSym/EuroVis06/131-138).

[191]

S. Oeltze, H. Doleisch, H. Hauser, P. Muigg, and B. Preim, “Interactive Visual Analysis of Perfusion Data,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 13, no. 6, pp. 1392–1399, 2007, doi: [10.1109/TVCG.2007.70569](https://doi.org/10.1109/TVCG.2007.70569).

[192]

S. Oeltze, B. Preim, H. Hauser, J. Rørvik, and A. Lundervold, “Visual analysis of cerebral perfusion data four interactive approaches and a comparison,” in *Proceedings of 6th International Symposium on Image and Signal Processing and Analysis*, 2009, 2009, pp. 582–589. doi: [10.1109/ISPA.2009.5297654](https://doi.org/10.1109/ISPA.2009.5297654).

[193]

S. Oeltze-Jafra, J. R. Cebral, G. Janiga, and B. Preim, “Cluster Analysis of Vortical Flow in Simulations of Cerebral Aneurysm Hemodynamics,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 22, no. 1, pp. 757–766, 2016, doi: [10.1109/TVCG.2015.2467203](https://doi.org/10.1109/TVCG.2015.2467203).

[194]

S. Oeltze-Jafra, A. Ynnerman, S. Bruckner, and H. Hauser, “Rejuvenated Medical Visualization Large-scale, whole-body visualization, visualizing physiology, non-standard imaging and simulations, and cohort studies.” Oct. 2015.

[195]

H. D. Ou, S. Phan, T. J. Deerinck, A. Thor, M. H. Ellisman, and C. C. O’Shea, “ChromEMT: Visualizing 3D chromatin structure and compaction in interphase and mitotic cells,” *Science*, vol. 357, no. 6349, p. eaag0025, Jul. 2017, doi: [10.1126/science.aag0025](https://doi.org/10.1126/science.aag0025).

[196]

E. Palsson, “A 3-D model used to explore how cell adhesion and stiffness affect cell sorting and movement in multicellular systems,” *Journal of Theoretical Biology*, vol. 254, no. 1, pp. 1–13, 2008, doi: [10.1016/j.jtbi.2008.05.004](https://doi.org/10.1016/j.jtbi.2008.05.004).

[197]

J. Park and S. I. Park, “Strain analysis and visualization: left ventricle of a heart,” *Computers & Graphics*, vol. 24, no. 5, pp. 701–714, 2000, doi: [10.1016/S0097-8493\(00\)00073-X](https://doi.org/10.1016/S0097-8493(00)00073-X).

[198]

J. Parulek, M. Šrámek, and I. Zahradník, “GeomCell, Design of Cell Geometry,” in *Recent Advances in the 3D Physiological Human*, Springer Verlag, 2009, pp. 21–36. doi: [10.1007/978-1-84882-565-9_2](https://doi.org/10.1007/978-1-84882-565-9_2).

[199]

R. F. P. van Pelt, A. Fuster, G. G. H. Claassen, and A. Vilanova, “Characterization of blood-flow patterns from phase-contrast MRI velocity fields,” in *EuroVis - Short Papers*, 2014, pp. 61–65. doi: [10.2312/eurovisshort.20141158](https://doi.org/10.2312/eurovisshort.20141158).

[200]

R. van Pelt *et al.*, “Exploration of 4D MRI Blood Flow using Stylistic Visualization,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 16, no. 6, pp. 1339–1347, 2010, doi: [10.1109/TVCG.2010.153](https://doi.org/10.1109/TVCG.2010.153).

[201]

R. van Pelt *et al.*, “Interactive Virtual Probing of 4D MRI Blood-Flow,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 17, no. 12, pp. 2153–2162, 2011, doi: [10.1109/TVCG.2011.215](https://doi.org/10.1109/TVCG.2011.215).

[202]

R. van Pelt and A. Vilanova, “Understanding Blood-Flow Dynamics: New Challenges for Visualization,” *Computer*, vol. 46, no. 12, pp. 60–67, 2013, doi: [10.1109/MC.2013.121](https://doi.org/10.1109/MC.2013.121).

[203]

E. Pernod, M. Sermesant, J. Relan, and H. Delingette, “Interactive Real Time Simulation of Cardiac Radio-Frequency Ablation,” in *Eurographics Workshop on Visual Computing for Biology and Medicine*, 2010, pp. 91–98. doi: [10.2312/VCBM/VCBM10/091-098](https://doi.org/10.2312/VCBM/VCBM10/091-098).

[204]

B. Petersch and D. Hönigmann, “Blood Flow in Its Context: Combining 3D B-Mode and Color Doppler Ultrasonic Data,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 13, no. 4, pp. 748–757, 2007, doi: [10.1109/TVCG.2007.1018](https://doi.org/10.1109/TVCG.2007.1018).

[205]

S. Pook, G. Vaysseix, and E. Barillot, “Zomit: biological data visualization and browsing,” *Bioinformatics*, vol. 14, no. 9, pp. 807–814, Jan. 1998, doi: [10.1093/bioinformatics/14.9.807](https://doi.org/10.1093/bioinformatics/14.9.807).

[206]

B. Preim, S. Oeltze, M. Mlejnek, E. Groller, A. Hennemuth, and S. Behrens, “Survey of the Visual Exploration and Analysis of Perfusion Data,” *Visualization and Computer Graphics, IEEE Transactions on*, vol. 15, no. 2, pp. 205–220, 2009, doi: [10.1109/TVCG.2008.95](https://doi.org/10.1109/TVCG.2008.95).

[207]

B. Preim and K. Lawonn, “A Survey of Visual Analytics for Public Health,” *Computer Graphics Forum*, vol. 39, no. 1, pp. 543–580, 2020, doi: [10.1111/cgf.13891](https://doi.org/10.1111/cgf.13891).

[208]

A. J. Pretorius, I. A. Khan, and R. J. Errington, “Cell lineage visualisation,” *Computer Graphics Forum*, vol. 34, no. 3, pp. 21–30, 2015, doi: [10.1111/cgf.12614](https://doi.org/10.1111/cgf.12614).

[209]

A. Qiao, Y. Liu, S. Li, and H. Zhao, “Numerical Simulation of Physiological Blood Flow in 2-way Coronary Artery Bypass Grafts,” *J Biol Phys*, vol. 31, no. 2, pp. 161–182, May 2005, doi: [10.1007/s10867-005-5829-2](https://doi.org/10.1007/s10867-005-5829-2).

[210]

M. Rohrschneider, C. Heine, A. Reichenbach, A. Kerren, and G. Scheuermann, “A Novel Grid-based Visualization Approach for Metabolic Networks with Advanced Focus&Context View,” in *Proceedings of the 17th International Conference on Graph Drawing*, 2010, pp. 268–279. doi: [10.1007/978-3-642-11805-0_26](https://doi.org/10.1007/978-3-642-11805-0_26).

[211]

T. Ropinski, I. Viola, M. Biermann, H. Hauser, and K. Hinrichs, “Multimodal Visualization with Interactive Closeups,” in *Theory and Practice of Computer Graphics*, 2009, pp. 17–24. doi: [10.2312/LocalChapterEvents/TPCG/TPCG09/017-024](https://doi.org/10.2312/LocalChapterEvents/TPCG/TPCG09/017-024).

[212]

F. Rößler, E. Tejada, T. Fangmeier, T. Ertl, and M. Knauff, “GPU-based Multi-Volume Rendering for the Visualization of Functional Brain Images,” in *Proceedings of SimVis*, 2006, pp. 305–18.

[213]

M. Ryan, G. McGill, and E. O. Wilson, *E.O. Wilson's Life on Earth*. Wilson Biodiversity Foundation, 2014. [Online]. Available: <http://eowilsonfoundation.org/e-o-wilson-s-life-on-earth/>

[214]

J. Rzepecki, R. M. Millán Vaquero, A. Vais, K.-I. Friese, and F.-E. Wolter, “Multimodal Approach for Natural Biomedical Multi-scale Exploration,” in *Advances in Visual Computing*, Cham, 2014, pp. 620–631. doi: [10.1007/978-3-319-14364-4_60](https://doi.org/10.1007/978-3-319-14364-4_60).

[215]

A. Sakaue-Sawano *et al.*, “Visualizing Spatiotemporal Dynamics of Multicellular Cell-Cycle Progression,” *Cell*, vol. 132, no. 3, pp. 487–498, 2008, doi: [10.1016/j.cell.2007.12.033](https://doi.org/10.1016/j.cell.2007.12.033).

[216]

I. Salvador-Martínez, M. Grillo, M. Averof, and M. J. Telford, “CeLaVi: an interactive cell lineage visualization tool,” *Nucleic Acids Research*, vol. 49, no. W1, pp. W80–W85, Jul. 2021, doi: [10.1093/nar/gkab325](https://doi.org/10.1093/nar/gkab325).

[217]

N. F. Samatova, P. Breimyer, W. Hendrix, M. C. Schmidt, and T. Rhyne, “An outlook into ultra-scale visualization of large-scale biological data,” in *Ultrascale Visualization, 2008. UltraVis 2008. Workshop on*, 2008, pp. 29–39. doi: [10.1109/ULTRAVIS.2008.5154061](https://doi.org/10.1109/ULTRAVIS.2008.5154061).

[218]

N. F. Samatova, P. Breimyer, W. Hendrix, M. C. Schmidt, and T.-M. Rhyne, “An outlook into ultra-scale visualization of large-scale biological data,” in *2008 Workshop on Ultrascale Visualization*, Nov. 2008, pp. 29–39. doi: [10.1109/ULTRAVIS.2008.5154061](https://doi.org/10.1109/ULTRAVIS.2008.5154061).

[219]

O. Sand, Ø. V. Sjaastad, E. Haug, and K. C. Toverud, *Menneskets fysiologi*, 3rd ed. Gyldendal akademisk, 2014.

[220]

A. P. Santhanam, C. Imielinska, P. Davenport, P. Kupelian, and J. P. Rolland, “Modeling Real-Time 3-D Lung Deformations for Medical Visualization,” *IEEE Transactions on Information Technology in Biomedicine*, vol. 12, no. 2, pp. 257–270, 2008, doi: [10.1109/TITB.2007.899489](https://doi.org/10.1109/TITB.2007.899489).

[221]

J.-M. Schleich, C. Almange, J.-L. Dillenseger, and J.-L. Coatrieux, “Understanding normal cardiac development using animated models,” *IEEE Computer Graphics and Applications*, vol. 22, no. 1, pp. 14–19, 2002, doi: [10.1109/38.974513](https://doi.org/10.1109/38.974513).

[222]

J. Schmidt-Ehrenberg, D. Baum, and H.-C. Hege, “Visualizing dynamic molecular conformations,” in *IEEE Visualization, 2002*, 2002, pp. 235–242. doi: [10.1109/VISUAL.2002.1183780](https://doi.org/10.1109/VISUAL.2002.1183780).

[223]

F. Schreiber, “Comparison of Metabolic Pathways Using Constraint Graph Drawing,” in *Proceedings of the First Asia-Pacific Bioinformatics Conference on Bioinformatics 2003 - Volume 19*, 2003, pp. 105–110. [Online]. Available: <http://dl.acm.org/citation.cfm?id=820189.820203>

[224]

Schrödinger, LLC, “The PyMOL Molecular Graphics System, Version 1.8,” 2015.

[225]

M. Schwenke, A. Hennemuth, B. Fischer, and O. Friman, “Blood Flow Computation in Phase-Contrast MRI by Minimal Paths in Anisotropic Media,” in *Medical Image Computing and Computer-Assisted Intervention – MICCAI 2011*, Springer Berlin Heidelberg, 2011. doi: [10.1007/978-3-642-23623-5_55](https://doi.org/10.1007/978-3-642-23623-5_55).

[226]

B. Shaikh, G. Marupilla, M. Wilson, M. L. Blinov, I. I. Moraru, and J. R. Karr, “RunBioSimulations: an extensible web application that simulates a wide range of computational modeling frameworks, algorithms, and formats,” *Nucleic Acids Res*, vol. 49, no. W1, pp. W597–W602, Jul. 2021, doi: [10.1093/nar/gkab411](https://doi.org/10.1093/nar/gkab411).

[227]

P. Shannon *et al.*, “Cytoscape: A Software Environment for Integrated Models of Biomolecular Interaction Networks,” *Genome Research*, vol. 13, no. 11, pp. 2498–2504, 2003, doi: [10.1101/gr.1239303](https://doi.org/10.1101/gr.1239303).

[228]

A. Sheharyar *et al.*, “Spatio-temporal Visualization of Regional Myocardial Velocities,” in *Eurographics Workshop on Visual Computing for Biology and Medicine*, 2016, pp. 89–98. doi: [10.2312/vcbm.20161275](https://doi.org/10.2312/vcbm.20161275).

[229]

M. Shinohara, K. Sabra, J.-L. Gennisson, M. Fink, and M. Tanter, “Real-time visualization of muscle stiffness distribution with ultrasound shear wave imaging during muscle contraction,” *Muscle & Nerve*, vol. 42, no. 3, pp. 438–441, 2010, doi: [10.1002/mus.21723](https://doi.org/10.1002/mus.21723).

[230]

A. Somarakis *et al.*, “Visual cohort comparison for spatial single-cell omics-data,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 27, no. 2, pp. 733–743, Feb. 2021, doi: [10.1109/TVCG.2020.3030336](https://doi.org/10.1109/TVCG.2020.3030336).

[231]

B. Soni, D. Thompson, and R. Machiraju, “Visualizing Particle/Flow Structure Interactions in the Small Bronchial Tubes,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 14, no. 6, pp. 1412–1427, 2008, doi: [10.1109/TVCG.2008.183](https://doi.org/10.1109/TVCG.2008.183).

[232]

J. Sorger, P. Mindek, T. Klein, G. Johnson, and I. Viola, “Illustrative Transitions in Molecular Visualization via Forward and Inverse Abstraction Transform,” *Eurographics Workshop on Visual Computing for Biology and Medicine*, p. 10 pages, 2016, doi: [10.2312/VCBM.20161267](https://doi.org/10.2312/VCBM.20161267).

[233]

S. R. Srivatsan *et al.*, “The human body at cellular resolution: the NIH Human Biomolecular Atlas Program,” *Nature*, vol. 574, no. 7777, p. 187, 2019, doi: [10.1038/s41586-019-1629-x](https://doi.org/10.1038/s41586-019-1629-x).

[234]

S. R. Srivatsan *et al.*, “Embryo-scale, single-cell spatial transcriptomics,” *Science*, vol. 373, no. 6550, pp. 111–117, Jul. 2021, doi: [10.1126/science.abb9536](https://doi.org/10.1126/science.abb9536).

[235]

Z. Stankovic, B. D. Allen, J. Garcia, K. B. Jarvis, and M. Markl, “4D flow imaging with MRI,” *Cardiovascular Diagnosis and Therapy*, vol. 4, no. 2, pp. 173–192, 2014, doi: [10.3978/j.issn.2223-3652.2014.01.02](https://doi.org/10.3978/j.issn.2223-3652.2014.01.02).

[236]

S. Stoppel, E. Hodneland, H. Hauser, and S. Bruckner, “Graxels: Information Rich Primitives for the Visualization of Time-Dependent Spatial Data,” in *Eurographics Workshop on Visual Computing for Biology and Medicine*, 2016, pp. 183–192. doi: [10.2312/vcbm.20161286](https://doi.org/10.2312/vcbm.20161286).

[237]

Y. Sun and A. Periasamy, “Localizing protein-protein interactions in living cells using fluorescence lifetime imaging microscopy,” *Methods Mol Biol*, vol. 1251, pp. 83–107, 2015, doi: [10.1007/978-1-4939-2080-8_6](https://doi.org/10.1007/978-1-4939-2080-8_6).

[238]

H. Sundar, H. Litt, and D. Shen, “Estimating Myocardial Motion by 4D Image Warping,” *Pattern recognition*, vol. 42, no. 11, pp. 2514–2526, 2009, doi: [10.1016/j.patcog.2009.04.022](https://doi.org/10.1016/j.patcog.2009.04.022).

[239]

T. A. Sundaram and J. C. Gee, “Towards a model of lung biomechanics: pulmonary kinematics via registration of serial lung images,” *Medical Image Analysis*, vol. 9, no. 6, pp. 524–537, 2005, doi: [10.1016/j.media.2005.04.002](https://doi.org/10.1016/j.media.2005.04.002).

[240]

M. Tanaka *et al.*, “Blood flow structure and dynamics, and ejection mechanism in the left ventricle: Analysis using echo-dynamography,” *Journal of Cardiology*, vol. 52, no. 2, pp. 86–101, 2008, doi: [10.1016/j.jjcc.2008.05.005](https://doi.org/10.1016/j.jjcc.2008.05.005).

[241]

J. Teran, E. Sifakis, S. S. Blemker, V. Ng-Thow-Hing, C. Lau, and R. Fedkiw, “Creating and Simulating Skeletal Muscle from the Visible Human Data Set,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 11, no. 3, pp. 317–328, 2005, doi: [10.1109/TVCG.2005.42](https://doi.org/10.1109/TVCG.2005.42).

[242]

M. Termeer, J. O. Bescós, M. Breeuwer, A. Vilanova, F. Gerritsen, and M. E. Gröller, “CoViCAD: Comprehensive Visualization of Coronary Artery Disease,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 13, no. 6, pp. 1632–1639, 2007, doi: [10.1109/TVCG.2007.70550](https://doi.org/10.1109/TVCG.2007.70550).

[243]

M. Termeer *et al.*, “Visualization of Myocardial Perfusion Derived from Coronary Anatomy,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 14, no. 6, pp. 1595–1602, 2008, doi: [10.1109/TVCG.2008.180](https://doi.org/10.1109/TVCG.2008.180).

[244]

D. Testi, G. Clapworthy, S. Aylward, A. Frangi, and R. Christie, “Interactive visualization of multiscale biomedical data: an integrated approach,” p. 2.

[245]

B. Thomaß, J. Walter, M. Krone, H. Hasse, and T. Ertl, “Interactive Exploration of Polymer-Solvent Interactions,” in *Vision, Modeling, and Visualization (2011)*, 2011, pp. 301–308. doi: [10.2312/PE/VMV/VMV11/301-308](https://doi.org/10.2312/PE/VMV/VMV11/301-308).

[246]

M. Tory, N. Rober, T. Möller, A. Celler, and M. S. Atkins, “4D space-time techniques: a medical imaging case study,” in *Visualization, 2001. VIS '01. Proceedings*, 2001, pp. 473–592. doi: [10.1109/VISUAL.2001.964554](https://doi.org/10.1109/VISUAL.2001.964554).

[247]

M. Viceconti and P. Hunter, “The Virtual Physiological Human: Ten Years After,” *Annual Review of Biomedical Engineering*, vol. 18, no. 1, pp. 103–123, 2016, doi: [10.1146/annurev-bioeng-110915-114742](https://doi.org/10.1146/annurev-bioeng-110915-114742).

[248]

A. C. Villéger, S. R. Pettifer, and D. B. Kell, “Arcadia: a visualization tool for metabolic pathways,” *Bioinformatics*, vol. 26, no. 11, pp. 1470–1471, 2010, doi: [10.1093/bioinformatics/btq154](https://doi.org/10.1093/bioinformatics/btq154).

[249]

M. Voliotis, P. Thomas, R. Grima, and C. G. Bowsher, “Stochastic Simulation of Biomolecular Networks in Dynamic Environments,” *PLOS Computational Biology*, vol. 12, no. 6, p. e1004923, Jun. 2016, doi: [10.1371/journal.pcbi.1004923](https://doi.org/10.1371/journal.pcbi.1004923).

[250]

E. Wait *et al.*, “Visualization and correction of automated segmentation, tracking and lineaging from 5-D stem cell image sequences,” *BMC Bioinformatics*, vol. 15, no. 1, pp. 1–14, 2014, doi: [10.1186/1471-2105-15-328](https://doi.org/10.1186/1471-2105-15-328).

[251]

G. M. Weber, Y. Ju, and K. Börner, “Considerations for Using the Vasculature as a Coordinate System to Map All the Cells in the Human Body,” *Front Cardiovasc Med*, vol. 7, p. 29, 2020, doi: [10.3389/fcvm.2020.00029](https://doi.org/10.3389/fcvm.2020.00029).

[252]

N. Weiskopf *et al.*, “Physiological self-regulation of regional brain activity using real-time functional magnetic resonance imaging (fMRI): methodology and exemplary data,” *NeuroImage*, vol. 19, no. 3, pp. 577–586, 2003, doi: [10.1016/S1053-8119\(03\)00145-9](https://doi.org/10.1016/S1053-8119(03)00145-9).

[253]

L. Wigström, L. Sjöqvist, and B. Wranne, “Temporally resolved 3D phase-contrast imaging,” *Magnetic Resonance in Medicine*, vol. 36, no. 5, pp. 800–803, 1996, doi: [10.1002/mrm.1910360521](https://doi.org/10.1002/mrm.1910360521).

[254]

M. Wolter, I. Assenmacher, B. Hentschel, M. Schirski, and T. Kuhlen, “A Time Model for Time-Varying Visualization,” *Computer Graphics Forum*, vol. 28, no. 6, pp. 1561–1571, 2009, doi: [10.1111/j.1467-8659.2008.01314.x](https://doi.org/10.1111/j.1467-8659.2008.01314.x).

[255]

K. C. L. Wong, L. Wang, H. Zhang, and P. Shi, “Physiological Fusion of Functional and Structural Data for Cardiac Deformation Recovery,” in *Medical Image Computing and Computer-Assisted Intervention – MICCAI 2010*, Springer Berlin Heidelberg, 2010. doi: [10.1007/978-3-642-15705-9_20](https://doi.org/10.1007/978-3-642-15705-9_20).

[256]

I. M. Wortel and J. Textor, “Artistoo, a library to build, share, and explore simulations of cells and tissues in the web browser,” *Elife*, vol. 10, p. e61288, Apr. 2021, doi: [10.7554/eLife.61288](https://doi.org/10.7554/eLife.61288).

[257]

G. Wu, Q. Wang, J. Lian, and D. Shen, “Estimating the 4D respiratory lung motion by spatiotemporal registration and super-resolution image reconstruction,” *Medical Physics*, vol. 40, no. 3, pp. 031710-1-031710-17, 2013, doi: [10.1118/1.4790689](https://doi.org/10.1118/1.4790689).

[258]

K. Wu, J. Chen, W. A. Pruett, and R. L. Hester, “Hummod browser: An exploratory visualization tool for the analysis of whole-body physiology simulation data,” in *2013 IEEE Symposium on Biological Data Visualization (BioVis)*, 2013, pp. 97–104. doi: [10.1109/BioVis.2013.6664352](https://doi.org/10.1109/BioVis.2013.6664352).

[259]

G. Xiong and C. A. Taylor, “Physics-based Modeling of Aortic Wall Motion from ECG- Gated 4D Computed Tomography,” in *Proceedings of the 13th International Conference on Medical Image Computing and Computer-assisted Intervention: Part I*, 2010, pp. 426–434. doi: [10.1007/978-3-642-15705-9_52](https://doi.org/10.1007/978-3-642-15705-9_52).

[260]

Y. Yang, X. Guo, J. Vick, L. G. Torres, and T. F. Campbell, “Physics-Based Deformable Tongue Visualization,” *IEEE Transactions on Visualization and Computer Graphics*, vol. 19, no. 5, pp. 811–823, 2013, doi: [10.1109/TVCG.2012.174](https://doi.org/10.1109/TVCG.2012.174).

[261]

W. Zhong, M. Wu, C.-W. Chang, K. A. Merrick, S. D. Merajver, and M.-A. Mycek, “Picosecond-resolution fluorescence lifetime imaging microscopy: a useful tool for sensing molecular interactions in vivo via FRET,” *Opt Express*, vol. 15, no. 26, pp. 18220–18235, Dec. 2007, doi: [10.1364/oe.15.018220](https://doi.org/10.1364/oe.15.018220).

[262]

“Multi-scale Biological Modalities for Physiological Human Articulation | MULTISCALEHUMAN Project | Fact Sheet | FP7 | CORDIS | European Commission,” 2015. <https://cordis.europa.eu/project/id/289897> (accessed Oct. 10, 2021).