Materials 28 - Putting approximating functions and value function iteration together

Laura Gáti

May 13, 2020

The setup of the problem makes the separate issues I'm facing clear:

$$V(x) = \max_u p(u, x) + \beta \, \mathbb{E} \, V(x') \tag{1}$$

1. Interpolate instead of discretize
2. Interpolation may have to be shape-preserving
3. Compute expectation on RHS $\rightarrow$ quadrature
4. x is a vector $\rightarrow$ multivariate approximation

Algorithm: Parametric value function iteration

(Judd, *Numerical Methods*, Algorithm 12.5)

- Objective: Solve Bellman equation $\rightarrow$ find coefficients b^* such that the approximation $\hat{V}(x, b)$ is close enough.
- Initialization: Choose a functional form for $\hat{V}(x, b^0)$ and choose a grid of n interpolation nodes $X = \{x_1, \ldots, n_n\}$. Choose initial vector of coefficients b^0 and stopping criterion $\varepsilon > 0$.

Step 1 Maximization step

Compute $v_j = T\hat{V}(\cdot, b^i)$ for $x_j \in X$.

Step 2 Fitting step

Using your choice of approximation method, compute the updated vector of coefficients b^{i+1} such that $\hat{V}(x, b^{i+1})$ approximates the (v_i, x_i) data.

Step 3 If $||\hat{V}(x, b^i) - \hat{V}(x, b^{i+1}) < \varepsilon||$, stop; else go to Step 1.

1 Optimal growth model

1.1 Optimal growth - value function iteration with discretization



(a) Value function



(b) Decision rules

1.2 Optimal growth - value function iteration with Chebyshev polynomial interpolation



(c) Value function



(d) Decision rules

1.3 Optimal growth - value function iteration with cubic spline interpolation



(e) Value function



(f) Decision rules

1.4 Optimal growth - value function iteration with piecewise cubic Hermite interpolation (shape-preserving)



(g) Value function



(h) Decision rules

1.5 Optimal growth - stochastic value function iteration with bivariate tech shock, discretized



(i) Value function



(j) Decision rules

This one is not a 100% what Collard gets but hey.

1.6 Optimal growth in Ryan PS6 - stochastic value function iteration with two states, capital and tech, policy function interpolation and Gauss-Hermite quadrature for expectations

- I wonder if this is policy function iteration
- Why is he not actually iterating?