Materials 24

Laura Gáti

April 3, 2020

## Overview

1 Implementation of target criterion

Figure 1: Simulation using Taylor rule against exogenous sequences that minimize equation residuals

(a) Inputs: i, residual eq.: none

(b) Inputs: x, i, residual eq.: A9.

(c) Inputs: π, x, i, residual eq. A9, A10.

$\rightarrow$ I can implement the Tayor-rule-outcome without using a Taylor rule. (Conditional on initial

sequences being the Taylor-rule-sequences.)

A   Model summary

$$x_t = -\sigma i_t + \hat{\mathbb{E}}_t \sum_{T=t}^{\infty} \beta^{T-t}\big((1-\beta)x_{T+1} - \sigma(\beta i_{T+1} - \pi_{T+1}) + \sigma r_T^n\big) \tag{A.1}$$

$$\pi_t = \kappa x_t + \hat{\mathbb{E}}_t \sum_{T=t}^{\infty} (\alpha\beta)^{T-t}\big(\kappa\alpha\beta x_{T+1} + (1-\alpha)\beta\pi_{T+1} + u_T\big) \tag{A.2}$$

$$i_t = \psi_\pi \pi_t + \psi_x x_t + \bar{i}_t \qquad \text{(if imposed)} \tag{A.3}$$

$$\text{PLM:} \qquad \hat{\mathbb{E}}_t z_{t+h} = a_{t-1} + b h_x^{h-1} s_t \quad \forall h \geq 1 \qquad b = g_x\, h_x \tag{A.4}$$

$$\text{Updating:} \qquad a_t = a_{t-1} + k_t^{-1}\big(z_t - (a_{t-1} + b s_{t-1})\big) \tag{A.5}$$

$$\text{Anchoring function:} \qquad k_t = k_{t-1} + \mathbf{g}(fe_{t-1}^2) \tag{A.6}$$

$$\text{Forecast error:} \qquad fe_{t-1} = z_t - (a_{t-1} + b s_{t-1}) \tag{A.7}$$

$$\text{LH expectations:} \qquad f_a(t) = \frac{1}{1-\alpha\beta} a_{t-1} + b(\mathbb{I}_{nx} - \alpha\beta h)^{-1} s_t \qquad f_b(t) = \frac{1}{1-\beta} a_{t-1} + b(\mathbb{I}_{nx} - \beta h)^{-1} s_t \tag{A.8}$$

This notation captures vector learning (z learned) for intercept only. For scalar learning, $a_t = \begin{pmatrix} \bar{\pi}_t & 0 & 0 \end{pmatrix}'$ and b_1 designates the first row of b. The observables (π, x) are determined as:

$$x_t = -\sigma i_t + \begin{bmatrix} \sigma & 1-\beta & -\sigma\beta \end{bmatrix} f_b + \sigma \begin{bmatrix} 1 & 0 & 0 \end{bmatrix} (\mathbb{I}_{nx} - \beta h_x)^{-1} s_t \tag{A.9}$$

$$\pi_t = \kappa x_t + \begin{bmatrix} (1-\alpha)\beta & \kappa\alpha\beta & 0 \end{bmatrix} f_a + \begin{bmatrix} 0 & 0 & 1 \end{bmatrix} (\mathbb{I}_{nx} - \alpha\beta h_x)^{-1} s_t \tag{A.10}$$

B   Target criterion

The target criterion in the simplified model (scalar learning of inflation intercept only, $k_t^{-1} = \mathbf{g}(fe_{t-1})$):

$$\pi_t = -\frac{\lambda_x}{\kappa}\bigg\{ x_t - \frac{(1-\alpha)\beta}{1-\alpha\beta}\bigg(k_t^{-1} + ((\pi_t - \bar{\pi}_{t-1} - b_1 s_{t-1}))\mathbf{g}_\pi(t) \bigg)$$

$$\bigg(\mathbb{E}_t \sum_{i=1}^{\infty} x_{t+i} \prod_{j=0}^{i-1} (1 - k_{t+1+j}^{-1} - (\pi_{t+1+j} - \bar{\pi}_{t+j} - b_1 s_{t+j})\mathbf{g}_{\bar{\pi}}(t+j)) \bigg) \bigg\} \tag{B.1}$$

where I'm using the notation that $\prod_{j=0}^0 \equiv 1$. For interpretation purposes, let me rewrite this as follows:

$$\pi_t = -\frac{\lambda_x}{\kappa} x_t + \frac{\lambda_x}{\kappa}\frac{(1-\alpha)\beta}{1-\alpha\beta}\bigg(k_t^{-1} + fe_{t|t-1}^{eve}\mathbf{g}_\pi(t) \bigg) \mathbb{E}_t \sum_{i=1}^{\infty} x_{t+i}$$

$$-\frac{\lambda_x}{\kappa}\frac{(1-\alpha)\beta}{1-\alpha\beta}\bigg(k_t^{-1} + fe_{t|t-1}^{eve}\mathbf{g}_\pi(t) \bigg)\bigg(\mathbb{E}_t \sum_{i=1}^{\infty} x_{t+i} \prod_{j=0}^{i-1} (k_{t+1+j}^{-1} + fe_{t+1+j|t+j}^{eve})\mathbf{g}_{\bar{\pi}}(t+j)) \bigg) \tag{B.2}$$

Interpretation: tradeoffs from discretion in RE + effect of current level and change of the gain on future tradeoffs + effect of future expected levels and changes of the gain on future tradeoffs

C Tried to derive a target criterion for the case when the anchoring function is specified in terms of changes in the gain

$$k_t = k_{t-1} + \mathbf{g}(fe_{t|t-1}) \tag{C.1}$$

Turns out the k_{t-1} adds one $\varphi_{6,t+1}$ too many which makes the target criterion unwieldy. The FOCs of the Ramsey problem are

$$2\pi_t + 2\frac{\lambda}{\kappa}x_t - k_t^{-1}\varphi_{5,t} - \mathbf{g}_\pi(t)\varphi_{6,t} = 0 \tag{C.2}$$

$$cx_{t+1} + \varphi_{5,t} - (1 - k_t^{-1})\varphi_{5,t+1} + \mathbf{g}_{\bar\pi}(t)\varphi_{6,t+1} = 0 \tag{C.3}$$

$$\varphi_{6,t} + \varphi_{6,t+1} = fe_t\varphi_{5,t} \tag{C.4}$$

where the red multiplier is the new element vis-a-vis the case where the anchoring function is specified in levels ($k_t^{-1} = \mathbf{g}(fe_{t-1})$, as in App. B), and I'm using the shorthand notation

$$c = -\frac{2(1-\alpha)\beta}{1 - \alpha\beta}\frac{\lambda}{\kappa} \tag{C.5}$$

$$fe_t = \pi_t - \bar\pi_{t-1} - bs_{t-1} \tag{C.6}$$

(C.2) says that in anchoring, the discretion tradeoff is complemented with tradeoffs coming from learning ($\varphi_{5,t}$), which are more binding when expectations are unanchored (k_t^{-1} high). Moreover, the change in the anchoring of expectations imposes an additional constraint ($\varphi_{6,t}$), which is more strongly binding if the gain responds strongly to inflation ($\mathbf{g}_\pi(t)$). One can simplify this three-equation-system to:

$$\varphi_{6,t} = -cfe_tx_{t+1} + \left(1 + \frac{fe_t}{fe_{t+1}}(1 - k_{t+1}^{-1}) - fe_t\mathbf{g}_{\bar\pi}(t)\right)\varphi_{6,t+1} - \frac{fe_t}{fe_{t+1}}(1 - k_{t+1}^{-1})\varphi_{6,t+2} \tag{C.7}$$

$$0 = 2\pi_t + 2\frac{\lambda}{\kappa}x_t - \left(\frac{k_t^{-1}}{fe_t} + \mathbf{g}_\pi(t)\right)\varphi_{6,t} + \frac{k_t^{-1}}{fe_t}\varphi_{6,t+1} \tag{C.8}$$

Unfortunately, I haven't been able to solve (C.7) for $\varphi_{6,t}$ and therefore I can't express the target criterion so nicely as before. The only thing I can say is to direct the targeting rule-following central bank to compute $\varphi_{6,t}$ as the solution to (C.8), and then evaluate (C.7) as a target criterion. The solution to (C.8) is given by:

$$\varphi_{6,t} = -2\,\mathbb{E}_t \sum_{i=0}^\infty (\pi_{t+i} + \frac{\lambda_x}{\kappa}x_{t+i})\prod_{j=0}^{i-1}\frac{\frac{k_{t+j}^{-1}}{fe_{t+j}}}{\frac{k_{t+j}^{-1}}{fe_{t+j}} + \mathbf{g}_\pi(t+j)} \tag{C.9}$$

Interpretation: the anchoring constraint is not binding ($\varphi_{6,t} = 0$) if the CB always hits the target ($\pi_{t+i} + \frac{\lambda_x}{\kappa}x_{t+i} = 0 \quad \forall i$); or expectations are always anchored ($k_{t+j}^{-1} = 0 \quad \forall j$).