

ICPSR 37118

**Committee on the Status of Women
in the Economics Profession
(CSWEP) Annual Survey of U.S.
Economics Departments, United
States, 1994-2020**

*American Economic Association.
Committee on the Status of Women in the
Economics Profession*

ICPSR Codebook for PhD Restricted-Use Data

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/web/ICPSR/studies/37118/terms>

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #37118

*Committee on the Status of Women in the Economics Profession (CSWEP) Annual Survey of U.S.
Economics Departments, United States, 1994-2020
DS 1: PhD Restricted-Use Data*

1. **Restricted-Use:** This data collection may not be used for any purpose other than statistical reporting and analysis. Use of these data to learn the identity of any person or establishment is prohibited. To protect respondent privacy, this data collection is restricted from general dissemination. To obtain this file, researchers must agree to the terms and conditions of a Restricted Data Use Agreement in accordance with existing ICPSR servicing policies.
2. **Additional Information:** For additional information on the CSWEP study, please visit the [CSWEP](#) and [UAQ](#) sections of the American Economics Association web site.

ICPSR 37118

Committee on the Status of Women in the Economics Profession (CSWEP) Annual Survey of U.S. Economics Departments, United States, 1994-2020

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

PhD Restricted-Use Data

YEAR: Year of survey

Value	Label	Unweighted Frequency	%
1994	-	80	2.5 %
1995	-	108	3.3 %
1996	-	108	3.3 %
1997	-	113	3.5 %
1998	-	118	3.6 %
1999	-	119	3.7 %
2000	-	120	3.7 %
2001	-	120	3.7 %
2002	-	121	3.7 %
2003	-	121	3.7 %
2004	-	122	3.8 %
2005	-	122	3.8 %
2006	-	123	3.8 %
2007	-	123	3.8 %
2008	-	123	3.8 %
2009	-	123	3.8 %
2010	-	125	3.9 %
2011	-	125	3.9 %
2012	-	125	3.9 %
2013	-	126	3.9 %
2014	-	126	3.9 %
2015	-	126	3.9 %
2016	-	125	3.9 %
2017	-	126	3.9 %
2018	-	126	3.9 %
2019	-	126	3.9 %
2020	-	126	3.9 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 2007.43
- Median: 2008.00
- Minimum: 1994.00
- Maximum: 2020.00
- Standard Deviation: 7.65

Location: 1-4 (width: 4; decimal: 0)

Variable Type: numeric

UNITID: IPEDS 6-digit institution identifier

Value	Label	Unweighted Frequency	%
100751	-	23	0.7 %
100858	-	8	0.2 %
104151	-	24	0.7 %
104179	-	27	0.8 %
106397	-	27	0.8 %
110404	-	27	0.8 %
110635	-	27	0.8 %
110644	-	27	0.8 %
110653	-	27	0.8 %
110662	-	27	0.8 %
110671	-	27	0.8 %
110680	-	27	0.8 %
110705	-	26	0.8 %
110714	-	24	0.7 %
112251	-	26	0.8 %
123961	-	27	0.8 %
126614	-	27	0.8 %
126818	-	27	0.8 %
129020	-	27	0.8 %
130794	-	27	0.8 %
130943	-	23	0.7 %
131159	-	27	0.8 %
131469	-	27	0.8 %
131496	-	27	0.8 %
131520	-	26	0.8 %
133951	-	27	0.8 %
134097	-	27	0.8 %
134130	-	27	0.8 %
135726	-	26	0.8 %
137351	-	23	0.7 %
139658	-	26	0.8 %
139755	-	11	0.3 %
139940	-	27	0.8 %
139959	-	26	0.8 %
141574	-	24	0.7 %
144050	-	27	0.8 %
145600	-	27	0.8 %

Value	Label	Unweighted Frequency	%
145637	-	27	0.8 %
147703	-	23	0.7 %
147767	-	27	0.8 %
149222	-	26	0.8 %
151351	-	27	0.8 %
152080	-	27	0.8 %
153603	-	27	0.8 %
153658	-	27	0.8 %
155317	-	27	0.8 %
155399	-	26	0.8 %
157085	-	27	0.8 %
160755	-	26	0.8 %
162928	-	27	0.8 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 174757.60
- Median: 174066.00
- Minimum: 100751.00
- Maximum: 243780.00
- Standard Deviation: 40827.18

Location: 5-10 (width: 6; decimal: 0)

Variable Type: numeric

INSTNM: Institution Name

Value	Label	Unweighted Frequency	%
American University	-	27	0.8 %
Arizona State University-Tempe	-	24	0.7 %
Auburn University	-	8	0.2 %
Boston College	-	27	0.8 %
Boston University	-	27	0.8 %
Brown University	-	27	0.8 %
CUNY Graduate School and University Center	-	27	0.8 %
California Institute of Technology	-	27	0.8 %
Carnegie Mellon University	-	27	0.8 %
Claremont Graduate University	-	26	0.8 %
Clark University	-	27	0.8 %
Clemson University	-	19	0.6 %

Value	Label	Unweighted Frequency	%
Colorado State University-Fort Collins	-	27	0.8 %
Columbia University in the City of New York	-	27	0.8 %
Cornell University	-	27	0.8 %
Duke University	-	27	0.8 %
Emory University	-	26	0.8 %
Florida International University	-	27	0.8 %
Florida State University	-	27	0.8 %
Fordham University	-	27	0.8 %
George Mason University	-	26	0.8 %
George Washington University	-	27	0.8 %
Georgetown University	-	27	0.8 %
Georgia Institute of Technology-Main Campus	-	11	0.3 %
Georgia State University	-	27	0.8 %
Harvard University	-	27	0.8 %
Howard University	-	26	0.8 %
Indiana University-Bloomington	-	27	0.8 %
Iowa State University	-	27	0.8 %
Johns Hopkins University	-	27	0.8 %
Kansas State University	-	26	0.8 %
Lehigh University	-	24	0.7 %
Massachusetts Institute of Technology	-	27	0.8 %
Michigan State University	-	27	0.8 %
Mississippi State University	-	21	0.6 %
New York University	-	27	0.8 %
North Carolina State University at Raleigh	-	26	0.8 %
Northeastern University	-	26	0.8 %
Northern Illinois University	-	23	0.7 %
Northwestern University	-	27	0.8 %
Ohio State University-Main Campus	-	27	0.8 %
Oklahoma State University-Main Campus	-	27	0.8 %
Pennsylvania State University-Main Campus	-	26	0.8 %
Princeton University	-	27	0.8 %
Purdue University-Main Campus	-	27	0.8 %
Rensselaer Polytechnic Institute	-	17	0.5 %
Rice University	-	27	0.8 %
Rutgers University-New Brunswick	-	26	0.8 %
SUNY at Albany	-	27	0.8 %
SUNY at Binghamton	-	27	0.8 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 11-61 (width: 51; decimal: 0)

Variable Type: character

TENAPW: Assistant Professors, Tenured, Female

Value	Label	Unweighted Frequency	%
0.0000000000000	-	2970	91.5 %
0.1176470588235	-	1	0.0 %
0.1250000000000	-	1	0.0 %
0.1666666666667	-	1	0.0 %
0.2000000000000	-	3	0.1 %
0.2352941176471	-	1	0.0 %
0.2500000000000	-	3	0.1 %
0.3333333333333	-	7	0.2 %
0.3529411764706	-	1	0.0 %
0.3750000000000	-	1	0.0 %
0.4000000000000	-	3	0.1 %
0.4705882352941	-	1	0.0 %
0.5000000000000	-	18	0.6 %
0.5882352941176	-	1	0.0 %
0.6000000000000	-	3	0.1 %
0.6250000000000	-	1	0.0 %
0.6666666666667	-	9	0.3 %
0.7058823529412	-	1	0.0 %
0.7500000000000	-	4	0.1 %
0.8000000000000	-	3	0.1 %
0.8235294117647	-	1	0.0 %
0.8333333333333	-	1	0.0 %
0.8750000000000	-	1	0.0 %
0.9411764705882	-	1	0.0 %
1.0000000000000	-	72	2.2 %
1.0588235294118	-	1	0.0 %
1.1764705882353	-	1	0.0 %
1.2941176470588	-	1	0.0 %
1.3333333333333	-	3	0.1 %
1.4117647058824	-	1	0.0 %
1.5000000000000	-	5	0.2 %
1.5294117647059	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.6470588235294	-	1	0.0 %
1.6666666666667	-	2	0.1 %
1.7647058823529	-	1	0.0 %
1.8823529411765	-	1	0.0 %
2.0000000000000	-	35	1.1 %
2.2500000000000	-	1	0.0 %
2.3333333333333	-	1	0.0 %
3.0000000000000	-	25	0.8 %
3.5000000000000	-	1	0.0 %
4.0000000000000	-	6	0.2 %
5.0000000000000	-	3	0.1 %
6.0000000000000	-	2	0.1 %
9.0000000000000	-	1	0.0 %
	Missing Data		
.	-	44	1.4 %
	Total	3,246	100%

Based upon 3,202 valid cases out of 3,246 total cases.

- Mean: 0.1080574640849
- Median: 0.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 9.0000000000000
- Standard Deviation: 0.5019685811434

Location: 62-76 (width: 15; decimal: 13)

Variable Type: numeric

TENAPM: Assistant Professors, Tenured, Male

Value	Label	Unweighted Frequency	%
0.0000000000000	-	2884	88.8 %
0.235294117647	-	1	0.0 %
0.2500000000000	-	1	0.0 %
0.3333333333333	-	7	0.2 %
0.470588235294	-	1	0.0 %
0.5000000000000	-	9	0.3 %
0.6666666666667	-	11	0.3 %
0.705882352941	-	1	0.0 %
0.7500000000000	-	3	0.1 %
0.941176470588	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.000000000000	-	48	1.5 %
1.166666666667	-	1	0.0 %
1.176470588235	-	1	0.0 %
1.333333333333	-	6	0.2 %
1.411764705882	-	1	0.0 %
1.500000000000	-	6	0.2 %
1.600000000000	-	1	0.0 %
1.647058823529	-	1	0.0 %
1.666666666667	-	4	0.1 %
1.750000000000	-	1	0.0 %
1.800000000000	-	1	0.0 %
1.833333333333	-	1	0.0 %
1.882352941176	-	1	0.0 %
2.000000000000	-	65	2.0 %
2.117647058824	-	1	0.0 %
2.200000000000	-	1	0.0 %
2.250000000000	-	2	0.1 %
2.333333333333	-	3	0.1 %
2.352941176471	-	1	0.0 %
2.500000000000	-	2	0.1 %
2.588235294118	-	1	0.0 %
2.800000000000	-	1	0.0 %
2.823529411765	-	1	0.0 %
3.000000000000	-	27	0.8 %
3.058823529412	-	1	0.0 %
3.294117647059	-	1	0.0 %
3.333333333333	-	2	0.1 %
3.400000000000	-	1	0.0 %
3.500000000000	-	3	0.1 %
3.529411764706	-	1	0.0 %
3.600000000000	-	1	0.0 %
3.764705882353	-	1	0.0 %
4.000000000000	-	19	0.6 %
4.666666666667	-	3	0.1 %
5.000000000000	-	15	0.5 %
5.250000000000	-	1	0.0 %
5.400000000000	-	1	0.0 %
5.500000000000	-	1	0.0 %
6.000000000000	-	13	0.4 %

Value	Label	Unweighted Frequency	%
6.333333333333	-	1	0.0 %
	Missing Data		
.	-	44	1.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,202 valid cases out of 3,246 total cases.

- Mean: 0.309650218613
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 12.000000000000
- Standard Deviation: 1.233597975031

Location: 77-91 (width: 15; decimal: 12)

Variable Type: numeric

TENAPO: Assistant Professors, Tenured, Other

Value	Label	Unweighted Frequency	%
0	-	378	11.6 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 92-92 (width: 1; decimal: 0)

Variable Type: numeric

TENAP: Assistant Professors, Tenured

Value	Label	Unweighted Frequency	%
0.000000000000	-	2844	87.6 %
0.125000000000	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.250000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.333333333333	-	5	0.2 %
0.352941176471	-	1	0.0 %
0.375000000000	-	1	0.0 %
0.400000000000	-	1	0.0 %
0.500000000000	-	8	0.2 %
0.600000000000	-	1	0.0 %
0.625000000000	-	1	0.0 %
0.666666666667	-	8	0.2 %
0.705882352941	-	1	0.0 %
0.750000000000	-	2	0.1 %
0.800000000000	-	1	0.0 %
0.875000000000	-	1	0.0 %
1.000000000000	-	61	1.9 %
1.058823529412	-	1	0.0 %
1.166666666667	-	1	0.0 %
1.333333333333	-	6	0.2 %
1.411764705882	-	1	0.0 %
1.500000000000	-	5	0.2 %
1.666666666667	-	1	0.0 %
1.764705882353	-	1	0.0 %
1.800000000000	-	1	0.0 %
1.833333333333	-	1	0.0 %
2.000000000000	-	60	1.8 %
2.117647058824	-	1	0.0 %
2.333333333333	-	1	0.0 %
2.470588235294	-	1	0.0 %
2.500000000000	-	3	0.1 %
2.600000000000	-	1	0.0 %
2.666666666667	-	5	0.2 %
2.823529411765	-	1	0.0 %
3.000000000000	-	29	0.9 %
3.176470588235	-	1	0.0 %
3.400000000000	-	1	0.0 %
3.500000000000	-	4	0.1 %
3.529411764706	-	1	0.0 %
3.882352941176	-	1	0.0 %
4.000000000000	-	30	0.9 %
4.200000000000	-	1	0.0 %
4.235294117647	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.588235294118	-	1	0.0 %
4.666666666667	-	1	0.0 %
4.941176470588	-	1	0.0 %
5.000000000000	-	20	0.6 %
5.294117647059	-	1	0.0 %
5.333333333333	-	3	0.1 %
5.647058823529	-	1	0.0 %
	Missing Data		
.	-	44	1.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,202 valid cases out of 3,246 total cases.

- Mean: 0.417707682698
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 16.000000000000
- Standard Deviation: 1.635573048228

Location: 93-107 (width: 15; decimal: 12)

Variable Type: numeric

UTENAPW: Assistant Professors, Untenured, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	692	21.3 %
0.0769230769231	-	1	0.0 %
0.1538461538462	-	1	0.0 %
0.1666666666667	-	1	0.0 %
0.1764705882353	-	1	0.0 %
0.2000000000000	-	4	0.1 %
0.2307692307692	-	1	0.0 %
0.2500000000000	-	3	0.1 %
0.3076923076923	-	1	0.0 %
0.3333333333333	-	15	0.5 %
0.3529411764706	-	1	0.0 %
0.3636363636364	-	1	0.0 %
0.3846153846154	-	1	0.0 %
0.3888888888889	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.40000000000000	-	4	0.1 %
0.4615384615385	-	1	0.0 %
0.50000000000000	-	40	1.2 %
0.5294117647059	-	1	0.0 %
0.5384615384615	-	1	0.0 %
0.60000000000000	-	5	0.2 %
0.6153846153846	-	1	0.0 %
0.6666666666667	-	16	0.5 %
0.6923076923077	-	1	0.0 %
0.7058823529412	-	1	0.0 %
0.7272727272727	-	1	0.0 %
0.75000000000000	-	7	0.2 %
0.7692307692308	-	1	0.0 %
0.80000000000000	-	4	0.1 %
0.8333333333333	-	1	0.0 %
0.8461538461538	-	1	0.0 %
0.8823529411765	-	1	0.0 %
0.9230769230769	-	1	0.0 %
1.00000000000000	-	884	27.2 %
1.0588235294118	-	1	0.0 %
1.0714285714286	-	1	0.0 %
1.0909090909091	-	1	0.0 %
1.1428571428571	-	1	0.0 %
1.20000000000000	-	2	0.1 %
1.2142857142857	-	1	0.0 %
1.2352941176471	-	1	0.0 %
1.25000000000000	-	5	0.2 %
1.2857142857143	-	1	0.0 %
1.3333333333333	-	9	0.3 %
1.3571428571429	-	1	0.0 %
1.40000000000000	-	1	0.0 %
1.4117647058824	-	1	0.0 %
1.4285714285714	-	1	0.0 %
1.4545454545455	-	1	0.0 %
1.50000000000000	-	44	1.4 %
1.5714285714286	-	1	0.0 %
	Missing Data		
.	-	39	1.2 %

Value	Label	Unweighted Frequency	%
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 1.5316148702491
- Median: 1.0000000000000
- Mode: 1.0000000000000
- Minimum: 0.0000000000000
- Maximum: 8.0000000000000
- Standard Deviation: 1.2640639610229

Location: 108-122 (width: 15; decimal: 13)

Variable Type: numeric

UTENAPM: Assistant Professors, Untenured, Male

Value	Label	Unweighted Frequency	%
0.0000000000000	-	253	7.8 %
0.058823529412	-	1	0.0 %
0.117647058824	-	1	0.0 %
0.1250000000000	-	1	0.0 %
0.1562500000000	-	1	0.0 %
0.176470588235	-	1	0.0 %
0.2000000000000	-	1	0.0 %
0.235294117647	-	1	0.0 %
0.2500000000000	-	2	0.1 %
0.294117647059	-	1	0.0 %
0.333333333333	-	3	0.1 %
0.352941176471	-	1	0.0 %
0.3750000000000	-	1	0.0 %
0.4000000000000	-	4	0.1 %
0.411764705882	-	1	0.0 %
0.470588235294	-	1	0.0 %
0.5000000000000	-	12	0.4 %
0.529411764706	-	1	0.0 %
0.588235294118	-	1	0.0 %
0.6000000000000	-	1	0.0 %
0.6250000000000	-	1	0.0 %
0.647058823529	-	1	0.0 %
0.666666666667	-	3	0.1 %
0.705882352941	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.727272727273	-	1	0.0 %
0.750000000000	-	2	0.1 %
0.764705882353	-	1	0.0 %
0.800000000000	-	5	0.2 %
0.823529411765	-	1	0.0 %
0.875000000000	-	1	0.0 %
0.882352941176	-	1	0.0 %
0.941176470588	-	1	0.0 %
1.000000000000	-	310	9.6 %
1.100000000000	-	1	0.0 %
1.153846153846	-	1	0.0 %
1.200000000000	-	5	0.2 %
1.214285714286	-	1	0.0 %
1.250000000000	-	3	0.1 %
1.300000000000	-	1	0.0 %
1.307692307692	-	1	0.0 %
1.333333333333	-	6	0.2 %
1.375000000000	-	1	0.0 %
1.400000000000	-	4	0.1 %
1.428571428571	-	1	0.0 %
1.454545454545	-	1	0.0 %
1.461538461538	-	1	0.0 %
1.500000000000	-	21	0.6 %
1.600000000000	-	7	0.2 %
1.615384615385	-	1	0.0 %
1.642857142857	-	1	0.0 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 4.064716289021
- Median: 3.800000000000
- Mode: 2.000000000000
- Minimum: 0.000000000000
- Maximum: 20.000000000000
- Standard Deviation: 3.001884260789

Location: 123-137 (width: 15; decimal: 12)

Variable Type: numeric

UTENAPO: Assistant Professors, Untenured, Other

Value	Label	Unweighted Frequency	%
0	-	375	11.6 %
2	-	3	0.1 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.18

Location: 138-138 (width: 1; decimal: 0)

Variable Type: numeric

UTENAP: Assistant Professors, Untenured

Value	Label	Unweighted Frequency	%
0.000000000000	-	165	5.1 %
0.125000000000	-	1	0.0 %
0.235294117647	-	1	0.0 %
0.250000000000	-	3	0.1 %
0.333333333333	-	2	0.1 %
0.375000000000	-	1	0.0 %
0.400000000000	-	2	0.1 %
0.470588235294	-	1	0.0 %
0.500000000000	-	4	0.1 %
0.545138888889	-	1	0.0 %
0.600000000000	-	1	0.0 %
0.625000000000	-	1	0.0 %
0.666666666667	-	3	0.1 %
0.705882352941	-	1	0.0 %
0.750000000000	-	3	0.1 %
0.800000000000	-	2	0.1 %
0.875000000000	-	1	0.0 %
0.941176470588	-	1	0.0 %
1.000000000000	-	133	4.1 %

Value	Label	Unweighted Frequency	%
1.090909090909	-	1	0.0 %
1.176470588235	-	1	0.0 %
1.200000000000	-	4	0.1 %
1.230769230769	-	1	0.0 %
1.250000000000	-	2	0.1 %
1.333333333333	-	3	0.1 %
1.400000000000	-	1	0.0 %
1.411764705882	-	1	0.0 %
1.461538461538	-	1	0.0 %
1.500000000000	-	7	0.2 %
1.600000000000	-	3	0.1 %
1.647058823529	-	1	0.0 %
1.666666666667	-	6	0.2 %
1.692307692308	-	1	0.0 %
1.750000000000	-	2	0.1 %
1.800000000000	-	3	0.1 %
1.833333333333	-	1	0.0 %
1.882352941176	-	1	0.0 %
1.923076923077	-	1	0.0 %
2.000000000000	-	235	7.2 %
2.117647058824	-	1	0.0 %
2.153846153846	-	1	0.0 %
2.181818181818	-	1	0.0 %
2.250000000000	-	2	0.1 %
2.333333333333	-	4	0.1 %
2.352941176471	-	1	0.0 %
2.375000000000	-	1	0.0 %
2.384615384615	-	1	0.0 %
2.400000000000	-	2	0.1 %
2.500000000000	-	8	0.2 %
2.588235294118	-	1	0.0 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 5.598202066660
- Median: 5.000000000000
- Mode: 5.000000000000
- Minimum: 0.000000000000
- Maximum: 24.000000000000
- Standard Deviation: 3.602039133712

Location: 139-153 (width: 15; decimal: 12)

Variable Type: numeric

APW: Assistant Professor, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	575	17.7 %
0.076923076923	-	1	0.0 %
0.125000000000	-	1	0.0 %
0.153846153846	-	1	0.0 %
0.166666666667	-	1	0.0 %
0.176470588235	-	1	0.0 %
0.200000000000	-	3	0.1 %
0.230769230769	-	1	0.0 %
0.250000000000	-	5	0.2 %
0.307692307692	-	1	0.0 %
0.333333333333	-	14	0.4 %
0.352941176471	-	1	0.0 %
0.363636363636	-	1	0.0 %
0.375000000000	-	1	0.0 %
0.384615384615	-	1	0.0 %
0.388888888889	-	1	0.0 %
0.400000000000	-	3	0.1 %
0.461538461538	-	1	0.0 %
0.500000000000	-	39	1.2 %
0.529411764706	-	1	0.0 %
0.538461538462	-	1	0.0 %
0.600000000000	-	4	0.1 %
0.615384615385	-	1	0.0 %
0.625000000000	-	1	0.0 %
0.666666666667	-	15	0.5 %
0.692307692308	-	1	0.0 %
0.705882352941	-	1	0.0 %
0.727272727273	-	1	0.0 %
0.750000000000	-	9	0.3 %
0.769230769231	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.800000000000	-	3	0.1 %
0.833333333333	-	1	0.0 %
0.846153846154	-	1	0.0 %
0.875000000000	-	1	0.0 %
0.882352941176	-	1	0.0 %
0.923076923077	-	1	0.0 %
1.000000000000	-	895	27.6 %
1.058823529412	-	1	0.0 %
1.090909090909	-	1	0.0 %
1.117647058824	-	1	0.0 %
1.200000000000	-	2	0.1 %
1.235294117647	-	2	0.1 %
1.250000000000	-	5	0.2 %
1.333333333333	-	11	0.3 %
1.352941176471	-	1	0.0 %
1.400000000000	-	1	0.0 %
1.411764705882	-	1	0.0 %
1.454545454545	-	1	0.0 %
1.500000000000	-	43	1.3 %
1.542016806723	-	1	0.0 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 1.639503863077
- Median: 1.333333333333
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 11.500000000000
- Standard Deviation: 1.287160122315

Location: 154-168 (width: 15; decimal: 12)

Variable Type: numeric

APM: Assistant Professor, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	140	4.3 %

Value	Label	Unweighted Frequency	%
0.058823529412	-	1	0.0 %
0.117647058824	-	1	0.0 %
0.125000000000	-	1	0.0 %
0.156250000000	-	1	0.0 %
0.176470588235	-	1	0.0 %
0.235294117647	-	1	0.0 %
0.250000000000	-	2	0.1 %
0.294117647059	-	1	0.0 %
0.333333333333	-	2	0.1 %
0.352941176471	-	1	0.0 %
0.375000000000	-	1	0.0 %
0.400000000000	-	2	0.1 %
0.411764705882	-	1	0.0 %
0.470588235294	-	1	0.0 %
0.500000000000	-	8	0.2 %
0.529411764706	-	1	0.0 %
0.588235294118	-	1	0.0 %
0.625000000000	-	1	0.0 %
0.647058823529	-	1	0.0 %
0.666666666667	-	2	0.1 %
0.705882352941	-	1	0.0 %
0.727272727273	-	1	0.0 %
0.750000000000	-	2	0.1 %
0.764705882353	-	1	0.0 %
0.800000000000	-	3	0.1 %
0.823529411765	-	1	0.0 %
0.875000000000	-	1	0.0 %
0.882352941176	-	1	0.0 %
0.941176470588	-	1	0.0 %
1.000000000000	-	292	9.0 %
1.100000000000	-	1	0.0 %
1.153846153846	-	1	0.0 %
1.200000000000	-	4	0.1 %
1.250000000000	-	2	0.1 %
1.300000000000	-	1	0.0 %
1.307692307692	-	1	0.0 %
1.333333333333	-	7	0.2 %
1.375000000000	-	1	0.0 %
1.400000000000	-	4	0.1 %

Value	Label	Unweighted Frequency	%
1.454545454545	-	1	0.0 %
1.461538461538	-	1	0.0 %
1.500000000000	-	17	0.5 %
1.600000000000	-	6	0.2 %
1.615384615385	-	1	0.0 %
1.666666666667	-	11	0.3 %
1.700000000000	-	1	0.0 %
1.750000000000	-	4	0.1 %
1.769230769231	-	1	0.0 %
1.800000000000	-	4	0.1 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 4.373883735232
- Median: 4.000000000000
- Mode: 3.000000000000
- Minimum: 0.000000000000
- Maximum: 21.500000000000
- Standard Deviation: 3.029394468556

Location: 169-183 (width: 15; decimal: 12)

Variable Type: numeric

APO: Assistant Professor, Other

Value	Label	Unweighted Frequency	%
0	-	375	11.6 %
2	-	3	0.1 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00

• Standard Deviation: 0.18

Location: 184-184 (width: 1; decimal: 0)

Variable Type: numeric

AP: Assistant Professor

Value	Label	Unweighted Frequency	%
0.000000000000	-	67	2.1 %
0.235294117647	-	1	0.0 %
0.250000000000	-	3	0.1 %
0.333333333333	-	1	0.0 %
0.470588235294	-	1	0.0 %
0.500000000000	-	4	0.1 %
0.545138888889	-	1	0.0 %
0.600000000000	-	1	0.0 %
0.666666666667	-	2	0.1 %
0.705882352941	-	1	0.0 %
0.750000000000	-	3	0.1 %
0.941176470588	-	1	0.0 %
1.000000000000	-	109	3.4 %
1.090909090909	-	1	0.0 %
1.176470588235	-	1	0.0 %
1.200000000000	-	1	0.0 %
1.230769230769	-	1	0.0 %
1.250000000000	-	3	0.1 %
1.333333333333	-	3	0.1 %
1.400000000000	-	1	0.0 %
1.411764705882	-	1	0.0 %
1.461538461538	-	1	0.0 %
1.500000000000	-	5	0.2 %
1.647058823529	-	1	0.0 %
1.666666666667	-	5	0.2 %
1.692307692308	-	1	0.0 %
1.750000000000	-	3	0.1 %
1.800000000000	-	3	0.1 %
1.833333333333	-	1	0.0 %
1.882352941176	-	1	0.0 %
1.923076923077	-	1	0.0 %
2.000000000000	-	217	6.7 %
2.117647058824	-	1	0.0 %
2.153846153846	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.181818181818	-	1	0.0 %
2.200000000000	-	1	0.0 %
2.250000000000	-	1	0.0 %
2.333333333333	-	4	0.1 %
2.352941176471	-	1	0.0 %
2.375000000000	-	1	0.0 %
2.384615384615	-	1	0.0 %
2.400000000000	-	2	0.1 %
2.500000000000	-	8	0.2 %
2.588235294118	-	1	0.0 %
2.600000000000	-	2	0.1 %
2.615384615385	-	1	0.0 %
2.666666666667	-	5	0.2 %
2.750000000000	-	3	0.1 %
2.800000000000	-	1	0.0 %
2.823529411765	-	1	0.0 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 6.015258505699
- Median: 5.000000000000
- Mode: 5.000000000000
- Minimum: 0.000000000000
- Maximum: 30.500000000000
- Standard Deviation: 3.615398785123

Location: 185-199 (width: 15; decimal: 12)

Variable Type: numeric

TENASPW: Associate Professors, Tenured, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	1328	40.9 %
0.058823529412	-	1	0.0 %
0.117647058824	-	1	0.0 %
0.125000000000	-	1	0.0 %
0.142857142857	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.166666666667	-	2	0.1 %
0.176470588235	-	1	0.0 %
0.200000000000	-	6	0.2 %
0.235294117647	-	1	0.0 %
0.250000000000	-	8	0.2 %
0.285714285714	-	1	0.0 %
0.294117647059	-	1	0.0 %
0.333333333333	-	7	0.2 %
0.352941176471	-	1	0.0 %
0.375000000000	-	1	0.0 %
0.400000000000	-	7	0.2 %
0.411764705882	-	1	0.0 %
0.428571428571	-	1	0.0 %
0.454545454545	-	1	0.0 %
0.470588235294	-	1	0.0 %
0.500000000000	-	39	1.2 %
0.529411764706	-	1	0.0 %
0.571428571429	-	1	0.0 %
0.588235294118	-	1	0.0 %
0.600000000000	-	6	0.2 %
0.625000000000	-	1	0.0 %
0.647058823529	-	1	0.0 %
0.666666666667	-	8	0.2 %
0.705882352941	-	1	0.0 %
0.714285714286	-	1	0.0 %
0.750000000000	-	8	0.2 %
0.764705882353	-	1	0.0 %
0.800000000000	-	7	0.2 %
0.823529411765	-	1	0.0 %
0.833333333333	-	2	0.1 %
0.857142857143	-	1	0.0 %
0.875000000000	-	1	0.0 %
0.882352941176	-	1	0.0 %
0.909090909091	-	1	0.0 %
0.941176470588	-	1	0.0 %
1.000000000000	-	949	29.2 %
1.142857142857	-	1	0.0 %
1.166666666667	-	1	0.0 %
1.200000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.250000000000	-	2	0.1 %
1.285714285714	-	1	0.0 %
1.333333333333	-	5	0.2 %
1.363636363636	-	1	0.0 %
1.400000000000	-	1	0.0 %
1.428571428571	-	1	0.0 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 0.944115303330
- Median: 1.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 11.000000000000
- Standard Deviation: 1.141254227826

Location: 200-214 (width: 15; decimal: 12)

Variable Type: numeric

TENASPM: Associate Professors, Tenured, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	242	7.5 %
0.125000000000	-	1	0.0 %
0.176470588235	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.250000000000	-	3	0.1 %
0.333333333333	-	1	0.0 %
0.352941176471	-	1	0.0 %
0.375000000000	-	1	0.0 %
0.400000000000	-	2	0.1 %
0.500000000000	-	14	0.4 %
0.529411764706	-	1	0.0 %
0.600000000000	-	2	0.1 %
0.625000000000	-	1	0.0 %
0.666666666667	-	1	0.0 %
0.705882352941	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.750000000000	-	4	0.1 %
0.800000000000	-	2	0.1 %
0.875000000000	-	1	0.0 %
0.882352941176	-	1	0.0 %
0.909090909091	-	1	0.0 %
1.000000000000	-	284	8.7 %
1.058823529412	-	1	0.0 %
1.076923076923	-	1	0.0 %
1.153846153846	-	1	0.0 %
1.166666666667	-	1	0.0 %
1.200000000000	-	4	0.1 %
1.222222222222	-	1	0.0 %
1.230769230769	-	1	0.0 %
1.235294117647	-	1	0.0 %
1.250000000000	-	2	0.1 %
1.307692307692	-	1	0.0 %
1.333333333333	-	3	0.1 %
1.384615384615	-	1	0.0 %
1.400000000000	-	2	0.1 %
1.411764705882	-	1	0.0 %
1.444444444444	-	1	0.0 %
1.461538461538	-	1	0.0 %
1.500000000000	-	17	0.5 %
1.538461538462	-	1	0.0 %
1.576388888889	-	1	0.0 %
1.588235294118	-	1	0.0 %
1.600000000000	-	4	0.1 %
1.615384615385	-	1	0.0 %
1.666666666667	-	4	0.1 %
1.692307692308	-	1	0.0 %
1.750000000000	-	3	0.1 %
1.764705882353	-	1	0.0 %
1.769230769231	-	1	0.0 %
1.800000000000	-	3	0.1 %
1.818181818182	-	1	0.0 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 3.710126719329
- Median: 3.333333333333
- Mode: 4.000000000000
- Minimum: 0.000000000000
- Maximum: 17.000000000000
- Standard Deviation: 2.478478774609

Location: 215-229 (width: 15; decimal: 12)

Variable Type: numeric

TENASPO: Associate Professors, Tenured, Other

Value	Label	Unweighted Frequency	%
0	-	378	11.6 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 230-230 (width: 1; decimal: 0)

Variable Type: numeric

TENASP: Associate Professors, Tenured

Value	Label	Unweighted Frequency	%
0.000000000000	-	177	5.5 %
0.125000000000	-	1	0.0 %
0.166666666667	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.235294117647	-	1	0.0 %
0.250000000000	-	2	0.1 %
0.333333333333	-	2	0.1 %
0.375000000000	-	1	0.0 %
0.400000000000	-	2	0.1 %
0.470588235294	-	1	0.0 %
0.500000000000	-	7	0.2 %

Value	Label	Unweighted Frequency	%
0.600000000000	-	1	0.0 %
0.625000000000	-	1	0.0 %
0.666666666667	-	2	0.1 %
0.705882352941	-	1	0.0 %
0.750000000000	-	4	0.1 %
0.800000000000	-	2	0.1 %
0.833333333333	-	1	0.0 %
0.875000000000	-	1	0.0 %
0.941176470588	-	1	0.0 %
1.000000000000	-	205	6.3 %
1.076923076923	-	1	0.0 %
1.125000000000	-	1	0.0 %
1.153846153846	-	1	0.0 %
1.176470588235	-	1	0.0 %
1.200000000000	-	3	0.1 %
1.222222222222	-	1	0.0 %
1.230769230769	-	1	0.0 %
1.250000000000	-	1	0.0 %
1.307692307692	-	1	0.0 %
1.333333333333	-	3	0.1 %
1.363636363636	-	1	0.0 %
1.375000000000	-	1	0.0 %
1.384615384615	-	1	0.0 %
1.400000000000	-	2	0.1 %
1.411764705882	-	1	0.0 %
1.444444444444	-	1	0.0 %
1.461538461538	-	1	0.0 %
1.500000000000	-	15	0.5 %
1.538461538462	-	1	0.0 %
1.576388888889	-	1	0.0 %
1.600000000000	-	3	0.1 %
1.615384615385	-	1	0.0 %
1.625000000000	-	1	0.0 %
1.647058823529	-	1	0.0 %
1.666666666667	-	5	0.2 %
1.692307692308	-	1	0.0 %
1.750000000000	-	1	0.0 %
1.769230769231	-	1	0.0 %
1.800000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 4.654242022659
- Median: 4.000000000000
- Mode: 5.000000000000
- Minimum: 0.000000000000
- Maximum: 26.000000000000
- Standard Deviation: 2.996339328734

Location: 231-245 (width: 15; decimal: 12)

Variable Type: numeric

UTENASPW: Associate Professors, Untenured, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	2973	91.6 %
0.100000000000	-	1	0.0 %
0.1428571428571	-	1	0.0 %
0.1666666666667	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.250000000000	-	5	0.2 %
0.2857142857143	-	1	0.0 %
0.300000000000	-	1	0.0 %
0.3333333333333	-	6	0.2 %
0.400000000000	-	3	0.1 %
0.4285714285714	-	1	0.0 %
0.500000000000	-	19	0.6 %
0.5714285714286	-	1	0.0 %
0.600000000000	-	1	0.0 %
0.6666666666667	-	7	0.2 %
0.700000000000	-	1	0.0 %
0.7142857142857	-	1	0.0 %
0.750000000000	-	5	0.2 %
0.800000000000	-	3	0.1 %
0.8333333333333	-	1	0.0 %
0.8571428571429	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.900000000000000	-	1	0.0 %
1.000000000000000	-	120	3.7 %
1.200000000000000	-	2	0.1 %
1.333333333333333	-	1	0.0 %
1.500000000000000	-	2	0.1 %
1.600000000000000	-	2	0.1 %
2.000000000000000	-	37	1.1 %
3.000000000000000	-	8	0.2 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 0.0809167446211
- Median: 0.000000000000000
- Mode: 0.000000000000000
- Minimum: 0.000000000000000
- Maximum: 3.000000000000000
- Standard Deviation: 0.3312164131706

Location: 246-260 (width: 15; decimal: 13)

Variable Type: numeric

UTENASPM: Associate Professors, Untenured, Male

Value	Label	Unweighted Frequency	%
0.000000000000000	-	2684	82.7 %
0.200000000000000	-	1	0.0 %
0.250000000000000	-	7	0.2 %
0.333333333333333	-	8	0.2 %
0.400000000000000	-	1	0.0 %
0.500000000000000	-	35	1.1 %
0.600000000000000	-	1	0.0 %
0.666666666666667	-	9	0.3 %
0.750000000000000	-	9	0.3 %
0.800000000000000	-	2	0.1 %
1.000000000000000	-	250	7.7 %
1.333333333333333	-	1	0.0 %
1.500000000000000	-	11	0.3 %
1.600000000000000	-	1	0.0 %
1.666666666666667	-	2	0.1 %

Value	Label	Unweighted Frequency	%
2.000000000000	-	70	2.2 %
2.250000000000	-	3	0.1 %
2.333333333333	-	1	0.0 %
2.400000000000	-	1	0.0 %
2.500000000000	-	3	0.1 %
2.750000000000	-	1	0.0 %
3.000000000000	-	43	1.3 %
3.200000000000	-	1	0.0 %
3.333333333333	-	2	0.1 %
3.500000000000	-	2	0.1 %
4.000000000000	-	26	0.8 %
4.500000000000	-	1	0.0 %
4.666666666667	-	1	0.0 %
5.000000000000	-	15	0.5 %
6.000000000000	-	5	0.2 %
7.000000000000	-	2	0.1 %
8.000000000000	-	3	0.1 %
9.000000000000	-	3	0.1 %
10.000000000000	-	2	0.1 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 0.287184284378
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 10.000000000000
- Standard Deviation: 0.894256285784

Location: 261-275 (width: 15; decimal: 12)

Variable Type: numeric

UTENASPO: Associate Professors, Untenured, Other

Value	Label	Unweighted Frequency	%
0	-	376	11.6 %
1	-	1	0.0 %
2	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.11

Location: 276-276 (width: 1; decimal: 0)

Variable Type: numeric

UTENASP: Associate Professors, Untenured

Value	Label	Unweighted Frequency	%
0.000000000000	-	2598	80.0 %
0.142857142857	-	1	0.0 %
0.166666666667	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.250000000000	-	6	0.2 %
0.285714285714	-	1	0.0 %
0.333333333333	-	12	0.4 %
0.400000000000	-	1	0.0 %
0.428571428571	-	1	0.0 %
0.500000000000	-	41	1.3 %
0.571428571429	-	1	0.0 %
0.600000000000	-	1	0.0 %
0.666666666667	-	14	0.4 %
0.714285714286	-	1	0.0 %
0.750000000000	-	8	0.2 %
0.800000000000	-	1	0.0 %
0.833333333333	-	1	0.0 %
0.857142857143	-	1	0.0 %
1.000000000000	-	258	7.9 %
1.100000000000	-	1	0.0 %
1.200000000000	-	1	0.0 %
1.333333333333	-	2	0.1 %
1.400000000000	-	1	0.0 %
1.500000000000	-	14	0.4 %
1.666666666667	-	2	0.1 %

Value	Label	Unweighted Frequency	%
2.000000000000	-	83	2.6 %
2.200000000000	-	1	0.0 %
2.250000000000	-	3	0.1 %
2.333333333333	-	1	0.0 %
2.400000000000	-	1	0.0 %
2.500000000000	-	4	0.1 %
2.750000000000	-	1	0.0 %
2.800000000000	-	1	0.0 %
3.000000000000	-	46	1.4 %
3.300000000000	-	1	0.0 %
3.333333333333	-	3	0.1 %
3.500000000000	-	2	0.1 %
3.600000000000	-	1	0.0 %
3.666666666667	-	1	0.0 %
4.000000000000	-	30	0.9 %
4.200000000000	-	1	0.0 %
4.400000000000	-	1	0.0 %
4.500000000000	-	1	0.0 %
4.666666666667	-	1	0.0 %
4.800000000000	-	1	0.0 %
5.000000000000	-	19	0.6 %
5.500000000000	-	2	0.1 %
5.600000000000	-	1	0.0 %
6.000000000000	-	12	0.4 %
6.500000000000	-	1	0.0 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 0.369036482694
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 11.000000000000
- Standard Deviation: 1.085859654741

Location: 277-291 (width: 15; decimal: 12)

Variable Type: numeric

ASPW: Associate Professor, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	1206	37.2 %
0.058823529412	-	1	0.0 %
0.100000000000	-	1	0.0 %
0.117647058824	-	1	0.0 %
0.125000000000	-	1	0.0 %
0.142857142857	-	1	0.0 %
0.166666666667	-	2	0.1 %
0.176470588235	-	1	0.0 %
0.200000000000	-	6	0.2 %
0.235294117647	-	1	0.0 %
0.250000000000	-	9	0.3 %
0.285714285714	-	1	0.0 %
0.294117647059	-	1	0.0 %
0.300000000000	-	1	0.0 %
0.333333333333	-	9	0.3 %
0.352941176471	-	1	0.0 %
0.375000000000	-	1	0.0 %
0.400000000000	-	6	0.2 %
0.411764705882	-	1	0.0 %
0.428571428571	-	1	0.0 %
0.454545454545	-	1	0.0 %
0.470588235294	-	1	0.0 %
0.500000000000	-	39	1.2 %
0.529411764706	-	1	0.0 %
0.571428571429	-	1	0.0 %
0.588235294118	-	1	0.0 %
0.600000000000	-	7	0.2 %
0.625000000000	-	1	0.0 %
0.647058823529	-	1	0.0 %
0.666666666667	-	11	0.3 %
0.700000000000	-	1	0.0 %
0.705882352941	-	1	0.0 %
0.714285714286	-	1	0.0 %
0.750000000000	-	10	0.3 %
0.764705882353	-	1	0.0 %
0.800000000000	-	6	0.2 %
0.823529411765	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.833333333333	-	2	0.1 %
0.857142857143	-	1	0.0 %
0.875000000000	-	1	0.0 %
0.882352941176	-	1	0.0 %
0.900000000000	-	1	0.0 %
0.909090909091	-	1	0.0 %
0.941176470588	-	1	0.0 %
1.000000000000	-	965	29.7 %
1.142857142857	-	1	0.0 %
1.200000000000	-	2	0.1 %
1.250000000000	-	3	0.1 %
1.285714285714	-	1	0.0 %
1.309523809524	-	1	0.0 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 1.025032047951
- Median: 1.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 11.000000000000
- Standard Deviation: 1.165023669660

Location: 292-306 (width: 15; decimal: 12)

Variable Type: numeric

ASPM: Associate Professor, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	128	3.9 %
0.125000000000	-	1	0.0 %
0.176470588235	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.250000000000	-	3	0.1 %
0.352941176471	-	1	0.0 %
0.375000000000	-	1	0.0 %
0.400000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.500000000000	-	9	0.3 %
0.529411764706	-	1	0.0 %
0.600000000000	-	1	0.0 %
0.625000000000	-	1	0.0 %
0.705882352941	-	1	0.0 %
0.750000000000	-	3	0.1 %
0.800000000000	-	1	0.0 %
0.875000000000	-	1	0.0 %
0.882352941176	-	1	0.0 %
0.909090909091	-	1	0.0 %
1.000000000000	-	265	8.2 %
1.058823529412	-	1	0.0 %
1.076923076923	-	1	0.0 %
1.153846153846	-	1	0.0 %
1.166666666667	-	1	0.0 %
1.200000000000	-	2	0.1 %
1.222222222222	-	1	0.0 %
1.230769230769	-	1	0.0 %
1.235294117647	-	1	0.0 %
1.250000000000	-	4	0.1 %
1.307692307692	-	1	0.0 %
1.333333333333	-	2	0.1 %
1.384615384615	-	1	0.0 %
1.400000000000	-	2	0.1 %
1.411764705882	-	1	0.0 %
1.444444444444	-	1	0.0 %
1.461538461538	-	1	0.0 %
1.500000000000	-	19	0.6 %
1.538461538462	-	1	0.0 %
1.576388888889	-	1	0.0 %
1.588235294118	-	1	0.0 %
1.600000000000	-	2	0.1 %
1.615384615385	-	1	0.0 %
1.666666666667	-	3	0.1 %
1.692307692308	-	1	0.0 %
1.750000000000	-	7	0.2 %
1.764705882353	-	1	0.0 %
1.769230769231	-	1	0.0 %
1.800000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.818181818182	-	1	0.0 %
1.846153846154	-	1	0.0 %
1.888888888889	-	1	0.0 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 3.997311003707
- Median: 4.000000000000
- Mode: 4.000000000000
- Minimum: 0.000000000000
- Maximum: 17.000000000000
- Standard Deviation: 2.474193033099

Location: 307-321 (width: 15; decimal: 12)

Variable Type: numeric

ASPO: Associate Professor, Other

Value	Label	Unweighted Frequency	%
0	-	376	11.6 %
1	-	1	0.0 %
2	-	1	0.0 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.11

Location: 322-322 (width: 1; decimal: 0)

Variable Type: numeric

ASP: Associate Professor

Value	Label	Unweighted Frequency	%
0.000000000000	-	67	2.1 %
0.125000000000	-	1	0.0 %
0.166666666667	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.235294117647	-	1	0.0 %
0.250000000000	-	2	0.1 %
0.333333333333	-	1	0.0 %
0.375000000000	-	1	0.0 %
0.400000000000	-	1	0.0 %
0.470588235294	-	1	0.0 %
0.500000000000	-	5	0.2 %
0.600000000000	-	1	0.0 %
0.625000000000	-	1	0.0 %
0.666666666667	-	1	0.0 %
0.705882352941	-	1	0.0 %
0.750000000000	-	2	0.1 %
0.800000000000	-	1	0.0 %
0.833333333333	-	1	0.0 %
0.875000000000	-	1	0.0 %
0.941176470588	-	1	0.0 %
1.000000000000	-	184	5.7 %
1.076923076923	-	1	0.0 %
1.125000000000	-	1	0.0 %
1.153846153846	-	1	0.0 %
1.176470588235	-	1	0.0 %
1.200000000000	-	2	0.1 %
1.222222222222	-	1	0.0 %
1.230769230769	-	1	0.0 %
1.250000000000	-	2	0.1 %
1.307692307692	-	1	0.0 %
1.333333333333	-	3	0.1 %
1.363636363636	-	1	0.0 %
1.375000000000	-	1	0.0 %
1.384615384615	-	1	0.0 %
1.400000000000	-	2	0.1 %
1.411764705882	-	1	0.0 %
1.444444444444	-	1	0.0 %
1.461538461538	-	1	0.0 %
1.500000000000	-	13	0.4 %

Value	Label	Unweighted Frequency	%
1.538461538462	-	1	0.0 %
1.576388888889	-	1	0.0 %
1.600000000000	-	2	0.1 %
1.615384615385	-	1	0.0 %
1.625000000000	-	1	0.0 %
1.647058823529	-	1	0.0 %
1.666666666667	-	4	0.1 %
1.692307692308	-	1	0.0 %
1.750000000000	-	4	0.1 %
1.769230769231	-	1	0.0 %
1.800000000000	-	2	0.1 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 5.023278505353
- Median: 5.000000000000
- Mode: 5.000000000000
- Minimum: 0.000000000000
- Maximum: 26.000000000000
- Standard Deviation: 2.962790346469

Location: 323-337 (width: 15; decimal: 12)

Variable Type: numeric

TENFPW: Full Professors, Tenured, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	1294	39.9 %
0.125000000000	-	1	0.0 %
0.166666666667	-	1	0.0 %
0.200000000000	-	2	0.1 %
0.230769230769	-	1	0.0 %
0.250000000000	-	7	0.2 %
0.333333333333	-	3	0.1 %
0.375000000000	-	1	0.0 %
0.400000000000	-	4	0.1 %
0.461538461538	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.500000000000	-	21	0.6 %
0.600000000000	-	2	0.1 %
0.625000000000	-	1	0.0 %
0.666666666667	-	3	0.1 %
0.692307692308	-	1	0.0 %
0.722222222222	-	1	0.0 %
0.750000000000	-	6	0.2 %
0.800000000000	-	4	0.1 %
0.818181818182	-	1	0.0 %
0.833333333333	-	1	0.0 %
0.875000000000	-	1	0.0 %
0.923076923077	-	1	0.0 %
1.000000000000	-	827	25.5 %
1.153846153846	-	1	0.0 %
1.166666666667	-	1	0.0 %
1.200000000000	-	2	0.1 %
1.250000000000	-	4	0.1 %
1.333333333333	-	2	0.1 %
1.384615384615	-	1	0.0 %
1.500000000000	-	17	0.5 %
1.555555555556	-	1	0.0 %
1.600000000000	-	2	0.1 %
1.615384615385	-	1	0.0 %
1.636363636364	-	1	0.0 %
1.666666666667	-	2	0.1 %
1.750000000000	-	4	0.1 %
1.833333333333	-	1	0.0 %
1.846153846154	-	1	0.0 %
2.000000000000	-	492	15.2 %
2.076923076923	-	1	0.0 %
2.250000000000	-	1	0.0 %
2.307692307692	-	1	0.0 %
2.333333333333	-	1	0.0 %
2.454545454545	-	1	0.0 %
2.500000000000	-	7	0.2 %
2.538461538462	-	1	0.0 %
2.666666666667	-	2	0.1 %
2.769230769231	-	1	0.0 %
3.000000000000	-	250	7.7 %

Value	Label	Unweighted Frequency	%
3.272727272727	-	1	0.0 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 1.191075078821
- Median: 1.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 15.000000000000
- Standard Deviation: 1.485163678508

Location: 338-352 (width: 15; decimal: 12)

Variable Type: numeric

TENFPM: Full Professors, Tenured, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	54	1.7 %
0.176470588235	-	1	0.0 %
0.333333333333	-	1	0.0 %
0.352941176471	-	1	0.0 %
0.400000000000	-	1	0.0 %
0.529411764706	-	1	0.0 %
0.666666666667	-	1	0.0 %
0.705882352941	-	1	0.0 %
0.800000000000	-	1	0.0 %
0.882352941176	-	1	0.0 %
1.000000000000	-	23	0.7 %
1.058823529412	-	1	0.0 %
1.200000000000	-	1	0.0 %
1.235294117647	-	1	0.0 %
1.277777777778	-	1	0.0 %
1.411764705882	-	1	0.0 %
1.500000000000	-	1	0.0 %
1.588235294118	-	1	0.0 %
1.600000000000	-	1	0.0 %
1.764705882353	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.941176470588	-	1	0.0 %
1.944444444444	-	1	0.0 %
2.000000000000	-	42	1.3 %
2.117647058824	-	1	0.0 %
2.294117647059	-	1	0.0 %
2.333333333333	-	1	0.0 %
2.400000000000	-	1	0.0 %
2.470588235294	-	1	0.0 %
2.500000000000	-	1	0.0 %
2.550000000000	-	1	0.0 %
2.600000000000	-	1	0.0 %
2.647058823529	-	1	0.0 %
2.650000000000	-	1	0.0 %
2.666666666667	-	1	0.0 %
2.700000000000	-	1	0.0 %
2.750000000000	-	1	0.0 %
2.800000000000	-	2	0.1 %
2.823529411765	-	1	0.0 %
2.850000000000	-	1	0.0 %
2.900000000000	-	1	0.0 %
2.950000000000	-	1	0.0 %
3.000000000000	-	123	3.8 %
3.200000000000	-	1	0.0 %
3.250000000000	-	1	0.0 %
3.333333333333	-	1	0.0 %
3.500000000000	-	7	0.2 %
3.600000000000	-	2	0.1 %
3.666666666667	-	1	0.0 %
4.000000000000	-	129	4.0 %
4.200000000000	-	1	0.0 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 11.472777431313

- Median: 10.000000000000
- Mode: 7.000000000000
- Minimum: 0.000000000000
- Maximum: 63.000000000000
- Standard Deviation: 7.493251599447

Location: 353-367 (width: 15; decimal: 12)

Variable Type: numeric

TENFPO: Full Professors, Tenured, Other

Value	Label	Unweighted Frequency	%
0	-	378	11.6 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 368-368 (width: 1; decimal: 0)

Variable Type: numeric

TENFP: Full Professors, Tenured

Value	Label	Unweighted Frequency	%
0.000000000000	-	47	1.4 %
0.176470588235	-	1	0.0 %
0.333333333333	-	1	0.0 %
0.352941176471	-	1	0.0 %
0.400000000000	-	1	0.0 %
0.529411764706	-	1	0.0 %
0.666666666667	-	1	0.0 %
0.705882352941	-	1	0.0 %
0.800000000000	-	1	0.0 %
0.882352941176	-	1	0.0 %
1.000000000000	-	12	0.4 %
1.058823529412	-	1	0.0 %
1.200000000000	-	1	0.0 %
1.235294117647	-	1	0.0 %
1.411764705882	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.500000000000	-	1	0.0 %
1.588235294118	-	1	0.0 %
1.600000000000	-	1	0.0 %
1.764705882353	-	1	0.0 %
1.941176470588	-	1	0.0 %
2.000000000000	-	31	1.0 %
2.117647058824	-	1	0.0 %
2.294117647059	-	1	0.0 %
2.333333333333	-	1	0.0 %
2.400000000000	-	1	0.0 %
2.470588235294	-	1	0.0 %
2.500000000000	-	1	0.0 %
2.550000000000	-	1	0.0 %
2.600000000000	-	1	0.0 %
2.647058823529	-	1	0.0 %
2.650000000000	-	1	0.0 %
2.666666666667	-	2	0.1 %
2.700000000000	-	1	0.0 %
2.750000000000	-	1	0.0 %
2.800000000000	-	2	0.1 %
2.823529411765	-	1	0.0 %
2.833333333333	-	1	0.0 %
2.850000000000	-	1	0.0 %
2.900000000000	-	1	0.0 %
2.950000000000	-	1	0.0 %
3.000000000000	-	89	2.7 %
3.200000000000	-	1	0.0 %
3.333333333333	-	1	0.0 %
3.500000000000	-	6	0.2 %
3.600000000000	-	1	0.0 %
3.666666666667	-	1	0.0 %
3.750000000000	-	1	0.0 %
3.818181818182	-	1	0.0 %
4.000000000000	-	114	3.5 %
4.333333333333	-	2	0.1 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 12.663852510134
- Median: 11.000000000000
- Mode: 9.000000000000
- Minimum: 0.000000000000
- Maximum: 69.000000000000
- Standard Deviation: 8.223479583455

Location: 369-383 (width: 15; decimal: 12)

Variable Type: numeric

UTENFPW: Full Professors, Untenured, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	3159	97.3 %
0.111111111111	-	1	0.0 %
0.166666666667	-	1	0.0 %
0.250000000000	-	1	0.0 %
0.333333333333	-	2	0.1 %
0.500000000000	-	4	0.1 %
0.666666666667	-	2	0.1 %
0.750000000000	-	1	0.0 %
0.833333333333	-	1	0.0 %
1.000000000000	-	17	0.5 %
1.500000000000	-	2	0.1 %
2.000000000000	-	3	0.1 %
3.000000000000	-	3	0.1 %
4.000000000000	-	3	0.1 %
5.000000000000	-	1	0.0 %
8.000000000000	-	1	0.0 %
	Missing Data		
.	-	44	1.4 %
	Total	3,246	100%

Based upon 3,202 valid cases out of 3,246 total cases.

- Mean: 0.0206468179610
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 8.000000000000
- Standard Deviation: 0.2497144229183

Location: 384-398 (width: 15; decimal: 13)

UTENFPM: Full Professors, Untenured, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	3051	94.0 %
0.166666666667	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.250000000000	-	3	0.1 %
0.333333333333	-	1	0.0 %
0.400000000000	-	1	0.0 %
0.500000000000	-	8	0.2 %
0.600000000000	-	2	0.1 %
0.638888888889	-	1	0.0 %
0.666666666667	-	2	0.1 %
0.750000000000	-	3	0.1 %
0.800000000000	-	1	0.0 %
0.833333333333	-	1	0.0 %
1.000000000000	-	50	1.5 %
1.200000000000	-	1	0.0 %
1.333333333333	-	1	0.0 %
1.800000000000	-	1	0.0 %
2.000000000000	-	9	0.3 %
2.400000000000	-	1	0.0 %
3.000000000000	-	12	0.4 %
3.500000000000	-	1	0.0 %
3.600000000000	-	1	0.0 %
4.000000000000	-	8	0.2 %
4.200000000000	-	1	0.0 %
4.500000000000	-	1	0.0 %
4.800000000000	-	1	0.0 %
5.000000000000	-	3	0.1 %
5.400000000000	-	1	0.0 %
6.000000000000	-	4	0.1 %
7.000000000000	-	4	0.1 %
8.000000000000	-	4	0.1 %
9.000000000000	-	6	0.2 %
10.000000000000	-	4	0.1 %
11.000000000000	-	1	0.0 %
12.000000000000	-	4	0.1 %
13.000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
15.0000000000000	-	2	0.1 %
16.0000000000000	-	1	0.0 %
19.0000000000000	-	1	0.0 %
22.0000000000000	-	1	0.0 %
27.0000000000000	-	1	0.0 %
	Missing Data		
.	-	44	1.4 %
	Total	3,246	100%

Based upon 3,202 valid cases out of 3,246 total cases.

- Mean: 0.175090221389
- Median: 0.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 27.0000000000000
- Standard Deviation: 1.257519810451

Location: 399-413 (width: 15; decimal: 12)

Variable Type: numeric

UTENFPO: Full Professors, Untenured, Other

Value	Label	Unweighted Frequency	%
0	-	378	11.6 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 414-414 (width: 1; decimal: 0)

Variable Type: numeric

UTENFP: Full Professors, Untenured

Value	Label	Unweighted Frequency	%
0.0000000000000	-	3044	93.8 %
0.2000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.250000000000	-	3	0.1 %
0.333333333333	-	1	0.0 %
0.400000000000	-	1	0.0 %
0.500000000000	-	7	0.2 %
0.600000000000	-	2	0.1 %
0.666666666667	-	2	0.1 %
0.750000000000	-	4	0.1 %
0.800000000000	-	1	0.0 %
1.000000000000	-	55	1.7 %
1.200000000000	-	1	0.0 %
1.333333333333	-	3	0.1 %
1.500000000000	-	1	0.0 %
1.666666666667	-	1	0.0 %
1.800000000000	-	1	0.0 %
2.000000000000	-	6	0.2 %
2.400000000000	-	1	0.0 %
2.666666666667	-	1	0.0 %
3.000000000000	-	10	0.3 %
3.250000000000	-	1	0.0 %
3.500000000000	-	1	0.0 %
3.600000000000	-	1	0.0 %
4.000000000000	-	7	0.2 %
4.200000000000	-	1	0.0 %
4.500000000000	-	1	0.0 %
4.800000000000	-	1	0.0 %
5.000000000000	-	3	0.1 %
5.400000000000	-	1	0.0 %
6.000000000000	-	4	0.1 %
6.500000000000	-	1	0.0 %
7.000000000000	-	5	0.2 %
8.000000000000	-	4	0.1 %
9.000000000000	-	4	0.1 %
9.750000000000	-	1	0.0 %
10.000000000000	-	4	0.1 %
11.000000000000	-	3	0.1 %
12.000000000000	-	2	0.1 %
13.000000000000	-	2	0.1 %
13.500000000000	-	1	0.0 %
14.000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
15.0000000000000	-	2	0.1 %
16.0000000000000	-	1	0.0 %
18.0000000000000	-	1	0.0 %
20.0000000000000	-	1	0.0 %
22.0000000000000	-	1	0.0 %
31.0000000000000	-	1	0.0 %
	Missing Data		
.	-	44	1.4 %
	Total	3,246	100%

Based upon 3,202 valid cases out of 3,246 total cases.

- Mean: 0.195737039350
- Median: 0.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 31.0000000000000
- Standard Deviation: 1.385244521558

Location: 415-429 (width: 15; decimal: 12)

Variable Type: numeric

FPW: Full Professor, Female

Value	Label	Unweighted Frequency	%
0.0000000000000	-	1281	39.5 %
0.1250000000000	-	1	0.0 %
0.1666666666667	-	1	0.0 %
0.2000000000000	-	2	0.1 %
0.230769230769	-	1	0.0 %
0.2500000000000	-	5	0.2 %
0.3333333333333	-	3	0.1 %
0.3750000000000	-	1	0.0 %
0.4000000000000	-	4	0.1 %
0.461538461538	-	1	0.0 %
0.5000000000000	-	18	0.6 %
0.6000000000000	-	2	0.1 %
0.6250000000000	-	1	0.0 %
0.6666666666667	-	3	0.1 %
0.692307692308	-	1	0.0 %
0.7222222222222	-	1	0.0 %
0.7500000000000	-	4	0.1 %

Value	Label	Unweighted Frequency	%
0.800000000000	-	4	0.1 %
0.818181818182	-	1	0.0 %
0.833333333333	-	1	0.0 %
0.875000000000	-	1	0.0 %
0.923076923077	-	1	0.0 %
1.000000000000	-	826	25.4 %
1.153846153846	-	1	0.0 %
1.166666666667	-	1	0.0 %
1.200000000000	-	2	0.1 %
1.250000000000	-	5	0.2 %
1.333333333333	-	2	0.1 %
1.384615384615	-	1	0.0 %
1.500000000000	-	19	0.6 %
1.600000000000	-	2	0.1 %
1.615384615385	-	1	0.0 %
1.636363636364	-	1	0.0 %
1.666666666667	-	3	0.1 %
1.750000000000	-	5	0.2 %
1.833333333333	-	2	0.1 %
1.846153846154	-	1	0.0 %
2.000000000000	-	496	15.3 %
2.076923076923	-	1	0.0 %
2.250000000000	-	1	0.0 %
2.307692307692	-	1	0.0 %
2.333333333333	-	2	0.1 %
2.454545454545	-	1	0.0 %
2.500000000000	-	7	0.2 %
2.538461538462	-	1	0.0 %
2.666666666667	-	4	0.1 %
2.769230769231	-	1	0.0 %
3.000000000000	-	249	7.7 %
3.166666666667	-	1	0.0 %
3.272727272727	-	1	0.0 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 1.211689706545
- Median: 1.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 15.000000000000
- Standard Deviation: 1.509747926190

Location: 430-444 (width: 15; decimal: 12)

Variable Type: numeric

FPM: Full Professor, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	28	0.9 %
0.176470588235	-	1	0.0 %
0.333333333333	-	1	0.0 %
0.352941176471	-	1	0.0 %
0.529411764706	-	1	0.0 %
0.666666666667	-	1	0.0 %
0.705882352941	-	1	0.0 %
0.882352941176	-	1	0.0 %
1.000000000000	-	22	0.7 %
1.058823529412	-	1	0.0 %
1.235294117647	-	1	0.0 %
1.411764705882	-	1	0.0 %
1.588235294118	-	1	0.0 %
1.764705882353	-	1	0.0 %
1.916666666667	-	1	0.0 %
1.941176470588	-	1	0.0 %
1.944444444444	-	1	0.0 %
2.000000000000	-	37	1.1 %
2.117647058824	-	1	0.0 %
2.294117647059	-	1	0.0 %
2.333333333333	-	1	0.0 %
2.470588235294	-	1	0.0 %
2.500000000000	-	1	0.0 %
2.550000000000	-	1	0.0 %
2.600000000000	-	1	0.0 %
2.647058823529	-	1	0.0 %
2.650000000000	-	1	0.0 %
2.666666666667	-	1	0.0 %
2.700000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.750000000000	-	1	0.0 %
2.800000000000	-	1	0.0 %
2.823529411765	-	1	0.0 %
2.850000000000	-	1	0.0 %
2.900000000000	-	1	0.0 %
2.950000000000	-	1	0.0 %
3.000000000000	-	124	3.8 %
3.333333333333	-	1	0.0 %
3.500000000000	-	7	0.2 %
3.600000000000	-	1	0.0 %
3.666666666667	-	1	0.0 %
4.000000000000	-	136	4.2 %
4.200000000000	-	2	0.1 %
4.333333333333	-	1	0.0 %
4.400000000000	-	1	0.0 %
4.500000000000	-	2	0.1 %
4.600000000000	-	1	0.0 %
4.615384615385	-	1	0.0 %
4.666666666667	-	2	0.1 %
4.800000000000	-	2	0.1 %
5.000000000000	-	213	6.6 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 11.647594671379
- Median: 10.000000000000
- Minimum: 0.000000000000
- Maximum: 63.000000000000
- Standard Deviation: 7.482083019463

Location: 445-459 (width: 15; decimal: 12)

Variable Type: numeric

FPO: Full Professor, Other

Value	Label	Unweighted Frequency	%
0	-	378	11.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 460-460 (width: 1; decimal: 0)

Variable Type: numeric

FP: Full Professor

Value	Label	Unweighted Frequency	%
0.000000000000	-	23	0.7 %
0.176470588235	-	1	0.0 %
0.333333333333	-	1	0.0 %
0.352941176471	-	1	0.0 %
0.529411764706	-	1	0.0 %
0.666666666667	-	1	0.0 %
0.705882352941	-	1	0.0 %
0.882352941176	-	1	0.0 %
1.000000000000	-	11	0.3 %
1.058823529412	-	1	0.0 %
1.235294117647	-	1	0.0 %
1.411764705882	-	1	0.0 %
1.588235294118	-	1	0.0 %
1.764705882353	-	1	0.0 %
1.941176470588	-	1	0.0 %
2.000000000000	-	28	0.9 %
2.117647058824	-	1	0.0 %
2.294117647059	-	1	0.0 %
2.333333333333	-	1	0.0 %
2.470588235294	-	1	0.0 %
2.500000000000	-	1	0.0 %
2.550000000000	-	1	0.0 %
2.600000000000	-	1	0.0 %
2.647058823529	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.650000000000	-	1	0.0 %
2.666666666667	-	2	0.1 %
2.700000000000	-	1	0.0 %
2.750000000000	-	1	0.0 %
2.800000000000	-	1	0.0 %
2.823529411765	-	1	0.0 %
2.850000000000	-	1	0.0 %
2.900000000000	-	1	0.0 %
2.950000000000	-	1	0.0 %
3.000000000000	-	87	2.7 %
3.333333333333	-	1	0.0 %
3.500000000000	-	6	0.2 %
3.583333333333	-	1	0.0 %
3.666666666667	-	1	0.0 %
3.818181818182	-	1	0.0 %
4.000000000000	-	117	3.6 %
4.200000000000	-	1	0.0 %
4.333333333333	-	2	0.1 %
4.400000000000	-	1	0.0 %
4.500000000000	-	3	0.1 %
4.600000000000	-	2	0.1 %
4.666666666667	-	2	0.1 %
4.800000000000	-	1	0.0 %
4.846153846154	-	1	0.0 %
5.000000000000	-	158	4.9 %
5.166666666667	-	1	0.0 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 12.859284377923
- Median: 11.000000000000
- Mode: 9.000000000000
- Minimum: 0.000000000000
- Maximum: 69.000000000000
- Standard Deviation: 8.209984305070

Location: 461-475 (width: 15; decimal: 12)

Variable Type: numeric

OFTW: All Other Full-time Instructors, Female

Value	Label	Unweighted Frequency	%
0	-	625	19.3 %
1	-	68	2.1 %
2	-	19	0.6 %
3	-	19	0.6 %
4	-	10	0.3 %
5	-	3	0.1 %
6	-	1	0.0 %
	Missing Data		
.	-	2501	77.0 %
	Total	3,246	100%

Based upon 745 valid cases out of 3,246 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.83

Location: 476-476 (width: 1; decimal: 0)

Variable Type: numeric

OFTM: All Other Full-time Instructors, Male

Value	Label	Unweighted Frequency	%
0.0	-	577	17.8 %
1.0	-	72	2.2 %
2.0	-	37	1.1 %
2.5	-	1	0.0 %
3.0	-	22	0.7 %
4.0	-	13	0.4 %
5.0	-	4	0.1 %
6.0	-	2	0.1 %
7.0	-	3	0.1 %
8.0	-	7	0.2 %
9.0	-	3	0.1 %
10.0	-	1	0.0 %
12.0	-	1	0.0 %
13.0	-	1	0.0 %

Value	Label	Unweighted Frequency	%
16.0	-	1	0.0 %
	Missing Data		
.	-	2501	77.0 %
	Total	3,246	100%

Based upon 745 valid cases out of 3,246 total cases.

- Mean: 0.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 1.65

Location: 477-480 (width: 4; decimal: 1)

Variable Type: numeric

OFT: All Other Full-time Instructors

Value	Label	Unweighted Frequency	%
0.0	-	555	17.1 %
1.0	-	59	1.8 %
2.0	-	43	1.3 %
3.0	-	26	0.8 %
4.0	-	17	0.5 %
4.5	-	1	0.0 %
5.0	-	6	0.2 %
6.0	-	4	0.1 %
7.0	-	8	0.2 %
8.0	-	7	0.2 %
9.0	-	5	0.2 %
10.0	-	3	0.1 %
11.0	-	3	0.1 %
12.0	-	3	0.1 %
13.0	-	2	0.1 %
14.0	-	1	0.0 %
16.0	-	2	0.1 %
	Missing Data		
.	-	2501	77.0 %
	Total	3,246	100%

Based upon 745 valid cases out of 3,246 total cases.

- Mean: 0.91
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 2.27

Location: 481-484 (width: 4; decimal: 1)

Variable Type: numeric

NONTENFTW: Full-time Non-tenure track faculty, Female

Value	Label	Unweighted Frequency	%
0.0000000000000	-	1330	41.0 %
0.0714285714286	-	1	0.0 %
0.0833333333333	-	3	0.1 %
0.1000000000000	-	2	0.1 %
0.1111111111111	-	1	0.0 %
0.1250000000000	-	2	0.1 %
0.1428571428571	-	5	0.2 %
0.1666666666667	-	5	0.2 %
0.1818181818182	-	1	0.0 %
0.2000000000000	-	7	0.2 %
0.2142857142857	-	2	0.1 %
0.2222222222222	-	1	0.0 %
0.2500000000000	-	15	0.5 %
0.2857142857143	-	7	0.2 %
0.3000000000000	-	2	0.1 %
0.3333333333333	-	19	0.6 %
0.3571428571429	-	1	0.0 %
0.3636363636364	-	1	0.0 %
0.3750000000000	-	3	0.1 %
0.4000000000000	-	8	0.2 %
0.4166666666667	-	3	0.1 %
0.4285714285714	-	9	0.3 %
0.4444444444444	-	1	0.0 %
0.5000000000000	-	55	1.7 %
0.5454545454545	-	1	0.0 %
0.5555555555556	-	1	0.0 %
0.5714285714286	-	7	0.2 %
0.5833333333333	-	3	0.1 %
0.6000000000000	-	8	0.2 %
0.6250000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.6428571428571	-	2	0.1 %
0.6666666666667	-	24	0.7 %
0.7000000000000	-	2	0.1 %
0.7142857142857	-	5	0.2 %
0.7272727272727	-	1	0.0 %
0.7500000000000	-	19	0.6 %
0.7777777777778	-	1	0.0 %
0.7857142857143	-	1	0.0 %
0.8000000000000	-	8	0.2 %
0.8333333333333	-	5	0.2 %
0.8571428571429	-	11	0.3 %
0.8750000000000	-	2	0.1 %
0.8888888888889	-	1	0.0 %
0.9000000000000	-	2	0.1 %
0.9090909090909	-	1	0.0 %
0.9166666666667	-	3	0.1 %
0.9285714285714	-	1	0.0 %
1.0000000000000	-	613	18.9 %
1.0714285714286	-	1	0.0 %
1.0833333333333	-	1	0.0 %
	Missing Data		
.	-	273	8.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,973 valid cases out of 3,246 total cases.

- Mean: 0.9354187689203
- Median: 0.5714285714286
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 9.0000000000000
- Standard Deviation: 1.2312707345275

Location: 485-499 (width: 15; decimal: 13)

Variable Type: numeric

NONTENFTM: Full-time Non-tenure track faculty, Male

Value	Label	Unweighted Frequency	%
0.0000000000000	-	879	27.1 %

Value	Label	Unweighted Frequency	%
0.050000000000	-	1	0.0 %
0.083333333333	-	3	0.1 %
0.100000000000	-	3	0.1 %
0.111111111111	-	2	0.1 %
0.142857142857	-	5	0.2 %
0.150000000000	-	1	0.0 %
0.157894736842	-	1	0.0 %
0.166666666667	-	10	0.3 %
0.200000000000	-	9	0.3 %
0.222222222222	-	3	0.1 %
0.250000000000	-	15	0.5 %
0.272727272727	-	1	0.0 %
0.285714285714	-	8	0.2 %
0.300000000000	-	3	0.1 %
0.315789473684	-	1	0.0 %
0.333333333333	-	29	0.9 %
0.350000000000	-	1	0.0 %
0.400000000000	-	13	0.4 %
0.416666666667	-	3	0.1 %
0.428571428571	-	7	0.2 %
0.444444444444	-	3	0.1 %
0.450000000000	-	1	0.0 %
0.473684210526	-	1	0.0 %
0.500000000000	-	51	1.6 %
0.545454545455	-	1	0.0 %
0.555555555556	-	2	0.1 %
0.571428571429	-	8	0.2 %
0.583333333333	-	3	0.1 %
0.600000000000	-	10	0.3 %
0.631578947368	-	1	0.0 %
0.666666666667	-	34	1.0 %
0.700000000000	-	2	0.1 %
0.714285714286	-	5	0.2 %
0.750000000000	-	15	0.5 %
0.777777777778	-	3	0.1 %
0.789473684211	-	1	0.0 %
0.800000000000	-	14	0.4 %
0.818181818182	-	1	0.0 %
0.833333333333	-	10	0.3 %

Value	Label	Unweighted Frequency	%
0.857142857143	-	10	0.3 %
0.875000000000	-	1	0.0 %
0.888888888889	-	3	0.1 %
0.900000000000	-	2	0.1 %
0.916666666667	-	3	0.1 %
0.947368421053	-	1	0.0 %
1.000000000000	-	561	17.3 %
1.055555555556	-	1	0.0 %
1.090909090909	-	1	0.0 %
1.100000000000	-	2	0.1 %
	Missing Data		
.	-	273	8.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,973 valid cases out of 3,246 total cases.

- Mean: 1.622519340733
- Median: 1.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 28.000000000000
- Standard Deviation: 2.129413308788

Location: 500-514 (width: 15; decimal: 12)

Variable Type: numeric

NONTENFT: Full-time Non-tenure track faculty

Value	Label	Unweighted Frequency	%
0.000000000000	-	547	16.9 %
0.050000000000	-	1	0.0 %
0.083333333333	-	2	0.1 %
0.100000000000	-	4	0.1 %
0.111111111111	-	1	0.0 %
0.142857142857	-	2	0.1 %
0.150000000000	-	1	0.0 %
0.157894736842	-	1	0.0 %
0.166666666667	-	8	0.2 %
0.181818181818	-	1	0.0 %
0.200000000000	-	8	0.2 %

Value	Label	Unweighted Frequency	%
0.214285714286	-	1	0.0 %
0.222222222222	-	2	0.1 %
0.250000000000	-	11	0.3 %
0.272727272727	-	1	0.0 %
0.285714285714	-	4	0.1 %
0.300000000000	-	4	0.1 %
0.315789473684	-	1	0.0 %
0.333333333333	-	22	0.7 %
0.350000000000	-	1	0.0 %
0.363636363636	-	1	0.0 %
0.375000000000	-	1	0.0 %
0.400000000000	-	9	0.3 %
0.416666666667	-	2	0.1 %
0.428571428571	-	5	0.2 %
0.444444444444	-	2	0.1 %
0.450000000000	-	1	0.0 %
0.473684210526	-	1	0.0 %
0.500000000000	-	45	1.4 %
0.545454545455	-	2	0.1 %
0.555555555556	-	1	0.0 %
0.571428571429	-	4	0.1 %
0.583333333333	-	2	0.1 %
0.600000000000	-	8	0.2 %
0.631578947368	-	1	0.0 %
0.642857142857	-	1	0.0 %
0.666666666667	-	27	0.8 %
0.700000000000	-	3	0.1 %
0.714285714286	-	3	0.1 %
0.727272727273	-	1	0.0 %
0.750000000000	-	11	0.3 %
0.777777777778	-	1	0.0 %
0.789473684211	-	1	0.0 %
0.800000000000	-	11	0.3 %
0.818181818182	-	1	0.0 %
0.833333333333	-	8	0.2 %
0.857142857143	-	8	0.2 %
0.888888888889	-	3	0.1 %
0.900000000000	-	3	0.1 %
0.909090909091	-	1	0.0 %

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	273	8.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,973 valid cases out of 3,246 total cases.

- Mean: 2.557938109654
- Median: 2.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 32.000000000000
- Standard Deviation: 2.970850300960

Location: 515-529 (width: 15; decimal: 12)

Variable Type: numeric

NONTENPTW: Part-time Non-tenure track faculty, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	735	22.6 %
0.066666666667	-	1	0.0 %
0.0714285714286	-	2	0.1 %
0.0769230769231	-	1	0.0 %
0.0909090909091	-	2	0.1 %
0.1111111111111	-	3	0.1 %
0.1250000000000	-	2	0.1 %
0.1333333333333	-	1	0.0 %
0.1428571428571	-	5	0.2 %
0.1538461538462	-	2	0.1 %
0.1666666666667	-	5	0.2 %
0.1818181818182	-	2	0.1 %
0.2000000000000	-	6	0.2 %
0.2142857142857	-	3	0.1 %
0.2222222222222	-	5	0.2 %
0.2307692307692	-	1	0.0 %
0.2500000000000	-	17	0.5 %
0.2666666666667	-	1	0.0 %
0.2727272727273	-	2	0.1 %
0.2857142857143	-	7	0.2 %
0.3076923076923	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.33333333333333	-	22	0.7 %
0.3571428571429	-	2	0.1 %
0.3636363636364	-	2	0.1 %
0.3750000000000	-	3	0.1 %
0.3846153846154	-	1	0.0 %
0.4000000000000	-	9	0.3 %
0.4285714285714	-	6	0.2 %
0.4444444444444	-	5	0.2 %
0.4545454545455	-	2	0.1 %
0.4615384615385	-	2	0.1 %
0.4666666666667	-	1	0.0 %
0.5000000000000	-	51	1.6 %
0.5333333333333	-	1	0.0 %
0.5384615384615	-	1	0.0 %
0.5454545454545	-	2	0.1 %
0.5555555555556	-	3	0.1 %
0.5714285714286	-	7	0.2 %
0.6000000000000	-	6	0.2 %
0.6153846153846	-	2	0.1 %
0.6250000000000	-	2	0.1 %
0.6363636363636	-	2	0.1 %
0.6428571428571	-	3	0.1 %
0.6666666666667	-	27	0.8 %
0.6923076923077	-	1	0.0 %
0.7142857142857	-	5	0.2 %
0.7272727272727	-	2	0.1 %
0.7333333333333	-	1	0.0 %
0.7500000000000	-	18	0.6 %
0.7692307692308	-	2	0.1 %
	Missing Data		
.	-	1222	37.6 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,024 valid cases out of 3,246 total cases.

- Mean: 1.0815217391304
- Median: 0.8257575757575
- Mode: 0.0000000000000

- Minimum: 0.00000000000000
- Maximum: 9.00000000000000
- Standard Deviation: 1.4612047903040

Location: 530-544 (width: 15; decimal: 13)

Variable Type: numeric

NONTENPTM: Part-time Non-tenure track faculty, Male

Value	Label	Unweighted Frequency	%
0.00000000000000	-	511	15.7 %
0.09090909090909	-	1	0.0 %
0.13333333333333	-	1	0.0 %
0.142857142857	-	1	0.0 %
0.16666666666667	-	2	0.1 %
0.18181818181818	-	2	0.1 %
0.20000000000000	-	3	0.1 %
0.214285714286	-	1	0.0 %
0.25000000000000	-	5	0.2 %
0.26666666666667	-	1	0.0 %
0.27272727272727	-	2	0.1 %
0.285714285714	-	3	0.1 %
0.31250000000000	-	1	0.0 %
0.33333333333333	-	11	0.3 %
0.36363636363636	-	2	0.1 %
0.40000000000000	-	5	0.2 %
0.428571428571	-	2	0.1 %
0.45454545454545	-	1	0.0 %
0.461538461538	-	1	0.0 %
0.50000000000000	-	30	0.9 %
0.53333333333333	-	1	0.0 %
0.54545454545455	-	3	0.1 %
0.55555555555556	-	1	0.0 %
0.571428571429	-	4	0.1 %
0.57500000000000	-	1	0.0 %
0.60000000000000	-	3	0.1 %
0.62500000000000	-	1	0.0 %
0.63636363636364	-	1	0.0 %
0.642857142857	-	1	0.0 %
0.66666666666667	-	14	0.4 %
0.714285714286	-	2	0.1 %
0.72727272727273	-	2	0.1 %
0.75000000000000	-	11	0.3 %

Value	Label	Unweighted Frequency	%
0.800000000000	-	5	0.2 %
0.818181818182	-	2	0.1 %
0.833333333333	-	2	0.1 %
0.857142857143	-	4	0.1 %
0.909090909091	-	2	0.1 %
0.923076923077	-	1	0.0 %
0.933333333333	-	1	0.0 %
0.937500000000	-	1	0.0 %
1.000000000000	-	263	8.1 %
1.066666666667	-	2	0.1 %
1.071428571429	-	2	0.1 %
1.090909090909	-	2	0.1 %
1.100000000000	-	1	0.0 %
1.111111111111	-	1	0.0 %
1.133333333333	-	1	0.0 %
1.142857142857	-	5	0.2 %
1.150000000000	-	1	0.0 %
	Missing Data		
.	-	1222	37.6 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,024 valid cases out of 3,246 total cases.

- Mean: 2.749258893281
- Median: 1.500000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 49.000000000000
- Standard Deviation: 3.630920125545

Location: 545-559 (width: 15; decimal: 12)

Variable Type: numeric

NONTENPT: Part-time Non-tenure track faculty

Value	Label	Unweighted Frequency	%
0.000000000000	-	326	10.0 %
0.071428571429	-	1	0.0 %
0.133333333333	-	1	0.0 %
0.142857142857	-	4	0.1 %

Value	Label	Unweighted Frequency	%
0.166666666667	-	2	0.1 %
0.200000000000	-	1	0.0 %
0.214285714286	-	1	0.0 %
0.250000000000	-	1	0.0 %
0.266666666667	-	1	0.0 %
0.272727272727	-	1	0.0 %
0.285714285714	-	5	0.2 %
0.333333333333	-	7	0.2 %
0.357142857143	-	1	0.0 %
0.400000000000	-	3	0.1 %
0.428571428571	-	5	0.2 %
0.437500000000	-	1	0.0 %
0.500000000000	-	16	0.5 %
0.533333333333	-	1	0.0 %
0.538461538462	-	1	0.0 %
0.545454545455	-	1	0.0 %
0.571428571429	-	6	0.2 %
0.600000000000	-	1	0.0 %
0.642857142857	-	1	0.0 %
0.666666666667	-	12	0.4 %
0.714285714286	-	5	0.2 %
0.750000000000	-	2	0.1 %
0.777777777778	-	1	0.0 %
0.785714285714	-	1	0.0 %
0.800000000000	-	3	0.1 %
0.818181818182	-	1	0.0 %
0.833333333333	-	3	0.1 %
0.857142857143	-	6	0.2 %
0.875000000000	-	1	0.0 %
0.928571428571	-	1	0.0 %
0.933333333333	-	1	0.0 %
1.000000000000	-	288	8.9 %
1.066666666667	-	1	0.0 %
1.076923076923	-	1	0.0 %
1.090909090909	-	1	0.0 %
1.142857142857	-	4	0.1 %
1.150000000000	-	1	0.0 %
1.166666666667	-	1	0.0 %
1.200000000000	-	4	0.1 %

Value	Label	Unweighted Frequency	%
1.250000000000	-	6	0.2 %
1.272727272727	-	1	0.0 %
1.285714285714	-	4	0.1 %
1.312500000000	-	1	0.0 %
1.333333333333	-	13	0.4 %
1.363636363636	-	1	0.0 %
1.400000000000	-	2	0.1 %
	Missing Data		
.	-	1222	37.6 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,024 valid cases out of 3,246 total cases.

- Mean: 3.830780632411
- Minimum: 0.000000000000
- Maximum: 55.000000000000
- Standard Deviation: 4.647185747509

Location: 560-574 (width: 15; decimal: 12)
Variable Type: numeric

NONTENW: Non-tenure track faculty, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	1326	40.9 %
0.100000000000	-	1	0.0 %
0.125000000000	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.250000000000	-	6	0.2 %
0.300000000000	-	1	0.0 %
0.333333333333	-	4	0.1 %
0.375000000000	-	1	0.0 %
0.400000000000	-	1	0.0 %
0.500000000000	-	36	1.1 %
0.600000000000	-	1	0.0 %
0.625000000000	-	1	0.0 %
0.666666666667	-	5	0.2 %
0.700000000000	-	1	0.0 %
0.750000000000	-	8	0.2 %
0.800000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.875000000000	-	1	0.0 %
0.900000000000	-	1	0.0 %
1.000000000000	-	782	24.1 %
1.194444444444	-	1	0.0 %
1.250000000000	-	1	0.0 %
1.333333333333	-	2	0.1 %
1.500000000000	-	18	0.6 %
1.666666666667	-	2	0.1 %
1.750000000000	-	1	0.0 %
2.000000000000	-	419	12.9 %
2.250000000000	-	3	0.1 %
2.333333333333	-	3	0.1 %
2.500000000000	-	7	0.2 %
2.600000000000	-	1	0.0 %
2.666666666667	-	3	0.1 %
2.840000000000	-	1	0.0 %
3.000000000000	-	269	8.3 %
3.333333333333	-	2	0.1 %
3.500000000000	-	1	0.0 %
3.666666666667	-	1	0.0 %
4.000000000000	-	146	4.5 %
4.666666666667	-	1	0.0 %
5.000000000000	-	84	2.6 %
5.333333333333	-	1	0.0 %
6.000000000000	-	49	1.5 %
6.500000000000	-	1	0.0 %
7.000000000000	-	19	0.6 %
7.666666666667	-	1	0.0 %
8.000000000000	-	18	0.6 %
9.000000000000	-	5	0.2 %
10.000000000000	-	2	0.1 %
11.000000000000	-	2	0.1 %
13.000000000000	-	1	0.0 %
14.333333333333	-	1	0.0 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.322669268159
- Median: 1.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 21.000000000000
- Standard Deviation: 1.713935468310

Location: 575-589 (width: 15; decimal: 12)

Variable Type: numeric

NONTENM: Non-tenure track faculty, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	1026	31.6 %
0.100000000000	-	1	0.0 %
0.200000000000	-	2	0.1 %
0.250000000000	-	1	0.0 %
0.300000000000	-	1	0.0 %
0.333333333333	-	6	0.2 %
0.375000000000	-	1	0.0 %
0.400000000000	-	3	0.1 %
0.416666666667	-	1	0.0 %
0.450000000000	-	1	0.0 %
0.500000000000	-	24	0.7 %
0.600000000000	-	2	0.1 %
0.666666666667	-	9	0.3 %
0.700000000000	-	1	0.0 %
0.750000000000	-	3	0.1 %
0.800000000000	-	3	0.1 %
0.833333333333	-	1	0.0 %
0.900000000000	-	2	0.1 %
1.000000000000	-	556	17.1 %
1.125000000000	-	1	0.0 %
1.200000000000	-	1	0.0 %
1.250000000000	-	4	0.1 %
1.333333333333	-	4	0.1 %
1.350000000000	-	1	0.0 %
1.500000000000	-	29	0.9 %
1.600000000000	-	1	0.0 %
1.666666666667	-	1	0.0 %
1.670000000000	-	1	0.0 %
1.750000000000	-	3	0.1 %
1.800000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.875000000000	-	1	0.0 %
2.000000000000	-	454	14.0 %
2.083333333333	-	1	0.0 %
2.125000000000	-	1	0.0 %
2.250000000000	-	7	0.2 %
2.333333333333	-	6	0.2 %
2.375000000000	-	1	0.0 %
2.500000000000	-	14	0.4 %
2.625000000000	-	2	0.1 %
2.666666666667	-	3	0.1 %
2.700000000000	-	1	0.0 %
2.750000000000	-	4	0.1 %
2.875000000000	-	1	0.0 %
2.916666666667	-	1	0.0 %
3.000000000000	-	271	8.3 %
3.027777777778	-	1	0.0 %
3.150000000000	-	1	0.0 %
3.250000000000	-	1	0.0 %
3.300000000000	-	1	0.0 %
3.333333333333	-	1	0.0 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 2.492065405285
- Median: 1.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 56.000000000000
- Standard Deviation: 3.595270946351

Location: 590-604 (width: 15; decimal: 12)

Variable Type: numeric

NONTENO: Non-tenure track faculty, Other

Value	Label	Unweighted Frequency	%
0	-	376	11.6 %
2	-	1	0.0 %
4	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.23

Location: 605-605 (width: 1; decimal: 0)

Variable Type: numeric

NONTEN: Non-tenure track faculty

Value	Label	Unweighted Frequency	%
0.000000000000	-	736	22.7 %
0.200000000000	-	2	0.1 %
0.250000000000	-	1	0.0 %
0.333333333333	-	4	0.1 %
0.375000000000	-	1	0.0 %
0.400000000000	-	3	0.1 %
0.416666666667	-	1	0.0 %
0.450000000000	-	1	0.0 %
0.500000000000	-	21	0.6 %
0.600000000000	-	2	0.1 %
0.666666666667	-	5	0.2 %
0.750000000000	-	3	0.1 %
0.800000000000	-	3	0.1 %
0.833333333333	-	1	0.0 %
0.900000000000	-	1	0.0 %
1.000000000000	-	424	13.1 %
1.125000000000	-	1	0.0 %
1.200000000000	-	2	0.1 %
1.250000000000	-	2	0.1 %
1.333333333333	-	5	0.2 %
1.350000000000	-	1	0.0 %
1.400000000000	-	1	0.0 %
1.500000000000	-	22	0.7 %
1.600000000000	-	2	0.1 %
1.666666666667	-	4	0.1 %

Value	Label	Unweighted Frequency	%
1.750000000000	-	1	0.0 %
1.800000000000	-	2	0.1 %
1.875000000000	-	1	0.0 %
2.000000000000	-	400	12.3 %
2.083333333333	-	1	0.0 %
2.250000000000	-	8	0.2 %
2.333333333333	-	2	0.1 %
2.500000000000	-	14	0.4 %
2.625000000000	-	1	0.0 %
2.666666666667	-	2	0.1 %
2.700000000000	-	1	0.0 %
2.750000000000	-	4	0.1 %
2.916666666667	-	1	0.0 %
3.000000000000	-	339	10.4 %
3.027777777778	-	1	0.0 %
3.150000000000	-	1	0.0 %
3.250000000000	-	3	0.1 %
3.300000000000	-	1	0.0 %
3.333333333333	-	6	0.2 %
3.500000000000	-	11	0.3 %
3.600000000000	-	2	0.1 %
3.666666666667	-	4	0.1 %
3.750000000000	-	5	0.2 %
3.900000000000	-	1	0.0 %
4.000000000000	-	245	7.5 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 3.816583102280
- Median: 2.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 77.000000000000
- Standard Deviation: 4.879365413611

Location: 606-620 (width: 15; decimal: 12)

Variable Type: numeric

NONINSTRW: Non-instructional faculty, Female

Value	Label	Unweighted Frequency	%
0	-	311	9.6 %
1	-	30	0.9 %
2	-	25	0.8 %
3	-	4	0.1 %
4	-	3	0.1 %
5	-	2	0.1 %
7	-	2	0.1 %
13	-	1	0.0 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.13

Location: 621-622 (width: 2; decimal: 0)

Variable Type: numeric

NONINSTRM: Non-instructional faculty, Male

Value	Label	Unweighted Frequency	%
0	-	290	8.9 %
1	-	37	1.1 %
2	-	25	0.8 %
3	-	12	0.4 %
4	-	3	0.1 %
5	-	2	0.1 %
6	-	2	0.1 %
7	-	2	0.1 %
8	-	2	0.1 %
9	-	1	0.0 %
10	-	1	0.0 %
13	-	1	0.0 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 13.00
- Standard Deviation: 1.51

Location: 623-624 (width: 2; decimal: 0)

Variable Type: numeric

NONINSTRO: Non-instructional faculty, Other

Value	Label	Unweighted Frequency	%
0	-	376	11.6 %
1	-	1	0.0 %
2	-	1	0.0 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.11

Location: 625-625 (width: 1; decimal: 0)

Variable Type: numeric

TENTRACKW: All Tenure Track, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	100	3.1 %
0.166666666667	-	1	0.0 %
0.235294117647	-	1	0.0 %
0.250000000000	-	2	0.1 %
0.333333333333	-	4	0.1 %
0.470588235294	-	1	0.0 %
0.500000000000	-	9	0.3 %
0.666666666667	-	5	0.2 %
0.705882352941	-	1	0.0 %
0.750000000000	-	2	0.1 %
0.833333333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.941176470588	-	1	0.0 %
1.000000000000	-	342	10.5 %
1.050000000000	-	1	0.0 %
1.100000000000	-	1	0.0 %
1.117647058824	-	1	0.0 %
1.150000000000	-	1	0.0 %
1.153846153846	-	1	0.0 %
1.176470588235	-	1	0.0 %
1.200000000000	-	1	0.0 %
1.235294117647	-	1	0.0 %
1.250000000000	-	3	0.1 %
1.307692307692	-	1	0.0 %
1.333333333333	-	5	0.2 %
1.411764705882	-	1	0.0 %
1.461538461538	-	1	0.0 %
1.476190476190	-	1	0.0 %
1.500000000000	-	26	0.8 %
1.615384615385	-	1	0.0 %
1.636363636364	-	1	0.0 %
1.647058823529	-	1	0.0 %
1.666666666667	-	6	0.2 %
1.750000000000	-	3	0.1 %
1.769230769231	-	1	0.0 %
1.882352941176	-	1	0.0 %
1.923076923077	-	1	0.0 %
1.952380952381	-	1	0.0 %
2.000000000000	-	461	14.2 %
2.055555555556	-	1	0.0 %
2.076923076923	-	1	0.0 %
2.100000000000	-	1	0.0 %
2.117647058824	-	1	0.0 %
2.125000000000	-	1	0.0 %
2.200000000000	-	3	0.1 %
2.230769230769	-	1	0.0 %
2.250000000000	-	5	0.2 %
2.300000000000	-	1	0.0 %
2.333333333333	-	8	0.2 %
2.352941176471	-	2	0.1 %
2.375000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 3.876225617573
- Median: 3.000000000000
- Mode: 3.000000000000
- Minimum: 0.000000000000
- Maximum: 27.000000000000
- Standard Deviation: 2.586539337039

Location: 626-640 (width: 15; decimal: 12)

Variable Type: numeric

TENTRACKM: All Tenure Track, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	9	0.3 %
0.411764705882	-	1	0.0 %
0.823529411765	-	1	0.0 %
1.000000000000	-	2	0.1 %
1.235294117647	-	1	0.0 %
1.647058823529	-	1	0.0 %
2.058823529412	-	1	0.0 %
2.470588235294	-	1	0.0 %
2.500000000000	-	1	0.0 %
2.750000000000	-	1	0.0 %
2.882352941176	-	1	0.0 %
3.000000000000	-	9	0.3 %
3.250000000000	-	1	0.0 %
3.294117647059	-	1	0.0 %
3.500000000000	-	1	0.0 %
3.649305555556	-	1	0.0 %
3.705882352941	-	1	0.0 %
3.750000000000	-	1	0.0 %
4.000000000000	-	11	0.3 %
4.117647058824	-	1	0.0 %
4.125000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.250000000000	-	2	0.1 %
4.375000000000	-	1	0.0 %
4.500000000000	-	2	0.1 %
4.529411764706	-	1	0.0 %
4.625000000000	-	1	0.0 %
4.636363636364	-	1	0.0 %
4.750000000000	-	2	0.1 %
4.875000000000	-	1	0.0 %
4.941176470588	-	1	0.0 %
5.000000000000	-	16	0.5 %
5.083333333333	-	1	0.0 %
5.352941176471	-	1	0.0 %
5.764705882353	-	1	0.0 %
6.000000000000	-	25	0.8 %
6.083333333333	-	1	0.0 %
6.166666666667	-	2	0.1 %
6.176470588235	-	1	0.0 %
6.250000000000	-	1	0.0 %
6.375000000000	-	1	0.0 %
6.500000000000	-	1	0.0 %
6.588235294118	-	1	0.0 %
6.750000000000	-	1	0.0 %
7.000000000000	-	36	1.1 %
7.125000000000	-	1	0.0 %
7.333333333333	-	1	0.0 %
7.500000000000	-	3	0.1 %
7.666666666667	-	1	0.0 %
7.875000000000	-	1	0.0 %
8.000000000000	-	38	1.2 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 20.018789410318
- Minimum: 0.000000000000
- Maximum: 89.000000000000

- Standard Deviation: 9.777632555024

Location: 641-655 (width: 15; decimal: 12)

Variable Type: numeric

TENTRACKO: All Tenure Track, Other

Value	Label	Unweighted Frequency	%
0	-	375	11.6 %
2	-	1	0.0 %
3	-	1	0.0 %
4	-	1	0.0 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.28

Location: 656-656 (width: 1; decimal: 0)

Variable Type: numeric

TENTRACK: All Tenure Track

Value	Label	Unweighted Frequency	%
0.000000000000	-	5	0.2 %
0.647058823529	-	1	0.0 %
1.000000000000	-	2	0.1 %
1.294117647059	-	1	0.0 %
1.941176470588	-	1	0.0 %
2.000000000000	-	1	0.0 %
2.500000000000	-	1	0.0 %
2.588235294118	-	1	0.0 %
2.750000000000	-	1	0.0 %
3.000000000000	-	2	0.1 %
3.235294117647	-	1	0.0 %
3.250000000000	-	1	0.0 %
3.500000000000	-	1	0.0 %
3.750000000000	-	1	0.0 %
3.882352941176	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.000000000000	-	4	0.1 %
4.250000000000	-	1	0.0 %
4.500000000000	-	1	0.0 %
4.529411764706	-	1	0.0 %
4.750000000000	-	1	0.0 %
5.000000000000	-	4	0.1 %
5.125000000000	-	1	0.0 %
5.176470588235	-	1	0.0 %
5.250000000000	-	1	0.0 %
5.375000000000	-	1	0.0 %
5.500000000000	-	2	0.1 %
5.625000000000	-	1	0.0 %
5.704861111111	-	1	0.0 %
5.750000000000	-	1	0.0 %
5.823529411765	-	1	0.0 %
5.875000000000	-	1	0.0 %
6.000000000000	-	9	0.3 %
6.272727272727	-	1	0.0 %
6.375000000000	-	1	0.0 %
6.470588235294	-	1	0.0 %
6.500000000000	-	1	0.0 %
6.750000000000	-	1	0.0 %
7.000000000000	-	15	0.5 %
7.083333333333	-	1	0.0 %
7.117647058824	-	1	0.0 %
7.125000000000	-	1	0.0 %
7.166666666667	-	1	0.0 %
7.250000000000	-	1	0.0 %
7.500000000000	-	1	0.0 %
7.666666666667	-	1	0.0 %
7.750000000000	-	1	0.0 %
7.764705882353	-	1	0.0 %
7.875000000000	-	1	0.0 %
8.000000000000	-	15	0.5 %
8.083333333333	-	1	0.0 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 23.897821388976
- Minimum: 0.000000000000
- Maximum: 97.000000000000
- Standard Deviation: 11.074711576439

Location: 657-671 (width: 15; decimal: 12)

Variable Type: numeric

TENUREDW: Tenured, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	539	16.6 %
0.058823529412	-	1	0.0 %
0.117647058824	-	2	0.1 %
0.166666666667	-	2	0.1 %
0.176470588235	-	1	0.0 %
0.200000000000	-	3	0.1 %
0.230769230769	-	1	0.0 %
0.235294117647	-	2	0.1 %
0.250000000000	-	8	0.2 %
0.294117647059	-	1	0.0 %
0.333333333333	-	6	0.2 %
0.352941176471	-	1	0.0 %
0.400000000000	-	4	0.1 %
0.411764705882	-	1	0.0 %
0.416666666667	-	1	0.0 %
0.461538461538	-	1	0.0 %
0.470588235294	-	1	0.0 %
0.500000000000	-	24	0.7 %
0.529411764706	-	1	0.0 %
0.588235294118	-	1	0.0 %
0.600000000000	-	3	0.1 %
0.647058823529	-	1	0.0 %
0.666666666667	-	6	0.2 %
0.692307692308	-	1	0.0 %
0.705882352941	-	1	0.0 %
0.750000000000	-	7	0.2 %
0.764705882353	-	1	0.0 %
0.800000000000	-	4	0.1 %
0.823529411765	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.833333333333	-	3	0.1 %
0.882352941176	-	1	0.0 %
0.923076923077	-	1	0.0 %
0.941176470588	-	1	0.0 %
1.000000000000	-	731	22.5 %
1.125000000000	-	1	0.0 %
1.153846153846	-	1	0.0 %
1.200000000000	-	2	0.1 %
1.250000000000	-	6	0.2 %
1.272727272727	-	1	0.0 %
1.333333333333	-	3	0.1 %
1.352941176471	-	1	0.0 %
1.375000000000	-	1	0.0 %
1.384615384615	-	1	0.0 %
1.400000000000	-	3	0.1 %
1.500000000000	-	31	1.0 %
1.555555555556	-	1	0.0 %
1.600000000000	-	2	0.1 %
1.613445378151	-	1	0.0 %
1.615384615385	-	1	0.0 %
1.625000000000	-	1	0.0 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 2.243703010775
- Median: 2.000000000000
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 24.000000000000
- Standard Deviation: 2.121598421833

Location: 672-686 (width: 15; decimal: 12)

Variable Type: numeric

TENURED**M: Tenured, Male**

Value	Label	Unweighted Frequency	%
0.000000000000	-	21	0.6 %
0.352941176471	-	1	0.0 %
0.705882352941	-	1	0.0 %
0.800000000000	-	1	0.0 %
1.000000000000	-	5	0.2 %
1.058823529412	-	1	0.0 %
1.411764705882	-	1	0.0 %
1.600000000000	-	1	0.0 %
1.764705882353	-	1	0.0 %
1.944444444444	-	1	0.0 %
2.000000000000	-	7	0.2 %
2.117647058824	-	1	0.0 %
2.400000000000	-	1	0.0 %
2.470588235294	-	1	0.0 %
2.500000000000	-	1	0.0 %
2.750000000000	-	1	0.0 %
2.823529411765	-	1	0.0 %
2.854166666667	-	1	0.0 %
3.000000000000	-	29	0.9 %
3.176470588235	-	1	0.0 %
3.200000000000	-	1	0.0 %
3.250000000000	-	2	0.1 %
3.500000000000	-	2	0.1 %
3.529411764706	-	1	0.0 %
3.750000000000	-	2	0.1 %
3.882352941176	-	1	0.0 %
3.909090909091	-	1	0.0 %
4.000000000000	-	33	1.0 %
4.235294117647	-	1	0.0 %
4.250000000000	-	3	0.1 %
4.500000000000	-	5	0.2 %
4.588235294118	-	1	0.0 %
4.666666666667	-	1	0.0 %
4.750000000000	-	3	0.1 %
4.800000000000	-	1	0.0 %
4.941176470588	-	1	0.0 %
5.000000000000	-	43	1.3 %
5.294117647059	-	1	0.0 %
5.333333333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.500000000000	-	1	0.0 %
5.600000000000	-	1	0.0 %
5.647058823529	-	1	0.0 %
5.692307692308	-	1	0.0 %
6.000000000000	-	91	2.8 %
6.125000000000	-	1	0.0 %
6.250000000000	-	1	0.0 %
6.333333333333	-	1	0.0 %
6.375000000000	-	1	0.0 %
6.384615384615	-	1	0.0 %
6.400000000000	-	1	0.0 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 15.495501593736
- Minimum: 0.000000000000
- Maximum: 71.000000000000
- Standard Deviation: 8.156188545564

Location: 687-701 (width: 15; decimal: 12)

Variable Type: numeric

TENURED0: Tenured, Other

Value	Label	Unweighted Frequency	%
0	-	378	11.6 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 702-702 (width: 1; decimal: 0)

TENURED: Tenured

Value	Label	Unweighted Frequency	%
0.000000000000	-	17	0.5 %
0.411764705882	-	1	0.0 %
0.800000000000	-	1	0.0 %
0.823529411765	-	1	0.0 %
1.000000000000	-	5	0.2 %
1.235294117647	-	1	0.0 %
1.600000000000	-	1	0.0 %
1.647058823529	-	1	0.0 %
2.000000000000	-	4	0.1 %
2.058823529412	-	1	0.0 %
2.400000000000	-	1	0.0 %
2.470588235294	-	1	0.0 %
2.500000000000	-	1	0.0 %
2.750000000000	-	1	0.0 %
2.882352941176	-	1	0.0 %
3.000000000000	-	8	0.2 %
3.200000000000	-	1	0.0 %
3.250000000000	-	1	0.0 %
3.294117647059	-	1	0.0 %
3.500000000000	-	2	0.1 %
3.705882352941	-	1	0.0 %
3.750000000000	-	1	0.0 %
4.000000000000	-	17	0.5 %
4.117647058824	-	1	0.0 %
4.250000000000	-	1	0.0 %
4.409722222222	-	1	0.0 %
4.500000000000	-	3	0.1 %
4.529411764706	-	1	0.0 %
4.750000000000	-	1	0.0 %
4.800000000000	-	1	0.0 %
4.941176470588	-	1	0.0 %
4.944444444444	-	1	0.0 %
5.000000000000	-	40	1.2 %
5.181818181818	-	1	0.0 %
5.250000000000	-	1	0.0 %
5.352941176471	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.500000000000	-	1	0.0 %
5.600000000000	-	1	0.0 %
5.666666666667	-	1	0.0 %
5.750000000000	-	1	0.0 %
5.764705882353	-	1	0.0 %
5.923076923077	-	1	0.0 %
6.000000000000	-	53	1.6 %
6.125000000000	-	1	0.0 %
6.176470588235	-	1	0.0 %
6.250000000000	-	1	0.0 %
6.333333333333	-	1	0.0 %
6.375000000000	-	1	0.0 %
6.400000000000	-	1	0.0 %
6.500000000000	-	4	0.1 %
	Missing Data		
.	-	39	1.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,207 valid cases out of 3,246 total cases.

- Mean: 17.739204604511
- Minimum: 0.000000000000
- Maximum: 81.000000000000
- Standard Deviation: 9.220828233666

Location: 703-717 (width: 15; decimal: 12)

Variable Type: numeric

PHDSYR1W: First year Ph.D. students, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	282	8.7 %
0.111111111111	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.250000000000	-	1	0.0 %
0.300000000000	-	1	0.0 %
0.375000000000	-	1	0.0 %
0.400000000000	-	1	0.0 %
0.461538461538	-	1	0.0 %
0.500000000000	-	8	0.2 %

Value	Label	Unweighted Frequency	%
0.600000000000	-	3	0.1 %
0.750000000000	-	2	0.1 %
0.800000000000	-	1	0.0 %
0.900000000000	-	1	0.0 %
0.923076923077	-	1	0.0 %
1.000000000000	-	295	9.1 %
1.125000000000	-	1	0.0 %
1.200000000000	-	4	0.1 %
1.250000000000	-	3	0.1 %
1.333333333333	-	3	0.1 %
1.384615384615	-	1	0.0 %
1.400000000000	-	1	0.0 %
1.500000000000	-	9	0.3 %
1.600000000000	-	1	0.0 %
1.666666666667	-	5	0.2 %
1.750000000000	-	3	0.1 %
1.800000000000	-	3	0.1 %
1.846153846154	-	1	0.0 %
1.875000000000	-	1	0.0 %
2.000000000000	-	401	12.4 %
2.100000000000	-	1	0.0 %
2.200000000000	-	2	0.1 %
2.250000000000	-	2	0.1 %
2.307692307692	-	1	0.0 %
2.333333333333	-	4	0.1 %
2.400000000000	-	4	0.1 %
2.500000000000	-	11	0.3 %
2.600000000000	-	1	0.0 %
2.625000000000	-	1	0.0 %
2.666666666667	-	2	0.1 %
2.700000000000	-	1	0.0 %
2.750000000000	-	2	0.1 %
2.769230769231	-	1	0.0 %
2.800000000000	-	1	0.0 %
3.000000000000	-	381	11.7 %
3.166666666667	-	1	0.0 %
3.230769230769	-	1	0.0 %
3.250000000000	-	2	0.1 %
3.333333333333	-	2	0.1 %

Value	Label	Unweighted Frequency	%
3.400000000000	-	1	0.0 %
3.500000000000	-	16	0.5 %
	Missing Data		
.	-	7	0.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,239 valid cases out of 3,246 total cases.

- Mean: 4.302486406984
- Median: 4.000000000000
- Mode: 2.000000000000
- Minimum: 0.000000000000
- Maximum: 36.000000000000
- Standard Deviation: 3.198855826046

Location: 718-732 (width: 15; decimal: 12)

Variable Type: numeric

PHDSYR1M: First year Ph.D. students, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	160	4.9 %
0.200000000000	-	1	0.0 %
0.250000000000	-	2	0.1 %
0.400000000000	-	2	0.1 %
0.461538461538	-	1	0.0 %
0.500000000000	-	5	0.2 %
0.600000000000	-	1	0.0 %
0.750000000000	-	2	0.1 %
0.800000000000	-	2	0.1 %
0.888888888889	-	1	0.0 %
0.923076923077	-	1	0.0 %
1.000000000000	-	102	3.1 %
1.125000000000	-	1	0.0 %
1.200000000000	-	1	0.0 %
1.250000000000	-	3	0.1 %
1.333333333333	-	1	0.0 %
1.384615384615	-	1	0.0 %
1.500000000000	-	5	0.2 %
1.600000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.666666666667	-	1	0.0 %
1.750000000000	-	2	0.1 %
1.846153846154	-	1	0.0 %
2.000000000000	-	152	4.7 %
2.200000000000	-	1	0.0 %
2.250000000000	-	3	0.1 %
2.307692307692	-	1	0.0 %
2.333333333333	-	2	0.1 %
2.500000000000	-	6	0.2 %
2.666666666667	-	2	0.1 %
2.750000000000	-	2	0.1 %
2.769230769231	-	1	0.0 %
2.800000000000	-	1	0.0 %
3.000000000000	-	195	6.0 %
3.230769230769	-	1	0.0 %
3.250000000000	-	2	0.1 %
3.333333333333	-	2	0.1 %
3.375000000000	-	1	0.0 %
3.400000000000	-	1	0.0 %
3.500000000000	-	9	0.3 %
3.666666666667	-	2	0.1 %
3.692307692308	-	1	0.0 %
3.700000000000	-	1	0.0 %
3.750000000000	-	3	0.1 %
4.000000000000	-	236	7.3 %
4.153846153846	-	1	0.0 %
4.200000000000	-	1	0.0 %
4.250000000000	-	1	0.0 %
4.333333333333	-	1	0.0 %
4.400000000000	-	1	0.0 %
4.500000000000	-	5	0.2 %
	Missing Data		
.	-	7	0.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,239 valid cases out of 3,246 total cases.

- Mean: 8.849485223491
- Median: 7.000000000000
- Mode: 5.000000000000
- Minimum: 0.000000000000
- Maximum: 93.000000000000
- Standard Deviation: 6.703444898145

Location: 733-747 (width: 15; decimal: 12)

Variable Type: numeric

PHDSYR10: First year Ph.D. students, Other

Value	Label	Unweighted Frequency	%
0	-	374	11.5 %
1	-	4	0.1 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Location: 748-748 (width: 1; decimal: 0)

Variable Type: numeric

PHDSYR1: First year Ph.D. students

Value	Label	Unweighted Frequency	%
0.000000000000	-	127	3.9 %
0.200000000000	-	1	0.0 %
0.250000000000	-	1	0.0 %
0.400000000000	-	1	0.0 %
0.500000000000	-	5	0.2 %
0.600000000000	-	2	0.1 %
0.750000000000	-	1	0.0 %
0.800000000000	-	1	0.0 %
0.92307692308	-	1	0.0 %
1.000000000000	-	36	1.1 %
1.200000000000	-	1	0.0 %
1.250000000000	-	2	0.1 %
1.500000000000	-	3	0.1 %

Value	Label	Unweighted Frequency	%
1.66666666667	-	2	0.1 %
1.75000000000	-	2	0.1 %
1.80000000000	-	1	0.0 %
1.84615384616	-	1	0.0 %
2.00000000000	-	53	1.6 %
2.33333333333	-	1	0.0 %
2.40000000000	-	1	0.0 %
2.50000000000	-	4	0.1 %
2.76923076923	-	1	0.0 %
2.83333333334	-	1	0.0 %
3.00000000000	-	88	2.7 %
3.50000000000	-	7	0.2 %
3.60000000000	-	1	0.0 %
3.66666666667	-	1	0.0 %
3.69230769231	-	1	0.0 %
3.75000000000	-	1	0.0 %
4.00000000000	-	92	2.8 %
4.20000000000	-	1	0.0 %
4.33333333334	-	2	0.1 %
4.50000000000	-	3	0.1 %
4.61538461539	-	1	0.0 %
4.66666666667	-	2	0.1 %
4.80000000000	-	1	0.0 %
5.00000000000	-	154	4.7 %
5.16666666667	-	1	0.0 %
5.25000000000	-	3	0.1 %
5.33333333334	-	1	0.0 %
5.40000000000	-	2	0.1 %
5.50000000000	-	5	0.2 %
5.53846153847	-	1	0.0 %
5.75000000000	-	2	0.1 %
6.00000000000	-	163	5.0 %
6.33333333334	-	2	0.1 %
6.46153846154	-	1	0.0 %
6.50000000000	-	3	0.1 %
6.66666666667	-	1	0.0 %
7.00000000000	-	157	4.8 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	7	0.2 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,239 valid cases out of 3,246 total cases.

- Mean: 13.15320657953
- Median: 11.00000000000
- Mode: 8.00000000000
- Minimum: 0.00000000000
- Maximum: 124.00000000000
- Standard Deviation: 8.93209296140

Location: 749-763 (width: 15; decimal: 11)

Variable Type: numeric

ABDW: Registered Ph.D. Thesis Writers (ABD), Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	206	6.3 %
0.153846153846	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.250000000000	-	1	0.0 %
0.307692307692	-	1	0.0 %
0.333333333333	-	3	0.1 %
0.352941176471	-	1	0.0 %
0.400000000000	-	2	0.1 %
0.461538461538	-	1	0.0 %
0.500000000000	-	5	0.2 %
0.600000000000	-	2	0.1 %
0.615384615385	-	1	0.0 %
0.666666666667	-	4	0.1 %
0.694444444444	-	1	0.0 %
0.705882352941	-	1	0.0 %
0.750000000000	-	2	0.1 %
0.769230769231	-	1	0.0 %
0.800000000000	-	3	0.1 %
0.923076923077	-	1	0.0 %
1.000000000000	-	170	5.2 %
1.058823529412	-	1	0.0 %
1.066666666667	-	1	0.0 %
1.076923076923	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.1333333333333	-	1	0.0 %
1.2000000000000	-	4	0.1 %
1.230769230769	-	1	0.0 %
1.2500000000000	-	4	0.1 %
1.2666666666667	-	1	0.0 %
1.3333333333333	-	3	0.1 %
1.384615384615	-	1	0.0 %
1.4000000000000	-	2	0.1 %
1.411764705882	-	1	0.0 %
1.4666666666667	-	1	0.0 %
1.5000000000000	-	16	0.5 %
1.5333333333333	-	1	0.0 %
1.538461538462	-	1	0.0 %
1.6000000000000	-	4	0.1 %
1.6666666666667	-	3	0.1 %
1.692307692308	-	1	0.0 %
1.7333333333333	-	1	0.0 %
1.7500000000000	-	5	0.2 %
1.764705882353	-	1	0.0 %
1.7777777777778	-	1	0.0 %
1.8000000000000	-	3	0.1 %
1.8333333333333	-	2	0.1 %
1.846153846154	-	1	0.0 %
1.8666666666667	-	1	0.0 %
1.9333333333333	-	1	0.0 %
2.0000000000000	-	207	6.4 %
2.117647058824	-	1	0.0 %
	Missing Data		
.	-	48	1.5 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,198 valid cases out of 3,246 total cases.

- Mean: 9.577435549997
- Median: 7.000000000000
- Mode: 2.000000000000
- Minimum: 0.000000000000
- Maximum: 72.000000000000

• Standard Deviation: 8.925279161580

Location: 764-778 (width: 15; decimal: 12)

Variable Type: numeric

ABDM: Registered Ph.D. Thesis Writers (ABD), Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	154	4.7 %
0.500000000000	-	2	0.1 %
0.600000000000	-	1	0.0 %
0.888888888889	-	1	0.0 %
1.000000000000	-	64	2.0 %
1.200000000000	-	2	0.1 %
1.250000000000	-	1	0.0 %
1.333333333333	-	1	0.0 %
1.500000000000	-	2	0.1 %
1.666666666667	-	1	0.0 %
1.750000000000	-	1	0.0 %
1.777777777778	-	1	0.0 %
1.800000000000	-	1	0.0 %
2.000000000000	-	74	2.3 %
2.200000000000	-	1	0.0 %
2.23529411765	-	1	0.0 %
2.250000000000	-	3	0.1 %
2.333333333333	-	2	0.1 %
2.400000000000	-	4	0.1 %
2.47058823530	-	1	0.0 %
2.500000000000	-	5	0.2 %
2.600000000000	-	1	0.0 %
2.666666666667	-	4	0.1 %
2.70588235294	-	1	0.0 %
2.750000000000	-	2	0.1 %
2.800000000000	-	1	0.0 %
2.94117647059	-	1	0.0 %
3.000000000000	-	116	3.6 %
3.125000000000	-	1	0.0 %
3.15384615385	-	1	0.0 %
3.17647058824	-	1	0.0 %
3.200000000000	-	2	0.1 %
3.30769230769	-	1	0.0 %
3.333333333334	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.40000000000	-	2	0.1 %
3.41176470588	-	1	0.0 %
3.46153846154	-	1	0.0 %
3.50000000000	-	2	0.1 %
3.55555555556	-	1	0.0 %
3.60000000000	-	3	0.1 %
3.61538461539	-	1	0.0 %
3.64705882353	-	1	0.0 %
3.66666666667	-	2	0.1 %
3.76923076923	-	1	0.0 %
3.80000000000	-	3	0.1 %
3.88235294118	-	1	0.0 %
3.92307692308	-	1	0.0 %
4.00000000000	-	119	3.7 %
4.07692307693	-	1	0.0 %
4.11764705883	-	1	0.0 %
	Missing Data		
.	-	49	1.5 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,197 valid cases out of 3,246 total cases.

- Mean: 20.12803127064
- Minimum: 0.00000000000
- Maximum: 138.00000000000
- Standard Deviation: 20.78202758993

Location: 779-793 (width: 15; decimal: 11)

Variable Type: numeric

ABDO: Registered Ph.D. Thesis Writers (ABD), Other

Value	Label	Unweighted Frequency	%
0	-	369	11.4 %
1	-	5	0.2 %
2	-	2	0.1 %
3	-	1	0.0 %
49	-	1	0.0 %
	Missing Data		
.	-	2868	88.4 %

Value	Label	Unweighted Frequency	%
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 49.00
- Standard Deviation: 2.53

Location: 794-795 (width: 2; decimal: 0)

Variable Type: numeric

ABD: Registered Ph.D. Thesis Writers (ABD)

Value	Label	Unweighted Frequency	%
0.00000000000	-	126	3.9 %
0.69444444445	-	1	0.0 %
1.00000000000	-	31	1.0 %
1.25000000000	-	1	0.0 %
1.80000000000	-	1	0.0 %
2.00000000000	-	33	1.0 %
2.50000000000	-	4	0.1 %
2.58823529412	-	1	0.0 %
2.66666666667	-	1	0.0 %
3.00000000000	-	51	1.6 %
3.17647058824	-	1	0.0 %
3.20000000000	-	1	0.0 %
3.30769230769	-	1	0.0 %
3.33333333334	-	1	0.0 %
3.50000000000	-	1	0.0 %
3.60000000000	-	1	0.0 %
3.61538461539	-	1	0.0 %
3.75000000000	-	2	0.1 %
3.76470588236	-	1	0.0 %
3.92307692308	-	1	0.0 %
4.00000000000	-	74	2.3 %
4.23076923077	-	1	0.0 %
4.25000000000	-	2	0.1 %
4.26666666667	-	1	0.0 %
4.35294117647	-	1	0.0 %
4.50000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
4.53333333334	-	1	0.0 %
4.53846153846	-	1	0.0 %
4.66666666667	-	2	0.1 %
4.75000000000	-	1	0.0 %
4.80000000000	-	1	0.0 %
4.84615384616	-	1	0.0 %
4.94117647059	-	1	0.0 %
5.00000000000	-	59	1.8 %
5.06666666667	-	1	0.0 %
5.12500000000	-	1	0.0 %
5.15384615385	-	1	0.0 %
5.33333333334	-	2	0.1 %
5.40000000000	-	1	0.0 %
5.46153846154	-	1	0.0 %
5.50000000000	-	7	0.2 %
5.52941176471	-	1	0.0 %
5.60000000000	-	1	0.0 %
5.66666666667	-	1	0.0 %
5.76923076924	-	1	0.0 %
5.86666666667	-	1	0.0 %
6.00000000000	-	88	2.7 %
6.07692307693	-	1	0.0 %
6.11764705883	-	1	0.0 %
6.13333333334	-	1	0.0 %
	Missing Data		
.	-	48	1.5 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,198 valid cases out of 3,246 total cases.

- Mean: 29.71824729866
- Minimum: 0.00000000000
- Maximum: 198.00000000000
- Standard Deviation: 28.46445915194

Location: 796-810 (width: 15; decimal: 11)

Variable Type: numeric

PHDW: Number of Ph.D.s Granted, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	558	17.2 %
0.125000000000	-	1	0.0 %
0.250000000000	-	5	0.2 %
0.333333333333	-	6	0.2 %
0.375000000000	-	2	0.1 %
0.500000000000	-	22	0.7 %
0.625000000000	-	2	0.1 %
0.666666666667	-	6	0.2 %
0.750000000000	-	6	0.2 %
0.875000000000	-	1	0.0 %
1.000000000000	-	608	18.7 %
1.100000000000	-	1	0.0 %
1.125000000000	-	3	0.1 %
1.166666666667	-	1	0.0 %
1.200000000000	-	2	0.1 %
1.250000000000	-	4	0.1 %
1.300000000000	-	1	0.0 %
1.333333333333	-	6	0.2 %
1.375000000000	-	2	0.1 %
1.400000000000	-	3	0.1 %
1.500000000000	-	21	0.6 %
1.600000000000	-	2	0.1 %
1.625000000000	-	2	0.1 %
1.666666666667	-	7	0.2 %
1.700000000000	-	1	0.0 %
1.750000000000	-	4	0.1 %
1.800000000000	-	3	0.1 %
1.875000000000	-	4	0.1 %
1.900000000000	-	1	0.0 %
2.000000000000	-	598	18.4 %
2.200000000000	-	2	0.1 %
2.250000000000	-	1	0.0 %
2.333333333333	-	6	0.2 %
2.400000000000	-	1	0.0 %
2.500000000000	-	18	0.6 %
2.600000000000	-	2	0.1 %
2.625000000000	-	1	0.0 %
2.666666666667	-	4	0.1 %
2.800000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.000000000000	-	378	11.6 %
3.125000000000	-	1	0.0 %
3.250000000000	-	1	0.0 %
3.333333333333	-	1	0.0 %
3.400000000000	-	1	0.0 %
3.500000000000	-	10	0.3 %
3.750000000000	-	1	0.0 %
3.800000000000	-	1	0.0 %
3.857638888889	-	1	0.0 %
4.000000000000	-	310	9.6 %
4.200000000000	-	1	0.0 %
	Missing Data		
.	-	17	0.5 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,229 valid cases out of 3,246 total cases.

- Mean: 2.664248262276
- Median: 2.000000000000
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 43.000000000000
- Standard Deviation: 2.641066406960

Location: 811-825 (width: 15; decimal: 12)

Variable Type: numeric

PHDM: Number of Ph.D.s Granted, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	261	8.0 %
0.027777777778	-	1	0.0 %
0.125000000000	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.222222222222	-	1	0.0 %
0.250000000000	-	1	0.0 %
0.300000000000	-	1	0.0 %
0.333333333333	-	2	0.1 %
0.375000000000	-	1	0.0 %
0.400000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.444444444444	-	1	0.0 %
0.500000000000	-	9	0.3 %
0.600000000000	-	2	0.1 %
0.625000000000	-	1	0.0 %
0.666666666667	-	4	0.1 %
0.750000000000	-	2	0.1 %
0.800000000000	-	2	0.1 %
0.875000000000	-	1	0.0 %
0.888888888889	-	1	0.0 %
0.900000000000	-	1	0.0 %
1.000000000000	-	305	9.4 %
1.111111111111	-	1	0.0 %
1.200000000000	-	2	0.1 %
1.333333333333	-	3	0.1 %
1.500000000000	-	12	0.4 %
1.555555555556	-	1	0.0 %
1.600000000000	-	1	0.0 %
1.666666666667	-	3	0.1 %
1.777777777778	-	1	0.0 %
1.800000000000	-	1	0.0 %
2.000000000000	-	372	11.5 %
2.100000000000	-	1	0.0 %
2.166666666667	-	1	0.0 %
2.250000000000	-	3	0.1 %
2.333333333333	-	3	0.1 %
2.400000000000	-	1	0.0 %
2.500000000000	-	11	0.3 %
2.666666666667	-	1	0.0 %
2.700000000000	-	1	0.0 %
2.750000000000	-	3	0.1 %
2.833333333333	-	1	0.0 %
3.000000000000	-	359	11.1 %
3.333333333333	-	1	0.0 %
3.500000000000	-	13	0.4 %
3.666666666667	-	1	0.0 %
3.750000000000	-	1	0.0 %
4.000000000000	-	305	9.4 %
4.200000000000	-	1	0.0 %
4.250000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.333333333333	-	3	0.1 %
	Missing Data		
.	-	16	0.5 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,230 valid cases out of 3,246 total cases.

- Mean: 5.787231252150
- Median: 4.000000000000
- Mode: 2.000000000000
- Minimum: 0.000000000000
- Maximum: 91.000000000000
- Standard Deviation: 5.707306214843

Location: 826-840 (width: 15; decimal: 12)

Variable Type: numeric

PHDO: Number of Ph.D.s Granted, Other

Value	Label	Unweighted Frequency	%
0.0	-	396	12.2 %
1.5	-	1	0.0 %
3.0	-	2	0.1 %
	Missing Data		
.	-	2847	87.7 %
	Total	3,246	100%

Based upon 399 valid cases out of 3,246 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.22

Location: 841-843 (width: 3; decimal: 1)

Variable Type: numeric

PHD: Number of Ph.D.s Granted

Value	Label	Unweighted Frequency	%
0.000000000000	-	148	4.6 %
0.027777777778	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.12500000000	-	1	0.0 %
0.25000000000	-	1	0.0 %
0.33333333333	-	2	0.1 %
0.37500000000	-	1	0.0 %
0.40000000000	-	1	0.0 %
0.50000000000	-	8	0.2 %
0.55555555556	-	1	0.0 %
0.62500000000	-	1	0.0 %
0.66666666667	-	2	0.1 %
0.75000000000	-	2	0.1 %
0.80000000000	-	1	0.0 %
0.87500000000	-	1	0.0 %
1.00000000000	-	147	4.5 %
1.11111111111	-	1	0.0 %
1.20000000000	-	1	0.0 %
1.25000000000	-	2	0.1 %
1.37500000000	-	1	0.0 %
1.50000000000	-	11	0.3 %
1.60000000000	-	1	0.0 %
1.66666666667	-	3	0.1 %
1.75000000000	-	2	0.1 %
2.00000000000	-	234	7.2 %
2.20000000000	-	1	0.0 %
2.22222222222	-	1	0.0 %
2.25000000000	-	2	0.1 %
2.33333333333	-	3	0.1 %
2.40000000000	-	1	0.0 %
2.50000000000	-	7	0.2 %
2.60000000000	-	1	0.0 %
2.66666666667	-	1	0.0 %
2.75000000000	-	3	0.1 %
2.77777777778	-	1	0.0 %
2.80000000000	-	1	0.0 %
3.00000000000	-	251	7.7 %
3.12500000000	-	1	0.0 %
3.20000000000	-	1	0.0 %
3.25000000000	-	2	0.1 %
3.33333333334	-	3	0.1 %
3.37500000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.400000000000	-	1	0.0 %
3.500000000000	-	15	0.5 %
3.600000000000	-	1	0.0 %
3.625000000000	-	1	0.0 %
3.666666666667	-	1	0.0 %
3.750000000000	-	2	0.1 %
3.800000000000	-	1	0.0 %
3.875000000000	-	1	0.0 %
3.888888888889	-	1	0.0 %
	Missing Data		
.	-	16	0.5 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,230 valid cases out of 3,246 total cases.

- Mean: 8.45297665119
- Median: 7.000000000000
- Mode: 3.000000000000
- Minimum: 0.000000000000
- Maximum: 134.000000000000
- Standard Deviation: 7.60011611032

Location: 844-858 (width: 15; decimal: 11)

Variable Type: numeric

ACAJOBPHDW: An academic job in a Ph.D. granting institution, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	1870	57.6 %
0.125000000000	-	1	0.0 %
0.166666666667	-	5	0.2 %
0.200000000000	-	13	0.4 %
0.250000000000	-	13	0.4 %
0.333333333333	-	30	0.9 %
0.375000000000	-	1	0.0 %
0.400000000000	-	15	0.5 %
0.500000000000	-	72	2.2 %
0.600000000000	-	14	0.4 %
0.625000000000	-	1	0.0 %
0.666666666667	-	35	1.1 %

Value	Label	Unweighted Frequency	%
0.750000000000	-	13	0.4 %
0.777777777778	-	1	0.0 %
0.800000000000	-	16	0.5 %
0.833333333333	-	5	0.2 %
0.875000000000	-	1	0.0 %
1.000000000000	-	629	19.4 %
1.200000000000	-	3	0.1 %
1.250000000000	-	2	0.1 %
1.333333333333	-	11	0.3 %
1.500000000000	-	17	0.5 %
1.600000000000	-	3	0.1 %
1.666666666667	-	4	0.1 %
1.750000000000	-	1	0.0 %
1.800000000000	-	1	0.0 %
2.000000000000	-	222	6.8 %
2.400000000000	-	2	0.1 %
2.500000000000	-	5	0.2 %
2.666666666667	-	2	0.1 %
3.000000000000	-	108	3.3 %
3.200000000000	-	1	0.0 %
3.333333333333	-	1	0.0 %
3.500000000000	-	2	0.1 %
3.750000000000	-	1	0.0 %
4.000000000000	-	41	1.3 %
5.000000000000	-	20	0.6 %
6.000000000000	-	10	0.3 %
7.000000000000	-	4	0.1 %
8.000000000000	-	2	0.1 %
13.000000000000	-	1	0.0 %
	Missing Data		
.	-	47	1.4 %
	Total	3,246	100%

Based upon 3,199 valid cases out of 3,246 total cases.

- Mean: 0.624917508944
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 13.000000000000

• Standard Deviation: 1.049838860534

Location: 859-873 (width: 15; decimal: 12)

Variable Type: numeric

ACAJOBPHDM: An academic job in a Ph.D. granting institution, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	1331	41.0 %
0.027777777778	-	1	0.0 %
0.058823529412	-	1	0.0 %
0.083333333333	-	1	0.0 %
0.117647058824	-	1	0.0 %
0.125000000000	-	1	0.0 %
0.166666666667	-	4	0.1 %
0.176470588235	-	1	0.0 %
0.200000000000	-	10	0.3 %
0.235294117647	-	1	0.0 %
0.250000000000	-	8	0.2 %
0.294117647059	-	1	0.0 %
0.333333333333	-	21	0.6 %
0.352941176471	-	1	0.0 %
0.375000000000	-	2	0.1 %
0.400000000000	-	11	0.3 %
0.411764705882	-	1	0.0 %
0.416666666667	-	1	0.0 %
0.470588235294	-	1	0.0 %
0.500000000000	-	58	1.8 %
0.529411764706	-	1	0.0 %
0.583333333333	-	1	0.0 %
0.588235294118	-	1	0.0 %
0.600000000000	-	11	0.3 %
0.625000000000	-	1	0.0 %
0.638888888889	-	1	0.0 %
0.647058823529	-	1	0.0 %
0.666666666667	-	26	0.8 %
0.705882352941	-	1	0.0 %
0.750000000000	-	9	0.3 %
0.764705882353	-	1	0.0 %
0.800000000000	-	11	0.3 %
0.823529411765	-	1	0.0 %
0.833333333333	-	4	0.1 %

Value	Label	Unweighted Frequency	%
0.875000000000	-	1	0.0 %
0.882352941176	-	1	0.0 %
0.916666666667	-	1	0.0 %
0.941176470588	-	1	0.0 %
1.000000000000	-	632	19.5 %
1.125000000000	-	1	0.0 %
1.166666666667	-	1	0.0 %
1.200000000000	-	6	0.2 %
1.250000000000	-	3	0.1 %
1.333333333333	-	14	0.4 %
1.400000000000	-	4	0.1 %
1.500000000000	-	31	1.0 %
1.600000000000	-	5	0.2 %
1.666666666667	-	13	0.4 %
1.750000000000	-	4	0.1 %
1.800000000000	-	5	0.2 %
	Missing Data		
.	-	47	1.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,199 valid cases out of 3,246 total cases.

- Mean: 1.416588517245
- Median: 1.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 14.000000000000
- Standard Deviation: 2.097745489255

Location: 874-888 (width: 15; decimal: 12)

Variable Type: numeric

ACAJOBPHDO: An academic job in a Ph.D. granting institution, Other

Value	Label	Unweighted Frequency	%
0	-	377	11.6 %
1	-	1	0.0 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.05

Location: 889-889 (width: 1; decimal: 0)

Variable Type: numeric

ACAJOBPHD: An academic job in a Ph.D. granting institution

Value	Label	Unweighted Frequency	%
0.000000000000	-	1052	32.4 %
0.058823529412	-	1	0.0 %
0.083333333333	-	1	0.0 %
0.117647058824	-	1	0.0 %
0.125000000000	-	2	0.1 %
0.166666666667	-	2	0.1 %
0.176470588235	-	1	0.0 %
0.200000000000	-	7	0.2 %
0.235294117647	-	1	0.0 %
0.250000000000	-	9	0.3 %
0.294117647059	-	1	0.0 %
0.333333333333	-	16	0.5 %
0.352941176471	-	1	0.0 %
0.375000000000	-	2	0.1 %
0.400000000000	-	12	0.4 %
0.411764705882	-	1	0.0 %
0.416666666667	-	1	0.0 %
0.470588235294	-	1	0.0 %
0.500000000000	-	48	1.5 %
0.529411764706	-	1	0.0 %
0.583333333333	-	1	0.0 %
0.588235294118	-	1	0.0 %
0.600000000000	-	7	0.2 %
0.625000000000	-	2	0.1 %
0.647058823529	-	1	0.0 %
0.666666666667	-	23	0.7 %
0.705882352941	-	1	0.0 %
0.750000000000	-	9	0.3 %
0.764705882353	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.800000000000	-	12	0.4 %
0.805555555556	-	1	0.0 %
0.823529411765	-	1	0.0 %
0.833333333333	-	2	0.1 %
0.875000000000	-	3	0.1 %
0.882352941176	-	1	0.0 %
0.916666666667	-	1	0.0 %
0.941176470588	-	1	0.0 %
0.972222222222	-	1	0.0 %
1.000000000000	-	575	17.7 %
1.166666666667	-	1	0.0 %
1.200000000000	-	11	0.3 %
1.250000000000	-	4	0.1 %
1.333333333333	-	17	0.5 %
1.400000000000	-	10	0.3 %
1.500000000000	-	28	0.9 %
1.600000000000	-	12	0.4 %
1.666666666667	-	9	0.3 %
1.750000000000	-	4	0.1 %
1.800000000000	-	8	0.2 %
1.833333333333	-	1	0.0 %
	Missing Data		
.	-	47	1.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,199 valid cases out of 3,246 total cases.

- Mean: 2.041818623876
- Median: 1.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 20.000000000000
- Standard Deviation: 2.780668799922

Location: 890-904 (width: 15; decimal: 12)

Variable Type: numeric

ACAJOBW: An academic job in a non-Ph.D. granting institution, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	2100	64.7 %
0.062500000000	-	1	0.0 %
0.071428571429	-	1	0.0 %
0.125000000000	-	1	0.0 %
0.142857142857	-	1	0.0 %
0.166666666667	-	3	0.1 %
0.187500000000	-	1	0.0 %
0.200000000000	-	5	0.2 %
0.214285714286	-	1	0.0 %
0.250000000000	-	8	0.2 %
0.285714285714	-	1	0.0 %
0.312500000000	-	1	0.0 %
0.333333333333	-	21	0.6 %
0.357142857143	-	1	0.0 %
0.375000000000	-	2	0.1 %
0.400000000000	-	6	0.2 %
0.428571428571	-	2	0.1 %
0.437500000000	-	1	0.0 %
0.500000000000	-	76	2.3 %
0.562500000000	-	1	0.0 %
0.571428571429	-	1	0.0 %
0.600000000000	-	5	0.2 %
0.625000000000	-	1	0.0 %
0.642857142857	-	1	0.0 %
0.666666666667	-	26	0.8 %
0.687500000000	-	1	0.0 %
0.714285714286	-	1	0.0 %
0.750000000000	-	11	0.3 %
0.785714285714	-	1	0.0 %
0.800000000000	-	6	0.2 %
0.812500000000	-	1	0.0 %
0.833333333333	-	3	0.1 %
0.857142857143	-	2	0.1 %
0.875000000000	-	1	0.0 %
0.928571428571	-	1	0.0 %
0.937500000000	-	1	0.0 %
1.000000000000	-	577	17.8 %
1.125000000000	-	1	0.0 %
1.200000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.250000000000	-	1	0.0 %
1.285714285714	-	1	0.0 %
1.333333333333	-	8	0.2 %
1.400000000000	-	2	0.1 %
1.500000000000	-	17	0.5 %
1.600000000000	-	2	0.1 %
1.666666666667	-	5	0.2 %
1.714285714286	-	1	0.0 %
1.750000000000	-	1	0.0 %
1.800000000000	-	2	0.1 %
1.875000000000	-	1	0.0 %
	Missing Data		
.	-	47	1.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,199 valid cases out of 3,246 total cases.

- Mean: 0.444201312910
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 10.000000000000
- Standard Deviation: 0.774601746129

Location: 905-919 (width: 15; decimal: 12)

Variable Type: numeric

ACAJOBM: An academic job in a non-Ph.D. granting institution, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	1754	54.0 %
0.0714285714286	-	1	0.0 %
0.1250000000000	-	1	0.0 %
0.1428571428571	-	2	0.1 %
0.1666666666667	-	2	0.1 %
0.2000000000000	-	2	0.1 %
0.2142857142857	-	1	0.0 %
0.2500000000000	-	9	0.3 %
0.2857142857143	-	3	0.1 %
0.3333333333333	-	21	0.6 %

Value	Label	Unweighted Frequency	%
0.3571428571429	-	1	0.0 %
0.3750000000000	-	1	0.0 %
0.4000000000000	-	5	0.2 %
0.4285714285714	-	2	0.1 %
0.5000000000000	-	75	2.3 %
0.5714285714286	-	3	0.1 %
0.6000000000000	-	3	0.1 %
0.6250000000000	-	1	0.0 %
0.6428571428571	-	1	0.0 %
0.6666666666667	-	25	0.8 %
0.7142857142857	-	2	0.1 %
0.7500000000000	-	10	0.3 %
0.7857142857143	-	1	0.0 %
0.8000000000000	-	5	0.2 %
0.8333333333333	-	2	0.1 %
0.8571428571429	-	3	0.1 %
0.8750000000000	-	1	0.0 %
0.9285714285714	-	1	0.0 %
1.0000000000000	-	618	19.0 %
1.0625000000000	-	1	0.0 %
1.1250000000000	-	1	0.0 %
1.1428571428571	-	1	0.0 %
1.1666666666667	-	1	0.0 %
1.1875000000000	-	1	0.0 %
1.2000000000000	-	7	0.2 %
1.2500000000000	-	1	0.0 %
1.3125000000000	-	1	0.0 %
1.3333333333333	-	12	0.4 %
1.3750000000000	-	1	0.0 %
1.4000000000000	-	3	0.1 %
1.4285714285714	-	1	0.0 %
1.4375000000000	-	1	0.0 %
1.5000000000000	-	29	0.9 %
1.5625000000000	-	1	0.0 %
1.6000000000000	-	5	0.2 %
1.6250000000000	-	1	0.0 %
1.6666666666667	-	8	0.2 %
1.6875000000000	-	1	0.0 %
1.7142857142857	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.75000000000000	-	2	0.1 %
	Missing Data		
.	-	47	1.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,199 valid cases out of 3,246 total cases.

- Mean: 0.7374179431072
- Median: 0.00000000000000
- Mode: 0.00000000000000
- Minimum: 0.00000000000000
- Maximum: 8.00000000000000
- Standard Deviation: 1.1097563388444

Location: 920-934 (width: 15; decimal: 13)

Variable Type: numeric

ACAJOBO: An academic job in a non-Ph.D. granting institution, Other

Value	Label	Unweighted Frequency	%
0	-	378	11.6 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 935-935 (width: 1; decimal: 0)

Variable Type: numeric

ACAJOB: An academic job in a non-Ph.D. granting institution

Value	Label	Unweighted Frequency	%
0.00000000000000	-	1343	41.4 %
0.12500000000000	-	1	0.0 %
0.142857142857	-	2	0.1 %
0.16666666666667	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.200000000000	-	2	0.1 %
0.250000000000	-	9	0.3 %
0.285714285714	-	2	0.1 %
0.333333333333	-	21	0.6 %
0.375000000000	-	1	0.0 %
0.400000000000	-	3	0.1 %
0.428571428571	-	2	0.1 %
0.500000000000	-	71	2.2 %
0.571428571429	-	2	0.1 %
0.600000000000	-	3	0.1 %
0.625000000000	-	1	0.0 %
0.666666666667	-	27	0.8 %
0.714285714286	-	2	0.1 %
0.750000000000	-	10	0.3 %
0.800000000000	-	3	0.1 %
0.833333333333	-	3	0.1 %
0.857142857143	-	2	0.1 %
0.875000000000	-	2	0.1 %
1.000000000000	-	647	19.9 %
1.125000000000	-	1	0.0 %
1.142857142857	-	1	0.0 %
1.166666666667	-	2	0.1 %
1.200000000000	-	5	0.2 %
1.250000000000	-	4	0.1 %
1.285714285714	-	1	0.0 %
1.333333333333	-	18	0.6 %
1.375000000000	-	1	0.0 %
1.400000000000	-	2	0.1 %
1.428571428571	-	1	0.0 %
1.500000000000	-	33	1.0 %
1.571428571429	-	1	0.0 %
1.600000000000	-	4	0.1 %
1.625000000000	-	1	0.0 %
1.666666666667	-	17	0.5 %
1.714285714286	-	1	0.0 %
1.750000000000	-	6	0.2 %
1.800000000000	-	3	0.1 %
1.833333333333	-	2	0.1 %
1.857142857143	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.875000000000	-	1	0.0 %
2.000000000000	-	414	12.8 %
2.125000000000	-	1	0.0 %
2.142857142857	-	1	0.0 %
2.200000000000	-	2	0.1 %
2.250000000000	-	5	0.2 %
2.285714285714	-	1	0.0 %
	Missing Data		
.	-	47	1.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,199 valid cases out of 3,246 total cases.

- Mean: 1.181619256018
- Median: 1.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 12.000000000000
- Standard Deviation: 1.535282877379

Location: 936-950 (width: 15; decimal: 12)

Variable Type: numeric

ACAJOBNONFACW: A non-faculty job in any academic department, Female

Value	Label	Unweighted Frequency	%
0	-	842	25.9 %
1	-	119	3.7 %
2	-	30	0.9 %
3	-	2	0.1 %
5	-	1	0.0 %
6	-	1	0.0 %
	Missing Data		
.	-	2251	69.3 %
	Total	3,246	100%

Based upon 995 valid cases out of 3,246 total cases.

- Mean: 0.20
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 6.00
- Standard Deviation: 0.53

Location: 951-951 (width: 1; decimal: 0)

Variable Type: numeric

ACAJOBNONFACM: A non-faculty job in any academic department, Male

Value	Label	Unweighted Frequency	%
0	-	714	22.0 %
1	-	184	5.7 %
2	-	62	1.9 %
3	-	24	0.7 %
4	-	7	0.2 %
5	-	2	0.1 %
6	-	1	0.0 %
7	-	1	0.0 %
	Missing Data		
.	-	2251	69.3 %
	Total	3,246	100%

Based upon 995 valid cases out of 3,246 total cases.

- Mean: 0.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.84

Location: 952-952 (width: 1; decimal: 0)

Variable Type: numeric

ACAJOBNONFACO: A non-faculty job in any academic department, Other

Value	Label	Unweighted Frequency	%
0	-	377	11.6 %
3	-	1	0.0 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 3.00
- Standard Deviation: 0.15

Location: 953-953 (width: 1; decimal: 0)

Variable Type: numeric

ACAJOBNONFAC: A non-faculty job in any academic department

Value	Label	Unweighted Frequency	%
0	-	632	19.5 %
1	-	214	6.6 %
2	-	81	2.5 %
3	-	41	1.3 %
4	-	18	0.6 %
5	-	6	0.2 %
7	-	1	0.0 %
10	-	1	0.0 %
12	-	1	0.0 %
	Missing Data		
.	-	2251	69.3 %
	Total	3,246	100%

Based upon 995 valid cases out of 3,246 total cases.

- Mean: 0.63
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 1.12

Location: 954-955 (width: 2; decimal: 0)

Variable Type: numeric

PUBW: A public sector job, Female

Value	Label	Unweighted Frequency	%
0.0000000000000	-	2263	69.7 %
0.0625000000000	-	1	0.0 %
0.1000000000000	-	2	0.1 %
0.1111111111111	-	1	0.0 %
0.1250000000000	-	2	0.1 %
0.1428571428571	-	1	0.0 %
0.1666666666667	-	3	0.1 %
0.1875000000000	-	1	0.0 %
0.2000000000000	-	7	0.2 %

Value	Label	Unweighted Frequency	%
0.2222222222222	-	1	0.0 %
0.2500000000000	-	14	0.4 %
0.2857142857143	-	2	0.1 %
0.3000000000000	-	2	0.1 %
0.3125000000000	-	1	0.0 %
0.3333333333333	-	23	0.7 %
0.3750000000000	-	2	0.1 %
0.4000000000000	-	9	0.3 %
0.4285714285714	-	1	0.0 %
0.4375000000000	-	1	0.0 %
0.4444444444444	-	1	0.0 %
0.5000000000000	-	75	2.3 %
0.5555555555556	-	1	0.0 %
0.5625000000000	-	1	0.0 %
0.5714285714286	-	2	0.1 %
0.6000000000000	-	7	0.2 %
0.6250000000000	-	2	0.1 %
0.6666666666667	-	27	0.8 %
0.6875000000000	-	1	0.0 %
0.7000000000000	-	2	0.1 %
0.7142857142857	-	1	0.0 %
0.7500000000000	-	14	0.4 %
0.7777777777778	-	1	0.0 %
0.8000000000000	-	9	0.3 %
0.8125000000000	-	1	0.0 %
0.8333333333333	-	3	0.1 %
0.8571428571429	-	2	0.1 %
0.8750000000000	-	2	0.1 %
0.8888888888889	-	1	0.0 %
0.9000000000000	-	2	0.1 %
0.9375000000000	-	1	0.0 %
1.0000000000000	-	529	16.3 %
1.1428571428571	-	1	0.0 %
1.2000000000000	-	2	0.1 %
1.3333333333333	-	5	0.2 %
1.4285714285714	-	1	0.0 %
1.5000000000000	-	12	0.4 %
1.6000000000000	-	2	0.1 %
1.6666666666667	-	3	0.1 %

Value	Label	Unweighted Frequency	%
1.7142857142857	-	1	0.0 %
2.00000000000000	-	112	3.5 %
	Missing Data		
.	-	47	1.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,199 valid cases out of 3,246 total cases.

- Mean: 0.3243201000313
- Median: 0.00000000000000
- Mode: 0.00000000000000
- Minimum: 0.00000000000000
- Maximum: 6.00000000000000
- Standard Deviation: 0.6190839216646

Location: 956-970 (width: 15; decimal: 13)

Variable Type: numeric

PUBM: A public sector job, Male

Value	Label	Unweighted Frequency	%
0.00000000000000	-	1790	55.1 %
0.06250000000000	-	1	0.0 %
0.12500000000000	-	1	0.0 %
0.1428571428571	-	2	0.1 %
0.16666666666667	-	2	0.1 %
0.18750000000000	-	1	0.0 %
0.19444444444444	-	1	0.0 %
0.20000000000000	-	6	0.2 %
0.25000000000000	-	15	0.5 %
0.2857142857143	-	2	0.1 %
0.31250000000000	-	1	0.0 %
0.33333333333333	-	25	0.8 %
0.37500000000000	-	1	0.0 %
0.40000000000000	-	7	0.2 %
0.4285714285714	-	3	0.1 %
0.43750000000000	-	1	0.0 %
0.50000000000000	-	79	2.4 %
0.56250000000000	-	1	0.0 %
0.5714285714286	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.600000000000000	-	6	0.2 %
0.625000000000000	-	1	0.0 %
0.666666666666667	-	30	0.9 %
0.687500000000000	-	1	0.0 %
0.7142857142857	-	2	0.1 %
0.750000000000000	-	15	0.5 %
0.800000000000000	-	7	0.2 %
0.812500000000000	-	1	0.0 %
0.833333333333333	-	2	0.1 %
0.8571428571429	-	3	0.1 %
0.875000000000000	-	1	0.0 %
0.937500000000000	-	1	0.0 %
1.000000000000000	-	680	20.9 %
1.166666666666667	-	1	0.0 %
1.200000000000000	-	2	0.1 %
1.250000000000000	-	2	0.1 %
1.2857142857143	-	1	0.0 %
1.333333333333333	-	11	0.3 %
1.400000000000000	-	1	0.0 %
1.500000000000000	-	23	0.7 %
1.600000000000000	-	2	0.1 %
1.666666666666667	-	6	0.2 %
1.7142857142857	-	1	0.0 %
1.750000000000000	-	2	0.1 %
1.800000000000000	-	1	0.0 %
1.833333333333333	-	1	0.0 %
2.000000000000000	-	259	8.0 %
2.1428571428571	-	1	0.0 %
2.333333333333333	-	1	0.0 %
2.500000000000000	-	5	0.2 %
2.5714285714286	-	1	0.0 %
	Missing Data		
.	-	47	1.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,199 valid cases out of 3,246 total cases.

- Mean: 0.6557344308985
- Median: 0.00000000000000
- Mode: 0.00000000000000
- Minimum: 0.00000000000000
- Maximum: 7.00000000000000
- Standard Deviation: 1.0150578643967

Location: 971-985 (width: 15; decimal: 13)
Variable Type: numeric

PUBO: A public sector job, Other

Value	Label	Unweighted Frequency	%
0	-	378	11.6 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 986-986 (width: 1; decimal: 0)
Variable Type: numeric

PUB: A public sector job

Value	Label	Unweighted Frequency	%
0.000000000000	-	1421	43.8 %
0.100000000000	-	2	0.1 %
0.142857142857	-	2	0.1 %
0.166666666667	-	2	0.1 %
0.194444444444	-	1	0.0 %
0.200000000000	-	10	0.3 %
0.250000000000	-	15	0.5 %
0.285714285714	-	2	0.1 %
0.300000000000	-	2	0.1 %
0.333333333333	-	20	0.6 %
0.375000000000	-	1	0.0 %
0.400000000000	-	13	0.4 %
0.428571428571	-	3	0.1 %
0.500000000000	-	71	2.2 %

Value	Label	Unweighted Frequency	%
0.571428571429	-	2	0.1 %
0.600000000000	-	10	0.3 %
0.666666666667	-	24	0.7 %
0.700000000000	-	2	0.1 %
0.714285714286	-	2	0.1 %
0.750000000000	-	17	0.5 %
0.800000000000	-	13	0.4 %
0.833333333333	-	2	0.1 %
0.857142857143	-	3	0.1 %
0.900000000000	-	2	0.1 %
1.000000000000	-	746	23.0 %
1.125000000000	-	1	0.0 %
1.142857142857	-	1	0.0 %
1.166666666667	-	2	0.1 %
1.200000000000	-	5	0.2 %
1.250000000000	-	2	0.1 %
1.285714285714	-	2	0.1 %
1.333333333333	-	13	0.4 %
1.400000000000	-	3	0.1 %
1.428571428571	-	1	0.0 %
1.500000000000	-	30	0.9 %
1.571428571429	-	1	0.0 %
1.600000000000	-	5	0.2 %
1.666666666667	-	14	0.4 %
1.714285714286	-	2	0.1 %
1.750000000000	-	2	0.1 %
1.800000000000	-	3	0.1 %
1.833333333333	-	2	0.1 %
1.857142857143	-	1	0.0 %
1.875000000000	-	1	0.0 %
2.000000000000	-	361	11.1 %
2.111111111111	-	1	0.0 %
2.142857142857	-	1	0.0 %
2.200000000000	-	1	0.0 %
2.222222222222	-	1	0.0 %
2.250000000000	-	2	0.1 %
	Missing Data		
.	-	47	1.4 %

Value	Label	Unweighted Frequency	%
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,199 valid cases out of 3,246 total cases.

- Mean: 0.980054530930
- Median: 0.666666666667
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 10.000000000000
- Standard Deviation: 1.337981944708

Location: 987-1001 (width: 15; decimal: 12)

Variable Type: numeric

PRIVW: A private sector job, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	2125	65.5 %
0.027777777778	-	1	0.0 %
0.100000000000	-	1	0.0 %
0.111111111111	-	1	0.0 %
0.142857142857	-	1	0.0 %
0.166666666667	-	2	0.1 %
0.181818181818	-	1	0.0 %
0.200000000000	-	9	0.3 %
0.250000000000	-	12	0.4 %
0.285714285714	-	1	0.0 %
0.300000000000	-	1	0.0 %
0.333333333333	-	15	0.5 %
0.363636363636	-	1	0.0 %
0.400000000000	-	10	0.3 %
0.428571428571	-	1	0.0 %
0.500000000000	-	72	2.2 %
0.545454545455	-	1	0.0 %
0.571428571429	-	1	0.0 %
0.600000000000	-	9	0.3 %
0.666666666667	-	18	0.6 %
0.700000000000	-	1	0.0 %
0.714285714286	-	1	0.0 %
0.727272727273	-	1	0.0 %
0.750000000000	-	12	0.4 %

Value	Label	Unweighted Frequency	%
0.800000000000	-	10	0.3 %
0.833333333333	-	2	0.1 %
0.857142857143	-	1	0.0 %
0.900000000000	-	1	0.0 %
0.909090909091	-	1	0.0 %
1.000000000000	-	597	18.4 %
1.090909090909	-	1	0.0 %
1.200000000000	-	2	0.1 %
1.272727272727	-	1	0.0 %
1.333333333333	-	3	0.1 %
1.400000000000	-	1	0.0 %
1.454545454545	-	1	0.0 %
1.500000000000	-	11	0.3 %
1.600000000000	-	2	0.1 %
1.636363636364	-	1	0.0 %
1.666666666667	-	1	0.0 %
1.800000000000	-	1	0.0 %
1.818181818182	-	1	0.0 %
2.000000000000	-	180	5.5 %
2.333333333333	-	1	0.0 %
2.500000000000	-	1	0.0 %
3.000000000000	-	49	1.5 %
4.000000000000	-	26	0.8 %
5.000000000000	-	2	0.1 %
6.000000000000	-	1	0.0 %
8.000000000000	-	1	0.0 %
	Missing Data		
.	-	48	1.5 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,198 valid cases out of 3,246 total cases.

- Mean: 0.431250434299
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 10.000000000000
- Standard Deviation: 0.781233185942

Location: 1002-1016 (width: 15; decimal: 12)

PRIVM: A private sector job, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	1588	48.9 %
0.058823529412	-	1	0.0 %
0.111111111111	-	2	0.1 %
0.117647058824	-	1	0.0 %
0.125000000000	-	4	0.1 %
0.142857142857	-	2	0.1 %
0.166666666667	-	2	0.1 %
0.176470588235	-	1	0.0 %
0.200000000000	-	5	0.2 %
0.222222222222	-	2	0.1 %
0.235294117647	-	1	0.0 %
0.250000000000	-	22	0.7 %
0.285714285714	-	3	0.1 %
0.294117647059	-	1	0.0 %
0.333333333333	-	26	0.8 %
0.352941176471	-	1	0.0 %
0.375000000000	-	4	0.1 %
0.399305555556	-	1	0.0 %
0.400000000000	-	8	0.2 %
0.411764705882	-	1	0.0 %
0.428571428571	-	2	0.1 %
0.444444444444	-	2	0.1 %
0.470588235294	-	1	0.0 %
0.500000000000	-	94	2.9 %
0.529411764706	-	1	0.0 %
0.555555555556	-	2	0.1 %
0.571428571429	-	3	0.1 %
0.588235294118	-	1	0.0 %
0.600000000000	-	5	0.2 %
0.625000000000	-	4	0.1 %
0.636363636364	-	1	0.0 %
0.647058823529	-	1	0.0 %
0.666666666667	-	32	1.0 %
0.705882352941	-	1	0.0 %
0.714285714286	-	2	0.1 %
0.750000000000	-	23	0.7 %

Value	Label	Unweighted Frequency	%
0.764705882353	-	1	0.0 %
0.777777777778	-	2	0.1 %
0.800000000000	-	9	0.3 %
0.823529411765	-	1	0.0 %
0.833333333333	-	2	0.1 %
0.857142857143	-	3	0.1 %
0.875000000000	-	4	0.1 %
0.882352941176	-	1	0.0 %
0.888888888889	-	2	0.1 %
0.941176470588	-	1	0.0 %
1.000000000000	-	701	21.6 %
1.142857142857	-	1	0.0 %
1.200000000000	-	5	0.2 %
1.250000000000	-	3	0.1 %
	Missing Data		
.	-	48	1.5 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,198 valid cases out of 3,246 total cases.

- Mean: 0.814071077409
- Median: 0.166666666667
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 11.000000000000
- Standard Deviation: 1.243719220998

Location: 1017-1031 (width: 15; decimal: 12)

Variable Type: numeric

PRIVO: A private sector job, Other

Value	Label	Unweighted Frequency	%
0	-	378	11.6 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.00

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 1032-1032 (width: 1; decimal: 0)

Variable Type: numeric

PRIV: A private sector job

Value	Label	Unweighted Frequency	%
0.000000000000	-	1230	37.9 %
0.058823529412	-	1	0.0 %
0.100000000000	-	1	0.0 %
0.111111111111	-	2	0.1 %
0.117647058824	-	1	0.0 %
0.125000000000	-	4	0.1 %
0.142857142857	-	2	0.1 %
0.166666666667	-	1	0.0 %
0.176470588235	-	1	0.0 %
0.200000000000	-	10	0.3 %
0.222222222222	-	1	0.0 %
0.235294117647	-	1	0.0 %
0.250000000000	-	18	0.6 %
0.285714285714	-	2	0.1 %
0.294117647059	-	1	0.0 %
0.300000000000	-	1	0.0 %
0.333333333333	-	21	0.6 %
0.352941176471	-	1	0.0 %
0.375000000000	-	4	0.1 %
0.400000000000	-	11	0.3 %
0.411764705882	-	1	0.0 %
0.427083333333	-	1	0.0 %
0.428571428571	-	2	0.1 %
0.444444444444	-	1	0.0 %
0.470588235294	-	1	0.0 %
0.500000000000	-	73	2.2 %
0.529411764706	-	1	0.0 %
0.555555555556	-	1	0.0 %
0.571428571429	-	2	0.1 %
0.588235294118	-	1	0.0 %
0.600000000000	-	12	0.4 %

Value	Label	Unweighted Frequency	%
0.625000000000	-	4	0.1 %
0.647058823529	-	1	0.0 %
0.666666666667	-	26	0.8 %
0.700000000000	-	1	0.0 %
0.705882352941	-	1	0.0 %
0.714285714286	-	2	0.1 %
0.750000000000	-	19	0.6 %
0.764705882353	-	1	0.0 %
0.777777777778	-	1	0.0 %
0.800000000000	-	12	0.4 %
0.818181818182	-	1	0.0 %
0.823529411765	-	1	0.0 %
0.833333333333	-	1	0.0 %
0.857142857143	-	2	0.1 %
0.875000000000	-	4	0.1 %
0.882352941176	-	1	0.0 %
0.888888888889	-	1	0.0 %
0.900000000000	-	1	0.0 %
0.941176470588	-	1	0.0 %
	Missing Data		
.	-	48	1.5 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,198 valid cases out of 3,246 total cases.

- Mean: 1.245321511709
- Median: 1.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 16.000000000000
- Standard Deviation: 1.672743642963

Location: 1033-1047 (width: 15; decimal: 12)

Variable Type: numeric

NONUSACAW: A non-US academic job, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	2184	67.3 %
0.0909090909091	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.1000000000000	-	2	0.1 %
0.1215277777778	-	1	0.0 %
0.1250000000000	-	2	0.1 %
0.1428571428571	-	2	0.1 %
0.1818181818182	-	1	0.0 %
0.2000000000000	-	8	0.2 %
0.2222222222222	-	1	0.0 %
0.2500000000000	-	6	0.2 %
0.2727272727273	-	1	0.0 %
0.2857142857143	-	2	0.1 %
0.3000000000000	-	2	0.1 %
0.3333333333333	-	15	0.5 %
0.3636363636364	-	1	0.0 %
0.3750000000000	-	2	0.1 %
0.4000000000000	-	11	0.3 %
0.4285714285714	-	2	0.1 %
0.4444444444444	-	1	0.0 %
0.4545454545455	-	1	0.0 %
0.5000000000000	-	60	1.8 %
0.5454545454545	-	1	0.0 %
0.5714285714286	-	2	0.1 %
0.6000000000000	-	8	0.2 %
0.6250000000000	-	2	0.1 %
0.6363636363636	-	1	0.0 %
0.6666666666667	-	18	0.6 %
0.7000000000000	-	2	0.1 %
0.7142857142857	-	2	0.1 %
0.7272727272727	-	1	0.0 %
0.7500000000000	-	6	0.2 %
0.8000000000000	-	11	0.3 %
0.8181818181818	-	1	0.0 %
0.8571428571429	-	2	0.1 %
0.8750000000000	-	2	0.1 %
0.8888888888889	-	1	0.0 %
0.9000000000000	-	2	0.1 %
0.9090909090909	-	1	0.0 %
1.0000000000000	-	577	17.8 %
1.1111111111111	-	1	0.0 %
1.2000000000000	-	3	0.1 %

Value	Label	Unweighted Frequency	%
1.33333333333333	-	5	0.2 %
1.50000000000000	-	10	0.3 %
1.55555555555556	-	1	0.0 %
1.60000000000000	-	3	0.1 %
1.66666666666667	-	2	0.1 %
1.77777777777778	-	1	0.0 %
2.00000000000000	-	162	5.0 %
2.66666666666667	-	1	0.0 %
3.00000000000000	-	46	1.4 %
	Missing Data		
.	-	47	1.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,199 valid cases out of 3,246 total cases.

- Mean: 0.3901599024001
- Median: 0.00000000000000
- Mode: 0.00000000000000
- Minimum: 0.00000000000000
- Maximum: 6.00000000000000
- Standard Deviation: 0.7050705491251

Location: 1048-1062 (width: 15; decimal: 13)

Variable Type: numeric

NONUSACAM: A non-US academic job, Male

Value	Label	Unweighted Frequency	%
0.00000000000000	-	1561	48.1 %
0.058823529412	-	1	0.0 %
0.10000000000000	-	2	0.1 %
0.11111111111111	-	1	0.0 %
0.117647058824	-	1	0.0 %
0.12500000000000	-	1	0.0 %
0.142857142857	-	2	0.1 %
0.166666666667	-	2	0.1 %
0.176470588235	-	1	0.0 %
0.20000000000000	-	6	0.2 %
0.222222222222	-	1	0.0 %
0.235294117647	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.250000000000	-	8	0.2 %
0.272727272727	-	1	0.0 %
0.285714285714	-	2	0.1 %
0.294117647059	-	1	0.0 %
0.300000000000	-	2	0.1 %
0.333333333333	-	20	0.6 %
0.352941176471	-	1	0.0 %
0.375000000000	-	1	0.0 %
0.400000000000	-	9	0.3 %
0.411764705882	-	1	0.0 %
0.428571428571	-	2	0.1 %
0.444444444444	-	1	0.0 %
0.470588235294	-	1	0.0 %
0.500000000000	-	74	2.3 %
0.529411764706	-	1	0.0 %
0.545454545455	-	1	0.0 %
0.555555555556	-	1	0.0 %
0.571428571429	-	2	0.1 %
0.588235294118	-	1	0.0 %
0.600000000000	-	8	0.2 %
0.625000000000	-	1	0.0 %
0.647058823529	-	1	0.0 %
0.666666666667	-	23	0.7 %
0.700000000000	-	2	0.1 %
0.705882352941	-	1	0.0 %
0.714285714286	-	2	0.1 %
0.750000000000	-	11	0.3 %
0.764705882353	-	1	0.0 %
0.777777777778	-	1	0.0 %
0.800000000000	-	10	0.3 %
0.818181818182	-	1	0.0 %
0.823529411765	-	1	0.0 %
0.833333333333	-	2	0.1 %
0.857142857143	-	2	0.1 %
0.875000000000	-	1	0.0 %
0.882352941176	-	1	0.0 %
0.888888888889	-	1	0.0 %
0.900000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	47	1.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,199 valid cases out of 3,246 total cases.

- Mean: 0.979993748046
- Median: 0.333333333333
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 12.000000000000
- Standard Deviation: 1.429078111949

Location: 1063-1077 (width: 15; decimal: 12)

Variable Type: numeric

NONUSACAO: A non-US academic job, Other

Value	Label	Unweighted Frequency	%
0	-	378	11.6 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 1078-1078 (width: 1; decimal: 0)

Variable Type: numeric

NONUSACA: A non-US academic job

Value	Label	Unweighted Frequency	%
0.000000000000	-	1255	38.7 %
0.058823529412	-	1	0.0 %
0.100000000000	-	2	0.1 %
0.111111111111	-	1	0.0 %
0.117647058824	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.121527777778	-	1	0.0 %
0.125000000000	-	1	0.0 %
0.142857142857	-	2	0.1 %
0.166666666667	-	1	0.0 %
0.176470588235	-	1	0.0 %
0.200000000000	-	9	0.3 %
0.222222222222	-	2	0.1 %
0.235294117647	-	1	0.0 %
0.250000000000	-	5	0.2 %
0.285714285714	-	3	0.1 %
0.294117647059	-	1	0.0 %
0.300000000000	-	2	0.1 %
0.333333333333	-	18	0.6 %
0.352941176471	-	1	0.0 %
0.363636363636	-	1	0.0 %
0.375000000000	-	1	0.0 %
0.400000000000	-	11	0.3 %
0.411764705882	-	1	0.0 %
0.428571428571	-	2	0.1 %
0.444444444444	-	2	0.1 %
0.470588235294	-	1	0.0 %
0.500000000000	-	62	1.9 %
0.529411764706	-	1	0.0 %
0.555555555556	-	1	0.0 %
0.571428571429	-	3	0.1 %
0.588235294118	-	1	0.0 %
0.600000000000	-	10	0.3 %
0.625000000000	-	1	0.0 %
0.647058823529	-	1	0.0 %
0.666666666667	-	22	0.7 %
0.700000000000	-	2	0.1 %
0.705882352941	-	1	0.0 %
0.714285714286	-	2	0.1 %
0.727272727273	-	1	0.0 %
0.750000000000	-	9	0.3 %
0.764705882353	-	1	0.0 %
0.777777777778	-	1	0.0 %
0.800000000000	-	14	0.4 %
0.823529411765	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.833333333333	-	1	0.0 %
0.857142857143	-	3	0.1 %
0.875000000000	-	1	0.0 %
0.882352941176	-	1	0.0 %
0.888888888889	-	2	0.1 %
0.900000000000	-	2	0.1 %
	Missing Data		
.	-	47	1.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,199 valid cases out of 3,246 total cases.

- Mean: 1.370153650446
- Median: 1.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 14.000000000000
- Standard Deviation: 1.796442999775

Location: 1079-1093 (width: 15; decimal: 12)

Variable Type: numeric

NONUSOTHERW: A non-US non-academic job, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	2668	82.2 %
0.100000000000	-	2	0.1 %
0.125000000000	-	1	0.0 %
0.166666666667	-	2	0.1 %
0.181818181818	-	1	0.0 %
0.200000000000	-	4	0.1 %
0.222222222222	-	1	0.0 %
0.250000000000	-	6	0.2 %
0.300000000000	-	2	0.1 %
0.333333333333	-	15	0.5 %
0.363636363636	-	1	0.0 %
0.375000000000	-	1	0.0 %
0.400000000000	-	5	0.2 %
0.444444444444	-	1	0.0 %
0.500000000000	-	54	1.7 %

Value	Label	Unweighted Frequency	%
0.5454545454545	-	1	0.0 %
0.6000000000000	-	4	0.1 %
0.6250000000000	-	1	0.0 %
0.6666666666667	-	16	0.5 %
0.7000000000000	-	2	0.1 %
0.7272727272727	-	1	0.0 %
0.7500000000000	-	7	0.2 %
0.8000000000000	-	5	0.2 %
0.8333333333333	-	2	0.1 %
0.8750000000000	-	1	0.0 %
0.8888888888889	-	1	0.0 %
0.9000000000000	-	2	0.1 %
0.9090909090909	-	1	0.0 %
1.0000000000000	-	316	9.7 %
1.0909090909091	-	1	0.0 %
1.1111111111111	-	1	0.0 %
1.2000000000000	-	1	0.0 %
1.2727272727273	-	1	0.0 %
1.3333333333333	-	3	0.1 %
1.4545454545455	-	1	0.0 %
1.5000000000000	-	3	0.1 %
1.5555555555556	-	1	0.0 %
1.6000000000000	-	1	0.0 %
1.6363636363636	-	1	0.0 %
1.6666666666667	-	2	0.1 %
1.7777777777778	-	1	0.0 %
1.8181818181818	-	1	0.0 %
2.0000000000000	-	44	1.4 %
2.2500000000000	-	1	0.0 %
2.5000000000000	-	1	0.0 %
3.0000000000000	-	7	0.2 %
4.0000000000000	-	1	0.0 %
5.0000000000000	-	2	0.1 %
	Missing Data		
.	-	48	1.5 %
	Total	3,246	100%

Based upon 3,198 valid cases out of 3,246 total cases.

- Mean: 0.1691682301438
- Median: 0.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 5.0000000000000
- Standard Deviation: 0.4406459142723

Location: 1094-1108 (width: 15; decimal: 13)

Variable Type: numeric

NONUSOTHERM: A non-US non-academic job, Male

Value	Label	Unweighted Frequency	%
0.0000000000000	-	1984	61.1 %
0.1000000000000	-	2	0.1 %
0.1111111111111	-	1	0.0 %
0.1250000000000	-	1	0.0 %
0.1666666666667	-	3	0.1 %
0.2000000000000	-	7	0.2 %
0.2222222222222	-	1	0.0 %
0.2500000000000	-	6	0.2 %
0.3000000000000	-	2	0.1 %
0.3333333333333	-	25	0.8 %
0.3750000000000	-	1	0.0 %
0.4000000000000	-	9	0.3 %
0.4444444444444	-	1	0.0 %
0.5000000000000	-	81	2.5 %
0.5555555555556	-	1	0.0 %
0.5833333333333	-	1	0.0 %
0.6000000000000	-	7	0.2 %
0.6250000000000	-	1	0.0 %
0.6666666666667	-	31	1.0 %
0.7000000000000	-	2	0.1 %
0.7500000000000	-	7	0.2 %
0.7777777777778	-	1	0.0 %
0.8000000000000	-	9	0.3 %
0.8333333333333	-	3	0.1 %
0.8750000000000	-	1	0.0 %
0.8888888888889	-	1	0.0 %
0.9000000000000	-	2	0.1 %
1.0000000000000	-	585	18.0 %
1.1666666666667	-	1	0.0 %
1.2000000000000	-	3	0.1 %

Value	Label	Unweighted Frequency	%
1.33333333333333	-	9	0.3 %
1.40000000000000	-	1	0.0 %
1.50000000000000	-	17	0.5 %
1.60000000000000	-	3	0.1 %
1.66666666666667	-	3	0.1 %
1.75000000000000	-	1	0.0 %
1.80000000000000	-	1	0.0 %
1.83333333333333	-	1	0.0 %
2.00000000000000	-	209	6.4 %
2.25000000000000	-	2	0.1 %
2.33333333333333	-	1	0.0 %
2.50000000000000	-	8	0.2 %
2.66666666666667	-	1	0.0 %
2.75000000000000	-	1	0.0 %
3.00000000000000	-	86	2.6 %
3.25000000000000	-	1	0.0 %
3.50000000000000	-	1	0.0 %
4.00000000000000	-	40	1.2 %
5.00000000000000	-	17	0.5 %
6.00000000000000	-	8	0.2 %
	Missing Data		
.	-	48	1.5 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,198 valid cases out of 3,246 total cases.

- Mean: 0.5663174900980
- Median: 0.00000000000000
- Mode: 0.00000000000000
- Minimum: 0.00000000000000
- Maximum: 9.00000000000000
- Standard Deviation: 0.9994626011864

Location: 1109-1123 (width: 15; decimal: 13)

Variable Type: numeric

NONUSOTHERO: A non-US non-academic job, Other

Value	Label	Unweighted Frequency	%
0	-	378	11.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 1124-1124 (width: 1; decimal: 0)

Variable Type: numeric

NONUSOTHER: A non-US non-academic job

Value	Label	Unweighted Frequency	%
0.000000000000	-	1766	54.4 %
0.100000000000	-	1	0.0 %
0.111111111111	-	1	0.0 %
0.125000000000	-	2	0.1 %
0.166666666667	-	3	0.1 %
0.200000000000	-	8	0.2 %
0.222222222222	-	1	0.0 %
0.250000000000	-	9	0.3 %
0.300000000000	-	1	0.0 %
0.333333333333	-	26	0.8 %
0.375000000000	-	2	0.1 %
0.400000000000	-	11	0.3 %
0.444444444444	-	1	0.0 %
0.500000000000	-	72	2.2 %
0.555555555556	-	2	0.1 %
0.583333333333	-	1	0.0 %
0.600000000000	-	8	0.2 %
0.625000000000	-	2	0.1 %
0.666666666667	-	33	1.0 %
0.700000000000	-	1	0.0 %
0.750000000000	-	9	0.3 %
0.777777777778	-	1	0.0 %
0.800000000000	-	11	0.3 %
0.833333333333	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.875000000000	-	2	0.1 %
0.888888888889	-	1	0.0 %
0.900000000000	-	1	0.0 %
1.000000000000	-	629	19.4 %
1.100000000000	-	1	0.0 %
1.111111111111	-	1	0.0 %
1.181818181818	-	1	0.0 %
1.200000000000	-	5	0.2 %
1.300000000000	-	1	0.0 %
1.333333333333	-	9	0.3 %
1.363636363636	-	1	0.0 %
1.400000000000	-	2	0.1 %
1.500000000000	-	25	0.8 %
1.545454545455	-	1	0.0 %
1.600000000000	-	5	0.2 %
1.666666666667	-	3	0.1 %
1.700000000000	-	1	0.0 %
1.727272727273	-	1	0.0 %
1.750000000000	-	1	0.0 %
1.800000000000	-	2	0.1 %
1.900000000000	-	1	0.0 %
1.909090909091	-	1	0.0 %
2.000000000000	-	284	8.7 %
2.090909090909	-	1	0.0 %
2.222222222222	-	1	0.0 %
2.272727272727	-	1	0.0 %
	Missing Data		
.	-	48	1.5 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,198 valid cases out of 3,246 total cases.

- Mean: 0.735485720242
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 11.000000000000
- Standard Deviation: 1.179506964115

Location: 1125-1139 (width: 15; decimal: 12)

Variable Type: numeric

JOB CATUNKW: Job category unknown, Female

Value	Label	Unweighted Frequency	%
0	-	368	11.3 %
1	-	7	0.2 %
2	-	2	0.1 %
3	-	1	0.0 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.25

Location: 1140-1140 (width: 1; decimal: 0)

Variable Type: numeric

JOB CATUNKM: Job category unknown, Male

Value	Label	Unweighted Frequency	%
0	-	358	11.0 %
1	-	9	0.3 %
2	-	5	0.2 %
3	-	2	0.1 %
4	-	2	0.1 %
6	-	1	0.0 %
8	-	1	0.0 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.68

Location: 1141-1141 (width: 1; decimal: 0)

Variable Type: numeric

JOB CATUNKO: Job category unknown, Other

Value	Label	Unweighted Frequency	%
0	-	378	11.6 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 1142-1142 (width: 1; decimal: 0)

Variable Type: numeric

JOB CATUNK: Job category unknown

Value	Label	Unweighted Frequency	%
0	-	350	10.8 %
1	-	15	0.5 %
2	-	5	0.2 %
3	-	3	0.1 %
4	-	2	0.1 %
5	-	1	0.0 %
6	-	1	0.0 %
8	-	1	0.0 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 0.74

Location: 1143-1143 (width: 1; decimal: 0)

Variable Type: numeric

NOJOBW: Ph.D. students who searched but did not find a job, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	2595	79.9 %
0.058823529412	-	1	0.0 %
0.117647058824	-	1	0.0 %
0.142857142857	-	1	0.0 %
0.166666666667	-	2	0.1 %
0.176470588235	-	1	0.0 %
0.200000000000	-	7	0.2 %
0.235294117647	-	1	0.0 %
0.250000000000	-	6	0.2 %
0.277777777778	-	1	0.0 %
0.285714285714	-	2	0.1 %
0.294117647059	-	1	0.0 %
0.333333333333	-	16	0.5 %
0.352941176471	-	1	0.0 %
0.400000000000	-	7	0.2 %
0.411764705882	-	1	0.0 %
0.428571428571	-	1	0.0 %
0.470588235294	-	1	0.0 %
0.500000000000	-	55	1.7 %
0.529411764706	-	1	0.0 %
0.571428571429	-	2	0.1 %
0.588235294118	-	1	0.0 %
0.600000000000	-	7	0.2 %
0.647058823529	-	1	0.0 %
0.666666666667	-	21	0.6 %
0.705882352941	-	1	0.0 %
0.714285714286	-	1	0.0 %
0.750000000000	-	7	0.2 %
0.764705882353	-	1	0.0 %
0.800000000000	-	7	0.2 %
0.823529411765	-	1	0.0 %
0.833333333333	-	2	0.1 %
0.857142857143	-	2	0.1 %
0.882352941176	-	1	0.0 %
0.941176470588	-	1	0.0 %
1.000000000000	-	344	10.6 %
1.142857142857	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.200000000000	-	1	0.0 %
1.333333333333	-	5	0.2 %
1.400000000000	-	1	0.0 %
1.428571428571	-	1	0.0 %
1.500000000000	-	9	0.3 %
1.600000000000	-	1	0.0 %
1.714285714286	-	1	0.0 %
1.800000000000	-	1	0.0 %
2.000000000000	-	53	1.6 %
2.250000000000	-	1	0.0 %
3.000000000000	-	14	0.4 %
4.000000000000	-	3	0.1 %
6.000000000000	-	1	0.0 %
	Missing Data		
.	-	48	1.5 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,198 valid cases out of 3,246 total cases.

- Mean: 0.210843582795
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 25.000000000000
- Standard Deviation: 0.718797097402

Location: 1144-1158 (width: 15; decimal: 12)

Variable Type: numeric

NOJOBM: Ph.D. students who searched but did not find a job, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	2174	67.0 %
0.100000000000	-	1	0.0 %
0.125000000000	-	2	0.1 %
0.166666666667	-	1	0.0 %
0.194444444444	-	1	0.0 %
0.200000000000	-	6	0.2 %
0.250000000000	-	10	0.3 %
0.285714285714	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.300000000000	-	1	0.0 %
0.333333333333	-	23	0.7 %
0.375000000000	-	2	0.1 %
0.400000000000	-	8	0.2 %
0.500000000000	-	72	2.2 %
0.571428571429	-	1	0.0 %
0.600000000000	-	6	0.2 %
0.625000000000	-	2	0.1 %
0.666666666667	-	26	0.8 %
0.700000000000	-	1	0.0 %
0.750000000000	-	11	0.3 %
0.800000000000	-	8	0.2 %
0.833333333333	-	1	0.0 %
0.857142857143	-	1	0.0 %
0.875000000000	-	2	0.1 %
0.900000000000	-	1	0.0 %
1.000000000000	-	513	15.8 %
1.142857142857	-	1	0.0 %
1.200000000000	-	5	0.2 %
1.333333333333	-	5	0.2 %
1.400000000000	-	3	0.1 %
1.428571428571	-	1	0.0 %
1.500000000000	-	21	0.6 %
1.600000000000	-	5	0.2 %
1.666666666667	-	2	0.1 %
1.714285714286	-	1	0.0 %
1.800000000000	-	3	0.1 %
2.000000000000	-	163	5.0 %
2.250000000000	-	1	0.0 %
2.333333333333	-	2	0.1 %
2.400000000000	-	1	0.0 %
2.500000000000	-	1	0.0 %
2.666666666667	-	1	0.0 %
2.800000000000	-	1	0.0 %
3.000000000000	-	53	1.6 %
3.200000000000	-	1	0.0 %
3.500000000000	-	1	0.0 %
3.600000000000	-	1	0.0 %
4.000000000000	-	26	0.8 %

Value	Label	Unweighted Frequency	%
4.500000000000	-	1	0.0 %
4.666666666667	-	1	0.0 %
5.000000000000	-	10	0.3 %
	Missing Data		
.	-	47	1.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,199 valid cases out of 3,246 total cases.

- Mean: 0.468332117676
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 40.000000000000
- Standard Deviation: 1.210617165257

Location: 1159-1173 (width: 15; decimal: 12)

Variable Type: numeric

NOJOBO: Ph.D. students who searched but did not find a job, Other

Value	Label	Unweighted Frequency	%
0	-	378	11.6 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 1174-1174 (width: 1; decimal: 0)

Variable Type: numeric

NOJOB: Ph.D. students who searched but did not find a job

Value	Label	Unweighted Frequency	%
0.000000000000	-	1871	57.6 %
0.058823529412	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.100000000000	-	1	0.0 %
0.117647058824	-	1	0.0 %
0.125000000000	-	2	0.1 %
0.142857142857	-	1	0.0 %
0.166666666667	-	1	0.0 %
0.176470588235	-	1	0.0 %
0.200000000000	-	8	0.2 %
0.235294117647	-	1	0.0 %
0.250000000000	-	13	0.4 %
0.285714285714	-	1	0.0 %
0.294117647059	-	1	0.0 %
0.300000000000	-	1	0.0 %
0.333333333333	-	25	0.8 %
0.352941176471	-	1	0.0 %
0.375000000000	-	2	0.1 %
0.400000000000	-	9	0.3 %
0.411764705882	-	1	0.0 %
0.428571428571	-	1	0.0 %
0.470588235294	-	1	0.0 %
0.472222222222	-	1	0.0 %
0.500000000000	-	75	2.3 %
0.529411764706	-	1	0.0 %
0.571428571429	-	2	0.1 %
0.588235294118	-	1	0.0 %
0.600000000000	-	9	0.3 %
0.625000000000	-	2	0.1 %
0.647058823529	-	1	0.0 %
0.666666666667	-	29	0.9 %
0.700000000000	-	1	0.0 %
0.705882352941	-	1	0.0 %
0.714285714286	-	1	0.0 %
0.750000000000	-	16	0.5 %
0.764705882353	-	1	0.0 %
0.800000000000	-	9	0.3 %
0.823529411765	-	1	0.0 %
0.833333333333	-	1	0.0 %
0.857142857143	-	1	0.0 %
0.875000000000	-	2	0.1 %
0.882352941176	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.9000000000000	-	1	0.0 %
0.941176470588	-	1	0.0 %
1.0000000000000	-	605	18.6 %
1.142857142857	-	1	0.0 %
1.2000000000000	-	4	0.1 %
1.333333333333	-	8	0.2 %
1.4000000000000	-	2	0.1 %
1.5000000000000	-	33	1.0 %
1.6000000000000	-	3	0.1 %
	Missing Data		
.	-	47	1.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,199 valid cases out of 3,246 total cases.

- Mean: 0.679109791254
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 55.000000000000
- Standard Deviation: 1.717225011669

Location: 1175-1189 (width: 15; decimal: 12)

Variable Type: numeric

MADT: Type of M.A. degrees included in count (1=Terminal M.A., 2=M.A. enroute to PhD, 3=both)

Value	Label	Unweighted Frequency	%
1	-	186	5.7 %
2	-	135	4.2 %
3	-	400	12.3 %
	Missing Data		
.	-	2525	77.8 %
	Total	3,246	100%

Based upon 721 valid cases out of 3,246 total cases.

- Mean: 2.30
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00

- Maximum: 3.00
- Standard Deviation: 0.85

Location: 1190-1190 (width: 1; decimal: 0)

Variable Type: numeric

MAEXGW: M.A. students expected to graduate this academic year, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	349	10.8 %
0.500000000000	-	1	0.0 %
1.000000000000	-	107	3.3 %
1.500000000000	-	1	0.0 %
2.000000000000	-	86	2.6 %
3.000000000000	-	77	2.4 %
3.14285714286	-	1	0.0 %
3.500000000000	-	1	0.0 %
4.000000000000	-	57	1.8 %
5.000000000000	-	51	1.6 %
6.000000000000	-	34	1.0 %
7.000000000000	-	31	1.0 %
8.000000000000	-	24	0.7 %
9.000000000000	-	13	0.4 %
10.000000000000	-	10	0.3 %
11.000000000000	-	16	0.5 %
12.000000000000	-	13	0.4 %
13.000000000000	-	3	0.1 %
14.000000000000	-	7	0.2 %
15.000000000000	-	3	0.1 %
16.000000000000	-	4	0.1 %
17.000000000000	-	7	0.2 %
18.000000000000	-	8	0.2 %
19.000000000000	-	1	0.0 %
20.000000000000	-	3	0.1 %
21.000000000000	-	6	0.2 %
22.000000000000	-	5	0.2 %
23.000000000000	-	5	0.2 %
24.000000000000	-	2	0.1 %
25.000000000000	-	3	0.1 %
26.000000000000	-	2	0.1 %
27.000000000000	-	2	0.1 %
28.000000000000	-	5	0.2 %

Value	Label	Unweighted Frequency	%
29.000000000000	-	2	0.1 %
30.000000000000	-	3	0.1 %
32.000000000000	-	2	0.1 %
33.000000000000	-	1	0.0 %
34.000000000000	-	2	0.1 %
35.000000000000	-	1	0.0 %
36.000000000000	-	2	0.1 %
37.000000000000	-	3	0.1 %
38.000000000000	-	2	0.1 %
39.000000000000	-	2	0.1 %
40.000000000000	-	4	0.1 %
41.000000000000	-	3	0.1 %
42.000000000000	-	1	0.0 %
43.000000000000	-	1	0.0 %
44.000000000000	-	4	0.1 %
45.000000000000	-	1	0.0 %
46.000000000000	-	3	0.1 %
	Missing Data		
.	-	2254	69.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 992 valid cases out of 3,246 total cases.

- Mean: 5.99863191244
- Median: 2.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 105.000000000000
- Standard Deviation: 11.44807570488

Location: 1191-1205 (width: 15; decimal: 11)

Variable Type: numeric

MAEXGM: M.A. students expected to graduate this academic year, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	299	9.2 %
1.000000000000	-	63	1.9 %
1.500000000000	-	1	0.0 %
2.000000000000	-	52	1.6 %

Value	Label	Unweighted Frequency	%
3.00000000000	-	77	2.4 %
3.71428571429	-	1	0.0 %
4.00000000000	-	41	1.3 %
5.00000000000	-	39	1.2 %
6.00000000000	-	37	1.1 %
7.00000000000	-	37	1.1 %
8.00000000000	-	33	1.0 %
9.00000000000	-	30	0.9 %
10.00000000000	-	27	0.8 %
11.00000000000	-	24	0.7 %
12.00000000000	-	17	0.5 %
13.00000000000	-	16	0.5 %
14.00000000000	-	16	0.5 %
15.00000000000	-	16	0.5 %
16.00000000000	-	13	0.4 %
17.00000000000	-	14	0.4 %
18.00000000000	-	8	0.2 %
19.00000000000	-	9	0.3 %
20.00000000000	-	14	0.4 %
21.00000000000	-	6	0.2 %
22.00000000000	-	9	0.3 %
23.00000000000	-	4	0.1 %
24.00000000000	-	6	0.2 %
25.00000000000	-	3	0.1 %
26.00000000000	-	5	0.2 %
27.00000000000	-	1	0.0 %
29.00000000000	-	2	0.1 %
30.00000000000	-	6	0.2 %
31.00000000000	-	3	0.1 %
32.00000000000	-	5	0.2 %
33.00000000000	-	3	0.1 %
34.00000000000	-	5	0.2 %
35.00000000000	-	4	0.1 %
36.00000000000	-	2	0.1 %
37.00000000000	-	4	0.1 %
38.00000000000	-	2	0.1 %
39.00000000000	-	1	0.0 %
41.00000000000	-	3	0.1 %
43.00000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
44.000000000000	-	1	0.0 %
45.000000000000	-	1	0.0 %
46.000000000000	-	1	0.0 %
47.000000000000	-	1	0.0 %
48.000000000000	-	1	0.0 %
49.000000000000	-	3	0.1 %
50.000000000000	-	1	0.0 %
	Missing Data		
.	-	2254	69.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 992 valid cases out of 3,246 total cases.

- Mean: 8.49920794931
- Median: 4.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 113.000000000000
- Standard Deviation: 13.15280843648

Location: 1206-1220 (width: 15; decimal: 11)

Variable Type: numeric

MAEXGO: M.A. students expected to graduate this academic year, Other

Value	Label	Unweighted Frequency	%
0	-	373	11.5 %
1	-	3	0.1 %
2	-	2	0.1 %
	Missing Data		
.	-	2868	88.4 %
	Total	3,246	100%

Based upon 378 valid cases out of 3,246 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.17

Location: 1221-1221 (width: 1; decimal: 0)

Variable Type: numeric

MAEXG: M.A. students expected to graduate this academic year

Value	Label	Unweighted Frequency	%
0.00000000000	-	277	8.5 %
1.00000000000	-	35	1.1 %
2.00000000000	-	46	1.4 %
3.00000000000	-	38	1.2 %
4.00000000000	-	51	1.6 %
5.00000000000	-	41	1.3 %
6.00000000000	-	27	0.8 %
6.85714285715	-	1	0.0 %
7.00000000000	-	26	0.8 %
7.50000000000	-	1	0.0 %
8.00000000000	-	24	0.7 %
9.00000000000	-	21	0.6 %
10.00000000000	-	26	0.8 %
11.00000000000	-	25	0.8 %
12.00000000000	-	28	0.9 %
13.00000000000	-	23	0.7 %
14.00000000000	-	20	0.6 %
15.00000000000	-	26	0.8 %
16.00000000000	-	11	0.3 %
17.00000000000	-	7	0.2 %
18.00000000000	-	13	0.4 %
18.50000000000	-	1	0.0 %
19.00000000000	-	15	0.5 %
20.00000000000	-	8	0.2 %
21.00000000000	-	10	0.3 %
22.00000000000	-	6	0.2 %
23.00000000000	-	8	0.2 %
24.00000000000	-	8	0.2 %
25.00000000000	-	9	0.3 %
26.00000000000	-	5	0.2 %
27.00000000000	-	6	0.2 %
28.00000000000	-	6	0.2 %
29.00000000000	-	8	0.2 %
30.00000000000	-	4	0.1 %
31.00000000000	-	6	0.2 %
32.00000000000	-	4	0.1 %
33.00000000000	-	7	0.2 %

Value	Label	Unweighted Frequency	%
34.000000000000	-	4	0.1 %
35.000000000000	-	4	0.1 %
36.000000000000	-	3	0.1 %
37.000000000000	-	6	0.2 %
38.000000000000	-	3	0.1 %
39.000000000000	-	3	0.1 %
40.000000000000	-	2	0.1 %
41.000000000000	-	3	0.1 %
43.000000000000	-	1	0.0 %
44.000000000000	-	2	0.1 %
45.000000000000	-	2	0.1 %
46.000000000000	-	3	0.1 %
47.000000000000	-	1	0.0 %
	Missing Data		
.	-	2254	69.4 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 992 valid cases out of 3,246 total cases.

- Mean: 14.50489631336
- Median: 6.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 180.000000000000
- Standard Deviation: 23.91320159194

Location: 1222-1236 (width: 15; decimal: 11)

Variable Type: numeric

MAGW: M.A. students graduated in previous academic year, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	429	13.2 %
0.125000000000	-	1	0.0 %
0.142857142857	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.250000000000	-	3	0.1 %
0.285714285714	-	1	0.0 %
0.333333333333	-	4	0.1 %
0.375000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.400000000000	-	3	0.1 %
0.428571428571	-	1	0.0 %
0.500000000000	-	6	0.2 %
0.571428571429	-	1	0.0 %
0.600000000000	-	2	0.1 %
0.625000000000	-	1	0.0 %
0.666666666667	-	4	0.1 %
0.714285714286	-	1	0.0 %
0.750000000000	-	5	0.2 %
0.800000000000	-	3	0.1 %
0.857142857143	-	1	0.0 %
0.875000000000	-	1	0.0 %
1.000000000000	-	317	9.8 %
1.090909090909	-	1	0.0 %
1.111111111111	-	1	0.0 %
1.125000000000	-	1	0.0 %
1.142857142857	-	1	0.0 %
1.181818181818	-	1	0.0 %
1.200000000000	-	3	0.1 %
1.222222222222	-	1	0.0 %
1.250000000000	-	1	0.0 %
1.272727272727	-	1	0.0 %
1.285714285714	-	1	0.0 %
1.333333333333	-	5	0.2 %
1.363636363636	-	1	0.0 %
1.428571428571	-	2	0.1 %
1.444444444444	-	1	0.0 %
1.454545454545	-	1	0.0 %
1.500000000000	-	15	0.5 %
1.545454545455	-	1	0.0 %
1.555555555556	-	1	0.0 %
1.571428571429	-	1	0.0 %
1.600000000000	-	2	0.1 %
1.636363636364	-	1	0.0 %
1.666666666667	-	5	0.2 %
1.677083333333	-	1	0.0 %
1.714285714286	-	1	0.0 %
1.727272727273	-	1	0.0 %
1.750000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.777777777778	-	1	0.0 %
1.800000000000	-	1	0.0 %
1.818181818182	-	1	0.0 %
	Missing Data		
.	-	626	19.3 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,620 valid cases out of 3,246 total cases.

- Mean: 5.453884382952
- Median: 3.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 83.000000000000
- Standard Deviation: 8.198165832711

Location: 1237-1251 (width: 15; decimal: 12)

Variable Type: numeric

MAGM: M.A. students graduated in previous academic year, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	321	9.9 %
0.21428571429	-	1	0.0 %
0.250000000000	-	2	0.1 %
0.333333333333	-	1	0.0 %
0.42857142857	-	1	0.0 %
0.500000000000	-	5	0.2 %
0.64285714286	-	1	0.0 %
0.666666666667	-	1	0.0 %
0.750000000000	-	3	0.1 %
0.800000000000	-	2	0.1 %
0.85714285714	-	1	0.0 %
1.000000000000	-	140	4.3 %
1.07142857143	-	1	0.0 %
1.111111111111	-	1	0.0 %
1.14285714286	-	1	0.0 %
1.18181818182	-	1	0.0 %
1.222222222222	-	1	0.0 %
1.28571428571	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.33333333333	-	1	0.0 %
1.36363636364	-	1	0.0 %
1.42857142857	-	1	0.0 %
1.44444444445	-	1	0.0 %
1.50000000000	-	6	0.2 %
1.54545454546	-	1	0.0 %
1.55555555556	-	2	0.1 %
1.57142857143	-	2	0.1 %
1.60000000000	-	2	0.1 %
1.66666666667	-	1	0.0 %
1.71428571429	-	2	0.1 %
1.72727272727	-	1	0.0 %
1.77777777778	-	1	0.0 %
1.83333333333	-	1	0.0 %
1.85714285714	-	1	0.0 %
1.88888888889	-	1	0.0 %
1.90909090909	-	1	0.0 %
1.92857142857	-	1	0.0 %
2.00000000000	-	164	5.1 %
2.09090909091	-	1	0.0 %
2.11111111111	-	1	0.0 %
2.14285714286	-	3	0.1 %
2.16666666667	-	1	0.0 %
2.20000000000	-	1	0.0 %
2.25000000000	-	2	0.1 %
2.27272727273	-	1	0.0 %
2.28571428572	-	1	0.0 %
2.33333333333	-	1	0.0 %
2.35714285714	-	1	0.0 %
2.40000000000	-	3	0.1 %
2.42857142857	-	1	0.0 %
2.45454545455	-	1	0.0 %
	Missing Data		
.	-	626	19.3 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,620 valid cases out of 3,246 total cases.

- Mean: 8.80775021204
- Minimum: 0.000000000000
- Maximum: 104.000000000000
- Standard Deviation: 10.52864932327

Location: 1252-1266 (width: 15; decimal: 11)

Variable Type: numeric

MAGO: M.A. students graduated in previous academic year, Other

Value	Label	Unweighted Frequency	%
0	-	396	12.2 %
1	-	4	0.1 %
	Missing Data		
.	-	2846	87.7 %
	Total	3,246	100%

Based upon 400 valid cases out of 3,246 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.10

Location: 1267-1267 (width: 1; decimal: 0)

Variable Type: numeric

MAG: M.A. students graduated in previous academic year

Value	Label	Unweighted Frequency	%
0.000000000000	-	274	8.4 %
0.333333333333	-	1	0.0 %
0.500000000000	-	2	0.1 %
0.666666666667	-	1	0.0 %
0.750000000000	-	1	0.0 %
1.000000000000	-	63	1.9 %
1.125000000000	-	1	0.0 %
1.200000000000	-	1	0.0 %
1.21428571429	-	1	0.0 %
1.250000000000	-	1	0.0 %
1.42857142857	-	1	0.0 %
1.500000000000	-	4	0.1 %
1.64285714286	-	1	0.0 %
1.85714285714	-	1	0.0 %
2.000000000000	-	104	3.2 %

Value	Label	Unweighted Frequency	%
2.07142857143	-	1	0.0 %
2.14285714286	-	1	0.0 %
2.22222222222	-	1	0.0 %
2.25000000000	-	3	0.1 %
2.28571428572	-	2	0.1 %
2.40000000000	-	1	0.0 %
2.42857142857	-	1	0.0 %
2.44444444445	-	1	0.0 %
2.50000000000	-	6	0.2 %
2.57142857143	-	1	0.0 %
2.66666666667	-	1	0.0 %
2.71428571429	-	3	0.1 %
2.85714285715	-	1	0.0 %
2.88888888889	-	2	0.1 %
2.92857142857	-	1	0.0 %
3.00000000000	-	103	3.2 %
3.11111111111	-	1	0.0 %
3.14285714286	-	1	0.0 %
3.25000000000	-	1	0.0 %
3.33333333334	-	3	0.1 %
3.35714285715	-	1	0.0 %
3.36363636364	-	1	0.0 %
3.37500000000	-	1	0.0 %
3.40000000000	-	1	0.0 %
3.42857142857	-	1	0.0 %
3.50000000000	-	6	0.2 %
3.55555555556	-	1	0.0 %
3.57142857143	-	1	0.0 %
3.60000000000	-	1	0.0 %
3.62500000000	-	1	0.0 %
3.66666666667	-	2	0.1 %
3.72727272728	-	1	0.0 %
3.77777777778	-	2	0.1 %
3.78571428572	-	1	0.0 %
4.00000000000	-	119	3.7 %
	Missing Data		
.	-	626	19.3 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,620 valid cases out of 3,246 total cases.

- Mean: 14.26316131255
- Minimum: 0.00000000000
- Maximum: 174.00000000000
- Standard Deviation: 17.98543396531

Location: 1268-1282 (width: 15; decimal: 11)

Variable Type: numeric

UNGSEEXGW: Undergraduate senior economics majors expected to graduate this academic year, Female

Value	Label	Unweighted Frequency	%
0.00000000000	-	162	5.0 %
0.85714285714	-	1	0.0 %
1.00000000000	-	3	0.1 %
2.00000000000	-	15	0.5 %
3.00000000000	-	12	0.4 %
4.00000000000	-	23	0.7 %
5.00000000000	-	21	0.6 %
6.00000000000	-	13	0.4 %
6.50000000000	-	1	0.0 %
6.52777777778	-	1	0.0 %
6.66666666667	-	2	0.1 %
7.00000000000	-	16	0.5 %
7.50000000000	-	1	0.0 %
8.00000000000	-	16	0.5 %
8.50000000000	-	1	0.0 %
9.00000000000	-	20	0.6 %
10.00000000000	-	25	0.8 %
11.00000000000	-	11	0.3 %
12.00000000000	-	14	0.4 %
13.00000000000	-	17	0.5 %
13.33333333334	-	2	0.1 %
14.00000000000	-	17	0.5 %
15.00000000000	-	20	0.6 %
16.00000000000	-	15	0.5 %
17.00000000000	-	13	0.4 %
18.00000000000	-	16	0.5 %
19.00000000000	-	16	0.5 %
19.50000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
20.000000000000	-	21	0.6 %
21.000000000000	-	8	0.2 %
22.000000000000	-	16	0.5 %
23.000000000000	-	15	0.5 %
23.500000000000	-	1	0.0 %
24.000000000000	-	24	0.7 %
25.000000000000	-	19	0.6 %
25.500000000000	-	1	0.0 %
26.000000000000	-	10	0.3 %
27.000000000000	-	13	0.4 %
28.000000000000	-	7	0.2 %
29.000000000000	-	10	0.3 %
29.500000000000	-	2	0.1 %
30.000000000000	-	20	0.6 %
31.000000000000	-	11	0.3 %
31.500000000000	-	1	0.0 %
32.000000000000	-	13	0.4 %
33.000000000000	-	12	0.4 %
34.000000000000	-	8	0.2 %
35.000000000000	-	10	0.3 %
36.000000000000	-	10	0.3 %
37.000000000000	-	13	0.4 %
	Missing Data		
.	-	1816	55.9 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,430 valid cases out of 3,246 total cases.

- Mean: 61.82291070041
- Minimum: 0.000000000000
- Maximum: 486.000000000000
- Standard Deviation: 74.31238823844

Location: 1283-1297 (width: 15; decimal: 11)

Variable Type: numeric

UNGSEEXGM: Undergraduate senior economics majors expected to graduate this academic year, Male

Value	Label	Unweighted Frequency	%
0.00000000000	-	148	4.6 %
0.85714285714	-	1	0.0 %
1.00000000000	-	3	0.1 %
2.00000000000	-	7	0.2 %
3.00000000000	-	5	0.2 %
4.00000000000	-	4	0.1 %
5.00000000000	-	5	0.2 %
5.66666666667	-	1	0.0 %
6.00000000000	-	8	0.2 %
7.00000000000	-	7	0.2 %
8.00000000000	-	6	0.2 %
9.00000000000	-	4	0.1 %
10.00000000000	-	3	0.1 %
11.00000000000	-	4	0.1 %
11.33333333334	-	1	0.0 %
11.50000000000	-	1	0.0 %
12.00000000000	-	8	0.2 %
13.00000000000	-	3	0.1 %
14.00000000000	-	5	0.2 %
14.22222222223	-	1	0.0 %
15.00000000000	-	6	0.2 %
16.00000000000	-	7	0.2 %
17.00000000000	-	14	0.4 %
18.00000000000	-	7	0.2 %
18.50000000000	-	1	0.0 %
19.00000000000	-	9	0.3 %
20.00000000000	-	8	0.2 %
21.00000000000	-	11	0.3 %
21.66666666667	-	1	0.0 %
22.00000000000	-	10	0.3 %
23.00000000000	-	7	0.2 %
24.00000000000	-	12	0.4 %
25.00000000000	-	6	0.2 %
26.00000000000	-	8	0.2 %
27.00000000000	-	7	0.2 %
28.00000000000	-	9	0.3 %
29.00000000000	-	3	0.1 %
30.00000000000	-	16	0.5 %
31.00000000000	-	8	0.2 %

Value	Label	Unweighted Frequency	%
32.000000000000	-	10	0.3 %
33.000000000000	-	10	0.3 %
34.000000000000	-	4	0.1 %
35.000000000000	-	5	0.2 %
36.000000000000	-	6	0.2 %
37.000000000000	-	6	0.2 %
38.000000000000	-	7	0.2 %
38.500000000000	-	1	0.0 %
39.000000000000	-	9	0.3 %
40.000000000000	-	9	0.3 %
41.000000000000	-	8	0.2 %
	Missing Data		
.	-	1816	55.9 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,430 valid cases out of 3,246 total cases.

- Mean: 125.96520461020
- Minimum: 0.000000000000
- Maximum: 845.000000000000
- Standard Deviation: 127.08629386806

Location: 1298-1312 (width: 15; decimal: 11)

Variable Type: numeric

UNGSEEXGO: Undergraduate senior economics majors expected to graduate this academic year, Other

Value	Label	Unweighted Frequency	%
0	-	347	10.7 %
1	-	10	0.3 %
2	-	7	0.2 %
4	-	2	0.1 %
5	-	1	0.0 %
8	-	1	0.0 %
10	-	1	0.0 %
	Missing Data		
.	-	2877	88.6 %
	Total	3,246	100%

Based upon 369 valid cases out of 3,246 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.83

Location: 1313-1314 (width: 2; decimal: 0)

Variable Type: numeric

UNGSEEXG: Undergraduate senior economics majors expected to graduate this academic year

Value	Label	Unweighted Frequency	%
0.0000000000	-	148	4.6 %
1.0000000000	-	2	0.1 %
1.7142857143	-	1	0.0 %
2.0000000000	-	4	0.1 %
3.0000000000	-	1	0.0 %
4.0000000000	-	4	0.1 %
5.0000000000	-	4	0.1 %
6.0000000000	-	3	0.1 %
7.0000000000	-	6	0.2 %
8.0000000000	-	2	0.1 %
9.0000000000	-	3	0.1 %
10.0000000000	-	2	0.1 %
11.0000000000	-	6	0.2 %
12.0000000000	-	3	0.1 %
12.3333333333	-	1	0.0 %
13.0000000000	-	4	0.1 %
13.5000000000	-	1	0.0 %
15.0000000000	-	1	0.0 %
15.5000000000	-	1	0.0 %
16.0000000000	-	4	0.1 %
17.0000000000	-	5	0.2 %
18.0000000000	-	2	0.1 %
19.0000000000	-	4	0.1 %
20.0000000000	-	5	0.2 %
20.7500000000	-	1	0.0 %
21.0000000000	-	6	0.2 %
22.0000000000	-	6	0.2 %
22.5000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
23.0000000000	-	6	0.2 %
24.0000000000	-	2	0.1 %
24.6666666667	-	1	0.0 %
25.0000000000	-	10	0.3 %
26.0000000000	-	5	0.2 %
27.0000000000	-	7	0.2 %
28.0000000000	-	3	0.1 %
28.3333333334	-	1	0.0 %
29.0000000000	-	1	0.0 %
30.0000000000	-	13	0.4 %
30.5000000000	-	1	0.0 %
31.0000000000	-	4	0.1 %
32.0000000000	-	6	0.2 %
33.0000000000	-	3	0.1 %
34.0000000000	-	10	0.3 %
35.0000000000	-	4	0.1 %
36.0000000000	-	4	0.1 %
37.0000000000	-	7	0.2 %
38.0000000000	-	3	0.1 %
39.0000000000	-	7	0.2 %
40.0000000000	-	9	0.3 %
41.0000000000	-	4	0.1 %
	Missing Data		
.	-	1816	55.9 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,430 valid cases out of 3,246 total cases.

- Mean: 187.8265768491
- Minimum: 0.0000000000
- Maximum: 1314.0000000000
- Standard Deviation: 194.2355460088

Location: 1315-1329 (width: 15; decimal: 10)

Variable Type: numeric

UNGEW: Undergraduate economics majors graduated in previous academic year, Female

Value	Label	Unweighted Frequency	%
0.0000000000	-	291	9.0 %

Value	Label	Unweighted Frequency	%
0.14285714286	-	1	0.0 %
0.28571428571	-	1	0.0 %
0.42857142857	-	1	0.0 %
0.57142857143	-	1	0.0 %
0.66666666667	-	2	0.1 %
0.71428571429	-	1	0.0 %
0.76923076923	-	1	0.0 %
0.85714285714	-	1	0.0 %
1.00000000000	-	42	1.3 %
1.20000000000	-	2	0.1 %
1.33333333333	-	2	0.1 %
1.42857142857	-	1	0.0 %
1.50000000000	-	1	0.0 %
1.53846153846	-	1	0.0 %
1.85714285714	-	1	0.0 %
2.00000000000	-	45	1.4 %
2.28571428572	-	1	0.0 %
2.30769230769	-	1	0.0 %
2.40000000000	-	2	0.1 %
2.50000000000	-	1	0.0 %
2.55555555556	-	1	0.0 %
2.71428571429	-	1	0.0 %
3.00000000000	-	43	1.3 %
3.07692307693	-	1	0.0 %
3.11111111111	-	1	0.0 %
3.14285714286	-	2	0.1 %
3.40000000000	-	1	0.0 %
3.50000000000	-	4	0.1 %
3.57142857143	-	1	0.0 %
3.60000000000	-	2	0.1 %
3.80000000000	-	1	0.0 %
3.84615384616	-	1	0.0 %
4.00000000000	-	47	1.4 %
4.20000000000	-	1	0.0 %
4.50000000000	-	1	0.0 %
4.60000000000	-	1	0.0 %
4.61538461539	-	1	0.0 %
4.80000000000	-	2	0.1 %
4.90909090909	-	1	0.0 %

Value	Label	Unweighted Frequency	%
5.00000000000	-	69	2.1 %
5.11111111111	-	1	0.0 %
5.38461538462	-	1	0.0 %
5.50000000000	-	4	0.1 %
5.80000000000	-	1	0.0 %
6.00000000000	-	68	2.1 %
6.15384615385	-	1	0.0 %
6.28571428572	-	1	0.0 %
6.33333333334	-	1	0.0 %
6.75000000000	-	2	0.1 %
	Missing Data		
.	-	91	2.8 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,155 valid cases out of 3,246 total cases.

- Mean: 44.07924873594
- Minimum: 0.00000000000
- Maximum: 723.00000000000
- Standard Deviation: 57.32493107209

Location: 1330-1344 (width: 15; decimal: 11)

Variable Type: numeric

UNGEGM: Undergraduate economics majors graduated in previous academic year, Male

Value	Label	Unweighted Frequency	%
0.00000000000	-	252	7.8 %
0.25000000000	-	1	0.0 %
0.50000000000	-	1	0.0 %
0.75000000000	-	1	0.0 %
0.76923076923	-	1	0.0 %
1.00000000000	-	8	0.2 %
1.08333333333	-	1	0.0 %
1.25000000000	-	1	0.0 %
1.28571428571	-	1	0.0 %
1.33333333333	-	2	0.1 %
1.50000000000	-	1	0.0 %
1.53846153846	-	1	0.0 %
1.75000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.00000000000	-	11	0.3 %
2.30769230769	-	1	0.0 %
2.50000000000	-	1	0.0 %
2.57142857143	-	1	0.0 %
2.66666666667	-	2	0.1 %
2.80000000000	-	1	0.0 %
3.00000000000	-	8	0.2 %
3.07692307693	-	1	0.0 %
3.50000000000	-	1	0.0 %
3.66666666667	-	1	0.0 %
3.84615384616	-	1	0.0 %
3.85714285715	-	1	0.0 %
4.00000000000	-	17	0.5 %
4.61538461539	-	1	0.0 %
5.00000000000	-	21	0.6 %
5.14285714286	-	1	0.0 %
5.25000000000	-	1	0.0 %
5.38461538462	-	1	0.0 %
5.60000000001	-	1	0.0 %
6.00000000000	-	12	0.4 %
6.15384615385	-	1	0.0 %
6.42857142858	-	1	0.0 %
6.50000000000	-	2	0.1 %
6.92307692308	-	1	0.0 %
7.00000000000	-	20	0.6 %
7.14285714286	-	1	0.0 %
7.33333333334	-	1	0.0 %
7.69230769231	-	1	0.0 %
7.71428571429	-	1	0.0 %
7.75000000000	-	1	0.0 %
7.88888888889	-	1	0.0 %
8.00000000000	-	22	0.7 %
8.22222222223	-	1	0.0 %
8.36363636364	-	1	0.0 %
8.40000000000	-	1	0.0 %
8.42857142858	-	1	0.0 %
8.46153846154	-	1	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	91	2.8 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,155 valid cases out of 3,246 total cases.

- Mean: 92.44170188413
- Minimum: 0.00000000000
- Maximum: 807.00000000000
- Standard Deviation: 97.16849366450

Location: 1345-1359 (width: 15; decimal: 11)

Variable Type: numeric

UNGEGO: Undergraduate economics majors graduated in previous academic year, Other

Value	Label	Unweighted Frequency	%
0	-	380	11.7 %
1	-	7	0.2 %
2	-	2	0.1 %
3	-	3	0.1 %
4	-	1	0.0 %
5	-	2	0.1 %
6	-	2	0.1 %
10	-	1	0.0 %
	Missing Data		
.	-	2848	87.7 %
	Total	3,246	100%

Based upon 398 valid cases out of 3,246 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.83

Location: 1360-1361 (width: 2; decimal: 0)

Variable Type: numeric

UNGEG: Undergraduate economics majors graduated in previous academic year

Value	Label	Unweighted Frequency	%
0.0000000000	-	249	7.7 %

Value	Label	Unweighted Frequency	%
0.2500000000	-	1	0.0 %
0.5000000000	-	1	0.0 %
0.7500000000	-	1	0.0 %
1.0000000000	-	7	0.2 %
1.0833333333	-	1	0.0 %
1.2500000000	-	1	0.0 %
1.4285714286	-	1	0.0 %
1.5000000000	-	1	0.0 %
1.5384615385	-	1	0.0 %
1.7500000000	-	1	0.0 %
2.0000000000	-	7	0.2 %
2.5000000000	-	1	0.0 %
2.8571428571	-	1	0.0 %
3.0000000000	-	4	0.1 %
3.0769230769	-	1	0.0 %
3.3333333333	-	1	0.0 %
4.0000000000	-	11	0.3 %
4.2000000000	-	1	0.0 %
4.2857142857	-	1	0.0 %
4.6153846154	-	1	0.0 %
5.0000000000	-	9	0.3 %
5.7142857143	-	1	0.0 %
6.0000000000	-	16	0.5 %
6.1538461538	-	1	0.0 %
6.6666666667	-	2	0.1 %
7.0000000000	-	8	0.2 %
7.1428571429	-	1	0.0 %
7.2500000000	-	1	0.0 %
7.6923076923	-	1	0.0 %
8.0000000000	-	11	0.3 %
8.4000000000	-	1	0.0 %
8.5714285714	-	1	0.0 %
9.0000000000	-	8	0.2 %
9.2307692308	-	1	0.0 %
9.5000000000	-	1	0.0 %
9.8571428571	-	1	0.0 %
10.0000000000	-	12	0.4 %
10.2857142857	-	1	0.0 %
10.4444444445	-	1	0.0 %

Value	Label	Unweighted Frequency	%
10.7692307692	-	1	0.0 %
11.0000000000	-	17	0.5 %
11.3333333333	-	1	0.0 %
11.5000000000	-	2	0.1 %
11.7142857143	-	1	0.0 %
11.7500000000	-	1	0.0 %
11.8000000000	-	1	0.0 %
12.0000000000	-	14	0.4 %
12.3076923077	-	1	0.0 %
12.5000000000	-	1	0.0 %
	Missing Data		
.	-	91	2.8 %
	Total	3,246	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,155 valid cases out of 3,246 total cases.

- Mean: 136.5387002239
- Minimum: 0.0000000000
- Maximum: 1530.0000000000
- Standard Deviation: 150.3434272248

Location: 1362-1376 (width: 15; decimal: 10)

Variable Type: numeric

TENAPW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2412	74.3 %
3	-	820	25.3 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.87

Location: 1377-1377 (width: 1; decimal: 0)

Variable Type: numeric

TENAPW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2412	74.3 %
Imputed	-	820	25.3 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1378-1384 (width: 7; decimal: 0)

Variable Type: character

TENAPM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2412	74.3 %
3	-	820	25.3 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.87

Location: 1385-1385 (width: 1; decimal: 0)

Variable Type: numeric

TENAPM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2412	74.3 %
Imputed	-	820	25.3 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1386-1392 (width: 7; decimal: 0)

Variable Type: character

TENAPO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2875	88.6 %
3	-	128	3.9 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1393-1393 (width: 1; decimal: 0)

Variable Type: numeric

TENAPO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2875	88.6 %
Imputed	-	128	3.9 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1394-1400 (width: 7; decimal: 0)

Variable Type: character

UTENAPW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2742	84.5 %
3	-	490	15.1 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.30
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.72

Location: 1401-1401 (width: 1; decimal: 0)

Variable Type: numeric

UTENAPW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2742	84.5 %
Imputed	-	490	15.1 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1402-1408 (width: 7; decimal: 0)

Variable Type: character

UTENAPM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2742	84.5 %
3	-	490	15.1 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.30
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.72

Location: 1409-1409 (width: 1; decimal: 0)

Variable Type: numeric

UTENAPM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2742	84.5 %
Imputed	-	490	15.1 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1410-1416 (width: 7; decimal: 0)

Variable Type: character

UTENAPO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2875	88.6 %
3	-	128	3.9 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1417-1417 (width: 1; decimal: 0)

Variable Type: numeric

UTENAPO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2875	88.6 %
Imputed	-	128	3.9 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1418-1424 (width: 7; decimal: 0)

Variable Type: character

APW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	2728	84.0 %
2	-	249	7.7 %
3	-	267	8.2 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.24
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.59

Location: 1425-1425 (width: 1; decimal: 0)

Variable Type: numeric

APW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2728	84.0 %
Imputed	-	267	8.2 %
Missing	-	2	0.1 %
UAQ	-	249	7.7 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1426-1432 (width: 7; decimal: 0)

Variable Type: character

APM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	2728	84.0 %
2	-	249	7.7 %
3	-	267	8.2 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.24
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.59

Location: 1433-1433 (width: 1; decimal: 0)

Variable Type: numeric

APM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2728	84.0 %
Imputed	-	267	8.2 %
Missing	-	2	0.1 %
UAQ	-	249	7.7 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1434-1440 (width: 7; decimal: 0)

Variable Type: character

APO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	245	7.5 %
1	-	3001	92.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 0.92
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

Location: 1441-1441 (width: 1; decimal: 0)

Variable Type: numeric

APO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	3001	92.5 %
Missing	-	245	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1442-1448 (width: 7; decimal: 0)

Variable Type: character

TENASPW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2735	84.3 %
3	-	497	15.3 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.30
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00

- Standard Deviation: 0.73

Location: 1449-1449 (width: 1; decimal: 0)

Variable Type: numeric

TENASPW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2735	84.3 %
Imputed	-	497	15.3 %
Missing	-	14	0.4 %
Total		3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1450-1456 (width: 7; decimal: 0)

Variable Type: character

TENASPM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2735	84.3 %
3	-	497	15.3 %
Total		3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.30
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.73

Location: 1457-1457 (width: 1; decimal: 0)

Variable Type: numeric

TENASPM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2735	84.3 %
Imputed	-	497	15.3 %
Missing	-	14	0.4 %
Total		3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1458-1464 (width: 7; decimal: 0)

Variable Type: character

TENASPO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2875	88.6 %
3	-	128	3.9 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1465-1465 (width: 1; decimal: 0)

Variable Type: numeric

TENASPO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2875	88.6 %
Imputed	-	128	3.9 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1466-1472 (width: 7; decimal: 0)

Variable Type: character

UTENASPW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2454	75.6 %
3	-	778	24.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00

- Standard Deviation: 0.86

Location: 1473-1473 (width: 1; decimal: 0)

Variable Type: numeric

UTENASPW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2454	75.6 %
Imputed	-	778	24.0 %
Missing	-	14	0.4 %
Total		3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1474-1480 (width: 7; decimal: 0)

Variable Type: character

UTENASPM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2454	75.6 %
3	-	778	24.0 %
Total		3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.86

Location: 1481-1481 (width: 1; decimal: 0)

Variable Type: numeric

UTENASPM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2454	75.6 %
Imputed	-	778	24.0 %
Missing	-	14	0.4 %
Total		3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1482-1488 (width: 7; decimal: 0)

Variable Type: character

UTENASPO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2875	88.6 %
3	-	128	3.9 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1489-1489 (width: 1; decimal: 0)

Variable Type: numeric

UTENASPO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2875	88.6 %
Imputed	-	128	3.9 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1490-1496 (width: 7; decimal: 0)

Variable Type: character

ASPW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
1	-	2729	84.1 %
2	-	249	7.7 %
3	-	265	8.2 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.24
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00

- Maximum: 3.00
- Standard Deviation: 0.59

Location: 1497-1497 (width: 1; decimal: 0)

Variable Type: numeric

ASPW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2729	84.1 %
Imputed	-	265	8.2 %
Missing	-	3	0.1 %
UAQ	-	249	7.7 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1498-1504 (width: 7; decimal: 0)

Variable Type: character

ASPM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	3	0.1 %
1	-	2729	84.1 %
2	-	249	7.7 %
3	-	265	8.2 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.24
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.59

Location: 1505-1505 (width: 1; decimal: 0)

Variable Type: numeric

ASPM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2729	84.1 %
Imputed	-	265	8.2 %
Missing	-	3	0.1 %
UAQ	-	249	7.7 %

Value	Label	Unweighted Frequency	%
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1506-1512 (width: 7; decimal: 0)

Variable Type: character

ASPO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	245	7.5 %
1	-	3001	92.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 0.92
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

Location: 1513-1513 (width: 1; decimal: 0)

Variable Type: numeric

ASPO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	3001	92.5 %
Missing	-	245	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1514-1520 (width: 7; decimal: 0)

Variable Type: character

TENFPW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2753	84.8 %
3	-	479	14.8 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.71

Location: 1521-1521 (width: 1; decimal: 0)

Variable Type: numeric

TENFPW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2753	84.8 %
Imputed	-	479	14.8 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1522-1528 (width: 7; decimal: 0)

Variable Type: character

TENFPM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2753	84.8 %
3	-	479	14.8 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.71

Location: 1529-1529 (width: 1; decimal: 0)

Variable Type: numeric

TENFPM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2753	84.8 %
Imputed	-	479	14.8 %
Missing	-	14	0.4 %

Value	Label	Unweighted Frequency	%
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1530-1536 (width: 7; decimal: 0)

Variable Type: character

TENFPO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2875	88.6 %
3	-	128	3.9 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1537-1537 (width: 1; decimal: 0)

Variable Type: numeric

TENFPO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2875	88.6 %
Imputed	-	128	3.9 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1538-1544 (width: 7; decimal: 0)

Variable Type: character

UTENFPW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2364	72.8 %
3	-	868	26.7 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.53
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.89

Location: 1545-1545 (width: 1; decimal: 0)

Variable Type: numeric

UTENFPW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2364	72.8 %
Imputed	-	868	26.7 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1546-1552 (width: 7; decimal: 0)

Variable Type: character

UTENFPM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2364	72.8 %
3	-	868	26.7 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.53
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.89

Location: 1553-1553 (width: 1; decimal: 0)

Variable Type: numeric

UTENFPM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2364	72.8 %
Imputed	-	868	26.7 %

Value	Label	Unweighted Frequency	%
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1554-1560 (width: 7; decimal: 0)

Variable Type: character

UTENFPO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2875	88.6 %
3	-	128	3.9 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1561-1561 (width: 1; decimal: 0)

Variable Type: numeric

UTENFPO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2875	88.6 %
Imputed	-	128	3.9 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1562-1568 (width: 7; decimal: 0)

Variable Type: character

FPW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	2729	84.1 %
2	-	251	7.7 %

Value	Label	Unweighted Frequency	%
3	-	264	8.1 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.24
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.59

Location: 1569-1569 (width: 1; decimal: 0)

Variable Type: numeric

FPW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2729	84.1 %
Imputed	-	264	8.1 %
Missing	-	2	0.1 %
UAQ	-	251	7.7 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1570-1576 (width: 7; decimal: 0)

Variable Type: character

FPM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	2	0.1 %
1	-	2729	84.1 %
2	-	251	7.7 %
3	-	264	8.1 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.24
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.59

Location: 1577-1577 (width: 1; decimal: 0)

Variable Type: numeric

FPM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2729	84.1 %
Imputed	-	264	8.1 %
Missing	-	2	0.1 %
UAQ	-	251	7.7 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1578-1584 (width: 7; decimal: 0)

Variable Type: character

FPO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	245	7.5 %
1	-	3001	92.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 0.92
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

Location: 1585-1585 (width: 1; decimal: 0)

Variable Type: numeric

FPO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	3001	92.5 %
Missing	-	245	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1586-1592 (width: 7; decimal: 0)

Variable Type: character

OFTW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	245	7.5 %
1	-	3001	92.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 0.92
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

Location: 1593-1593 (width: 1; decimal: 0)

Variable Type: numeric

OFTW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	3001	92.5 %
Missing	-	245	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1594-1600 (width: 7; decimal: 0)

Variable Type: character

OFTM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	245	7.5 %
1	-	3001	92.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 0.92
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.26

Location: 1601-1601 (width: 1; decimal: 0)

Variable Type: numeric

OFTM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	3001	92.5 %
Missing	-	245	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1602-1608 (width: 7; decimal: 0)

Variable Type: character

NONTENFTW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	7	0.2 %
1	-	1301	40.1 %
2	-	924	28.5 %
3	-	1014	31.2 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.91
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.84

Location: 1609-1609 (width: 1; decimal: 0)

Variable Type: numeric

NONTENFTW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1301	40.1 %
Imputed	-	1014	31.2 %
Missing	-	7	0.2 %
UAQ	-	924	28.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1610-1616 (width: 7; decimal: 0)

Variable Type: character

NONTENFTM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	7	0.2 %
1	-	1301	40.1 %
2	-	924	28.5 %
3	-	1014	31.2 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.91
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.84

Location: 1617-1617 (width: 1; decimal: 0)

Variable Type: numeric

NONTENFTM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1301	40.1 %
Imputed	-	1014	31.2 %
Missing	-	7	0.2 %
UAQ	-	924	28.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1618-1624 (width: 7; decimal: 0)

Variable Type: character

NONTENFT_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	3246	100.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 1625-1625 (width: 1; decimal: 0)

Variable Type: numeric

NONTENFT_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
Missing	-	3246	100.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1626-1632 (width: 7; decimal: 0)

Variable Type: character

NONTENPTW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	161	5.0 %
1	-	1552	47.8 %
2	-	735	22.6 %
3	-	798	24.6 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.67
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.90

Location: 1633-1633 (width: 1; decimal: 0)

Variable Type: numeric

NONTENPTW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1552	47.8 %
Imputed	-	798	24.6 %
Missing	-	161	5.0 %
UAQ	-	735	22.6 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1634-1640 (width: 7; decimal: 0)

Variable Type: character

NONTENPTM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	161	5.0 %
1	-	1552	47.8 %
2	-	735	22.6 %
3	-	798	24.6 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.67
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.90

Location: 1641-1641 (width: 1; decimal: 0)

Variable Type: numeric

NONTENPTM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1552	47.8 %
Imputed	-	798	24.6 %
Missing	-	161	5.0 %
UAQ	-	735	22.6 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1642-1648 (width: 7; decimal: 0)

Variable Type: character

NONTENPT_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	3246	100.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 1649-1649 (width: 1; decimal: 0)

Variable Type: numeric

NONTENPT_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
Missing	-	3246	100.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1650-1656 (width: 7; decimal: 0)

Variable Type: character

NONTENW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
1	-	2657	81.9 %
2	-	225	6.9 %
3	-	364	11.2 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.66

Location: 1657-1657 (width: 1; decimal: 0)

Variable Type: numeric

NONTENW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2657	81.9 %
Imputed	-	364	11.2 %
UAQ	-	225	6.9 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1658-1664 (width: 7; decimal: 0)

Variable Type: character

NONTENM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
1	-	2657	81.9 %

Value	Label	Unweighted Frequency	%
2	-	225	6.9 %
3	-	364	11.2 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.66

Location: 1665-1665 (width: 1; decimal: 0)

Variable Type: numeric

NONTENM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2657	81.9 %
Imputed	-	364	11.2 %
UAQ	-	225	6.9 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1666-1672 (width: 7; decimal: 0)

Variable Type: character

NONTENO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2875	88.6 %
3	-	128	3.9 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1673-1673 (width: 1; decimal: 0)

Variable Type: numeric

NONTENO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2875	88.6 %
Imputed	-	128	3.9 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1674-1680 (width: 7; decimal: 0)

Variable Type: character

NONTEN_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	3246	100.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 1681-1681 (width: 1; decimal: 0)

Variable Type: numeric

NONTEN_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
Missing	-	3246	100.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1682-1688 (width: 7; decimal: 0)

Variable Type: character

NONINSTRW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2875	88.6 %
3	-	128	3.9 %

Value	Label	Unweighted Frequency	%
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1689-1689 (width: 1; decimal: 0)

Variable Type: numeric

NONINSTRW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2875	88.6 %
Imputed	-	128	3.9 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1690-1696 (width: 7; decimal: 0)

Variable Type: character

NONINSTRM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2875	88.6 %
3	-	128	3.9 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1697-1697 (width: 1; decimal: 0)

Variable Type: numeric

NONINSTRM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2875	88.6 %
Imputed	-	128	3.9 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1698-1704 (width: 7; decimal: 0)

Variable Type: character

NONINSTRO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2875	88.6 %
3	-	128	3.9 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1705-1705 (width: 1; decimal: 0)

Variable Type: numeric

NONINSTRO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2875	88.6 %
Imputed	-	128	3.9 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1706-1712 (width: 7; decimal: 0)

Variable Type: character

PHDSYR1W_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	4	0.1 %

Value	Label	Unweighted Frequency	%
1	-	2692	82.9 %
2	-	227	7.0 %
3	-	323	10.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.27
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

Location: 1713-1713 (width: 1; decimal: 0)

Variable Type: numeric

PHDSYR1W_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2692	82.9 %
Imputed	-	323	10.0 %
Missing	-	4	0.1 %
UAQ	-	227	7.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1714-1720 (width: 7; decimal: 0)

Variable Type: character

PHDSYR1M_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	4	0.1 %
1	-	2692	82.9 %
2	-	231	7.1 %
3	-	319	9.8 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.27
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00

- Standard Deviation: 0.63

Location: 1721-1721 (width: 1; decimal: 0)

Variable Type: numeric

PHDSYR1M_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2692	82.9 %
Imputed	-	319	9.8 %
Missing	-	4	0.1 %
UAQ	-	231	7.1 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1722-1728 (width: 7; decimal: 0)

Variable Type: character

PHDSYR1O_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2874	88.5 %
2	-	2	0.1 %
3	-	127	3.9 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1729-1729 (width: 1; decimal: 0)

Variable Type: numeric

PHDSYR1O_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2874	88.5 %
Imputed	-	127	3.9 %
Missing	-	243	7.5 %
UAQ	-	2	0.1 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1730-1736 (width: 7; decimal: 0)

Variable Type: character

ABDW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2714	83.6 %
3	-	518	16.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.74

Location: 1737-1737 (width: 1; decimal: 0)

Variable Type: numeric

ABDW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2714	83.6 %
Imputed	-	518	16.0 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1738-1744 (width: 7; decimal: 0)

Variable Type: character

ABDM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	15	0.5 %
1	-	2714	83.6 %
3	-	517	15.9 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.31

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.74

Location: 1745-1745 (width: 1; decimal: 0)

Variable Type: numeric

ABDM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2714	83.6 %
Imputed	-	517	15.9 %
Missing	-	15	0.5 %
Total		3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1746-1752 (width: 7; decimal: 0)

Variable Type: character

ABDO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2873	88.5 %
3	-	130	4.0 %
Total		3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.01
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1753-1753 (width: 1; decimal: 0)

Variable Type: numeric

ABDO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2873	88.5 %
Imputed	-	130	4.0 %
Missing	-	243	7.5 %
Total		3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1754-1760 (width: 7; decimal: 0)

Variable Type: character

PHDW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	7	0.2 %
1	-	2697	83.1 %
2	-	244	7.5 %
3	-	298	9.2 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.26
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.62

Location: 1761-1761 (width: 1; decimal: 0)

Variable Type: numeric

PHDW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2697	83.1 %
Imputed	-	298	9.2 %
Missing	-	7	0.2 %
UAQ	-	244	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1762-1768 (width: 7; decimal: 0)

Variable Type: character

PHDM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	6	0.2 %
1	-	2697	83.1 %
2	-	245	7.5 %
3	-	298	9.2 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.26
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.62

Location: 1769-1769 (width: 1; decimal: 0)

Variable Type: numeric

PHDM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2697	83.1 %
Imputed	-	298	9.2 %
Missing	-	6	0.2 %
UAQ	-	245	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1770-1776 (width: 7; decimal: 0)

Variable Type: character

PHDO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2853	87.9 %
2	-	41	1.3 %
3	-	109	3.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.47

Location: 1777-1777 (width: 1; decimal: 0)

Variable Type: numeric

PHDO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2853	87.9 %
Imputed	-	109	3.4 %
Missing	-	243	7.5 %
UAQ	-	41	1.3 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1778-1784 (width: 7; decimal: 0)

Variable Type: character

ACAJOBPHDW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2549	78.5 %
3	-	683	21.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.42
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.82

Location: 1785-1785 (width: 1; decimal: 0)

Variable Type: numeric

ACAJOBPHDW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2549	78.5 %
Imputed	-	683	21.0 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1786-1792 (width: 7; decimal: 0)

Variable Type: character

ACAJOBPHDM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2549	78.5 %
3	-	683	21.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.42
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.82

Location: 1793-1793 (width: 1; decimal: 0)

Variable Type: numeric

ACAJOBPHDM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2549	78.5 %
Imputed	-	683	21.0 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1794-1800 (width: 7; decimal: 0)

Variable Type: character

ACAJOBPHDO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2874	88.5 %
3	-	129	4.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1801-1801 (width: 1; decimal: 0)

Variable Type: numeric

ACAJOBPHDO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2874	88.5 %
Imputed	-	129	4.0 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1802-1808 (width: 7; decimal: 0)

Variable Type: character

ACAJOBW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2516	77.5 %
3	-	716	22.1 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.44
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.83

Location: 1809-1809 (width: 1; decimal: 0)

Variable Type: numeric

ACAJOBW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2516	77.5 %
Imputed	-	716	22.1 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1810-1816 (width: 7; decimal: 0)

Variable Type: character

ACAJOBM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2516	77.5 %
3	-	716	22.1 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.44
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.83

Location: 1817-1817 (width: 1; decimal: 0)

Variable Type: numeric

ACAJOBM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2516	77.5 %
Imputed	-	716	22.1 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1818-1824 (width: 7; decimal: 0)

Variable Type: character

ACAJOBO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2874	88.5 %
3	-	129	4.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1825-1825 (width: 1; decimal: 0)

Variable Type: numeric

ACAJOBO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2874	88.5 %
Imputed	-	129	4.0 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1826-1832 (width: 7; decimal: 0)

Variable Type: character

ACAJOBNONFACW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2997	92.3 %
3	-	6	0.2 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.28

Location: 1833-1833 (width: 1; decimal: 0)

Variable Type: numeric

ACAJOBNONFACW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2997	92.3 %
Imputed	-	6	0.2 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1834-1840 (width: 7; decimal: 0)

Variable Type: character

ACAJOBNONFACM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2997	92.3 %
3	-	6	0.2 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.28

Location: 1841-1841 (width: 1; decimal: 0)

Variable Type: numeric

ACAJOBNONFACM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2997	92.3 %
Imputed	-	6	0.2 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1842-1848 (width: 7; decimal: 0)

Variable Type: character

ACAJOBNONFACO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2874	88.5 %
3	-	129	4.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1849-1849 (width: 1; decimal: 0)

Variable Type: numeric

ACAJOBNONFACO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2874	88.5 %
Imputed	-	129	4.0 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1850-1856 (width: 7; decimal: 0)

Variable Type: character

PUBW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2465	75.9 %
3	-	767	23.6 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.47
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.85

Location: 1857-1857 (width: 1; decimal: 0)

Variable Type: numeric

PUBW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2465	75.9 %
Imputed	-	767	23.6 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1858-1864 (width: 7; decimal: 0)

Variable Type: character

PUBM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2465	75.9 %
3	-	767	23.6 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.47
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.85

Location: 1865-1865 (width: 1; decimal: 0)

Variable Type: numeric

PUBM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2465	75.9 %
Imputed	-	767	23.6 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1866-1872 (width: 7; decimal: 0)

Variable Type: character

PUBO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2874	88.5 %
3	-	129	4.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1873-1873 (width: 1; decimal: 0)

Variable Type: numeric

PUBO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2874	88.5 %
Imputed	-	129	4.0 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1874-1880 (width: 7; decimal: 0)

Variable Type: character

PRIVW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2485	76.6 %
3	-	747	23.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.46
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.85

Location: 1881-1881 (width: 1; decimal: 0)

Variable Type: numeric

PRIVW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2485	76.6 %
Imputed	-	747	23.0 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1882-1888 (width: 7; decimal: 0)

Variable Type: character

PRIVM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2485	76.6 %
3	-	747	23.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.46
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.85

Location: 1889-1889 (width: 1; decimal: 0)

Variable Type: numeric

PRIVM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2485	76.6 %
Imputed	-	747	23.0 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1890-1896 (width: 7; decimal: 0)

Variable Type: character

PRIVO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2874	88.5 %
3	-	129	4.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1897-1897 (width: 1; decimal: 0)

Variable Type: numeric

PRIVO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2874	88.5 %
Imputed	-	129	4.0 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1898-1904 (width: 7; decimal: 0)

Variable Type: character

NONUSACAW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2503	77.1 %
3	-	729	22.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.44
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.84

Location: 1905-1905 (width: 1; decimal: 0)

Variable Type: numeric

NONUSACAW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2503	77.1 %
Imputed	-	729	22.5 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1906-1912 (width: 7; decimal: 0)

Variable Type: character

NONUSACAM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2503	77.1 %
3	-	729	22.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.44
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.84

Location: 1913-1913 (width: 1; decimal: 0)

Variable Type: numeric

NONUSACAM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2503	77.1 %
Imputed	-	729	22.5 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1914-1920 (width: 7; decimal: 0)

Variable Type: character

NONUSACAO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2874	88.5 %
3	-	129	4.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1921-1921 (width: 1; decimal: 0)

Variable Type: numeric

NONUSACAO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2874	88.5 %
Imputed	-	129	4.0 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1922-1928 (width: 7; decimal: 0)

Variable Type: character

NONUSOTHERW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2460	75.8 %
3	-	772	23.8 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.47
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.86

Location: 1929-1929 (width: 1; decimal: 0)

Variable Type: numeric

NONUSOTHERW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2460	75.8 %
Imputed	-	772	23.8 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1930-1936 (width: 7; decimal: 0)

Variable Type: character

NONUSOTHERM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2460	75.8 %
3	-	772	23.8 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.47
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.86

Location: 1937-1937 (width: 1; decimal: 0)

Variable Type: numeric

NONUSOTHERM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2460	75.8 %
Imputed	-	772	23.8 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1938-1944 (width: 7; decimal: 0)

Variable Type: character

NONUSOTHERO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2874	88.5 %
3	-	129	4.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1945-1945 (width: 1; decimal: 0)

Variable Type: numeric

NONUSOTHERO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2874	88.5 %
Imputed	-	129	4.0 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1946-1952 (width: 7; decimal: 0)

Variable Type: character

JOBCATUNKW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2874	88.5 %
3	-	129	4.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1953-1953 (width: 1; decimal: 0)

Variable Type: numeric

JOBCATUNKW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2874	88.5 %
Imputed	-	129	4.0 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1954-1960 (width: 7; decimal: 0)

Variable Type: character

JOBCATUNKM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2874	88.5 %
3	-	129	4.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1961-1961 (width: 1; decimal: 0)

Variable Type: numeric

JOB CATUNKM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2874	88.5 %
Imputed	-	129	4.0 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1962-1968 (width: 7; decimal: 0)

Variable Type: character

JOB CATUNKO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2874	88.5 %
3	-	129	4.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1969-1969 (width: 1; decimal: 0)

Variable Type: numeric

JOB CATUNKO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2874	88.5 %
Imputed	-	129	4.0 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1970-1976 (width: 7; decimal: 0)

Variable Type: character

NOJOBW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	15	0.5 %
1	-	2515	77.5 %
3	-	716	22.1 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.44
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.83

Location: 1977-1977 (width: 1; decimal: 0)

Variable Type: numeric

NOJOBW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2515	77.5 %
Imputed	-	716	22.1 %
Missing	-	15	0.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1978-1984 (width: 7; decimal: 0)

Variable Type: character

NOJOBM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	14	0.4 %
1	-	2515	77.5 %
3	-	717	22.1 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.44
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.83

Location: 1985-1985 (width: 1; decimal: 0)

Variable Type: numeric

NOJOBM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2515	77.5 %
Imputed	-	717	22.1 %
Missing	-	14	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1986-1992 (width: 7; decimal: 0)

Variable Type: character

NOJOBO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2874	88.5 %
3	-	129	4.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 1993-1993 (width: 1; decimal: 0)

Variable Type: numeric

NOJOBO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2874	88.5 %
Imputed	-	129	4.0 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 1994-2000 (width: 7; decimal: 0)

Variable Type: character

MAEXGW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2991	92.1 %
3	-	12	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.29

Location: 2001-2001 (width: 1; decimal: 0)

Variable Type: numeric

MAEXGW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2991	92.1 %
Imputed	-	12	0.4 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 2002-2008 (width: 7; decimal: 0)

Variable Type: character

MAEXGM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2991	92.1 %
3	-	12	0.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.29

Location: 2009-2009 (width: 1; decimal: 0)

Variable Type: numeric

MAEXGM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2991	92.1 %
Imputed	-	12	0.4 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 2010-2016 (width: 7; decimal: 0)

Variable Type: character

MAEXGO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2875	88.6 %
3	-	128	3.9 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 2017-2017 (width: 1; decimal: 0)

Variable Type: numeric

MAEXGO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2875	88.6 %
Imputed	-	128	3.9 %
Missing	-	243	7.5 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 2018-2024 (width: 7; decimal: 0)

Variable Type: character

MAGW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	123	3.8 %
1	-	1492	46.0 %
2	-	1173	36.1 %
3	-	458	14.1 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.61
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.77

Location: 2025-2025 (width: 1; decimal: 0)

Variable Type: numeric

MAGW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1492	46.0 %
Imputed	-	458	14.1 %
Missing	-	123	3.8 %
UAQ	-	1173	36.1 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 2026-2032 (width: 7; decimal: 0)

Variable Type: character

MAGM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	123	3.8 %
1	-	1492	46.0 %
2	-	1175	36.2 %
3	-	456	14.0 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.61
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.77

Location: 2033-2033 (width: 1; decimal: 0)

Variable Type: numeric

MAGM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1492	46.0 %
Imputed	-	456	14.0 %
Missing	-	123	3.8 %
UAQ	-	1175	36.2 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 2034-2040 (width: 7; decimal: 0)

Variable Type: character

MAGO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2853	87.9 %
2	-	43	1.3 %
3	-	107	3.3 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.47

Location: 2041-2041 (width: 1; decimal: 0)

Variable Type: numeric

MAGO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2853	87.9 %
Imputed	-	107	3.3 %
Missing	-	243	7.5 %
UAQ	-	43	1.3 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 2042-2048 (width: 7; decimal: 0)

Variable Type: character

UNGEW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	5	0.2 %
1	-	1523	46.9 %
2	-	1078	33.2 %
3	-	640	19.7 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.72
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.77

Location: 2049-2049 (width: 1; decimal: 0)

Variable Type: numeric

UNGEW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1523	46.9 %
Imputed	-	640	19.7 %

Value	Label	Unweighted Frequency	%
Missing	-	5	0.2 %
UAQ	-	1078	33.2 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 2050-2056 (width: 7; decimal: 0)

Variable Type: character

UNGEGM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	5	0.2 %
1	-	1523	46.9 %
2	-	1078	33.2 %
3	-	640	19.7 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.72
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.77

Location: 2057-2057 (width: 1; decimal: 0)

Variable Type: numeric

UNGEGM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1523	46.9 %
Imputed	-	640	19.7 %
Missing	-	5	0.2 %
UAQ	-	1078	33.2 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 2058-2064 (width: 7; decimal: 0)

Variable Type: character

UNGEKO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2852	87.9 %
2	-	46	1.4 %
3	-	105	3.2 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.47

Location: 2065-2065 (width: 1; decimal: 0)

Variable Type: numeric

UNGEQ_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2852	87.9 %
Imputed	-	105	3.2 %
Missing	-	243	7.5 %
UAQ	-	46	1.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 2066-2072 (width: 7; decimal: 0)

Variable Type: character

UNGSEEXGW_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	239	7.4 %
1	-	2924	90.1 %
3	-	83	2.6 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00

- Standard Deviation: 0.42

Location: 2073-2073 (width: 1; decimal: 0)

Variable Type: numeric

UNGSEEXGW_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2924	90.1 %
Imputed	-	83	2.6 %
Missing	-	239	7.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 2074-2080 (width: 7; decimal: 0)

Variable Type: character

UNGSEEXGM_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	239	7.4 %
1	-	2924	90.1 %
3	-	83	2.6 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 0.98
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.42

Location: 2081-2081 (width: 1; decimal: 0)

Variable Type: numeric

UNGSEEXGM_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2924	90.1 %
Imputed	-	83	2.6 %
Missing	-	239	7.4 %
	Total	3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 2082-2088 (width: 7; decimal: 0)

Variable Type: character

UNGSEEXGO_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	243	7.5 %
1	-	2875	88.6 %
3	-	128	3.9 %
Total		3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.48

Location: 2089-2089 (width: 1; decimal: 0)

Variable Type: numeric

UNGSEEXGO_SOURCE_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	2875	88.6 %
Imputed	-	128	3.9 %
Missing	-	243	7.5 %
Total		3,246	100%

Based upon 3,246 valid cases out of 3,246 total cases.

Location: 2090-2096 (width: 7; decimal: 0)

Variable Type: character