

ICPSR 37118

**Committee on the Status of Women  
in the Economics Profession  
(CSWEP) Annual Survey of U.S.  
Economics Departments, United  
States, 1994-2020**

*American Economic Association.  
Committee on the Status of Women in the  
Economics Profession*

ICPSR Codebook for Non-PhD Restricted-Use  
Data

Inter-university Consortium for  
Political and Social Research  
P.O. Box 1248  
Ann Arbor, Michigan 48106  
[www.icpsr.umich.edu](http://www.icpsr.umich.edu)

# Terms of Use

The terms of use for this study can be found at:  
<http://www.icpsr.umich.edu/web/ICPSR/studies/37118/terms>

## Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### NOTICE

#### WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

## ICPSR PROCESSING NOTES FOR #37118

*Committee on the Status of Women in the Economics Profession (CSWEP) Annual Survey of U.S.  
Economics Departments, United States, 1994-2020  
DS 2: Non-PhD Restricted-Use Data*

1. **Restricted-Use:** This data collection may not be used for any purpose other than statistical reporting and analysis. Use of these data to learn the identity of any person or establishment is prohibited. To protect respondent privacy, this data collection is restricted from general dissemination. To obtain this file, researchers must agree to the terms and conditions of a Restricted Data Use Agreement in accordance with existing ICPSR servicing policies.
2. **Additional Information:** For additional information on the CSWEP study, please visit the [CSWEP](#) and [UAQ](#) sections of the American Economics Association web site.

# **ICPSR 37118**

## **Committee on the Status of Women in the Economics Profession (CSWEP) Annual Survey of U.S. Economics Departments, United States, 1994-2020**

### **Variable Description and Frequencies**

**Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.**

**Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.**

# Non-PhD Restricted-Use Data

**YEAR: Year of survey**

Value	Label	Unweighted Frequency	%
2006	-	153	7.0 %
2007	-	154	7.1 %
2008	-	157	7.2 %
2009	-	154	7.1 %
2010	-	158	7.3 %
2011	-	156	7.2 %
2012	-	152	7.0 %
2013	-	148	6.8 %
2014	-	149	6.8 %
2015	-	144	6.6 %
2016	-	142	6.5 %
2017	-	138	6.3 %
2018	-	135	6.2 %
2019	-	128	5.9 %
2020	-	111	5.1 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 2012.68
- Median: 2013.00
- Mode: 2010.00
- Minimum: 2006.00
- Maximum: 2020.00
- Standard Deviation: 4.23

*Location:* 1-4 (width: 4; decimal: 0)

*Variable Type:* numeric

**UNITID: IPEDS 6-digit institution identifier**

Value	Label	Unweighted Frequency	%
100858	-	7	0.3 %
100937	-	15	0.7 %
110583	-	15	0.7 %
112260	-	15	0.7 %
118888	-	15	0.7 %
120254	-	15	0.7 %
121345	-	15	0.7 %

Value	Label	Unweighted Frequency	%
123165	-	15	0.7 %
125727	-	13	0.6 %
125763	-	15	0.7 %
126678	-	15	0.7 %
127185	-	5	0.2 %
128328	-	15	0.7 %
128391	-	7	0.3 %
128902	-	13	0.6 %
130590	-	15	0.7 %
130697	-	15	0.7 %
133492	-	14	0.6 %
138600	-	15	0.7 %
139755	-	4	0.2 %
140696	-	10	0.5 %
141060	-	15	0.7 %
141325	-	5	0.2 %
143084	-	15	0.7 %
143288	-	3	0.1 %
145646	-	15	0.7 %
146427	-	15	0.7 %
146481	-	15	0.7 %
147341	-	14	0.6 %
149781	-	15	0.7 %
150400	-	15	0.7 %
150455	-	15	0.7 %
150604	-	12	0.6 %
150756	-	15	0.7 %
152673	-	15	0.7 %
153144	-	14	0.6 %
153384	-	15	0.7 %
153834	-	4	0.2 %
154095	-	15	0.7 %
156295	-	6	0.3 %
156408	-	15	0.7 %
156745	-	10	0.5 %
160977	-	15	0.7 %
161004	-	15	0.7 %
161086	-	15	0.7 %
161253	-	15	0.7 %

Value	Label	Unweighted Frequency	%
162654	-	14	0.6 %
163268	-	15	0.7 %
163912	-	15	0.7 %
164216	-	15	0.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 183891.68
- Median: 186876.00
- Minimum: 100858.00
- Maximum: 262129.00
- Standard Deviation: 35257.85

*Location:* 5-10 (width: 6; decimal: 0)

*Variable Type:* numeric

---

## INSTNM: Institution Name

Value	Label	Unweighted Frequency	%
Adrian College	-	1	0.0 %
Agnes Scott College	-	15	0.7 %
Albion College	-	15	0.7 %
Albright College	-	6	0.3 %
Allegheny College	-	15	0.7 %
Amherst College	-	15	0.7 %
Auburn University	-	7	0.3 %
Augustana College	-	15	0.7 %
Austin College	-	11	0.5 %
Bard College	-	15	0.7 %
Barnard College	-	15	0.7 %
Bates College	-	15	0.7 %
Baylor University	-	15	0.7 %
Beloit College	-	15	0.7 %
Bentley University	-	15	0.7 %
Berea College	-	6	0.3 %
Bethel University	-	1	0.0 %
Birmingham Southern College	-	15	0.7 %
Blackburn College	-	3	0.1 %
Bowdoin College	-	15	0.7 %
Brandeis University	-	15	0.7 %

Value	Label	Unweighted Frequency	%
Bridgewater College	-	14	0.6 %
Bryn Mawr College	-	15	0.7 %
Bucknell University	-	15	0.7 %
CUNY City College	-	15	0.7 %
CUNY Hunter College	-	9	0.4 %
CUNY Queens College	-	15	0.7 %
California State University-Long Beach	-	15	0.7 %
Carleton College	-	15	0.7 %
Case Western Reserve University	-	15	0.7 %
Centre College	-	15	0.7 %
Chatham University	-	13	0.6 %
Christopher Newport University	-	15	0.7 %
Claremont McKenna College	-	15	0.7 %
Coe College	-	14	0.6 %
Colby College	-	15	0.7 %
Colgate University	-	15	0.7 %
College of Saint Benedict	-	15	0.7 %
College of the Holy Cross	-	15	0.7 %
Colorado College	-	15	0.7 %
Concordia College, Moorhead, MN	-	3	0.1 %
Connecticut College	-	13	0.6 %
Dartmouth College	-	15	0.7 %
Davidson College	-	15	0.7 %
DePauw University	-	15	0.7 %
Denison University	-	15	0.7 %
Dickinson College	-	11	0.5 %
Drew University	-	15	0.7 %
Drury University	-	4	0.2 %
Earlham College	-	15	0.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 11-53 (width: 43; decimal: 0)

*Variable Type:* character

---

## TENAPW: Assistant Professors, Tenured, Female



Value	Label	Unweighted Frequency	%
0.0000000000000	-	1634	75.0 %
0.1428571428571	-	1	0.0 %
0.1666666666667	-	2	0.1 %
0.2500000000000	-	4	0.2 %
0.2857142857143	-	2	0.1 %
0.3333333333333	-	4	0.2 %
0.4285714285714	-	1	0.0 %
0.5000000000000	-	13	0.6 %
0.5714285714286	-	2	0.1 %
0.6666666666667	-	5	0.2 %
0.7142857142857	-	1	0.0 %
0.7500000000000	-	6	0.3 %
0.8333333333333	-	2	0.1 %
0.8571428571429	-	2	0.1 %
1.0000000000000	-	42	1.9 %
1.1428571428571	-	1	0.0 %
1.2500000000000	-	1	0.0 %
1.3333333333333	-	1	0.0 %
1.4285714285714	-	1	0.0 %
1.5000000000000	-	4	0.2 %
1.7142857142857	-	1	0.0 %
2.0000000000000	-	14	0.6 %
2.2500000000000	-	2	0.1 %
2.5000000000000	-	1	0.0 %
3.0000000000000	-	7	0.3 %
3.7500000000000	-	1	0.0 %
5.0000000000000	-	3	0.1 %
6.0000000000000	-	1	0.0 %
7.0000000000000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	419	19.2 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 1,760 valid cases out of 2,179 total cases.

- Mean: 0.0943181818182
- Median: 0.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 7.0000000000000

• Standard Deviation: 0.4576385893361

Location: 54-68 (width: 15; decimal: 13)

Variable Type: numeric

## TENAPM: Assistant Professors, Tenured, Male

Value	Label	Unweighted Frequency	%
0.0000000000000	-	1542	70.8 %
0.0833333333333	-	1	0.0 %
0.1428571428571	-	3	0.1 %
0.1666666666667	-	1	0.0 %
0.2000000000000	-	2	0.1 %
0.2500000000000	-	4	0.2 %
0.2857142857143	-	4	0.2 %
0.3333333333333	-	5	0.2 %
0.4000000000000	-	2	0.1 %
0.4166666666667	-	1	0.0 %
0.4285714285714	-	4	0.2 %
0.5000000000000	-	14	0.6 %
0.5714285714286	-	4	0.2 %
0.5833333333333	-	1	0.0 %
0.6000000000000	-	2	0.1 %
0.6250000000000	-	1	0.0 %
0.6666666666667	-	6	0.3 %
0.7142857142857	-	4	0.2 %
0.7500000000000	-	5	0.2 %
0.8000000000000	-	1	0.0 %
0.8571428571429	-	4	0.2 %
0.8750000000000	-	1	0.0 %
1.0000000000000	-	90	4.1 %
1.3333333333333	-	2	0.1 %
1.5000000000000	-	7	0.3 %
2.0000000000000	-	23	1.1 %
2.2500000000000	-	1	0.0 %
2.5000000000000	-	2	0.1 %
3.0000000000000	-	10	0.5 %
4.0000000000000	-	5	0.2 %
5.0000000000000	-	5	0.2 %
6.0000000000000	-	2	0.1 %
7.0000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	419	19.2 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 1,760 valid cases out of 2,179 total cases.

- Mean: 0.1622957251082
- Median: 0.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 7.0000000000000
- Standard Deviation: 0.5884850970636

Location: 69-83 (width: 15; decimal: 13)

Variable Type: numeric

## TENAPO: Assistant Professors, Tenured, Other

Value	Label	Unweighted Frequency	%
0	-	333	15.3 %
	<b>Missing Data</b>		
.	-	1846	84.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 333 valid cases out of 2,179 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 84-84 (width: 1; decimal: 0)

Variable Type: numeric

## TENAP: Assistant Professors, Tenured

Value	Label	Unweighted Frequency	%
0.0000000000000	-	1508	69.2 %
0.0833333333333	-	1	0.0 %
0.142857142857	-	2	0.1 %
0.1666666666667	-	3	0.1 %
0.2000000000000	-	2	0.1 %
0.2500000000000	-	2	0.1 %
0.285714285714	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.333333333333	-	6	0.3 %
0.400000000000	-	2	0.1 %
0.416666666667	-	1	0.0 %
0.428571428571	-	4	0.2 %
0.500000000000	-	13	0.6 %
0.571428571429	-	3	0.1 %
0.583333333333	-	1	0.0 %
0.600000000000	-	2	0.1 %
0.625000000000	-	1	0.0 %
0.666666666667	-	7	0.3 %
0.714285714286	-	3	0.1 %
0.750000000000	-	4	0.2 %
0.800000000000	-	1	0.0 %
0.833333333333	-	2	0.1 %
0.857142857143	-	4	0.2 %
0.875000000000	-	1	0.0 %
1.000000000000	-	76	3.5 %
1.142857142857	-	1	0.0 %
1.250000000000	-	2	0.1 %
1.285714285714	-	2	0.1 %
1.333333333333	-	3	0.1 %
1.428571428571	-	1	0.0 %
1.500000000000	-	5	0.2 %
1.571428571429	-	1	0.0 %
1.714285714286	-	2	0.1 %
1.857142857143	-	1	0.0 %
2.000000000000	-	31	1.4 %
2.142857142857	-	1	0.0 %
2.250000000000	-	2	0.1 %
2.333333333333	-	1	0.0 %
2.500000000000	-	3	0.1 %
2.571428571429	-	1	0.0 %
2.666666666667	-	1	0.0 %
3.000000000000	-	17	0.8 %
3.750000000000	-	2	0.1 %
4.000000000000	-	16	0.7 %
4.666666666667	-	1	0.0 %
5.000000000000	-	4	0.2 %
6.000000000000	-	3	0.1 %

Value	Label	Unweighted Frequency	%
7.00000000000000	-	1	0.0 %
8.00000000000000	-	2	0.1 %
10.00000000000000	-	2	0.1 %
11.00000000000000	-	1	0.0 %
	Missing Data		
.	-	419	19.2 %
	Total	2,179	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,760 valid cases out of 2,179 total cases.

- Mean: 0.256613906926
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 12.000000000000
- Standard Deviation: 0.924856970599

Location: 85-99 (width: 15; decimal: 12)

Variable Type: numeric

---

## UTENAPW: Assistant Professors, Untenured, Female

Value	Label	Unweighted Frequency	%
0.00000000000000	-	654	30.0 %
0.090909090909091	-	1	0.0 %
0.1428571428571	-	1	0.0 %
0.16666666666667	-	2	0.1 %
0.181818181818182	-	1	0.0 %
0.200000000000000	-	5	0.2 %
0.250000000000000	-	4	0.2 %
0.272727272727273	-	1	0.0 %
0.2857142857143	-	2	0.1 %
0.333333333333333	-	11	0.5 %
0.363636363636364	-	1	0.0 %
0.400000000000000	-	6	0.3 %
0.41666666666667	-	1	0.0 %
0.444444444444444	-	2	0.1 %
0.454545454545455	-	1	0.0 %
0.500000000000000	-	34	1.6 %
0.545454545454545	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.5714285714286	-	1	0.0 %
0.58333333333333	-	1	0.0 %
0.60000000000000	-	5	0.2 %
0.62500000000000	-	1	0.0 %
0.63636363636366	-	1	0.0 %
0.66666666666667	-	11	0.5 %
0.72727272727272	-	1	0.0 %
0.75000000000000	-	6	0.3 %
0.80000000000000	-	6	0.3 %
0.80555555555556	-	1	0.0 %
0.81818181818181	-	1	0.0 %
0.83333333333333	-	2	0.1 %
0.8571428571429	-	1	0.0 %
0.87500000000000	-	1	0.0 %
0.90909090909090	-	1	0.0 %
0.91666666666667	-	1	0.0 %
0.94444444444444	-	1	0.0 %
1.00000000000000	-	570	26.2 %
1.10000000000000	-	1	0.0 %
1.1428571428571	-	1	0.0 %
1.20000000000000	-	3	0.1 %
1.25000000000000	-	2	0.1 %
1.30000000000000	-	1	0.0 %
1.33333333333333	-	6	0.3 %
1.40000000000000	-	2	0.1 %
1.4285714285714	-	1	0.0 %
1.50000000000000	-	23	1.1 %
1.60000000000000	-	3	0.1 %
1.66666666666667	-	6	0.3 %
1.70000000000000	-	1	0.0 %
1.72222222222222	-	1	0.0 %
1.75000000000000	-	2	0.1 %
1.80000000000000	-	2	0.1 %
	<b>Missing Data</b>		
.	-	357	16.4 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,822 valid cases out of 2,179 total cases.

- Mean: 0.9909488090882
- Median: 1.00000000000000
- Mode: 0.00000000000000
- Minimum: 0.00000000000000
- Maximum: 6.00000000000000
- Standard Deviation: 1.0496556117045

Location: 100-114 (width: 15; decimal: 13)

Variable Type: numeric

## UTENAPM: Assistant Professors, Untenured, Male

Value	Label	Unweighted Frequency	%
0.00000000000000	-	477	21.9 %
0.0909090909091	-	2	0.1 %
0.1428571428571	-	2	0.1 %
0.1818181818182	-	2	0.1 %
0.20000000000000	-	3	0.1 %
0.25000000000000	-	5	0.2 %
0.2727272727273	-	2	0.1 %
0.2857142857143	-	2	0.1 %
0.3333333333333	-	6	0.3 %
0.3636363636364	-	2	0.1 %
0.40000000000000	-	5	0.2 %
0.4027777777778	-	1	0.0 %
0.4285714285714	-	2	0.1 %
0.4545454545455	-	2	0.1 %
0.50000000000000	-	36	1.7 %
0.5454545454545	-	2	0.1 %
0.5714285714286	-	2	0.1 %
0.60000000000000	-	4	0.2 %
0.6363636363636	-	2	0.1 %
0.6666666666667	-	10	0.5 %
0.7142857142857	-	2	0.1 %
0.7272727272727	-	1	0.0 %
0.75000000000000	-	6	0.3 %
0.80000000000000	-	5	0.2 %
0.8181818181818	-	1	0.0 %
0.8333333333333	-	1	0.0 %
0.8571428571429	-	2	0.1 %
0.9090909090909	-	1	0.0 %
1.00000000000000	-	510	23.4 %

Value	Label	Unweighted Frequency	%
1.1666666666667	-	1	0.0 %
1.2000000000000	-	7	0.3 %
1.3333333333333	-	10	0.5 %
1.3611111111111	-	1	0.0 %
1.3888888888889	-	2	0.1 %
1.4000000000000	-	4	0.2 %
1.5000000000000	-	22	1.0 %
1.5416666666667	-	1	0.0 %
1.6000000000000	-	6	0.3 %
1.6666666666667	-	8	0.4 %
1.6944444444444	-	1	0.0 %
1.8000000000000	-	4	0.2 %
1.8333333333333	-	1	0.0 %
2.0000000000000	-	309	14.2 %
2.2500000000000	-	2	0.1 %
2.3333333333333	-	2	0.1 %
2.3928571428571	-	1	0.0 %
2.4000000000000	-	1	0.0 %
2.5000000000000	-	13	0.6 %
2.6666666666667	-	2	0.1 %
3.0000000000000	-	159	7.3 %
	<b>Missing Data</b>		
.	-	357	16.4 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,822 valid cases out of 2,179 total cases.

- Mean: 1.4309287599216
- Median: 1.0000000000000
- Mode: 1.0000000000000
- Minimum: 0.0000000000000
- Maximum: 8.0000000000000
- Standard Deviation: 1.4250505901939

*Location:* 115-129 (width: 15; decimal: 13)

*Variable Type:* numeric

---

## UTENAPO: Assistant Professors, Untenured, Other



Value	Label	Unweighted Frequency	%
0	-	333	15.3 %
	Missing Data		
.	-	1846	84.7 %
	Total	2,179	100%

Based upon 333 valid cases out of 2,179 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 130-130 (width: 1; decimal: 0)

Variable Type: numeric

## UTENAP: Assistant Professors, Untenured

Value	Label	Unweighted Frequency	%
0.000000000000	-	261	12.0 %
0.090909090909	-	1	0.0 %
0.142857142857	-	3	0.1 %
0.181818181818	-	2	0.1 %
0.250000000000	-	2	0.1 %
0.272727272727	-	1	0.0 %
0.285714285714	-	3	0.1 %
0.333333333333	-	3	0.1 %
0.363636363636	-	2	0.1 %
0.428571428571	-	2	0.1 %
0.444444444444	-	1	0.0 %
0.454545454545	-	1	0.0 %
0.500000000000	-	11	0.5 %
0.545454545455	-	2	0.1 %
0.571428571429	-	2	0.1 %
0.600000000000	-	2	0.1 %
0.636363636364	-	1	0.0 %
0.666666666667	-	4	0.2 %
0.714285714286	-	2	0.1 %
0.727272727273	-	1	0.0 %
0.750000000000	-	2	0.1 %
0.847222222222	-	1	0.0 %
0.857142857143	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.909090909091	-	1	0.0 %
1.000000000000	-	352	16.2 %
1.090909090909	-	1	0.0 %
1.166666666667	-	1	0.0 %
1.200000000000	-	3	0.1 %
1.250000000000	-	4	0.2 %
1.272727272727	-	1	0.0 %
1.285714285714	-	1	0.0 %
1.300000000000	-	1	0.0 %
1.333333333333	-	10	0.5 %
1.388888888889	-	1	0.0 %
1.400000000000	-	4	0.2 %
1.454545454545	-	1	0.0 %
1.500000000000	-	21	1.0 %
1.541666666667	-	1	0.0 %
1.555555555556	-	1	0.0 %
1.571428571429	-	1	0.0 %
1.600000000000	-	3	0.1 %
1.625000000000	-	1	0.0 %
1.636363636364	-	1	0.0 %
1.666666666667	-	10	0.5 %
1.750000000000	-	6	0.3 %
1.800000000000	-	6	0.3 %
1.818181818182	-	1	0.0 %
1.833333333333	-	1	0.0 %
1.857142857143	-	1	0.0 %
1.875000000000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	357	16.4 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,822 valid cases out of 2,179 total cases.

- Mean: 2.421877569010
- Median: 2.000000000000
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 12.000000000000

• Standard Deviation: 2.034517593816

Location: 131-145 (width: 15; decimal: 12)

Variable Type: numeric

## APW: Assistant Professor, Female

Value	Label	Unweighted Frequency	%
0.00000000000000	-	596	27.4 %
0.0909090909091	-	1	0.0 %
0.1428571428571	-	2	0.1 %
0.1666666666667	-	2	0.1 %
0.1818181818182	-	1	0.0 %
0.2000000000000	-	5	0.2 %
0.2500000000000	-	3	0.1 %
0.2727272727273	-	1	0.0 %
0.2857142857143	-	3	0.1 %
0.3333333333333	-	9	0.4 %
0.3636363636364	-	1	0.0 %
0.4000000000000	-	6	0.3 %
0.4166666666667	-	1	0.0 %
0.4285714285714	-	1	0.0 %
0.4444444444444	-	2	0.1 %
0.4545454545455	-	1	0.0 %
0.5000000000000	-	28	1.3 %
0.5454545454545	-	1	0.0 %
0.5714285714286	-	3	0.1 %
0.5833333333333	-	1	0.0 %
0.6000000000000	-	5	0.2 %
0.6250000000000	-	1	0.0 %
0.6363636363636	-	1	0.0 %
0.6666666666667	-	8	0.4 %
0.7142857142857	-	1	0.0 %
0.7272727272727	-	1	0.0 %
0.7500000000000	-	5	0.2 %
0.7857142857143	-	1	0.0 %
0.8000000000000	-	6	0.3 %
0.8055555555556	-	1	0.0 %
0.8181818181818	-	1	0.0 %
0.8333333333333	-	2	0.1 %
0.8571428571429	-	3	0.1 %
0.8750000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.9090909090909	-	1	0.0 %
0.9166666666667	-	1	0.0 %
0.9444444444444	-	1	0.0 %
1.0000000000000	-	578	26.5 %
1.0833333333333	-	1	0.0 %
1.1000000000000	-	1	0.0 %
1.1428571428571	-	2	0.1 %
1.1666666666667	-	3	0.1 %
1.2000000000000	-	3	0.1 %
1.2500000000000	-	5	0.2 %
1.3000000000000	-	1	0.0 %
1.3333333333333	-	6	0.3 %
1.4000000000000	-	2	0.1 %
1.4285714285714	-	2	0.1 %
1.5000000000000	-	26	1.2 %
1.6000000000000	-	3	0.1 %
	Missing Data		
.	-	357	16.4 %
	Total	2,179	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,822 valid cases out of 2,179 total cases.

- Mean: 1.0820574808775
- Median: 1.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 9.5000000000000
- Standard Deviation: 1.1240406822613

Location: 146-160 (width: 15; decimal: 13)

Variable Type: numeric

---

## APM: Assistant Professor, Male

Value	Label	Unweighted Frequency	%
0.0000000000000	-	388	17.8 %
0.0833333333333	-	1	0.0 %
0.0909090909090	-	2	0.1 %
0.142857142857	-	2	0.1 %
0.1666666666667	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.181818181818	-	2	0.1 %
0.200000000000	-	3	0.1 %
0.250000000000	-	7	0.3 %
0.272727272727	-	2	0.1 %
0.285714285714	-	2	0.1 %
0.333333333333	-	6	0.3 %
0.363636363636	-	2	0.1 %
0.400000000000	-	5	0.2 %
0.402777777778	-	1	0.0 %
0.416666666667	-	1	0.0 %
0.428571428571	-	2	0.1 %
0.454545454545	-	2	0.1 %
0.500000000000	-	36	1.7 %
0.533333333333	-	1	0.0 %
0.545454545455	-	2	0.1 %
0.571428571429	-	2	0.1 %
0.583333333333	-	1	0.0 %
0.600000000000	-	3	0.1 %
0.636363636364	-	2	0.1 %
0.666666666667	-	9	0.4 %
0.714285714286	-	2	0.1 %
0.727272727273	-	1	0.0 %
0.750000000000	-	7	0.3 %
0.800000000000	-	4	0.2 %
0.818181818182	-	1	0.0 %
0.833333333333	-	1	0.0 %
0.857142857143	-	3	0.1 %
0.909090909091	-	1	0.0 %
1.000000000000	-	510	23.4 %
1.066666666667	-	1	0.0 %
1.142857142857	-	1	0.0 %
1.166666666667	-	1	0.0 %
1.200000000000	-	6	0.3 %
1.285714285714	-	1	0.0 %
1.333333333333	-	10	0.5 %
1.361111111111	-	1	0.0 %
1.388888888889	-	2	0.1 %
1.400000000000	-	4	0.2 %
1.428571428571	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.457142857143	-	1	0.0 %
1.500000000000	-	24	1.1 %
1.541666666667	-	1	0.0 %
1.571428571429	-	1	0.0 %
1.600000000000	-	7	0.3 %
1.625000000000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	357	16.4 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,822 valid cases out of 2,179 total cases.

- Mean: 1.587701798445
- Median: 1.000000000000
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 11.000000000000
- Standard Deviation: 1.506569863880

*Location:* 161-175 (width: 15; decimal: 12)

*Variable Type:* numeric

---

## APO: Assistant Professor, Other

Value	Label	Unweighted Frequency	%
0	-	333	15.3 %
	<b>Missing Data</b>		
.	-	1846	84.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 333 valid cases out of 2,179 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 176-176 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## AP: Assistant Professor

Value	Label	Unweighted Frequency	%
0.000000000000	-	187	8.6 %
0.083333333333	-	1	0.0 %
0.090909090909	-	1	0.0 %
0.142857142857	-	3	0.1 %
0.166666666667	-	1	0.0 %
0.181818181818	-	2	0.1 %
0.250000000000	-	3	0.1 %
0.272727272727	-	1	0.0 %
0.285714285714	-	3	0.1 %
0.333333333333	-	4	0.2 %
0.363636363636	-	2	0.1 %
0.416666666667	-	1	0.0 %
0.428571428571	-	2	0.1 %
0.444444444444	-	1	0.0 %
0.454545454545	-	1	0.0 %
0.500000000000	-	10	0.5 %
0.545454545455	-	2	0.1 %
0.571428571429	-	2	0.1 %
0.583333333333	-	1	0.0 %
0.600000000000	-	1	0.0 %
0.636363636364	-	1	0.0 %
0.666666666667	-	3	0.1 %
0.714285714286	-	2	0.1 %
0.727272727273	-	1	0.0 %
0.750000000000	-	2	0.1 %
0.847222222222	-	1	0.0 %
0.857142857143	-	2	0.1 %
0.909090909091	-	1	0.0 %
1.000000000000	-	320	14.7 %
1.090909090909	-	1	0.0 %
1.142857142857	-	1	0.0 %
1.166666666667	-	2	0.1 %
1.200000000000	-	3	0.1 %
1.250000000000	-	5	0.2 %
1.272727272727	-	1	0.0 %
1.285714285714	-	2	0.1 %
1.333333333333	-	10	0.5 %
1.388888888889	-	1	0.0 %
1.400000000000	-	5	0.2 %

Value	Label	Unweighted Frequency	%
1.428571428571	-	1	0.0 %
1.454545454545	-	1	0.0 %
1.500000000000	-	24	1.1 %
1.541666666667	-	1	0.0 %
1.555555555556	-	1	0.0 %
1.571428571429	-	3	0.1 %
1.600000000000	-	3	0.1 %
1.633333333333	-	1	0.0 %
1.636363636364	-	1	0.0 %
1.666666666667	-	12	0.6 %
1.714285714286	-	2	0.1 %
	Missing Data		
.	-	357	16.4 %
	Total	2,179	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,822 valid cases out of 2,179 total cases.

- Mean: 2.669759279323
- Median: 2.000000000000
- Mode: 2.000000000000
- Minimum: 0.000000000000
- Maximum: 16.500000000000
- Standard Deviation: 2.144353535020

Location: 177-191 (width: 15; decimal: 12)

Variable Type: numeric

---

## TENASPW: Associate Professors, Tenured, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	751	34.5 %
0.041666666667	-	1	0.0 %
0.090909090909	-	1	0.0 %
0.142857142857	-	1	0.0 %
0.181818181818	-	1	0.0 %
0.200000000000	-	2	0.1 %
0.250000000000	-	9	0.4 %
0.272727272727	-	1	0.0 %
0.285714285714	-	1	0.0 %
0.333333333333	-	9	0.4 %



Value	Label	Unweighted Frequency	%
0.3636363636364	-	1	0.0 %
0.4000000000000	-	2	0.1 %
0.4166666666667	-	1	0.0 %
0.4285714285714	-	1	0.0 %
0.4545454545455	-	1	0.0 %
0.5000000000000	-	31	1.4 %
0.5454545454545	-	1	0.0 %
0.5714285714286	-	1	0.0 %
0.5833333333333	-	1	0.0 %
0.6000000000000	-	1	0.0 %
0.6250000000000	-	1	0.0 %
0.6363636363636	-	1	0.0 %
0.6666666666667	-	11	0.5 %
0.7142857142857	-	1	0.0 %
0.7272727272727	-	1	0.0 %
0.7500000000000	-	10	0.5 %
0.8000000000000	-	2	0.1 %
0.8055555555556	-	1	0.0 %
0.8181818181818	-	1	0.0 %
0.8333333333333	-	1	0.0 %
0.8571428571429	-	1	0.0 %
0.8750000000000	-	1	0.0 %
0.9090909090909	-	1	0.0 %
0.9166666666667	-	1	0.0 %
1.0000000000000	-	602	27.6 %
1.1428571428571	-	1	0.0 %
1.2000000000000	-	2	0.1 %
1.2857142857143	-	1	0.0 %
1.3333333333333	-	1	0.0 %
1.4000000000000	-	1	0.0 %
1.4285714285714	-	1	0.0 %
1.5000000000000	-	8	0.4 %
1.5714285714286	-	1	0.0 %
1.6000000000000	-	2	0.1 %
1.6666666666667	-	2	0.1 %
1.7142857142857	-	1	0.0 %
1.8571428571429	-	1	0.0 %
2.0000000000000	-	230	10.6 %
2.2500000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
2.33333333333333	-	3	0.1 %
	Missing Data		
.	-	348	16.0 %
	Total	2,179	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,831 valid cases out of 2,179 total cases.

- Mean: 0.8524470538261
- Median: 1.00000000000000
- Mode: 0.00000000000000
- Minimum: 0.00000000000000
- Maximum: 8.00000000000000
- Standard Deviation: 0.9661941604011

Location: 192-206 (width: 15; decimal: 13)

Variable Type: numeric

---

## TENASPM: Associate Professors, Tenured, Male

Value	Label	Unweighted Frequency	%
0.00000000000000	-	397	18.2 %
0.0416666666667	-	1	0.0 %
0.12500000000000	-	2	0.1 %
0.142857142857	-	1	0.0 %
0.1666666666667	-	2	0.1 %
0.20000000000000	-	2	0.1 %
0.23611111111111	-	1	0.0 %
0.25000000000000	-	4	0.2 %
0.285714285714	-	1	0.0 %
0.33333333333333	-	5	0.2 %
0.37500000000000	-	1	0.0 %
0.40000000000000	-	2	0.1 %
0.428571428571	-	2	0.1 %
0.50000000000000	-	29	1.3 %
0.571428571429	-	1	0.0 %
0.60000000000000	-	2	0.1 %
0.62500000000000	-	2	0.1 %
0.6666666666667	-	7	0.3 %
0.69444444444444	-	1	0.0 %
0.714285714286	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.750000000000	-	7	0.3 %
0.800000000000	-	2	0.1 %
0.833333333333	-	2	0.1 %
0.857142857143	-	1	0.0 %
0.875000000000	-	1	0.0 %
1.000000000000	-	582	26.7 %
1.083333333333	-	1	0.0 %
1.166666666667	-	1	0.0 %
1.200000000000	-	1	0.0 %
1.222222222222	-	1	0.0 %
1.250000000000	-	4	0.2 %
1.300000000000	-	1	0.0 %
1.333333333333	-	8	0.4 %
1.400000000000	-	2	0.1 %
1.416666666667	-	1	0.0 %
1.500000000000	-	22	1.0 %
1.583333333333	-	1	0.0 %
1.600000000000	-	3	0.1 %
1.666666666667	-	5	0.2 %
1.750000000000	-	3	0.1 %
1.800000000000	-	3	0.1 %
1.888888888889	-	1	0.0 %
1.900000000000	-	1	0.0 %
2.000000000000	-	368	16.9 %
2.069444444444	-	1	0.0 %
2.090909090909	-	1	0.0 %
2.181818181818	-	1	0.0 %
2.200000000000	-	3	0.1 %
2.250000000000	-	2	0.1 %
2.272727272727	-	1	0.0 %
	<b>Missing Data</b>		
.	-	348	16.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,831 valid cases out of 2,179 total cases.

- Mean: 1.484055897983

- Median: 1.000000000000
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 13.000000000000
- Standard Deviation: 1.405748914557

Location: 207-221 (width: 15; decimal: 12)

Variable Type: numeric

## TENASPO: Associate Professors, Tenured, Other

Value	Label	Unweighted Frequency	%
0	-	333	15.3 %
2	-	2	0.1 %
	Missing Data		
.	-	1844	84.6 %
	Total	2,179	100%

Based upon 335 valid cases out of 2,179 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.15

Location: 222-222 (width: 1; decimal: 0)

Variable Type: numeric

## TENASP: Associate Professors, Tenured

Value	Label	Unweighted Frequency	%
0.000000000000	-	175	8.0 %
0.083333333333	-	1	0.0 %
0.125000000000	-	1	0.0 %
0.166666666667	-	2	0.1 %
0.200000000000	-	3	0.1 %
0.236111111111	-	1	0.0 %
0.250000000000	-	1	0.0 %
0.333333333333	-	4	0.2 %
0.400000000000	-	2	0.1 %
0.428571428571	-	1	0.0 %
0.500000000000	-	16	0.7 %
0.600000000000	-	2	0.1 %
0.625000000000	-	1	0.0 %
0.666666666667	-	5	0.2 %

Value	Label	Unweighted Frequency	%
0.750000000000	-	3	0.1 %
0.800000000000	-	2	0.1 %
0.833333333333	-	2	0.1 %
0.875000000000	-	1	0.0 %
1.000000000000	-	454	20.8 %
1.125000000000	-	1	0.0 %
1.142857142857	-	1	0.0 %
1.222222222222	-	1	0.0 %
1.250000000000	-	6	0.3 %
1.285714285714	-	1	0.0 %
1.333333333333	-	5	0.2 %
1.375000000000	-	1	0.0 %
1.428571428571	-	1	0.0 %
1.500000000000	-	30	1.4 %
1.571428571429	-	1	0.0 %
1.625000000000	-	1	0.0 %
1.666666666667	-	5	0.2 %
1.714285714286	-	1	0.0 %
1.750000000000	-	7	0.3 %
1.800000000000	-	1	0.0 %
1.857142857143	-	1	0.0 %
1.875000000000	-	1	0.0 %
1.888888888889	-	1	0.0 %
2.000000000000	-	365	16.8 %
2.250000000000	-	2	0.1 %
2.333333333333	-	7	0.3 %
2.400000000000	-	1	0.0 %
2.500000000000	-	11	0.5 %
2.600000000000	-	3	0.1 %
2.625000000000	-	1	0.0 %
2.666666666667	-	7	0.3 %
2.800000000000	-	1	0.0 %
2.930555555556	-	1	0.0 %
3.000000000000	-	278	12.8 %
3.200000000000	-	3	0.1 %
3.250000000000	-	2	0.1 %
	Missing Data		
.	-	348	16.0 %

Value	Label	Unweighted Frequency	%
	Total	2,179	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,831 valid cases out of 2,179 total cases.

- Mean: 2.338687550389
- Median: 2.000000000000
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 13.000000000000
- Standard Deviation: 1.837066104389

Location: 223-237 (width: 15; decimal: 12)

Variable Type: numeric

## UTENASPW: Associate Professors, Untenured, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	1644	75.4 %
0.027777777777	-	1	0.0 %
0.142857142857	-	2	0.1 %
0.194444444444	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.250000000000	-	2	0.1 %
0.285714285714	-	2	0.1 %
0.333333333333	-	7	0.3 %
0.400000000000	-	1	0.0 %
0.428571428571	-	2	0.1 %
0.500000000000	-	7	0.3 %
0.571428571428	-	2	0.1 %
0.600000000000	-	1	0.0 %
0.666666666667	-	10	0.5 %
0.714285714285	-	2	0.1 %
0.750000000000	-	2	0.1 %
0.800000000000	-	1	0.0 %
0.833333333333	-	2	0.1 %
0.857142857142	-	1	0.0 %
1.000000000000	-	74	3.4 %
1.333333333333	-	1	0.0 %
2.000000000000	-	7	0.3 %
3.000000000000	-	2	0.1 %
4.000000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	402	18.4 %
	Total	2,179	100%

Based upon 1,777 valid cases out of 2,179 total cases.

- Mean: 0.0713928415110
- Median: 0.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 4.0000000000000
- Standard Deviation: 0.2987867758549

Location: 238-252 (width: 15; decimal: 13)

Variable Type: numeric

### UTENASPM: Associate Professors, Untenured, Male

Value	Label	Unweighted Frequency	%
0.0000000000000	-	1537	70.5 %
0.0555555555556	-	1	0.0 %
0.0714285714286	-	1	0.0 %
0.0833333333333	-	1	0.0 %
0.1000000000000	-	1	0.0 %
0.1250000000000	-	1	0.0 %
0.1666666666667	-	2	0.1 %
0.2000000000000	-	2	0.1 %
0.2500000000000	-	6	0.3 %
0.2777777777778	-	1	0.0 %
0.3000000000000	-	1	0.0 %
0.3055555555556	-	1	0.0 %
0.3333333333333	-	7	0.3 %
0.3750000000000	-	1	0.0 %
0.4000000000000	-	2	0.1 %
0.4285714285714	-	1	0.0 %
0.5000000000000	-	32	1.5 %
0.6000000000000	-	3	0.1 %
0.6666666666667	-	11	0.5 %
0.7000000000000	-	1	0.0 %
0.7500000000000	-	6	0.3 %
0.8000000000000	-	2	0.1 %
0.8333333333333	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.8571428571429	-	1	0.0 %
1.0000000000000	-	104	4.8 %
1.0972222222222	-	1	0.0 %
1.1388888888889	-	1	0.0 %
1.2000000000000	-	1	0.0 %
1.2857142857143	-	1	0.0 %
1.3333333333333	-	3	0.1 %
1.5000000000000	-	3	0.1 %
1.6666666666667	-	3	0.1 %
1.7142857142857	-	1	0.0 %
1.8000000000000	-	1	0.0 %
2.0000000000000	-	19	0.9 %
2.1428571428571	-	1	0.0 %
2.3333333333333	-	1	0.0 %
2.4000000000000	-	1	0.0 %
2.5714285714286	-	1	0.0 %
3.0000000000000	-	6	0.3 %
3.5000000000000	-	1	0.0 %
4.0000000000000	-	1	0.0 %
6.0000000000000	-	1	0.0 %
8.0000000000000	-	1	0.0 %
	Missing Data		
.	-	402	18.4 %
	Total	2,179	100%

Based upon 1,777 valid cases out of 2,179 total cases.

- Mean: 0.1437608864593
- Median: 0.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 8.0000000000000
- Standard Deviation: 0.4771160922235

Location: 253-267 (width: 15; decimal: 13)

Variable Type: numeric

## UTENASPO: Associate Professors, Untenured, Other

Value	Label	Unweighted Frequency	%
0	-	333	15.3 %
	Missing Data		



Value	Label	Unweighted Frequency	%
.	-	1846	84.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 333 valid cases out of 2,179 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 268-268 (width: 1; decimal: 0)

Variable Type: numeric

## UTENASP: Associate Professors, Untenured

Value	Label	Unweighted Frequency	%
0.000000000000	-	1462	67.1 %
0.055555555556	-	1	0.0 %
0.071428571429	-	1	0.0 %
0.083333333333	-	1	0.0 %
0.100000000000	-	1	0.0 %
0.125000000000	-	1	0.0 %
0.142857142857	-	1	0.0 %
0.166666666667	-	2	0.1 %
0.200000000000	-	3	0.1 %
0.250000000000	-	6	0.3 %
0.285714285714	-	1	0.0 %
0.300000000000	-	1	0.0 %
0.333333333333	-	10	0.5 %
0.375000000000	-	1	0.0 %
0.400000000000	-	3	0.1 %
0.428571428571	-	1	0.0 %
0.500000000000	-	32	1.5 %
0.571428571429	-	2	0.1 %
0.600000000000	-	4	0.2 %
0.666666666667	-	12	0.6 %
0.700000000000	-	1	0.0 %
0.714285714286	-	1	0.0 %
0.750000000000	-	6	0.3 %
0.800000000000	-	3	0.1 %
0.833333333333	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.000000000000	-	132	6.1 %
1.097222222222	-	1	0.0 %
1.111111111111	-	1	0.0 %
1.142857142857	-	1	0.0 %
1.200000000000	-	1	0.0 %
1.333333333333	-	5	0.2 %
1.500000000000	-	6	0.3 %
1.666666666667	-	2	0.1 %
1.714285714286	-	1	0.0 %
1.800000000000	-	1	0.0 %
2.000000000000	-	39	1.8 %
2.285714285714	-	1	0.0 %
2.333333333333	-	1	0.0 %
2.400000000000	-	1	0.0 %
2.500000000000	-	2	0.1 %
2.857142857143	-	1	0.0 %
3.000000000000	-	14	0.6 %
3.428571428571	-	1	0.0 %
3.500000000000	-	1	0.0 %
4.000000000000	-	3	0.1 %
5.000000000000	-	1	0.0 %
6.000000000000	-	1	0.0 %
12.000000000000	-	1	0.0 %
	Missing Data		
.	-	402	18.4 %
	Total	2,179	100%

Based upon 1,777 valid cases out of 2,179 total cases.

- Mean: 0.215153727970
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 12.000000000000
- Standard Deviation: 0.632702549116

Location: 269-283 (width: 15; decimal: 12)

Variable Type: numeric

---

**ASPW: Associate Professor, Female**

Value	Label	Unweighted Frequency	%
0.0000000000000	-	712	32.7 %
0.0416666666667	-	1	0.0 %
0.0909090909091	-	1	0.0 %
0.1428571428571	-	2	0.1 %
0.1818181818182	-	1	0.0 %
0.2000000000000	-	3	0.1 %
0.2500000000000	-	10	0.5 %
0.2727272727273	-	1	0.0 %
0.2857142857143	-	2	0.1 %
0.3333333333333	-	8	0.4 %
0.3636363636364	-	1	0.0 %
0.4000000000000	-	3	0.1 %
0.4166666666667	-	1	0.0 %
0.4285714285714	-	2	0.1 %
0.4545454545455	-	1	0.0 %
0.5000000000000	-	28	1.3 %
0.5454545454545	-	1	0.0 %
0.5714285714286	-	1	0.0 %
0.5833333333333	-	1	0.0 %
0.6000000000000	-	2	0.1 %
0.6250000000000	-	1	0.0 %
0.6363636363636	-	1	0.0 %
0.6666666666667	-	10	0.5 %
0.7142857142857	-	1	0.0 %
0.7272727272727	-	1	0.0 %
0.7500000000000	-	11	0.5 %
0.8000000000000	-	3	0.1 %
0.8181818181818	-	1	0.0 %
0.8333333333333	-	1	0.0 %
0.8571428571429	-	1	0.0 %
0.8750000000000	-	1	0.0 %
0.9090909090909	-	1	0.0 %
0.9166666666667	-	1	0.0 %
1.0000000000000	-	592	27.2 %
1.0714285714286	-	1	0.0 %
1.1428571428571	-	2	0.1 %
1.1666666666667	-	2	0.1 %
1.2000000000000	-	2	0.1 %
1.2500000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.2857142857143	-	2	0.1 %
1.3333333333333	-	4	0.2 %
1.3809523809524	-	1	0.0 %
1.4000000000000	-	1	0.0 %
1.4285714285714	-	2	0.1 %
1.5000000000000	-	10	0.5 %
1.5714285714286	-	2	0.1 %
1.6000000000000	-	2	0.1 %
1.6666666666667	-	3	0.1 %
1.7142857142857	-	2	0.1 %
1.7500000000000	-	1	0.0 %
	Missing Data		
.	-	338	15.5 %
	Total	2,179	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,841 valid cases out of 2,179 total cases.

- Mean: 0.9167276669857
- Median: 1.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 8.0000000000000
- Standard Deviation: 1.0218698259686

Location: 284-298 (width: 15; decimal: 13)

Variable Type: numeric

---

## ASPM: Associate Professor, Male

Value	Label	Unweighted Frequency	%
0.0000000000000	-	336	15.4 %
0.0416666666667	-	1	0.0 %
0.1250000000000	-	1	0.0 %
0.142857142857	-	1	0.0 %
0.1666666666667	-	3	0.1 %
0.2000000000000	-	2	0.1 %
0.2361111111111	-	1	0.0 %
0.2500000000000	-	5	0.2 %
0.285714285714	-	1	0.0 %
0.3333333333333	-	6	0.3 %

Value	Label	Unweighted Frequency	%
0.375000000000	-	1	0.0 %
0.400000000000	-	2	0.1 %
0.428571428571	-	1	0.0 %
0.500000000000	-	35	1.6 %
0.571428571429	-	1	0.0 %
0.600000000000	-	2	0.1 %
0.625000000000	-	1	0.0 %
0.666666666667	-	9	0.4 %
0.714285714286	-	1	0.0 %
0.750000000000	-	7	0.3 %
0.777777777778	-	1	0.0 %
0.800000000000	-	2	0.1 %
0.833333333333	-	3	0.1 %
0.857142857143	-	1	0.0 %
1.000000000000	-	570	26.2 %
1.083333333333	-	1	0.0 %
1.166666666667	-	3	0.1 %
1.200000000000	-	1	0.0 %
1.222222222222	-	1	0.0 %
1.250000000000	-	4	0.2 %
1.277777777778	-	1	0.0 %
1.333333333333	-	12	0.6 %
1.400000000000	-	3	0.1 %
1.416666666667	-	1	0.0 %
1.500000000000	-	27	1.2 %
1.583333333333	-	1	0.0 %
1.600000000000	-	2	0.1 %
1.666666666667	-	8	0.4 %
1.750000000000	-	5	0.2 %
1.800000000000	-	3	0.1 %
1.833333333333	-	1	0.0 %
1.888888888889	-	1	0.0 %
1.928571428571	-	1	0.0 %
2.000000000000	-	381	17.5 %
2.090909090909	-	1	0.0 %
2.166666666667	-	1	0.0 %
2.181818181818	-	1	0.0 %
2.200000000000	-	3	0.1 %
2.250000000000	-	4	0.2 %

Value	Label	Unweighted Frequency	%
2.272727272727	-	1	0.0 %
	<b>Missing Data</b>		
.	-	338	15.5 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,841 valid cases out of 2,179 total cases.

- Mean: 1.614757981773
- Median: 1.000000000000
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 13.000000000000
- Standard Deviation: 1.502221228186

*Location:* 299-313 (width: 15; decimal: 12)

*Variable Type:* numeric

---

## ASPO: Associate Professor, Other

Value	Label	Unweighted Frequency	%
0	-	333	15.3 %
2	-	2	0.1 %
	<b>Missing Data</b>		
.	-	1844	84.6 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 335 valid cases out of 2,179 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.15

*Location:* 314-314 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## ASP: Associate Professor

Value	Label	Unweighted Frequency	%
0.000000000000	-	125	5.7 %
0.083333333333	-	1	0.0 %
0.166666666667	-	3	0.1 %

Value	Label	Unweighted Frequency	%
0.200000000000	-	3	0.1 %
0.236111111111	-	1	0.0 %
0.250000000000	-	1	0.0 %
0.333333333333	-	5	0.2 %
0.400000000000	-	2	0.1 %
0.500000000000	-	18	0.8 %
0.600000000000	-	2	0.1 %
0.666666666667	-	5	0.2 %
0.750000000000	-	1	0.0 %
0.800000000000	-	2	0.1 %
0.833333333333	-	3	0.1 %
1.000000000000	-	431	19.8 %
1.125000000000	-	1	0.0 %
1.142857142857	-	2	0.1 %
1.166666666667	-	1	0.0 %
1.200000000000	-	1	0.0 %
1.222222222222	-	1	0.0 %
1.250000000000	-	5	0.2 %
1.277777777778	-	1	0.0 %
1.285714285714	-	2	0.1 %
1.333333333333	-	5	0.2 %
1.375000000000	-	1	0.0 %
1.400000000000	-	1	0.0 %
1.428571428571	-	2	0.1 %
1.500000000000	-	28	1.3 %
1.571428571429	-	2	0.1 %
1.600000000000	-	2	0.1 %
1.625000000000	-	1	0.0 %
1.666666666667	-	8	0.4 %
1.714285714286	-	1	0.0 %
1.750000000000	-	9	0.4 %
1.800000000000	-	1	0.0 %
1.833333333333	-	1	0.0 %
1.857142857143	-	1	0.0 %
1.875000000000	-	1	0.0 %
1.888888888889	-	1	0.0 %
2.000000000000	-	361	16.6 %
2.047619047619	-	1	0.0 %
2.071428571429	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.166666666667	-	1	0.0 %
2.200000000000	-	1	0.0 %
2.250000000000	-	3	0.1 %
2.333333333333	-	9	0.4 %
2.400000000000	-	1	0.0 %
2.500000000000	-	16	0.7 %
2.600000000000	-	3	0.1 %
2.625000000000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	338	15.5 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,841 valid cases out of 2,179 total cases.

- Mean: 2.533658380970
- Median: 2.000000000000
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 18.000000000000
- Standard Deviation: 1.972674606765

*Location:* 315-329 (width: 15; decimal: 12)

*Variable Type:* numeric

---

## TENFPW: Full Professors, Tenured, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	745	34.2 %
0.125000000000	-	1	0.0 %
0.166666666667	-	1	0.0 %
0.200000000000	-	2	0.1 %
0.250000000000	-	4	0.2 %
0.333333333333	-	7	0.3 %
0.375000000000	-	1	0.0 %
0.400000000000	-	2	0.1 %
0.500000000000	-	22	1.0 %
0.600000000000	-	2	0.1 %
0.625000000000	-	1	0.0 %
0.666666666667	-	8	0.4 %
0.750000000000	-	4	0.2 %



Value	Label	Unweighted Frequency	%
0.800000000000	-	2	0.1 %
0.805555555556	-	1	0.0 %
0.833333333333	-	1	0.0 %
1.000000000000	-	587	26.9 %
1.250000000000	-	2	0.1 %
1.333333333333	-	4	0.2 %
1.388888888889	-	1	0.0 %
1.500000000000	-	11	0.5 %
1.571428571429	-	1	0.0 %
1.666666666667	-	4	0.2 %
1.750000000000	-	2	0.1 %
2.000000000000	-	293	13.4 %
2.083333333333	-	1	0.0 %
2.500000000000	-	3	0.1 %
3.000000000000	-	82	3.8 %
3.333333333333	-	1	0.0 %
3.500000000000	-	3	0.1 %
3.666666666667	-	1	0.0 %
4.000000000000	-	33	1.5 %
4.333333333333	-	1	0.0 %
4.400000000000	-	1	0.0 %
4.600000000000	-	1	0.0 %
4.800000000000	-	1	0.0 %
5.000000000000	-	4	0.2 %
5.500000000000	-	1	0.0 %
6.000000000000	-	1	0.0 %
7.666666666667	-	1	0.0 %
8.000000000000	-	1	0.0 %
11.000000000000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	333	15.3 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 1,846 valid cases out of 2,179 total cases.

- Mean: 0.932524849954
- Median: 1.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 11.000000000000

• Standard Deviation: 1.059157247873

Location: 330-344 (width: 15; decimal: 12)

Variable Type: numeric

## TENFPM: Full Professors, Tenured, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	185	8.5 %
0.111111111111	-	1	0.0 %
0.142857142857	-	2	0.1 %
0.166666666667	-	1	0.0 %
0.285714285714	-	3	0.1 %
0.428571428571	-	2	0.1 %
0.500000000000	-	4	0.2 %
0.571428571429	-	3	0.1 %
0.638888888889	-	1	0.0 %
0.666666666667	-	1	0.0 %
0.714285714286	-	2	0.1 %
0.727272727273	-	1	0.0 %
0.857142857143	-	3	0.1 %
0.909090909091	-	1	0.0 %
1.000000000000	-	374	17.2 %
1.090909090909	-	1	0.0 %
1.111111111111	-	1	0.0 %
1.142857142857	-	1	0.0 %
1.166666666667	-	1	0.0 %
1.194444444444	-	1	0.0 %
1.200000000000	-	1	0.0 %
1.222222222222	-	1	0.0 %
1.250000000000	-	2	0.1 %
1.272727272727	-	1	0.0 %
1.285714285714	-	1	0.0 %
1.333333333333	-	7	0.3 %
1.375000000000	-	1	0.0 %
1.400000000000	-	1	0.0 %
1.416666666667	-	1	0.0 %
1.428571428571	-	2	0.1 %
1.444444444444	-	1	0.0 %
1.454545454545	-	1	0.0 %
1.500000000000	-	18	0.8 %
1.571428571429	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.583333333333	-	1	0.0 %
1.600000000000	-	1	0.0 %
1.625000000000	-	1	0.0 %
1.636363636364	-	1	0.0 %
1.666666666667	-	7	0.3 %
1.714285714286	-	2	0.1 %
1.750000000000	-	2	0.1 %
1.800000000000	-	1	0.0 %
1.818181818182	-	1	0.0 %
1.833333333333	-	1	0.0 %
1.857142857143	-	1	0.0 %
1.875000000000	-	1	0.0 %
1.916666666667	-	1	0.0 %
2.000000000000	-	303	13.9 %
2.083333333333	-	1	0.0 %
2.200000000000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	333	15.3 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,846 valid cases out of 2,179 total cases.

- Mean: 2.986600351917
- Median: 2.000000000000
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 24.000000000000
- Standard Deviation: 2.611783122957

*Location:* 345-359 (width: 15; decimal: 12)

*Variable Type:* numeric

## TENFPO: Full Professors, Tenured, Other

Value	Label	Unweighted Frequency	%
0	-	331	15.2 %
4	-	1	0.0 %
6	-	1	0.0 %
	<b>Missing Data</b>		
.	-	1846	84.7 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 333 valid cases out of 2,179 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.39

Location: 360-360 (width: 1; decimal: 0)

Variable Type: numeric

## TENFP: Full Professors, Tenured

Value	Label	Unweighted Frequency	%
0.000000000000	-	89	4.1 %
0.111111111111	-	1	0.0 %
0.142857142857	-	2	0.1 %
0.285714285714	-	3	0.1 %
0.428571428571	-	2	0.1 %
0.500000000000	-	6	0.3 %
0.571428571429	-	3	0.1 %
0.638888888889	-	1	0.0 %
0.714285714286	-	2	0.1 %
0.727272727273	-	1	0.0 %
0.857142857143	-	3	0.1 %
0.909090909091	-	1	0.0 %
0.972222222222	-	1	0.0 %
1.000000000000	-	282	12.9 %
1.090909090909	-	1	0.0 %
1.111111111111	-	1	0.0 %
1.142857142857	-	1	0.0 %
1.194444444444	-	1	0.0 %
1.200000000000	-	1	0.0 %
1.222222222222	-	1	0.0 %
1.250000000000	-	3	0.1 %
1.272727272727	-	1	0.0 %
1.333333333333	-	5	0.2 %
1.400000000000	-	1	0.0 %
1.428571428571	-	1	0.0 %
1.444444444444	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.454545454545	-	1	0.0 %
1.500000000000	-	9	0.4 %
1.600000000000	-	1	0.0 %
1.636363636364	-	1	0.0 %
1.666666666667	-	4	0.2 %
1.714285714286	-	1	0.0 %
1.750000000000	-	3	0.1 %
1.800000000000	-	1	0.0 %
1.818181818182	-	1	0.0 %
2.000000000000	-	289	13.3 %
2.200000000000	-	1	0.0 %
2.250000000000	-	1	0.0 %
2.285714285714	-	2	0.1 %
2.333333333333	-	7	0.3 %
2.392857142857	-	1	0.0 %
2.400000000000	-	2	0.1 %
2.428571428571	-	1	0.0 %
2.500000000000	-	14	0.6 %
2.571428571429	-	2	0.1 %
2.600000000000	-	1	0.0 %
2.666666666667	-	8	0.4 %
2.714285714286	-	1	0.0 %
2.750000000000	-	1	0.0 %
2.800000000000	-	2	0.1 %
	Missing Data		
.	-	333	15.3 %
	Total	2,179	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,846 valid cases out of 2,179 total cases.

- Mean: 3.924542319965
- Median: 3.000000000000
- Mode: 2.000000000000
- Minimum: 0.000000000000
- Maximum: 27.000000000000
- Standard Deviation: 3.153671915918

*Location:* 361-375 (width: 15; decimal: 12)  
*Variable Type:* numeric

## UTENFPW: Full Professors, Untenured, Female

Value	Label	Unweighted Frequency	%
0.0000000000000	-	1683	77.2 %
0.1319444444444	-	1	0.0 %
0.1666666666667	-	1	0.0 %
0.2000000000000	-	1	0.0 %
0.2500000000000	-	1	0.0 %
0.2857142857143	-	1	0.0 %
0.3333333333333	-	1	0.0 %
0.3611111111111	-	1	0.0 %
0.4000000000000	-	2	0.1 %
0.5000000000000	-	3	0.1 %
0.5714285714286	-	1	0.0 %
0.6000000000000	-	2	0.1 %
0.6666666666667	-	2	0.1 %
0.7500000000000	-	1	0.0 %
0.8000000000000	-	1	0.0 %
0.8055555555556	-	1	0.0 %
0.8333333333333	-	1	0.0 %
0.8571428571429	-	1	0.0 %
1.0000000000000	-	31	1.4 %
1.1428571428571	-	1	0.0 %
1.3333333333333	-	1	0.0 %
1.4285714285714	-	1	0.0 %
1.5000000000000	-	2	0.1 %
1.7142857142857	-	1	0.0 %
2.0000000000000	-	4	0.2 %
3.0000000000000	-	2	0.1 %
	Missing Data		
.	-	431	19.8 %
	Total	2,179	100%

Based upon 1,748 valid cases out of 2,179 total cases.

- Mean: 0.0370701436562
- Median: 0.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 3.0000000000000
- Standard Deviation: 0.2165428104111

Location: 376-390 (width: 15; decimal: 13)

**UTENFPM: Full Professors, Untenured, Male**

Value	Label	Unweighted Frequency	%
0.000000000000	-	1578	72.4 %
0.125000000000	-	1	0.0 %
0.166666666667	-	4	0.2 %
0.250000000000	-	5	0.2 %
0.333333333333	-	8	0.4 %
0.375000000000	-	1	0.0 %
0.400000000000	-	2	0.1 %
0.500000000000	-	15	0.7 %
0.600000000000	-	1	0.0 %
0.625000000000	-	2	0.1 %
0.666666666667	-	8	0.4 %
0.750000000000	-	7	0.3 %
0.800000000000	-	3	0.1 %
0.833333333333	-	5	0.2 %
0.875000000000	-	2	0.1 %
1.000000000000	-	57	2.6 %
1.200000000000	-	2	0.1 %
1.333333333333	-	1	0.0 %
1.500000000000	-	4	0.2 %
1.600000000000	-	3	0.1 %
2.000000000000	-	12	0.6 %
2.250000000000	-	1	0.0 %
2.400000000000	-	1	0.0 %
2.666666666667	-	1	0.0 %
3.000000000000	-	7	0.3 %
3.200000000000	-	1	0.0 %
4.000000000000	-	9	0.4 %
5.000000000000	-	4	0.2 %
6.000000000000	-	2	0.1 %
19.000000000000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	431	19.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 1,748 valid cases out of 2,179 total cases.

- Mean: 0.141981311976
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 19.000000000000
- Standard Deviation: 0.709882211417

Location: 391-405 (width: 15; decimal: 12)

Variable Type: numeric

## UTENFPO: Full Professors, Untenured, Other

Value	Label	Unweighted Frequency	%
0	-	333	15.3 %
	Missing Data		
.	-	1846	84.7 %
	Total	2,179	100%

Based upon 333 valid cases out of 2,179 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 406-406 (width: 1; decimal: 0)

Variable Type: numeric

## UTENFP: Full Professors, Untenured

Value	Label	Unweighted Frequency	%
0.000000000000	-	1562	71.7 %
0.125000000000	-	1	0.0 %
0.131944444444	-	1	0.0 %
0.166666666667	-	4	0.2 %
0.250000000000	-	5	0.2 %
0.285714285714	-	1	0.0 %
0.333333333333	-	8	0.4 %
0.361111111111	-	1	0.0 %
0.375000000000	-	1	0.0 %
0.500000000000	-	12	0.6 %
0.571428571429	-	1	0.0 %
0.625000000000	-	2	0.1 %
0.666666666667	-	8	0.4 %
0.750000000000	-	7	0.3 %



Value	Label	Unweighted Frequency	%
0.833333333333	-	5	0.2 %
0.857142857143	-	1	0.0 %
0.875000000000	-	2	0.1 %
1.000000000000	-	56	2.6 %
1.142857142857	-	1	0.0 %
1.166666666667	-	1	0.0 %
1.200000000000	-	1	0.0 %
1.250000000000	-	1	0.0 %
1.305555555556	-	1	0.0 %
1.400000000000	-	1	0.0 %
1.428571428571	-	1	0.0 %
1.500000000000	-	2	0.1 %
1.600000000000	-	1	0.0 %
1.714285714286	-	1	0.0 %
1.800000000000	-	2	0.1 %
2.000000000000	-	19	0.9 %
2.200000000000	-	1	0.0 %
2.250000000000	-	1	0.0 %
2.333333333333	-	1	0.0 %
2.400000000000	-	2	0.1 %
2.500000000000	-	2	0.1 %
2.600000000000	-	1	0.0 %
3.000000000000	-	6	0.3 %
3.200000000000	-	1	0.0 %
3.500000000000	-	1	0.0 %
3.750000000000	-	1	0.0 %
4.000000000000	-	7	0.3 %
4.666666666667	-	1	0.0 %
5.000000000000	-	6	0.3 %
5.833333333333	-	1	0.0 %
6.000000000000	-	4	0.2 %
7.000000000000	-	1	0.0 %
22.000000000000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	431	19.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 1,748 valid cases out of 2,179 total cases.

- Mean: 0.179051455632
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 22.000000000000
- Standard Deviation: 0.847345470614

Location: 407-421 (width: 15; decimal: 12)

Variable Type: numeric

## FPW: Full Professor, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	718	33.0 %
0.125000000000	-	1	0.0 %
0.131944444444	-	1	0.0 %
0.166666666667	-	1	0.0 %
0.200000000000	-	2	0.1 %
0.250000000000	-	4	0.2 %
0.285714285714	-	1	0.0 %
0.333333333333	-	7	0.3 %
0.375000000000	-	1	0.0 %
0.400000000000	-	2	0.1 %
0.500000000000	-	21	1.0 %
0.571428571429	-	1	0.0 %
0.600000000000	-	2	0.1 %
0.625000000000	-	1	0.0 %
0.666666666667	-	8	0.4 %
0.750000000000	-	4	0.2 %
0.800000000000	-	2	0.1 %
0.857142857143	-	1	0.0 %
1.000000000000	-	580	26.6 %
1.142857142857	-	1	0.0 %
1.166666666667	-	1	0.0 %
1.194444444444	-	1	0.0 %
1.200000000000	-	1	0.0 %
1.250000000000	-	3	0.1 %
1.333333333333	-	5	0.2 %
1.388888888889	-	1	0.0 %
1.400000000000	-	2	0.1 %
1.428571428571	-	1	0.0 %
1.500000000000	-	12	0.6 %
1.571428571429	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.600000000000	-	2	0.1 %
1.611111111111	-	1	0.0 %
1.666666666667	-	5	0.2 %
1.714285714286	-	1	0.0 %
1.750000000000	-	3	0.1 %
1.800000000000	-	1	0.0 %
1.833333333333	-	1	0.0 %
2.000000000000	-	292	13.4 %
2.083333333333	-	1	0.0 %
2.333333333333	-	1	0.0 %
2.500000000000	-	4	0.2 %
2.666666666667	-	1	0.0 %
3.000000000000	-	93	4.3 %
3.333333333333	-	1	0.0 %
3.500000000000	-	5	0.2 %
3.666666666667	-	1	0.0 %
4.000000000000	-	33	1.5 %
4.333333333333	-	1	0.0 %
4.400000000000	-	1	0.0 %
4.600000000000	-	1	0.0 %
	Missing Data		
.	-	333	15.3 %
	Total	2,179	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,846 valid cases out of 2,179 total cases.

- Mean: 0.967627022821
- Median: 1.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 11.000000000000
- Standard Deviation: 1.071349753719

Location: 422-436 (width: 15; decimal: 12)

Variable Type: numeric

## FPM: Full Professor, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	151	6.9 %

Value	Label	Unweighted Frequency	%
0.142857142857	-	2	0.1 %
0.285714285714	-	3	0.1 %
0.333333333333	-	1	0.0 %
0.428571428571	-	2	0.1 %
0.500000000000	-	5	0.2 %
0.571428571429	-	3	0.1 %
0.638888888889	-	1	0.0 %
0.666666666667	-	1	0.0 %
0.714285714286	-	2	0.1 %
0.727272727273	-	1	0.0 %
0.857142857143	-	3	0.1 %
0.909090909091	-	1	0.0 %
0.944444444444	-	1	0.0 %
1.000000000000	-	359	16.5 %
1.090909090909	-	1	0.0 %
1.142857142857	-	1	0.0 %
1.166666666667	-	3	0.1 %
1.194444444444	-	1	0.0 %
1.250000000000	-	2	0.1 %
1.272727272727	-	1	0.0 %
1.285714285714	-	1	0.0 %
1.333333333333	-	9	0.4 %
1.375000000000	-	1	0.0 %
1.400000000000	-	2	0.1 %
1.416666666667	-	1	0.0 %
1.428571428571	-	2	0.1 %
1.454545454545	-	1	0.0 %
1.500000000000	-	17	0.8 %
1.571428571429	-	1	0.0 %
1.583333333333	-	1	0.0 %
1.600000000000	-	2	0.1 %
1.625000000000	-	2	0.1 %
1.636363636364	-	1	0.0 %
1.666666666667	-	11	0.5 %
1.714285714286	-	2	0.1 %
1.750000000000	-	2	0.1 %
1.800000000000	-	2	0.1 %
1.818181818182	-	1	0.0 %
1.833333333333	-	3	0.1 %

Value	Label	Unweighted Frequency	%
1.857142857143	-	1	0.0 %
1.875000000000	-	1	0.0 %
1.916666666667	-	1	0.0 %
2.000000000000	-	294	13.5 %
2.069444444444	-	1	0.0 %
2.083333333333	-	2	0.1 %
2.097222222222	-	1	0.0 %
2.111111111111	-	1	0.0 %
2.166666666667	-	1	0.0 %
2.200000000000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	333	15.3 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,846 valid cases out of 2,179 total cases.

- Mean: 3.121044194460
- Median: 2.383928571429
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 24.000000000000
- Standard Deviation: 2.663601486815

*Location:* 437-451 (width: 15; decimal: 12)

*Variable Type:* numeric

## FPO: Full Professor, Other

Value	Label	Unweighted Frequency	%
0	-	331	15.2 %
4	-	1	0.0 %
6	-	1	0.0 %
	<b>Missing Data</b>		
.	-	1846	84.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 333 valid cases out of 2,179 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00

- Maximum: 6.00
- Standard Deviation: 0.39

Location: 452-452 (width: 1; decimal: 0)

Variable Type: numeric

## FP: Full Professor

Value	Label	Unweighted Frequency	%
0.000000000000	-	60	2.8 %
0.142857142857	-	1	0.0 %
0.285714285714	-	2	0.1 %
0.333333333333	-	1	0.0 %
0.428571428571	-	1	0.0 %
0.500000000000	-	5	0.2 %
0.571428571429	-	2	0.1 %
0.714285714286	-	1	0.0 %
0.727272727273	-	1	0.0 %
0.770833333333	-	1	0.0 %
0.857142857143	-	2	0.1 %
0.909090909091	-	1	0.0 %
0.944444444444	-	1	0.0 %
1.000000000000	-	258	11.8 %
1.090909090909	-	1	0.0 %
1.142857142857	-	2	0.1 %
1.166666666667	-	2	0.1 %
1.194444444444	-	1	0.0 %
1.250000000000	-	3	0.1 %
1.272727272727	-	1	0.0 %
1.285714285714	-	1	0.0 %
1.333333333333	-	5	0.2 %
1.400000000000	-	1	0.0 %
1.428571428571	-	2	0.1 %
1.454545454545	-	1	0.0 %
1.500000000000	-	12	0.6 %
1.571428571429	-	1	0.0 %
1.600000000000	-	1	0.0 %
1.636363636364	-	1	0.0 %
1.666666666667	-	5	0.2 %
1.714285714286	-	2	0.1 %
1.750000000000	-	3	0.1 %
1.800000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.818181818182	-	1	0.0 %
1.833333333333	-	2	0.1 %
1.857142857143	-	1	0.0 %
2.000000000000	-	294	13.5 %
2.069444444444	-	1	0.0 %
2.083333333333	-	1	0.0 %
2.097222222222	-	1	0.0 %
2.111111111111	-	1	0.0 %
2.200000000000	-	1	0.0 %
2.250000000000	-	1	0.0 %
2.277777777778	-	1	0.0 %
2.285714285714	-	2	0.1 %
2.333333333333	-	7	0.3 %
2.361111111111	-	1	0.0 %
2.392857142857	-	1	0.0 %
2.400000000000	-	2	0.1 %
2.428571428571	-	1	0.0 %
	Missing Data		
.	-	333	15.3 %
	Total	2,179	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,846 valid cases out of 2,179 total cases.

- Mean: 4.094088335374
- Median: 3.000000000000
- Mode: 2.000000000000
- Minimum: 0.000000000000
- Maximum: 27.000000000000
- Standard Deviation: 3.194557576043

Location: 453-467 (width: 15; decimal: 12)

Variable Type: numeric

## OFTW: All Other Full-time Instructors, Female

Value	Label	Unweighted Frequency	%
0.0	-	666	30.6 %
0.5	-	2	0.1 %
1.0	-	45	2.1 %
2.0	-	6	0.3 %

Value	Label	Unweighted Frequency	%
3.0	-	9	0.4 %
4.0	-	2	0.1 %
5.0	-	1	0.0 %
10.0	-	1	0.0 %
	<b>Missing Data</b>		
.	-	1447	66.4 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 732 valid cases out of 2,179 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 0.63

*Location:* 468-471 (width: 4; decimal: 1)

*Variable Type:* numeric

---

## OFTM: All Other Full-time Instructors, Male

Value	Label	Unweighted Frequency	%
0.0	-	629	28.9 %
0.5	-	2	0.1 %
1.0	-	55	2.5 %
2.0	-	24	1.1 %
3.0	-	8	0.4 %
4.0	-	6	0.3 %
7.0	-	1	0.0 %
8.0	-	2	0.1 %
9.0	-	1	0.0 %
12.0	-	2	0.1 %
15.0	-	2	0.1 %
	<b>Missing Data</b>		
.	-	1447	66.4 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 732 valid cases out of 2,179 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 15.00



- Standard Deviation: 1.30

Location: 472-475 (width: 4; decimal: 1)

Variable Type: numeric

## OFT: All Other Full-time Instructors

Value	Label	Unweighted Frequency	%
0.0	-	611	28.0 %
0.5	-	3	0.1 %
1.0	-	52	2.4 %
1.5	-	1	0.0 %
2.0	-	24	1.1 %
3.0	-	16	0.7 %
4.0	-	13	0.6 %
5.0	-	1	0.0 %
6.0	-	1	0.0 %
7.0	-	2	0.1 %
9.0	-	1	0.0 %
11.0	-	2	0.1 %
12.0	-	1	0.0 %
16.0	-	1	0.0 %
18.0	-	1	0.0 %
19.0	-	1	0.0 %
22.0	-	1	0.0 %
	<b>Missing Data</b>		
.	-	1447	66.4 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 732 valid cases out of 2,179 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 22.00
- Standard Deviation: 1.81

Location: 476-479 (width: 4; decimal: 1)

Variable Type: numeric

## NONTENFTW: Full-time Non-tenure track faculty, Female

Value	Label	Unweighted Frequency	%
0.00000000000000	-	838	38.5 %
0.10000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.11111111111111	-	2	0.1 %
0.12500000000000	-	2	0.1 %
0.1428571428571	-	2	0.1 %
0.16666666666667	-	6	0.3 %
0.20000000000000	-	6	0.3 %
0.22222222222222	-	2	0.1 %
0.25000000000000	-	11	0.5 %
0.2857142857143	-	3	0.1 %
0.30000000000000	-	2	0.1 %
0.33333333333333	-	21	1.0 %
0.37500000000000	-	2	0.1 %
0.40000000000000	-	7	0.3 %
0.41666666666667	-	1	0.0 %
0.4285714285714	-	2	0.1 %
0.44444444444444	-	2	0.1 %
0.50000000000000	-	48	2.2 %
0.55555555555556	-	2	0.1 %
0.5714285714286	-	3	0.1 %
0.58333333333333	-	1	0.0 %
0.60000000000000	-	7	0.3 %
0.62500000000000	-	3	0.1 %
0.66666666666667	-	28	1.3 %
0.70000000000000	-	2	0.1 %
0.7142857142857	-	3	0.1 %
0.7272727272727	-	1	0.0 %
0.75000000000000	-	13	0.6 %
0.77777777777778	-	2	0.1 %
0.80000000000000	-	10	0.5 %
0.83333333333333	-	11	0.5 %
0.8571428571429	-	4	0.2 %
0.87500000000000	-	4	0.2 %
0.88888888888889	-	2	0.1 %
0.90000000000000	-	1	0.0 %
0.9090909090909	-	1	0.0 %
0.91666666666667	-	1	0.0 %
0.9230769230769	-	1	0.0 %
1.00000000000000	-	255	11.7 %
1.0909090909091	-	1	0.0 %
1.1428571428571	-	2	0.1 %

Value	Label	Unweighted Frequency	%
1.1538461538462	-	1	0.0 %
1.1666666666667	-	2	0.1 %
1.2500000000000	-	1	0.0 %
1.2727272727273	-	1	0.0 %
1.3333333333333	-	10	0.5 %
1.3846153846154	-	1	0.0 %
1.4000000000000	-	1	0.0 %
1.4285714285714	-	2	0.1 %
1.4545454545455	-	1	0.0 %
	Missing Data		
.	-	707	32.4 %
	Total	2,179	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,472 valid cases out of 2,179 total cases.

- Mean: 0.4744448429741
- Median: 0.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 4.0000000000000
- Standard Deviation: 0.6993574359476

Location: 480-494 (width: 15; decimal: 13)

Variable Type: numeric

## NONTENFTM: Full-time Non-tenure track faculty, Male

Value	Label	Unweighted Frequency	%
0.0000000000000	-	401	18.4 %
0.076923076923	-	1	0.0 %
0.0833333333333	-	1	0.0 %
0.1250000000000	-	3	0.1 %
0.142857142857	-	4	0.2 %
0.153846153846	-	1	0.0 %
0.1666666666667	-	10	0.5 %
0.2000000000000	-	5	0.2 %
0.2222222222222	-	1	0.0 %
0.230769230769	-	1	0.0 %
0.2500000000000	-	11	0.5 %
0.285714285714	-	6	0.3 %

Value	Label	Unweighted Frequency	%
0.307692307692	-	1	0.0 %
0.333333333333	-	20	0.9 %
0.375000000000	-	2	0.1 %
0.384615384615	-	1	0.0 %
0.400000000000	-	5	0.2 %
0.416666666667	-	2	0.1 %
0.428571428571	-	4	0.2 %
0.444444444444	-	1	0.0 %
0.461538461538	-	1	0.0 %
0.500000000000	-	40	1.8 %
0.538461538462	-	1	0.0 %
0.555555555556	-	1	0.0 %
0.571428571429	-	9	0.4 %
0.583333333333	-	2	0.1 %
0.600000000000	-	5	0.2 %
0.615384615385	-	2	0.1 %
0.625000000000	-	3	0.1 %
0.636363636364	-	1	0.0 %
0.666666666667	-	26	1.2 %
0.692307692308	-	1	0.0 %
0.714285714286	-	7	0.3 %
0.727272727273	-	1	0.0 %
0.750000000000	-	11	0.5 %
0.769230769231	-	1	0.0 %
0.777777777778	-	1	0.0 %
0.800000000000	-	8	0.4 %
0.818181818182	-	1	0.0 %
0.833333333333	-	15	0.7 %
0.857142857143	-	9	0.4 %
0.875000000000	-	3	0.1 %
0.888888888889	-	2	0.1 %
0.909090909091	-	1	0.0 %
0.916666666667	-	2	0.1 %
0.923076923077	-	2	0.1 %
1.000000000000	-	455	20.9 %
1.076923076923	-	1	0.0 %
1.111111111111	-	4	0.2 %
1.125000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	707	32.4 %
	Total	2,179	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,472 valid cases out of 2,179 total cases.

- Mean: 0.983687506259
- Median: 1.000000000000
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 15.000000000000
- Standard Deviation: 1.036580118764

Location: 495-509 (width: 15; decimal: 12)

Variable Type: numeric

---

## NONTENFT: Full-time Non-tenure track faculty

Value	Label	Unweighted Frequency	%
0.000000000000	-	265	12.2 %
0.076923076923	-	1	0.0 %
0.125000000000	-	2	0.1 %
0.142857142857	-	2	0.1 %
0.153846153846	-	1	0.0 %
0.166666666667	-	3	0.1 %
0.200000000000	-	2	0.1 %
0.230769230769	-	1	0.0 %
0.250000000000	-	7	0.3 %
0.285714285714	-	3	0.1 %
0.307692307692	-	1	0.0 %
0.333333333333	-	9	0.4 %
0.375000000000	-	3	0.1 %
0.384615384615	-	1	0.0 %
0.400000000000	-	3	0.1 %
0.428571428571	-	3	0.1 %
0.461538461538	-	1	0.0 %
0.500000000000	-	21	1.0 %
0.538461538462	-	1	0.0 %
0.571428571429	-	5	0.2 %
0.600000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
0.615384615385	-	2	0.1 %
0.625000000000	-	2	0.1 %
0.636363636364	-	1	0.0 %
0.666666666667	-	13	0.6 %
0.692307692308	-	1	0.0 %
0.714285714286	-	4	0.2 %
0.727272727273	-	1	0.0 %
0.750000000000	-	8	0.4 %
0.769230769231	-	1	0.0 %
0.800000000000	-	6	0.3 %
0.818181818182	-	1	0.0 %
0.833333333333	-	5	0.2 %
0.857142857143	-	6	0.3 %
0.875000000000	-	2	0.1 %
0.888888888889	-	1	0.0 %
0.909090909091	-	1	0.0 %
0.916666666667	-	1	0.0 %
0.923076923077	-	1	0.0 %
1.000000000000	-	454	20.8 %
1.076923076923	-	1	0.0 %
1.083333333333	-	1	0.0 %
1.100000000000	-	1	0.0 %
1.111111111111	-	3	0.1 %
1.125000000000	-	3	0.1 %
1.142857142857	-	2	0.1 %
1.166666666667	-	4	0.2 %
1.200000000000	-	4	0.2 %
1.222222222222	-	2	0.1 %
1.230769230769	-	1	0.0 %
	<b>Missing Data</b>		
.	-	707	32.4 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,472 valid cases out of 2,179 total cases.

- Mean: 1.458132349233
- Median: 1.000000000000
- Mode: 1.000000000000

- Minimum: 0.000000000000
- Maximum: 19.000000000000
- Standard Deviation: 1.382842816142

Location: 510-524 (width: 15; decimal: 12)

Variable Type: numeric

## NONTENPTW: Part-time Non-tenure track faculty, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	738	33.9 %
0.090909090909	-	2	0.1 %
0.100000000000	-	2	0.1 %
0.111111111111	-	1	0.0 %
0.142857142857	-	3	0.1 %
0.166666666667	-	4	0.2 %
0.181818181818	-	3	0.1 %
0.200000000000	-	6	0.3 %
0.222222222222	-	1	0.0 %
0.250000000000	-	6	0.3 %
0.272727272727	-	2	0.1 %
0.285714285714	-	4	0.2 %
0.300000000000	-	3	0.1 %
0.333333333333	-	11	0.5 %
0.363636363636	-	3	0.1 %
0.400000000000	-	8	0.4 %
0.416666666667	-	1	0.0 %
0.428571428571	-	3	0.1 %
0.444444444444	-	1	0.0 %
0.454545454545	-	2	0.1 %
0.500000000000	-	39	1.8 %
0.545454545455	-	3	0.1 %
0.555555555556	-	1	0.0 %
0.571428571429	-	4	0.2 %
0.583333333333	-	1	0.0 %
0.600000000000	-	6	0.3 %
0.636363636364	-	3	0.1 %
0.666666666667	-	14	0.6 %
0.700000000000	-	3	0.1 %
0.714285714286	-	3	0.1 %
0.727272727273	-	4	0.2 %
0.750000000000	-	6	0.3 %
0.777777777778	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.800000000000	-	8	0.4 %
0.818181818182	-	3	0.1 %
0.833333333333	-	5	0.2 %
0.857142857143	-	2	0.1 %
0.888888888889	-	1	0.0 %
0.900000000000	-	3	0.1 %
0.909090909091	-	3	0.1 %
0.916666666667	-	1	0.0 %
1.000000000000	-	240	11.0 %
1.166666666667	-	3	0.1 %
1.200000000000	-	3	0.1 %
1.250000000000	-	2	0.1 %
1.333333333333	-	6	0.3 %
1.400000000000	-	2	0.1 %
1.500000000000	-	7	0.3 %
1.571428571429	-	1	0.0 %
1.600000000000	-	4	0.2 %
	<b>Missing Data</b>		
.	-	851	39.1 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,328 valid cases out of 2,179 total cases.

- Mean: 0.663448110624
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 20.000000000000
- Standard Deviation: 1.558219906961

*Location:* 525-539 (width: 15; decimal: 12)

*Variable Type:* numeric

## NONTENPTM: Part-time Non-tenure track faculty, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	443	20.3 %
0.066666666667	-	1	0.0 %
0.100000000000	-	2	0.1 %
0.111111111111	-	1	0.0 %



Value	Label	Unweighted Frequency	%
0.125000000000	-	2	0.1 %
0.133333333333	-	1	0.0 %
0.142857142857	-	2	0.1 %
0.153846153846	-	1	0.0 %
0.166666666667	-	5	0.2 %
0.200000000000	-	6	0.3 %
0.214285714286	-	1	0.0 %
0.222222222222	-	2	0.1 %
0.250000000000	-	4	0.2 %
0.266666666667	-	1	0.0 %
0.285714285714	-	4	0.2 %
0.300000000000	-	2	0.1 %
0.307692307692	-	1	0.0 %
0.333333333333	-	14	0.6 %
0.363636363636	-	1	0.0 %
0.375000000000	-	1	0.0 %
0.400000000000	-	7	0.3 %
0.428571428571	-	3	0.1 %
0.444444444444	-	2	0.1 %
0.461538461538	-	1	0.0 %
0.466666666667	-	1	0.0 %
0.500000000000	-	33	1.5 %
0.555555555556	-	1	0.0 %
0.571428571429	-	6	0.3 %
0.600000000000	-	6	0.3 %
0.615384615385	-	1	0.0 %
0.625000000000	-	3	0.1 %
0.642857142857	-	1	0.0 %
0.666666666667	-	16	0.7 %
0.700000000000	-	2	0.1 %
0.714285714286	-	4	0.2 %
0.727272727273	-	2	0.1 %
0.750000000000	-	6	0.3 %
0.769230769231	-	1	0.0 %
0.777777777778	-	2	0.1 %
0.800000000000	-	6	0.3 %
0.818181818182	-	1	0.0 %
0.833333333333	-	4	0.2 %
0.857142857143	-	8	0.4 %

Value	Label	Unweighted Frequency	%
0.875000000000	-	2	0.1 %
0.888888888889	-	3	0.1 %
0.900000000000	-	1	0.0 %
0.909090909091	-	1	0.0 %
0.923076923077	-	1	0.0 %
1.000000000000	-	308	14.1 %
1.071428571429	-	1	0.0 %
	<b>Missing Data</b>		
.	-	851	39.1 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,328 valid cases out of 2,179 total cases.

- Mean: 1.489802165706
- Median: 1.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 35.000000000000
- Standard Deviation: 2.982608863164

*Location:* 540-554 (width: 15; decimal: 12)

*Variable Type:* numeric

---

## NONTENPT: Part-time Non-tenure track faculty

Value	Label	Unweighted Frequency	%
0.000000000000	-	312	14.3 %
0.066666666667	-	1	0.0 %
0.090909090909	-	1	0.0 %
0.100000000000	-	1	0.0 %
0.111111111111	-	1	0.0 %
0.125000000000	-	1	0.0 %
0.133333333333	-	1	0.0 %
0.142857142857	-	1	0.0 %
0.153846153846	-	1	0.0 %
0.166666666667	-	1	0.0 %
0.181818181818	-	1	0.0 %
0.200000000000	-	6	0.3 %
0.222222222222	-	1	0.0 %
0.250000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.266666666667	-	1	0.0 %
0.272727272727	-	1	0.0 %
0.285714285714	-	3	0.1 %
0.300000000000	-	1	0.0 %
0.307692307692	-	1	0.0 %
0.333333333333	-	4	0.2 %
0.363636363636	-	3	0.1 %
0.375000000000	-	1	0.0 %
0.400000000000	-	6	0.3 %
0.428571428571	-	1	0.0 %
0.444444444444	-	1	0.0 %
0.454545454545	-	2	0.1 %
0.461538461538	-	1	0.0 %
0.466666666667	-	1	0.0 %
0.500000000000	-	18	0.8 %
0.545454545455	-	2	0.1 %
0.555555555556	-	1	0.0 %
0.571428571429	-	5	0.2 %
0.600000000000	-	5	0.2 %
0.615384615385	-	1	0.0 %
0.625000000000	-	4	0.2 %
0.636363636364	-	2	0.1 %
0.666666666667	-	5	0.2 %
0.700000000000	-	1	0.0 %
0.714285714286	-	2	0.1 %
0.727272727273	-	3	0.1 %
0.750000000000	-	3	0.1 %
0.769230769231	-	1	0.0 %
0.777777777778	-	1	0.0 %
0.800000000000	-	5	0.2 %
0.818181818182	-	2	0.1 %
0.833333333333	-	2	0.1 %
0.857142857143	-	4	0.2 %
0.875000000000	-	2	0.1 %
0.888888888889	-	1	0.0 %
0.900000000000	-	1	0.0 %
	Missing Data		
.	-	851	39.1 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,328 valid cases out of 2,179 total cases.

- Mean: 2.153250276330
- Median: 1.000000000000
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 55.000000000000
- Standard Deviation: 4.336840725682

*Location:* 555-569 (width: 15; decimal: 12)

*Variable Type:* numeric

---

## **NONTENW: Non-tenure track faculty, Female**

Value	Label	Unweighted Frequency	%
0.000000000000	-	1122	51.5 %
0.0769230769231	-	1	0.0 %
0.0833333333333	-	1	0.0 %
0.1111111111111	-	1	0.0 %
0.1538461538462	-	1	0.0 %
0.1666666666667	-	1	0.0 %
0.1944444444444	-	1	0.0 %
0.2000000000000	-	4	0.2 %
0.2222222222222	-	1	0.0 %
0.2307692307692	-	1	0.0 %
0.2500000000000	-	4	0.2 %
0.2777777777778	-	2	0.1 %
0.2857142857143	-	1	0.0 %
0.3076923076923	-	1	0.0 %
0.3333333333333	-	12	0.6 %
0.3846153846154	-	1	0.0 %
0.4000000000000	-	5	0.2 %
0.4166666666667	-	1	0.0 %
0.4444444444444	-	1	0.0 %
0.4615384615385	-	1	0.0 %
0.5000000000000	-	44	2.0 %
0.5384615384615	-	1	0.0 %
0.5555555555556	-	1	0.0 %
0.5714285714286	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.58333333333333	-	1	0.0 %
0.5882352941176	-	1	0.0 %
0.60000000000000	-	5	0.2 %
0.62500000000000	-	1	0.0 %
0.66666666666667	-	16	0.7 %
0.70000000000000	-	1	0.0 %
0.7058823529412	-	1	0.0 %
0.75000000000000	-	6	0.3 %
0.76388888888889	-	1	0.0 %
0.77777777777778	-	1	0.0 %
0.80000000000000	-	5	0.2 %
0.8235294117647	-	1	0.0 %
0.83333333333333	-	4	0.2 %
0.8571428571429	-	1	0.0 %
0.87500000000000	-	1	0.0 %
0.88888888888889	-	1	0.0 %
0.90000000000000	-	1	0.0 %
0.91666666666667	-	1	0.0 %
0.9411764705882	-	1	0.0 %
1.00000000000000	-	457	21.0 %
1.0588235294118	-	1	0.0 %
1.1428571428571	-	2	0.1 %
1.16666666666667	-	1	0.0 %
1.1764705882353	-	1	0.0 %
1.1944444444444	-	1	0.0 %
1.20000000000000	-	2	0.1 %
	<b>Missing Data</b>		
.	-	108	5.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,071 valid cases out of 2,179 total cases.

- Mean: 0.6982312394309
- Median: 0.00000000000000
- Mode: 0.00000000000000
- Minimum: 0.00000000000000
- Maximum: 9.00000000000000
- Standard Deviation: 1.0643528120747

Location: 570-584 (width: 15; decimal: 13)

**NONTENM: Non-tenure track faculty, Male**

Value	Label	Unweighted Frequency	%
0.000000000000	-	707	32.4 %
0.055555555556	-	1	0.0 %
0.066666666667	-	1	0.0 %
0.125000000000	-	3	0.1 %
0.133333333333	-	1	0.0 %
0.142857142857	-	2	0.1 %
0.166666666667	-	1	0.0 %
0.200000000000	-	2	0.1 %
0.228571428571	-	1	0.0 %
0.250000000000	-	5	0.2 %
0.266666666667	-	1	0.0 %
0.277777777778	-	1	0.0 %
0.285714285714	-	2	0.1 %
0.330000000000	-	1	0.0 %
0.333333333333	-	11	0.5 %
0.375000000000	-	2	0.1 %
0.400000000000	-	3	0.1 %
0.414285714286	-	1	0.0 %
0.416666666667	-	1	0.0 %
0.428571428571	-	2	0.1 %
0.466666666667	-	1	0.0 %
0.500000000000	-	35	1.6 %
0.571428571429	-	2	0.1 %
0.583333333333	-	1	0.0 %
0.588235294118	-	1	0.0 %
0.600000000000	-	2	0.1 %
0.625000000000	-	2	0.1 %
0.666666666667	-	14	0.6 %
0.670000000000	-	1	0.0 %
0.705882352941	-	1	0.0 %
0.714285714286	-	2	0.1 %
0.750000000000	-	6	0.3 %
0.800000000000	-	4	0.2 %
0.823529411765	-	1	0.0 %
0.833333333333	-	2	0.1 %
0.857142857143	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.875000000000	-	1	0.0 %
0.916666666667	-	1	0.0 %
0.941176470588	-	1	0.0 %
1.000000000000	-	547	25.1 %
1.058823529412	-	1	0.0 %
1.097222222222	-	1	0.0 %
1.111111111111	-	1	0.0 %
1.176470588235	-	1	0.0 %
1.200000000000	-	3	0.1 %
1.222222222222	-	1	0.0 %
1.250000000000	-	3	0.1 %
1.294117647059	-	1	0.0 %
1.333333333333	-	9	0.4 %
1.335000000000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	108	5.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,071 valid cases out of 2,179 total cases.

- Mean: 1.364736950309
- Median: 1.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 31.000000000000
- Standard Deviation: 2.062014658268

*Location:* 585-599 (width: 15; decimal: 12)

*Variable Type:* numeric

## NONTENO: Non-tenure track faculty, Other

Value	Label	Unweighted Frequency	%
0	-	331	15.2 %
2	-	1	0.0 %
3	-	2	0.1 %
4	-	1	0.0 %
	<b>Missing Data</b>		
.	-	1844	84.6 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 335 valid cases out of 2,179 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.34

*Location:* 600-600 (width: 1; decimal: 0)

*Variable Type:* numeric

## NONTEN: Non-tenure track faculty

Value	Label	Unweighted Frequency	%
0.000000000000	-	490	22.5 %
0.066666666667	-	1	0.0 %
0.076923076923	-	1	0.0 %
0.083333333333	-	1	0.0 %
0.125000000000	-	2	0.1 %
0.133333333333	-	1	0.0 %
0.142857142857	-	1	0.0 %
0.153846153846	-	1	0.0 %
0.166666666667	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.228571428571	-	1	0.0 %
0.230769230769	-	1	0.0 %
0.250000000000	-	3	0.1 %
0.266666666667	-	1	0.0 %
0.285714285714	-	1	0.0 %
0.307692307692	-	1	0.0 %
0.330000000000	-	1	0.0 %
0.333333333333	-	7	0.3 %
0.375000000000	-	2	0.1 %
0.384615384615	-	1	0.0 %
0.400000000000	-	1	0.0 %
0.414285714286	-	1	0.0 %
0.416666666667	-	2	0.1 %
0.428571428571	-	1	0.0 %
0.461538461538	-	1	0.0 %
0.466666666667	-	1	0.0 %
0.500000000000	-	23	1.1 %
0.538461538462	-	1	0.0 %
0.571428571429	-	1	0.0 %



Value	Label	Unweighted Frequency	%
0.583333333333	-	2	0.1 %
0.600000000000	-	2	0.1 %
0.625000000000	-	3	0.1 %
0.666666666667	-	10	0.5 %
0.670000000000	-	1	0.0 %
0.700000000000	-	1	0.0 %
0.714285714286	-	1	0.0 %
0.750000000000	-	8	0.4 %
0.800000000000	-	2	0.1 %
0.833333333333	-	4	0.2 %
0.857142857143	-	1	0.0 %
0.875000000000	-	1	0.0 %
0.900000000000	-	1	0.0 %
0.916666666667	-	2	0.1 %
1.000000000000	-	458	21.0 %
1.041666666667	-	1	0.0 %
1.166666666667	-	2	0.1 %
1.176470588235	-	1	0.0 %
1.250000000000	-	1	0.0 %
1.285714285714	-	1	0.0 %
1.333333333333	-	13	0.6 %
	<b>Missing Data</b>		
.	-	108	5.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 2,071 valid cases out of 2,179 total cases.

- Mean: 2.068762492009
- Median: 1.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 38.000000000000
- Standard Deviation: 2.785592418932

*Location:* 601-615 (width: 15; decimal: 12)

*Variable Type:* numeric

---

## NONINSTRW: Non-instructional faculty, Female

Value	Label	Unweighted Frequency	%
0	-	331	15.2 %
1	-	2	0.1 %
	<b>Missing Data</b>		
.	-	1846	84.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 333 valid cases out of 2,179 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.08

*Location:* 616-616 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### NONINSTRM: Non-instructional faculty, Male

Value	Label	Unweighted Frequency	%
0	-	323	14.8 %
1	-	8	0.4 %
2	-	1	0.0 %
4	-	1	0.0 %
	<b>Missing Data</b>		
.	-	1846	84.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 333 valid cases out of 2,179 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.29

*Location:* 617-617 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### NONINSTRO: Non-instructional faculty, Other

Value	Label	Unweighted Frequency	%
0	-	333	15.3 %
	<b>Missing Data</b>		
.	-	1846	84.7 %

Value	Label	Unweighted Frequency	%
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 333 valid cases out of 2,179 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 618-618 (width: 1; decimal: 0)

Variable Type: numeric

## TENTRACKW: All Tenure Track, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	120	5.5 %
0.166666666667	-	1	0.0 %
0.200000000000	-	1	0.0 %
0.250000000000	-	1	0.0 %
0.285714285714	-	2	0.1 %
0.333333333333	-	3	0.1 %
0.400000000000	-	1	0.0 %
0.444444444444	-	1	0.0 %
0.500000000000	-	3	0.1 %
0.571428571429	-	1	0.0 %
0.600000000000	-	1	0.0 %
0.666666666667	-	2	0.1 %
0.750000000000	-	1	0.0 %
0.800000000000	-	1	0.0 %
0.833333333333	-	1	0.0 %
0.857142857143	-	1	0.0 %
1.000000000000	-	291	13.4 %
1.083333333333	-	1	0.0 %
1.142857142857	-	1	0.0 %
1.166666666667	-	1	0.0 %
1.200000000000	-	1	0.0 %
1.250000000000	-	4	0.2 %
1.333333333333	-	3	0.1 %
1.400000000000	-	2	0.1 %
1.428571428571	-	3	0.1 %
1.500000000000	-	18	0.8 %

Value	Label	Unweighted Frequency	%
1.571428571429	-	1	0.0 %
1.600000000000	-	2	0.1 %
1.625000000000	-	2	0.1 %
1.666666666667	-	5	0.2 %
1.714285714286	-	2	0.1 %
1.750000000000	-	6	0.3 %
1.785714285714	-	1	0.0 %
1.800000000000	-	2	0.1 %
1.854166666667	-	1	0.0 %
1.857142857143	-	3	0.1 %
1.875000000000	-	2	0.1 %
1.916666666667	-	1	0.0 %
1.958333333333	-	1	0.0 %
2.000000000000	-	346	15.9 %
2.041666666667	-	1	0.0 %
2.083333333333	-	2	0.1 %
2.125000000000	-	2	0.1 %
2.142857142857	-	1	0.0 %
2.166666666667	-	4	0.2 %
2.200000000000	-	4	0.2 %
2.250000000000	-	5	0.2 %
2.285714285714	-	3	0.1 %
2.300000000000	-	1	0.0 %
2.333333333333	-	10	0.5 %
	<b>Missing Data</b>		
.	-	328	15.1 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,851 valid cases out of 2,179 total cases.

- Mean: 2.941892949328
- Median: 2.800000000000
- Mode: 2.000000000000
- Minimum: 0.000000000000
- Maximum: 21.000000000000
- Standard Deviation: 2.080118755977

*Location:* 619-633 (width: 15; decimal: 12)  
*Variable Type:* numeric

## TENTRACKM: All Tenure Track, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	42	1.9 %
0.285714285714	-	1	0.0 %
0.333333333333	-	2	0.1 %
0.571428571429	-	1	0.0 %
0.666666666667	-	2	0.1 %
0.857142857143	-	1	0.0 %
1.000000000000	-	51	2.3 %
1.142857142857	-	1	0.0 %
1.285714285714	-	1	0.0 %
1.428571428571	-	1	0.0 %
1.500000000000	-	7	0.3 %
1.571428571429	-	1	0.0 %
1.714285714286	-	1	0.0 %
1.857142857143	-	1	0.0 %
1.972222222222	-	1	0.0 %
2.000000000000	-	169	7.8 %
2.125000000000	-	1	0.0 %
2.142857142857	-	1	0.0 %
2.166666666667	-	2	0.1 %
2.250000000000	-	3	0.1 %
2.333333333333	-	4	0.2 %
2.363636363636	-	1	0.0 %
2.416666666667	-	1	0.0 %
2.428571428571	-	1	0.0 %
2.454545454545	-	1	0.0 %
2.500000000000	-	6	0.3 %
2.545454545455	-	1	0.0 %
2.569444444444	-	1	0.0 %
2.600000000000	-	1	0.0 %
2.625000000000	-	1	0.0 %
2.636363636364	-	1	0.0 %
2.666666666667	-	4	0.2 %
2.714285714286	-	1	0.0 %
2.727272727273	-	1	0.0 %
2.750000000000	-	1	0.0 %
2.785714285714	-	1	0.0 %
2.818181818182	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.8333333333333	-	3	0.1 %
2.8750000000000	-	1	0.0 %
2.9000000000000	-	1	0.0 %
2.909090909091	-	1	0.0 %
2.9166666666667	-	1	0.0 %
3.0000000000000	-	150	6.9 %
3.0833333333333	-	1	0.0 %
3.142857142857	-	1	0.0 %
3.1666666666667	-	4	0.2 %
3.2000000000000	-	2	0.1 %
3.2500000000000	-	3	0.1 %
3.285714285714	-	1	0.0 %
3.3333333333333	-	6	0.3 %
	Missing Data		
.	-	328	15.1 %
	Total	2,179	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,851 valid cases out of 2,179 total cases.

- Mean: 6.281474718630
- Median: 5.000000000000
- Mode: 4.000000000000
- Minimum: 0.000000000000
- Maximum: 38.000000000000
- Standard Deviation: 4.324941770549

*Location:* 634-648 (width: 15; decimal: 12)

*Variable Type:* numeric

## TENTRACKO: All Tenure Track, Other

Value	Label	Unweighted Frequency	%
0	-	331	15.2 %
2	-	2	0.1 %
4	-	1	0.0 %
6	-	1	0.0 %
	Missing Data		
.	-	1844	84.6 %
	Total	2,179	100%

Based upon 335 valid cases out of 2,179 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.42

Location: 649-649 (width: 1; decimal: 0)

Variable Type: numeric

## TENTRACK: All Tenure Track

Value	Label	Unweighted Frequency	%
0.000000000000	-	2	0.1 %
1.000000000000	-	16	0.7 %
2.000000000000	-	48	2.2 %
2.083333333333	-	1	0.0 %
2.166666666667	-	1	0.0 %
2.250000000000	-	1	0.0 %
2.333333333333	-	2	0.1 %
2.363636363636	-	1	0.0 %
2.454545454545	-	1	0.0 %
2.500000000000	-	1	0.0 %
2.545454545455	-	1	0.0 %
2.636363636364	-	1	0.0 %
2.666666666667	-	2	0.1 %
2.714285714286	-	1	0.0 %
2.727272727273	-	1	0.0 %
2.750000000000	-	1	0.0 %
2.818181818182	-	1	0.0 %
2.909090909091	-	1	0.0 %
3.000000000000	-	126	5.8 %
3.013888888889	-	1	0.0 %
3.071428571429	-	1	0.0 %
3.142857142857	-	1	0.0 %
3.166666666667	-	2	0.1 %
3.200000000000	-	1	0.0 %
3.250000000000	-	1	0.0 %
3.285714285714	-	1	0.0 %
3.333333333333	-	4	0.2 %
3.428571428571	-	2	0.1 %
3.500000000000	-	9	0.4 %

Value	Label	Unweighted Frequency	%
3.571428571429	-	1	0.0 %
3.600000000000	-	1	0.0 %
3.666666666667	-	5	0.2 %
3.714285714286	-	1	0.0 %
3.750000000000	-	1	0.0 %
3.833333333333	-	2	0.1 %
3.857142857143	-	2	0.1 %
4.000000000000	-	111	5.1 %
4.142857142857	-	1	0.0 %
4.200000000000	-	1	0.0 %
4.250000000000	-	4	0.2 %
4.285714285714	-	2	0.1 %
4.333333333333	-	3	0.1 %
4.428571428571	-	1	0.0 %
4.500000000000	-	4	0.2 %
4.571428571429	-	1	0.0 %
4.666666666667	-	3	0.1 %
4.714285714286	-	2	0.1 %
4.750000000000	-	1	0.0 %
4.785714285714	-	1	0.0 %
4.800000000000	-	2	0.1 %
	Missing Data		
.	-	328	15.1 %
	Total	2,179	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,851 valid cases out of 2,179 total cases.

- Mean: 9.230931147159
- Minimum: 0.000000000000
- Maximum: 43.000000000000
- Standard Deviation: 5.631891917997

Location: 650-664 (width: 15; decimal: 12)

Variable Type: numeric

## TENUREDW: Tenured, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	296	13.6 %
0.200000000000	-	2	0.1 %



Value	Label	Unweighted Frequency	%
0.250000000000	-	2	0.1 %
0.285714285714	-	1	0.0 %
0.333333333333	-	3	0.1 %
0.400000000000	-	3	0.1 %
0.500000000000	-	11	0.5 %
0.571428571429	-	1	0.0 %
0.600000000000	-	2	0.1 %
0.625000000000	-	1	0.0 %
0.666666666667	-	5	0.2 %
0.750000000000	-	3	0.1 %
0.800000000000	-	3	0.1 %
0.857142857143	-	1	0.0 %
0.875000000000	-	1	0.0 %
1.000000000000	-	507	23.3 %
1.083333333333	-	1	0.0 %
1.125000000000	-	1	0.0 %
1.142857142857	-	2	0.1 %
1.166666666667	-	2	0.1 %
1.200000000000	-	2	0.1 %
1.250000000000	-	5	0.2 %
1.285714285714	-	2	0.1 %
1.333333333333	-	6	0.3 %
1.375000000000	-	1	0.0 %
1.388888888889	-	1	0.0 %
1.400000000000	-	1	0.0 %
1.428571428571	-	2	0.1 %
1.500000000000	-	21	1.0 %
1.571428571429	-	3	0.1 %
1.600000000000	-	2	0.1 %
1.625000000000	-	1	0.0 %
1.638888888889	-	1	0.0 %
1.666666666667	-	5	0.2 %
1.714285714286	-	2	0.1 %
1.750000000000	-	4	0.2 %
1.800000000000	-	1	0.0 %
1.857142857143	-	2	0.1 %
2.000000000000	-	422	19.4 %
2.090909090909	-	1	0.0 %
2.125000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
2.142857142857	-	1	0.0 %
2.166666666667	-	1	0.0 %
2.181818181818	-	1	0.0 %
2.200000000000	-	2	0.1 %
2.250000000000	-	3	0.1 %
2.272727272727	-	1	0.0 %
2.333333333333	-	3	0.1 %
2.363636363636	-	1	0.0 %
2.400000000000	-	1	0.0 %
	Missing Data		
.	-	328	15.1 %
	Total	2,179	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,851 valid cases out of 2,179 total cases.

- Mean: 1.862923516246
- Median: 2.000000000000
- Mode: 1.000000000000
- Minimum: 0.000000000000
- Maximum: 16.000000000000
- Standard Deviation: 1.564853284357

Location: 665-679 (width: 15; decimal: 12)

Variable Type: numeric

---

## TENURED\_M: Tenured, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	81	3.7 %
0.142857142857	-	1	0.0 %
0.236111111111	-	1	0.0 %
0.285714285714	-	1	0.0 %
0.333333333333	-	2	0.1 %
0.428571428571	-	1	0.0 %
0.500000000000	-	3	0.1 %
0.571428571429	-	1	0.0 %
0.666666666667	-	2	0.1 %
0.714285714286	-	1	0.0 %
0.857142857143	-	1	0.0 %
1.000000000000	-	138	6.3 %

Value	Label	Unweighted Frequency	%
1.166666666667	-	1	0.0 %
1.285714285714	-	1	0.0 %
1.333333333333	-	3	0.1 %
1.500000000000	-	12	0.6 %
1.571428571429	-	1	0.0 %
1.625000000000	-	2	0.1 %
1.666666666667	-	3	0.1 %
1.727272727273	-	1	0.0 %
1.750000000000	-	3	0.1 %
1.833333333333	-	1	0.0 %
1.857142857143	-	1	0.0 %
1.875000000000	-	2	0.1 %
1.888888888889	-	1	0.0 %
1.909090909091	-	1	0.0 %
2.000000000000	-	262	12.0 %
2.083333333333	-	1	0.0 %
2.090909090909	-	1	0.0 %
2.125000000000	-	1	0.0 %
2.142857142857	-	2	0.1 %
2.166666666667	-	1	0.0 %
2.200000000000	-	2	0.1 %
2.236111111111	-	1	0.0 %
2.250000000000	-	3	0.1 %
2.272727272727	-	1	0.0 %
2.285714285714	-	1	0.0 %
2.333333333333	-	7	0.3 %
2.392857142857	-	1	0.0 %
2.400000000000	-	2	0.1 %
2.428571428571	-	2	0.1 %
2.454545454545	-	1	0.0 %
2.500000000000	-	11	0.5 %
2.527777777778	-	1	0.0 %
2.571428571429	-	1	0.0 %
2.600000000000	-	1	0.0 %
2.636363636364	-	1	0.0 %
2.666666666667	-	10	0.5 %
2.694444444444	-	1	0.0 %
2.714285714286	-	3	0.1 %

Value	Label	Unweighted Frequency	%
.	Missing Data		
.	-	328	15.1 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,851 valid cases out of 2,179 total cases.

- Mean: 4.600870380895
- Median: 4.000000000000
- Mode: 2.000000000000
- Minimum: 0.000000000000
- Maximum: 28.000000000000
- Standard Deviation: 3.515836385636

*Location:* 680-694 (width: 15; decimal: 12)

*Variable Type:* numeric

---

## TENURED0: Tenured, Other

Value	Label	Unweighted Frequency	%
0	-	331	15.2 %
2	-	2	0.1 %
4	-	1	0.0 %
6	-	1	0.0 %
	<b>Missing Data</b>		
.	-	1844	84.6 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 335 valid cases out of 2,179 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.42

*Location:* 695-695 (width: 1; decimal: 0)

*Variable Type:* numeric

---

## TENURED: Tenured

Value	Label	Unweighted Frequency	%
0.000000000000	-	20	0.9 %
0.236111111111	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.000000000000	-	46	2.1 %
1.166666666667	-	1	0.0 %
1.250000000000	-	1	0.0 %
1.333333333333	-	3	0.1 %
1.500000000000	-	6	0.3 %
1.625000000000	-	1	0.0 %
1.666666666667	-	3	0.1 %
1.727272727273	-	1	0.0 %
1.750000000000	-	2	0.1 %
1.833333333333	-	1	0.0 %
1.875000000000	-	1	0.0 %
1.909090909091	-	1	0.0 %
2.000000000000	-	192	8.8 %
2.090909090909	-	1	0.0 %
2.200000000000	-	2	0.1 %
2.272727272727	-	1	0.0 %
2.333333333333	-	3	0.1 %
2.392857142857	-	1	0.0 %
2.454545454545	-	1	0.0 %
2.500000000000	-	8	0.4 %
2.527777777778	-	1	0.0 %
2.571428571429	-	1	0.0 %
2.600000000000	-	1	0.0 %
2.625000000000	-	1	0.0 %
2.636363636364	-	1	0.0 %
2.666666666667	-	3	0.1 %
2.714285714286	-	1	0.0 %
2.733333333333	-	1	0.0 %
2.750000000000	-	2	0.1 %
2.818181818182	-	1	0.0 %
2.833333333333	-	1	0.0 %
2.875000000000	-	1	0.0 %
3.000000000000	-	144	6.6 %
3.107142857143	-	1	0.0 %
3.125000000000	-	1	0.0 %
3.142857142857	-	1	0.0 %
3.166666666667	-	1	0.0 %
3.200000000000	-	2	0.1 %
3.214285714286	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.250000000000	-	2	0.1 %
3.266666666667	-	1	0.0 %
3.285714285714	-	1	0.0 %
3.319444444444	-	1	0.0 %
3.321428571429	-	1	0.0 %
3.333333333333	-	4	0.2 %
3.375000000000	-	1	0.0 %
3.400000000000	-	1	0.0 %
3.428571428571	-	1	0.0 %
	Missing Data		
.	-	328	15.1 %
	Total	2,179	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,851 valid cases out of 2,179 total cases.

- Mean: 6.471357376341
- Median: 5.500000000000
- Mode: 4.000000000000
- Minimum: 0.000000000000
- Maximum: 31.000000000000
- Standard Deviation: 4.390420119415

Location: 696-710 (width: 15; decimal: 12)

Variable Type: numeric

---

### MAEXGW: M.A. students expected to graduate this academic year, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	834	38.3 %
0.333333333333	-	1	0.0 %
0.666666666667	-	1	0.0 %
1.000000000000	-	14	0.6 %
1.142857142857	-	1	0.0 %
1.333333333333	-	1	0.0 %
1.642857142857	-	1	0.0 %
1.904761904762	-	1	0.0 %
2.000000000000	-	10	0.5 %
2.500000000000	-	1	0.0 %
3.000000000000	-	13	0.6 %
4.000000000000	-	9	0.4 %

Value	Label	Unweighted Frequency	%
5.000000000000	-	2	0.1 %
6.000000000000	-	3	0.1 %
7.000000000000	-	2	0.1 %
7.333333333333	-	1	0.0 %
8.000000000000	-	3	0.1 %
8.666666666667	-	1	0.0 %
9.000000000000	-	3	0.1 %
10.000000000000	-	2	0.1 %
12.000000000000	-	2	0.1 %
13.000000000000	-	3	0.1 %
14.000000000000	-	1	0.0 %
15.000000000000	-	1	0.0 %
16.000000000000	-	1	0.0 %
17.000000000000	-	1	0.0 %
18.000000000000	-	1	0.0 %
20.000000000000	-	1	0.0 %
24.000000000000	-	1	0.0 %
	Missing Data		
.	-	1263	58.0 %
	Total	2,179	100%

Based upon 916 valid cases out of 2,179 total cases.

- Mean: 0.474370971096
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 24.000000000000
- Standard Deviation: 2.143991467005

Location: 711-725 (width: 15; decimal: 12)

Variable Type: numeric

## MAEXGM: M.A. students expected to graduate this academic year, Male

Value	Label	Unweighted Frequency	%
0.000000000000	-	835	38.3 %
0.571428571429	-	1	0.0 %
1.000000000000	-	5	0.2 %
2.000000000000	-	5	0.2 %
3.000000000000	-	6	0.3 %
3.428571428571	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.000000000000	-	10	0.5 %
5.000000000000	-	7	0.3 %
6.000000000000	-	9	0.4 %
6.500000000000	-	1	0.0 %
6.642857142857	-	1	0.0 %
7.000000000000	-	3	0.1 %
8.000000000000	-	4	0.2 %
9.000000000000	-	3	0.1 %
10.000000000000	-	4	0.2 %
11.000000000000	-	3	0.1 %
12.000000000000	-	3	0.1 %
13.000000000000	-	1	0.0 %
14.000000000000	-	3	0.1 %
15.000000000000	-	1	0.0 %
17.000000000000	-	2	0.1 %
18.000000000000	-	1	0.0 %
19.000000000000	-	1	0.0 %
19.333333333333	-	1	0.0 %
21.000000000000	-	1	0.0 %
27.000000000000	-	1	0.0 %
34.666666666667	-	1	0.0 %
50.000000000000	-	1	0.0 %
58.000000000000	-	1	0.0 %
	Missing Data		
.	-	1263	58.0 %
	Total	2,179	100%

Based upon 916 valid cases out of 2,179 total cases.

- Mean: 0.785090455396
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 58.000000000000
- Standard Deviation: 3.764577864566

Location: 726-740 (width: 15; decimal: 12)

Variable Type: numeric

---

**MAEXGO: M.A. students expected to graduate this academic year, Other**



Value	Label	Unweighted Frequency	%
0	-	333	15.3 %
	Missing Data		
.	-	1846	84.7 %
	Total	2,179	100%

Based upon 333 valid cases out of 2,179 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 741-741 (width: 1; decimal: 0)

Variable Type: numeric

## MAEXG: M.A. students expected to graduate this academic year

Value	Label	Unweighted Frequency	%
0.000000000000	-	829	38.0 %
0.333333333333	-	1	0.0 %
0.666666666667	-	1	0.0 %
1.000000000000	-	1	0.0 %
1.333333333333	-	1	0.0 %
2.000000000000	-	4	0.2 %
2.476190476190	-	1	0.0 %
3.000000000000	-	5	0.2 %
4.000000000000	-	6	0.3 %
4.571428571429	-	1	0.0 %
5.000000000000	-	4	0.2 %
6.000000000000	-	5	0.2 %
7.000000000000	-	5	0.2 %
8.000000000000	-	5	0.2 %
8.285714285714	-	1	0.0 %
9.000000000000	-	5	0.2 %
10.000000000000	-	4	0.2 %
11.000000000000	-	3	0.1 %
12.000000000000	-	4	0.2 %
13.000000000000	-	3	0.1 %
14.000000000000	-	2	0.1 %
15.000000000000	-	1	0.0 %
16.000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
17.0000000000000	-	1	0.0 %
17.3333333333333	-	1	0.0 %
18.0000000000000	-	2	0.1 %
19.0000000000000	-	1	0.0 %
19.6666666666667	-	1	0.0 %
20.0000000000000	-	1	0.0 %
21.0000000000000	-	1	0.0 %
22.0000000000000	-	2	0.1 %
23.0000000000000	-	1	0.0 %
27.0000000000000	-	1	0.0 %
27.3333333333333	-	1	0.0 %
28.0000000000000	-	1	0.0 %
29.0000000000000	-	1	0.0 %
30.0000000000000	-	3	0.1 %
36.0000000000000	-	1	0.0 %
47.0000000000000	-	1	0.0 %
47.6666666666667	-	1	0.0 %
68.0000000000000	-	1	0.0 %
82.0000000000000	-	1	0.0 %
	Missing Data		
.	-	1263	58.0 %
	Total	2,179	100%

Based upon 916 valid cases out of 2,179 total cases.

- Mean: 1.259461426492
- Median: 0.0000000000000
- Mode: 0.0000000000000
- Minimum: 0.0000000000000
- Maximum: 82.0000000000000
- Standard Deviation: 5.728031127972

Location: 742-756 (width: 15; decimal: 12)

Variable Type: numeric

## MAGW: M.A. students graduated in previous academic year, Female

Value	Label	Unweighted Frequency	%
0.0000000000000	-	1342	61.6 %
0.2000000000000	-	2	0.1 %
0.4000000000000	-	5	0.2 %
0.5000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
0.600000000000	-	3	0.1 %
0.666666666667	-	2	0.1 %
0.800000000000	-	6	0.3 %
1.000000000000	-	22	1.0 %
1.200000000000	-	4	0.2 %
1.250000000000	-	1	0.0 %
1.333333333333	-	2	0.1 %
1.500000000000	-	2	0.1 %
1.600000000000	-	4	0.2 %
1.666666666667	-	1	0.0 %
1.800000000000	-	1	0.0 %
2.000000000000	-	36	1.7 %
2.200000000000	-	1	0.0 %
2.400000000000	-	2	0.1 %
2.500000000000	-	3	0.1 %
2.666666666667	-	1	0.0 %
2.800000000000	-	1	0.0 %
3.000000000000	-	30	1.4 %
3.200000000000	-	1	0.0 %
3.277777777778	-	1	0.0 %
3.333333333333	-	1	0.0 %
3.400000000000	-	1	0.0 %
3.500000000000	-	3	0.1 %
3.750000000000	-	1	0.0 %
4.000000000000	-	18	0.8 %
4.500000000000	-	3	0.1 %
5.000000000000	-	16	0.7 %
5.500000000000	-	1	0.0 %
6.000000000000	-	14	0.6 %
6.333333333333	-	1	0.0 %
7.000000000000	-	7	0.3 %
8.000000000000	-	6	0.3 %
9.000000000000	-	9	0.4 %
10.000000000000	-	3	0.1 %
11.000000000000	-	2	0.1 %
12.000000000000	-	4	0.2 %
12.666666666667	-	1	0.0 %
13.000000000000	-	5	0.2 %
15.000000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
16.0000000000000	-	2	0.1 %
19.0000000000000	-	1	0.0 %
20.0000000000000	-	1	0.0 %
27.0000000000000	-	1	0.0 %
	Missing Data		
.	-	602	27.6 %
	Total	2,179	100 %

Based upon 1,577 valid cases out of 2,179 total cases.

- Mean: 0.639723807511
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 27.000000000000
- Standard Deviation: 2.156367771443

Location: 757-771 (width: 15; decimal: 12)

Variable Type: numeric

## MAGM: M.A. students graduated in previous academic year, Male

Value	Label	Unweighted Frequency	%
0.0000000000000	-	1336	61.3 %
0.2000000000000	-	1	0.0 %
0.4000000000000	-	2	0.1 %
0.6000000000000	-	2	0.1 %
0.8000000000000	-	2	0.1 %
1.0000000000000	-	8	0.4 %
1.2000000000000	-	2	0.1 %
1.3333333333333	-	2	0.1 %
1.4000000000000	-	2	0.1 %
1.5000000000000	-	1	0.0 %
1.6000000000000	-	2	0.1 %
1.7500000000000	-	1	0.0 %
1.8000000000000	-	1	0.0 %
2.0000000000000	-	11	0.5 %
2.4000000000000	-	1	0.0 %
2.6666666666667	-	5	0.2 %
2.8000000000000	-	2	0.1 %
3.0000000000000	-	24	1.1 %
3.2000000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
3.500000000000	-	4	0.2 %
4.000000000000	-	32	1.5 %
4.200000000000	-	2	0.1 %
4.500000000000	-	4	0.2 %
4.750000000000	-	1	0.0 %
4.800000000000	-	1	0.0 %
5.000000000000	-	16	0.7 %
5.097222222222	-	1	0.0 %
5.200000000000	-	1	0.0 %
5.250000000000	-	1	0.0 %
5.333333333333	-	3	0.1 %
5.600000000000	-	2	0.1 %
5.800000000000	-	1	0.0 %
6.000000000000	-	15	0.7 %
6.333333333333	-	1	0.0 %
6.400000000000	-	2	0.1 %
6.500000000000	-	1	0.0 %
7.000000000000	-	17	0.8 %
7.428571428571	-	1	0.0 %
8.000000000000	-	10	0.5 %
8.500000000000	-	1	0.0 %
8.750000000000	-	1	0.0 %
9.000000000000	-	6	0.3 %
9.500000000000	-	1	0.0 %
10.000000000000	-	5	0.2 %
11.000000000000	-	4	0.2 %
11.333333333333	-	1	0.0 %
12.000000000000	-	6	0.3 %
12.666666666667	-	1	0.0 %
13.000000000000	-	2	0.1 %
14.000000000000	-	6	0.3 %
	<b>Missing Data</b>		
.	-	602	27.6 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,577 valid cases out of 2,179 total cases.

- Mean: 1.011842608529
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 55.000000000000
- Standard Deviation: 3.346570647225

Location: 772-786 (width: 15; decimal: 12)

Variable Type: numeric

## MAGO: M.A. students graduated in previous academic year, Other

Value	Label	Unweighted Frequency	%
0	-	333	15.3 %
	Missing Data		
.	-	1846	84.7 %
	Total	2,179	100%

Based upon 333 valid cases out of 2,179 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 787-787 (width: 1; decimal: 0)

Variable Type: numeric

## MAG: M.A. students graduated in previous academic year

Value	Label	Unweighted Frequency	%
0.000000000000	-	1324	60.8 %
0.400000000000	-	1	0.0 %
0.600000000000	-	1	0.0 %
0.800000000000	-	3	0.1 %
1.000000000000	-	6	0.3 %
1.200000000000	-	2	0.1 %
1.500000000000	-	1	0.0 %
1.600000000000	-	3	0.1 %
1.800000000000	-	2	0.1 %
2.000000000000	-	8	0.4 %
2.200000000000	-	1	0.0 %
2.333333333333	-	1	0.0 %
2.400000000000	-	3	0.1 %
3.000000000000	-	7	0.3 %

Value	Label	Unweighted Frequency	%
3.200000000000	-	2	0.1 %
3.250000000000	-	1	0.0 %
3.333333333333	-	2	0.1 %
3.600000000000	-	1	0.0 %
4.000000000000	-	19	0.9 %
4.400000000000	-	1	0.0 %
4.500000000000	-	1	0.0 %
4.666666666667	-	1	0.0 %
5.000000000000	-	9	0.4 %
5.250000000000	-	1	0.0 %
5.400000000000	-	1	0.0 %
5.500000000000	-	1	0.0 %
5.666666666667	-	1	0.0 %
6.000000000000	-	15	0.7 %
6.250000000000	-	1	0.0 %
6.500000000000	-	3	0.1 %
6.600000000000	-	1	0.0 %
6.666666666667	-	2	0.1 %
7.000000000000	-	16	0.7 %
7.200000000000	-	1	0.0 %
7.400000000000	-	1	0.0 %
7.428571428571	-	1	0.0 %
8.000000000000	-	15	0.7 %
8.333333333333	-	1	0.0 %
8.375000000000	-	1	0.0 %
8.600000000000	-	1	0.0 %
8.800000000000	-	1	0.0 %
9.000000000000	-	11	0.5 %
9.750000000000	-	1	0.0 %
9.800000000000	-	1	0.0 %
10.000000000000	-	12	0.6 %
10.500000000000	-	2	0.1 %
11.000000000000	-	9	0.4 %
11.333333333333	-	1	0.0 %
11.500000000000	-	2	0.1 %
12.000000000000	-	9	0.4 %
	<b>Missing Data</b>		
.	-	602	27.6 %

Value	Label	Unweighted Frequency	%
	Total	2,179	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,577 valid cases out of 2,179 total cases.

- Mean: 1.651566416040
- Median: 0.000000000000
- Mode: 0.000000000000
- Minimum: 0.000000000000
- Maximum: 82.000000000000
- Standard Deviation: 5.289883239912

Location: 788-802 (width: 15; decimal: 12)

Variable Type: numeric

## UNGSEEXGW: Undergraduate senior economics majors expected to graduate this academic year, Female

Value	Label	Unweighted Frequency	%
0.000000000000	-	144	6.6 %
0.333333333333	-	1	0.0 %
0.500000000000	-	1	0.0 %
0.545454545454	-	1	0.0 %
0.666666666667	-	3	0.1 %
0.750000000000	-	1	0.0 %
1.000000000000	-	45	2.1 %
1.090909090909	-	2	0.1 %
1.200000000000	-	2	0.1 %
1.250000000000	-	1	0.0 %
1.333333333333	-	4	0.2 %
1.400000000000	-	2	0.1 %
1.500000000000	-	4	0.2 %
1.57142857143	-	1	0.0 %
1.600000000000	-	2	0.1 %
1.63636363636	-	1	0.0 %
1.666666666667	-	3	0.1 %
1.800000000000	-	2	0.1 %
1.85714285714	-	1	0.0 %
2.000000000000	-	54	2.5 %
2.14285714286	-	1	0.0 %
2.166666666667	-	1	0.0 %
2.18181818182	-	2	0.1 %



Value	Label	Unweighted Frequency	%
2.250000000000	-	1	0.0 %
2.333333333333	-	1	0.0 %
2.42857142857	-	1	0.0 %
2.500000000000	-	6	0.3 %
2.666666666667	-	3	0.1 %
2.71428571429	-	1	0.0 %
2.72727272727	-	1	0.0 %
2.750000000000	-	1	0.0 %
2.833333333334	-	1	0.0 %
2.85714285715	-	1	0.0 %
3.000000000000	-	75	3.4 %
3.125000000000	-	1	0.0 %
3.250000000000	-	2	0.1 %
3.27272727273	-	2	0.1 %
3.28571428572	-	1	0.0 %
3.333333333334	-	2	0.1 %
3.375000000000	-	1	0.0 %
3.500000000000	-	3	0.1 %
3.57142857143	-	1	0.0 %
3.583333333334	-	1	0.0 %
3.625000000000	-	1	0.0 %
3.666666666667	-	3	0.1 %
3.750000000000	-	1	0.0 %
3.81818181818	-	1	0.0 %
3.85714285715	-	1	0.0 %
3.89880952381	-	1	0.0 %
4.000000000000	-	72	3.3 %
	<b>Missing Data</b>		
.	-	359	16.5 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,820 valid cases out of 2,179 total cases.

- Mean: 18.04796861868
- Minimum: 0.00000000000
- Maximum: 624.00000000000
- Standard Deviation: 26.07434323418

*Location:* 803-817 (width: 15; decimal: 11)

## UNGSEEXGM: Undergraduate senior economics majors expected to graduate this academic year, Male

Value	Label	Unweighted Frequency	%
0.00000000000	-	224	10.3 %
0.54545454545	-	1	0.0 %
0.85714285714	-	1	0.0 %
1.00000000000	-	15	0.7 %
1.09090909091	-	1	0.0 %
1.20000000000	-	1	0.0 %
1.40000000000	-	1	0.0 %
1.50000000000	-	1	0.0 %
1.60000000000	-	1	0.0 %
1.63636363636	-	1	0.0 %
1.71428571429	-	1	0.0 %
1.80000000000	-	1	0.0 %
2.00000000000	-	18	0.8 %
2.18181818182	-	1	0.0 %
2.45454545455	-	1	0.0 %
2.50000000000	-	1	0.0 %
2.57142857143	-	1	0.0 %
2.66666666667	-	1	0.0 %
2.72727272727	-	1	0.0 %
3.00000000000	-	23	1.1 %
3.27272727273	-	1	0.0 %
3.42857142857	-	1	0.0 %
3.50000000000	-	1	0.0 %
3.57142857143	-	1	0.0 %
3.81818181818	-	1	0.0 %
3.85714285715	-	1	0.0 %
4.00000000000	-	27	1.2 %
4.14285714286	-	1	0.0 %
4.25000000000	-	1	0.0 %
4.28571428572	-	1	0.0 %
4.33333333334	-	1	0.0 %
4.42857142857	-	2	0.1 %
4.50000000000	-	1	0.0 %
4.66666666667	-	1	0.0 %
4.71428571429	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.750000000000	-	1	0.0 %
4.85714285715	-	1	0.0 %
4.90909090909	-	1	0.0 %
5.000000000000	-	26	1.2 %
5.14285714286	-	1	0.0 %
5.16666666667	-	1	0.0 %
5.250000000000	-	1	0.0 %
5.28571428572	-	1	0.0 %
5.33333333334	-	1	0.0 %
5.500000000000	-	3	0.1 %
5.66666666667	-	2	0.1 %
5.71428571429	-	1	0.0 %
5.750000000000	-	1	0.0 %
5.83333333334	-	1	0.0 %
6.000000000000	-	30	1.4 %
	<b>Missing Data</b>		
.	-	359	16.5 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,820 valid cases out of 2,179 total cases.

- Mean: 32.34709952746
- Minimum: 0.000000000000
- Maximum: 686.000000000000
- Standard Deviation: 36.47330040929

*Location:* 818-832 (width: 15; decimal: 11)

*Variable Type:* numeric

## UNGSEEXGO: Undergraduate senior economics majors expected to graduate this academic year, Other

Value	Label	Unweighted Frequency	%
0	-	323	14.8 %
1	-	5	0.2 %
2	-	2	0.1 %
3	-	1	0.0 %
4	-	1	0.0 %
9	-	1	0.0 %
	<b>Missing Data</b>		

Value	Label	Unweighted Frequency	%
.	-	1846	84.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 333 valid cases out of 2,179 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 0.59

*Location:* 833-833 (width: 1; decimal: 0)

*Variable Type:* numeric

## UNGSEEXG: Undergraduate senior economics majors expected to graduate this academic year

Value	Label	Unweighted Frequency	%
0.0000000000	-	76	3.5 %
0.8571428571	-	1	0.0 %
1.0000000000	-	5	0.2 %
1.0909090909	-	1	0.0 %
1.3333333333	-	2	0.1 %
1.5000000000	-	1	0.0 %
1.6666666667	-	1	0.0 %
1.7142857143	-	1	0.0 %
2.0000000000	-	17	0.8 %
2.1818181818	-	1	0.0 %
2.5714285714	-	1	0.0 %
2.6666666667	-	1	0.0 %
3.0000000000	-	19	0.9 %
3.2500000000	-	1	0.0 %
3.2727272727	-	1	0.0 %
3.4285714286	-	1	0.0 %
3.5454545455	-	1	0.0 %
4.0000000000	-	18	0.8 %
4.2000000000	-	1	0.0 %
4.2500000000	-	1	0.0 %
4.2857142857	-	1	0.0 %
4.3333333333	-	1	0.0 %
4.3636363636	-	1	0.0 %
4.4000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
4.5000000000	-	2	0.1 %
4.6000000000	-	1	0.0 %
4.6666666667	-	1	0.0 %
4.7500000000	-	1	0.0 %
4.8000000000	-	1	0.0 %
5.0000000000	-	16	0.7 %
5.1428571429	-	2	0.1 %
5.3333333333	-	1	0.0 %
5.4545454545	-	1	0.0 %
5.5000000000	-	1	0.0 %
5.6666666667	-	1	0.0 %
5.7142857143	-	1	0.0 %
6.0000000000	-	25	1.1 %
6.2857142857	-	1	0.0 %
6.3333333333	-	2	0.1 %
6.5000000000	-	2	0.1 %
6.5454545455	-	1	0.0 %
6.6666666667	-	1	0.0 %
6.8571428571	-	1	0.0 %
7.0000000000	-	13	0.6 %
7.0909090909	-	1	0.0 %
7.3333333333	-	2	0.1 %
7.4285714286	-	1	0.0 %
7.5000000000	-	1	0.0 %
7.6363636364	-	1	0.0 %
7.6666666667	-	1	0.0 %
	<b>Missing Data</b>		
.	-	359	16.5 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,820 valid cases out of 2,179 total cases.

- Mean: 50.4088044099
- Minimum: 0.0000000000
- Maximum: 1310.0000000000
- Standard Deviation: 57.0738450837

*Location:* 834-848 (width: 15; decimal: 10)

*Variable Type:* numeric

## UNGEW: Undergraduate economics majors graduated in previous academic year, Female

Value	Label	Unweighted Frequency	%
0.00000000000	-	154	7.1 %
0.20000000000	-	1	0.0 %
0.33333333333	-	2	0.1 %
0.40000000000	-	2	0.1 %
0.50000000000	-	1	0.0 %
0.60000000000	-	2	0.1 %
0.66666666667	-	3	0.1 %
0.80000000000	-	1	0.0 %
1.00000000000	-	60	2.8 %
1.14285714286	-	1	0.0 %
1.16666666667	-	1	0.0 %
1.20000000000	-	2	0.1 %
1.28571428571	-	1	0.0 %
1.33333333333	-	4	0.2 %
1.40000000000	-	1	0.0 %
1.42857142857	-	1	0.0 %
1.44444444445	-	1	0.0 %
1.50000000000	-	7	0.3 %
1.57142857143	-	1	0.0 %
1.60000000000	-	1	0.0 %
1.66666666667	-	2	0.1 %
1.71428571429	-	2	0.1 %
1.80000000000	-	1	0.0 %
1.83333333333	-	1	0.0 %
1.85714285714	-	1	0.0 %
1.88888888889	-	1	0.0 %
2.00000000000	-	97	4.5 %
2.11111111111	-	1	0.0 %
2.12500000000	-	1	0.0 %
2.33333333333	-	3	0.1 %
2.40000000000	-	1	0.0 %
2.50000000000	-	3	0.1 %
2.55555555556	-	1	0.0 %
2.58333333333	-	1	0.0 %
2.66666666667	-	2	0.1 %
2.77777777778	-	1	0.0 %
2.80000000000	-	2	0.1 %

Value	Label	Unweighted Frequency	%
3.00000000000	-	95	4.4 %
3.16666666667	-	2	0.1 %
3.18181818182	-	1	0.0 %
3.25000000000	-	1	0.0 %
3.33333333334	-	2	0.1 %
3.36363636364	-	1	0.0 %
3.40000000000	-	1	0.0 %
3.42857142857	-	1	0.0 %
3.45454545455	-	1	0.0 %
3.50000000000	-	4	0.2 %
3.54545454546	-	2	0.1 %
3.63636363637	-	1	0.0 %
3.66666666667	-	3	0.1 %
	Missing Data		
.	-	199	9.1 %
	Total	2,179	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,980 valid cases out of 2,179 total cases.

- Mean: 15.87381401567
- Minimum: 0.00000000000
- Maximum: 642.00000000000
- Standard Deviation: 24.30140463885

Location: 849-863 (width: 15; decimal: 11)

Variable Type: numeric

## UNGEGM: Undergraduate economics majors graduated in previous academic year, Male

Value	Label	Unweighted Frequency	%
0.00000000000	-	228	10.5 %
0.33333333333	-	1	0.0 %
0.50000000000	-	3	0.1 %
0.66666666667	-	1	0.0 %
1.00000000000	-	27	1.2 %
1.14285714286	-	1	0.0 %
1.28571428571	-	1	0.0 %
1.33333333333	-	1	0.0 %
1.42857142857	-	1	0.0 %
1.50000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.57142857143	-	1	0.0 %
1.66666666667	-	2	0.1 %
1.71428571429	-	1	0.0 %
1.80000000000	-	1	0.0 %
1.85714285714	-	1	0.0 %
2.00000000000	-	33	1.5 %
2.14285714286	-	1	0.0 %
2.16666666667	-	1	0.0 %
2.33333333333	-	2	0.1 %
2.50000000000	-	3	0.1 %
2.60000000000	-	1	0.0 %
2.66666666667	-	1	0.0 %
3.00000000000	-	26	1.2 %
3.33333333334	-	2	0.1 %
3.37500000000	-	1	0.0 %
3.50000000000	-	3	0.1 %
3.60000000000	-	1	0.0 %
3.66666666667	-	1	0.0 %
3.75000000000	-	1	0.0 %
4.00000000000	-	30	1.4 %
4.12500000000	-	1	0.0 %
4.18181818182	-	1	0.0 %
4.28571428572	-	1	0.0 %
4.33333333334	-	1	0.0 %
4.36363636364	-	1	0.0 %
4.37500000000	-	1	0.0 %
4.50000000000	-	2	0.1 %
4.54545454546	-	1	0.0 %
4.75000000000	-	2	0.1 %
4.80000000000	-	1	0.0 %
4.87500000000	-	1	0.0 %
5.00000000000	-	38	1.7 %
5.18181818182	-	1	0.0 %
5.20000000000	-	2	0.1 %
5.25000000000	-	1	0.0 %
5.33333333334	-	1	0.0 %
5.40000000000	-	1	0.0 %
5.50000000000	-	5	0.2 %
5.60000000000	-	1	0.0 %



Value	Label	Unweighted Frequency	%
5.62500000000	-	1	0.0 %
	<b>Missing Data</b>		
.	-	199	9.1 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,980 valid cases out of 2,179 total cases.

- Mean: 29.47219328931
- Minimum: 0.00000000000
- Maximum: 704.00000000000
- Standard Deviation: 36.15533596588

*Location:* 864-878 (width: 15; decimal: 11)

*Variable Type:* numeric

### UNGEGO: Undergraduate economics majors graduated in previous academic year, Other

Value	Label	Unweighted Frequency	%
0	-	335	15.4 %
1	-	3	0.1 %
2	-	3	0.1 %
4	-	2	0.1 %
	<b>Missing Data</b>		
.	-	1836	84.3 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 343 valid cases out of 2,179 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.37

*Location:* 879-879 (width: 1; decimal: 0)

*Variable Type:* numeric

### UNGEG: Undergraduate economics majors graduated in previous academic year

Value	Label	Unweighted Frequency	%
0.00000000000	-	89	4.1 %
1.00000000000	-	10	0.5 %
1.50000000000	-	1	0.0 %

Value	Label	Unweighted Frequency	%
1.6666666667	-	1	0.0 %
2.0000000000	-	21	1.0 %
2.2857142857	-	1	0.0 %
2.3333333333	-	1	0.0 %
2.5000000000	-	1	0.0 %
2.5714285714	-	1	0.0 %
2.8571428571	-	1	0.0 %
3.0000000000	-	19	0.9 %
3.1428571429	-	1	0.0 %
3.2000000000	-	1	0.0 %
3.3333333333	-	2	0.1 %
3.4285714286	-	1	0.0 %
3.5000000000	-	2	0.1 %
3.6666666667	-	1	0.0 %
3.7142857143	-	1	0.0 %
3.8571428571	-	1	0.0 %
4.0000000000	-	29	1.3 %
4.3333333333	-	1	0.0 %
4.4000000000	-	1	0.0 %
4.5000000000	-	2	0.1 %
4.6666666667	-	2	0.1 %
4.8000000000	-	1	0.0 %
5.0000000000	-	30	1.4 %
5.2000000000	-	1	0.0 %
5.3333333333	-	1	0.0 %
5.3750000000	-	1	0.0 %
5.4000000000	-	1	0.0 %
5.6000000000	-	2	0.1 %
5.6666666667	-	1	0.0 %
5.7500000000	-	1	0.0 %
5.8000000000	-	1	0.0 %
6.0000000000	-	24	1.1 %
6.1250000000	-	1	0.0 %
6.1818181818	-	1	0.0 %
6.3636363636	-	1	0.0 %
6.4000000000	-	1	0.0 %
6.5000000000	-	2	0.1 %
6.5454545455	-	1	0.0 %
6.8333333333	-	1	0.0 %

Value	Label	Unweighted Frequency	%
6.8750000000	-	1	0.0 %
7.0000000000	-	18	0.8 %
7.1818181818	-	1	0.0 %
7.2500000000	-	1	0.0 %
7.3333333333	-	2	0.1 %
7.6250000000	-	1	0.0 %
7.6666666667	-	3	0.1 %
7.7142857143	-	1	0.0 %
	<b>Missing Data</b>		
.	-	199	9.1 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,980 valid cases out of 2,179 total cases.

- Mean: 45.3545931636
- Minimum: 0.0000000000
- Maximum: 1346.0000000000
- Standard Deviation: 55.8147336848

*Location:* 880-894 (width: 15; decimal: 10)

*Variable Type:* numeric

---

### TENAPW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	178	8.2 %
1	-	1436	65.9 %
3	-	565	25.9 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.44
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.96

*Location:* 895-895 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### TENAPW\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1436	65.9 %
Imputed	-	565	25.9 %
Missing	-	178	8.2 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 896-902 (width: 7; decimal: 0)

Variable Type: character

---

### TENAPM\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	178	8.2 %
1	-	1436	65.9 %
3	-	565	25.9 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.44
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.96

Location: 903-903 (width: 1; decimal: 0)

Variable Type: numeric

---

### TENAPM\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1436	65.9 %
Imputed	-	565	25.9 %
Missing	-	178	8.2 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 904-910 (width: 7; decimal: 0)

Variable Type: character

---

### TENAPO\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	345	15.8 %

Value	Label	Unweighted Frequency	%
1	-	1705	78.2 %
3	-	129	5.9 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

*Location:* 911-911 (width: 1; decimal: 0)

*Variable Type:* numeric

### TENAPO\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1705	78.2 %
Imputed	-	129	5.9 %
Missing	-	345	15.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 912-918 (width: 7; decimal: 0)

*Variable Type:* character

### UTENAPW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	154	7.1 %
1	-	1615	74.1 %
3	-	410	18.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.85

*Location:* 919-919 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### UTENAPW\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1615	74.1 %
Imputed	-	410	18.8 %
Missing	-	154	7.1 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 920-926 (width: 7; decimal: 0)

*Variable Type:* character

---

### UTENAPM\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	154	7.1 %
1	-	1615	74.1 %
3	-	410	18.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.85

*Location:* 927-927 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### UTENAPM\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1615	74.1 %
Imputed	-	410	18.8 %
Missing	-	154	7.1 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 928-934 (width: 7; decimal: 0)

*Variable Type:* character

---

### UTENAPO\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	345	15.8 %
1	-	1705	78.2 %
3	-	129	5.9 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

*Location:* 935-935 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### UTENAPO\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1705	78.2 %
Imputed	-	129	5.9 %
Missing	-	345	15.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 936-942 (width: 7; decimal: 0)

*Variable Type:* character

---

### APW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	42	1.9 %
1	-	1464	67.2 %
2	-	250	11.5 %
3	-	423	19.4 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.82

Location: 943-943 (width: 1; decimal: 0)

Variable Type: numeric

---

### APW\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1464	67.2 %
Imputed	-	423	19.4 %
Missing	-	42	1.9 %
UAQ	-	250	11.5 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 944-950 (width: 7; decimal: 0)

Variable Type: character

---

### APM\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	42	1.9 %
1	-	1464	67.2 %
2	-	250	11.5 %
3	-	423	19.4 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.82

Location: 951-951 (width: 1; decimal: 0)

Variable Type: numeric

---

### APM\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1464	67.2 %
Imputed	-	423	19.4 %
Missing	-	42	1.9 %
UAQ	-	250	11.5 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.



Location: 952-958 (width: 7; decimal: 0)

Variable Type: character

---

#### **APO\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed**

Value	Label	Unweighted Frequency	%
0	-	363	16.7 %
1	-	1816	83.3 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.83
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

Location: 959-959 (width: 1; decimal: 0)

Variable Type: numeric

---

#### **APO\_SOURCE\_TXT: Source of data field (text)**

Value	Label	Unweighted Frequency	%
CSWEP	-	1816	83.3 %
Missing	-	363	16.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 960-966 (width: 7; decimal: 0)

Variable Type: character

---

#### **TENASPW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed**

Value	Label	Unweighted Frequency	%
0	-	151	6.9 %
1	-	1614	74.1 %
3	-	414	19.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00

- Standard Deviation: 0.86

Location: 967-967 (width: 1; decimal: 0)

Variable Type: numeric

### TENASPW\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1614	74.1 %
Imputed	-	414	19.0 %
Missing	-	151	6.9 %
Total		2,179	100%

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 968-974 (width: 7; decimal: 0)

Variable Type: character

### TENASPM\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	151	6.9 %
1	-	1614	74.1 %
3	-	414	19.0 %
Total		2,179	100%

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.86

Location: 975-975 (width: 1; decimal: 0)

Variable Type: numeric

### TENASPM\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1614	74.1 %
Imputed	-	414	19.0 %
Missing	-	151	6.9 %
Total		2,179	100%

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 976-982 (width: 7; decimal: 0)

Variable Type: character

---

**TENASPO\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed**

Value	Label	Unweighted Frequency	%
0	-	345	15.8 %
1	-	1703	78.2 %
2	-	1	0.0 %
3	-	130	6.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

*Location:* 983-983 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**TENASPO\_SOURCE\_TXT: Source of data field (text)**

Value	Label	Unweighted Frequency	%
CSWEP	-	1703	78.2 %
Imputed	-	130	6.0 %
Missing	-	345	15.8 %
UAQ	-	1	0.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 984-990 (width: 7; decimal: 0)

*Variable Type:* character

---

**UTENASPW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed**

Value	Label	Unweighted Frequency	%
0	-	171	7.8 %
1	-	1453	66.7 %
3	-	555	25.5 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.43
- Median: 1.00

- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.95

*Location:* 991-991 (width: 1; decimal: 0)

*Variable Type:* numeric

### UTENASPW\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1453	66.7 %
Imputed	-	555	25.5 %
Missing	-	171	7.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 992-998 (width: 7; decimal: 0)

*Variable Type:* character

### UTENASPM\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	171	7.8 %
1	-	1453	66.7 %
3	-	555	25.5 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.43
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.95

*Location:* 999-999 (width: 1; decimal: 0)

*Variable Type:* numeric

### UTENASPM\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1453	66.7 %
Imputed	-	555	25.5 %
Missing	-	171	7.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1000-1006 (width: 7; decimal: 0)

Variable Type: character

---

#### UTENASPO\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	345	15.8 %
1	-	1705	78.2 %
3	-	129	5.9 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

Location: 1007-1007 (width: 1; decimal: 0)

Variable Type: numeric

---

#### UTENASPO\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1705	78.2 %
Imputed	-	129	5.9 %
Missing	-	345	15.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1008-1014 (width: 7; decimal: 0)

Variable Type: character

---

#### ASPW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	41	1.9 %
1	-	1466	67.3 %
2	-	285	13.1 %
3	-	387	17.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.47
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.80

*Location:* 1015-1015 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### ASPW\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1466	67.3 %
Imputed	-	387	17.8 %
Missing	-	41	1.9 %
UAQ	-	285	13.1 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1016-1022 (width: 7; decimal: 0)

*Variable Type:* character

---

### ASPM\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	41	1.9 %
1	-	1466	67.3 %
2	-	285	13.1 %
3	-	387	17.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.47
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.80

*Location:* 1023-1023 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### ASPM\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1466	67.3 %

Value	Label	Unweighted Frequency	%
Imputed	-	387	17.8 %
Missing	-	41	1.9 %
UAQ	-	285	13.1 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1024-1030 (width: 7; decimal: 0)

Variable Type: character

### ASPO\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	363	16.7 %
1	-	1815	83.3 %
2	-	1	0.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.83
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.37

Location: 1031-1031 (width: 1; decimal: 0)

Variable Type: numeric

### ASPO\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1815	83.3 %
Missing	-	363	16.7 %
UAQ	-	1	0.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1032-1038 (width: 7; decimal: 0)

Variable Type: character

### TENFPW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	144	6.6 %

Value	Label	Unweighted Frequency	%
1	-	1627	74.7 %
3	-	408	18.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.85

*Location:* 1039-1039 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### TENFPW\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1627	74.7 %
Imputed	-	408	18.7 %
Missing	-	144	6.6 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1040-1046 (width: 7; decimal: 0)

*Variable Type:* character

---

### TENFPM\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	144	6.6 %
1	-	1627	74.7 %
3	-	408	18.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.31
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.85

*Location:* 1047-1047 (width: 1; decimal: 0)

*Variable Type:* numeric



---

**TENFPM\_SOURCE\_TXT: Source of data field (text)**

Value	Label	Unweighted Frequency	%
CSWEP	-	1627	74.7 %
Imputed	-	408	18.7 %
Missing	-	144	6.6 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1048-1054 (width: 7; decimal: 0)

*Variable Type:* character

---

**TENFPO\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed**

Value	Label	Unweighted Frequency	%
0	-	345	15.8 %
1	-	1705	78.2 %
3	-	129	5.9 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

*Location:* 1055-1055 (width: 1; decimal: 0)

*Variable Type:* numeric

---

**TENFPO\_SOURCE\_TXT: Source of data field (text)**

Value	Label	Unweighted Frequency	%
CSWEP	-	1705	78.2 %
Imputed	-	129	5.9 %
Missing	-	345	15.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1056-1062 (width: 7; decimal: 0)

*Variable Type:* character

---

**UTENFPW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed**

Value	Label	Unweighted Frequency	%
0	-	180	8.3 %
1	-	1420	65.2 %
3	-	579	26.6 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.45
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.97

*Location:* 1063-1063 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### UTENFPW\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1420	65.2 %
Imputed	-	579	26.6 %
Missing	-	180	8.3 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1064-1070 (width: 7; decimal: 0)

*Variable Type:* character

---

### UTENFPM\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	180	8.3 %
1	-	1420	65.2 %
3	-	579	26.6 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.45
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.97

*Location:* 1071-1071 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### UTENFPM\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1420	65.2 %
Imputed	-	579	26.6 %
Missing	-	180	8.3 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1072-1078 (width: 7; decimal: 0)

*Variable Type:* character

---

### UTENFPO\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	345	15.8 %
1	-	1705	78.2 %
3	-	129	5.9 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

*Location:* 1079-1079 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### UTENFPO\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1705	78.2 %
Imputed	-	129	5.9 %
Missing	-	345	15.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1080-1086 (width: 7; decimal: 0)

*Variable Type:* character

---

### FPW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	33	1.5 %
1	-	1476	67.7 %
2	-	298	13.7 %
3	-	372	17.1 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.46
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.79

*Location:* 1087-1087 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### FPW\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1476	67.7 %
Imputed	-	372	17.1 %
Missing	-	33	1.5 %
UAQ	-	298	13.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1088-1094 (width: 7; decimal: 0)

*Variable Type:* character

---

### FPM\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	33	1.5 %
1	-	1476	67.7 %
2	-	298	13.7 %
3	-	372	17.1 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.46
- Median: 1.00
- Mode: 1.00

- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.79

*Location:* 1095-1095 (width: 1; decimal: 0)

*Variable Type:* numeric

### FPM\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1476	67.7 %
Imputed	-	372	17.1 %
Missing	-	33	1.5 %
UAQ	-	298	13.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1096-1102 (width: 7; decimal: 0)

*Variable Type:* character

### FPO\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	363	16.7 %
1	-	1816	83.3 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.83
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

*Location:* 1103-1103 (width: 1; decimal: 0)

*Variable Type:* numeric

### FPO\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1816	83.3 %
Missing	-	363	16.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1104-1110 (width: 7; decimal: 0)

Variable Type: character

---

### OFTW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	344	15.8 %
1	-	1799	82.6 %
3	-	36	1.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.88
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.46

Location: 1111-1111 (width: 1; decimal: 0)

Variable Type: numeric

---

### OFTW\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1799	82.6 %
Imputed	-	36	1.7 %
Missing	-	344	15.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1112-1118 (width: 7; decimal: 0)

Variable Type: character

---

### OFTM\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	344	15.8 %
1	-	1799	82.6 %
3	-	36	1.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.88
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00

- Maximum: 3.00
- Standard Deviation: 0.46

*Location:* 1119-1119 (width: 1; decimal: 0)

*Variable Type:* numeric

### OFTM\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1799	82.6 %
Imputed	-	36	1.7 %
Missing	-	344	15.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1120-1126 (width: 7; decimal: 0)

*Variable Type:* character

### NONTENFTW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	212	9.7 %
1	-	924	42.4 %
2	-	393	18.0 %
3	-	650	29.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.00

*Location:* 1127-1127 (width: 1; decimal: 0)

*Variable Type:* numeric

### NONTENFTW\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	924	42.4 %
Imputed	-	650	29.8 %
Missing	-	212	9.7 %
UAQ	-	393	18.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1128-1134 (width: 7; decimal: 0)

Variable Type: character

---

### **NONTENFTM\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed**

Value	Label	Unweighted Frequency	%
0	-	212	9.7 %
1	-	924	42.4 %
2	-	393	18.0 %
3	-	650	29.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.00

Location: 1135-1135 (width: 1; decimal: 0)

Variable Type: numeric

---

### **NONTENFTM\_SOURCE\_TXT: Source of data field (text)**

Value	Label	Unweighted Frequency	%
CSWEP	-	924	42.4 %
Imputed	-	650	29.8 %
Missing	-	212	9.7 %
UAQ	-	393	18.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1136-1142 (width: 7; decimal: 0)

Variable Type: character

---

### **NONTENFT\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed**

Value	Label	Unweighted Frequency	%
0	-	2179	100.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.00



- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 1143-1143 (width: 1; decimal: 0)

*Variable Type:* numeric

### NONTENFT\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
Missing	-	2179	100.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1144-1150 (width: 7; decimal: 0)

*Variable Type:* character

### NONTENPTW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	255	11.7 %
1	-	1025	47.0 %
2	-	339	15.6 %
3	-	560	25.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.00

*Location:* 1151-1151 (width: 1; decimal: 0)

*Variable Type:* numeric

### NONTENPTW\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1025	47.0 %
Imputed	-	560	25.7 %
Missing	-	255	11.7 %
UAQ	-	339	15.6 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1152-1158 (width: 7; decimal: 0)

Variable Type: character

---

#### **NONTENPTM\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed**

Value	Label	Unweighted Frequency	%
0	-	255	11.7 %
1	-	1025	47.0 %
2	-	339	15.6 %
3	-	560	25.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.00

Location: 1159-1159 (width: 1; decimal: 0)

Variable Type: numeric

---

#### **NONTENPTM\_SOURCE\_TXT: Source of data field (text)**

Value	Label	Unweighted Frequency	%
CSWEP	-	1025	47.0 %
Imputed	-	560	25.7 %
Missing	-	255	11.7 %
UAQ	-	339	15.6 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1160-1166 (width: 7; decimal: 0)

Variable Type: character

---

#### **NONTENPT\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed**

Value	Label	Unweighted Frequency	%
0	-	2179	100.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.00

- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 1167-1167 (width: 1; decimal: 0)

*Variable Type:* numeric

### **NONTENPT\_SOURCE\_TXT: Source of data field (text)**

Value	Label	Unweighted Frequency	%
Missing	-	2179	100.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1168-1174 (width: 7; decimal: 0)

*Variable Type:* character

### **NONTENW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed**

Value	Label	Unweighted Frequency	%
0	-	62	2.8 %
1	-	1443	66.2 %
2	-	202	9.3 %
3	-	472	21.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.86

*Location:* 1175-1175 (width: 1; decimal: 0)

*Variable Type:* numeric

### **NONTENW\_SOURCE\_TXT: Source of data field (text)**

Value	Label	Unweighted Frequency	%
CSWEP	-	1443	66.2 %
Imputed	-	472	21.7 %
Missing	-	62	2.8 %
UAQ	-	202	9.3 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1176-1182 (width: 7; decimal: 0)

Variable Type: character

---

#### **NONTENM\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed**

Value	Label	Unweighted Frequency	%
0	-	62	2.8 %
1	-	1443	66.2 %
2	-	202	9.3 %
3	-	472	21.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.86

Location: 1183-1183 (width: 1; decimal: 0)

Variable Type: numeric

---

#### **NONTENM\_SOURCE\_TXT: Source of data field (text)**

Value	Label	Unweighted Frequency	%
CSWEP	-	1443	66.2 %
Imputed	-	472	21.7 %
Missing	-	62	2.8 %
UAQ	-	202	9.3 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1184-1190 (width: 7; decimal: 0)

Variable Type: character

---

#### **NONTENO\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed**

Value	Label	Unweighted Frequency	%
0	-	345	15.8 %
1	-	1703	78.2 %
2	-	1	0.0 %
3	-	130	6.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

*Location:* 1191-1191 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **NONTENO\_SOURCE\_TXT: Source of data field (text)**

Value	Label	Unweighted Frequency	%
CSWEP	-	1703	78.2 %
Imputed	-	130	6.0 %
Missing	-	345	15.8 %
UAQ	-	1	0.0 %
Total		2,179	100%

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1192-1198 (width: 7; decimal: 0)

*Variable Type:* character

---

### **NONTEN\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed**

Value	Label	Unweighted Frequency	%
0	-	2179	100.0 %
Total		2,179	100%

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

*Location:* 1199-1199 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### **NONTEN\_SOURCE\_TXT: Source of data field (text)**

Value	Label	Unweighted Frequency	%
Missing	-	2179	100.0 %
Total		2,179	100%

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1200-1206 (width: 7; decimal: 0)

Variable Type: character

### NONINSTRW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	345	15.8 %
1	-	1705	78.2 %
3	-	129	5.9 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

Location: 1207-1207 (width: 1; decimal: 0)

Variable Type: numeric

### NONINSTRW\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1705	78.2 %
Imputed	-	129	5.9 %
Missing	-	345	15.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1208-1214 (width: 7; decimal: 0)

Variable Type: character

### NONINSTRM\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	345	15.8 %
1	-	1705	78.2 %
3	-	129	5.9 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.96

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

*Location:* 1215-1215 (width: 1; decimal: 0)

*Variable Type:* numeric

### NONINSTRM\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1705	78.2 %
Imputed	-	129	5.9 %
Missing	-	345	15.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1216-1222 (width: 7; decimal: 0)

*Variable Type:* character

### NONINSTRO\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	345	15.8 %
1	-	1705	78.2 %
3	-	129	5.9 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

*Location:* 1223-1223 (width: 1; decimal: 0)

*Variable Type:* numeric

### NONINSTRO\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1705	78.2 %
Imputed	-	129	5.9 %
Missing	-	345	15.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1224-1230 (width: 7; decimal: 0)

Variable Type: character

---

**MAEXGW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed**

Value	Label	Unweighted Frequency	%
0	-	328	15.1 %
1	-	1781	81.7 %
3	-	70	3.2 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.52

Location: 1231-1231 (width: 1; decimal: 0)

Variable Type: numeric

---

**MAEXGW\_SOURCE\_TXT: Source of data field (text)**

Value	Label	Unweighted Frequency	%
CSWEP	-	1781	81.7 %
Imputed	-	70	3.2 %
Missing	-	328	15.1 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1232-1238 (width: 7; decimal: 0)

Variable Type: character

---

**MAEXGM\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed**

Value	Label	Unweighted Frequency	%
0	-	328	15.1 %
1	-	1781	81.7 %
3	-	70	3.2 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.91



- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.52

*Location:* 1239-1239 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### MAEXGM\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1781	81.7 %
Imputed	-	70	3.2 %
Missing	-	328	15.1 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1240-1246 (width: 7; decimal: 0)

*Variable Type:* character

---

### MAEXGO\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	345	15.8 %
1	-	1703	78.2 %
3	-	131	6.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

*Location:* 1247-1247 (width: 1; decimal: 0)

*Variable Type:* numeric

---

### MAEXGO\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1703	78.2 %
Imputed	-	131	6.0 %
Missing	-	345	15.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1248-1254 (width: 7; decimal: 0)

Variable Type: character

---

### MAEXG\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	2179	100.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 0.00
- Standard Deviation: 0.00

Location: 1255-1255 (width: 1; decimal: 0)

Variable Type: numeric

---

### MAEXG\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
Missing	-	2179	100.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1256-1262 (width: 7; decimal: 0)

Variable Type: character

---

### MAGW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	246	11.3 %
1	-	1401	64.3 %
2	-	83	3.8 %
3	-	449	20.6 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.34
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00

- Standard Deviation: 0.93

Location: 1263-1263 (width: 1; decimal: 0)

Variable Type: numeric

### MAGW\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1401	64.3 %
Imputed	-	449	20.6 %
Missing	-	246	11.3 %
UAQ	-	83	3.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1264-1270 (width: 7; decimal: 0)

Variable Type: character

### MAGM\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	246	11.3 %
1	-	1401	64.3 %
2	-	84	3.9 %
3	-	448	20.6 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.34
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.93

Location: 1271-1271 (width: 1; decimal: 0)

Variable Type: numeric

### MAGM\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1401	64.3 %
Imputed	-	448	20.6 %
Missing	-	246	11.3 %
UAQ	-	84	3.9 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1272-1278 (width: 7; decimal: 0)

Variable Type: character

---

### MAGO\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	345	15.8 %
1	-	1703	78.2 %
3	-	131	6.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

Location: 1279-1279 (width: 1; decimal: 0)

Variable Type: numeric

---

### MAGO\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1703	78.2 %
Imputed	-	131	6.0 %
Missing	-	345	15.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1280-1286 (width: 7; decimal: 0)

Variable Type: character

---

### UNGSEEXGW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	153	7.0 %
1	-	1618	74.3 %
3	-	408	18.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.30

- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.85

*Location:* 1287-1287 (width: 1; decimal: 0)

*Variable Type:* numeric

### UNGSEEXGW\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1618	74.3 %
Imputed	-	408	18.7 %
Missing	-	153	7.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1288-1294 (width: 7; decimal: 0)

*Variable Type:* character

### UNGSEEXGM\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	153	7.0 %
1	-	1618	74.3 %
3	-	408	18.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.30
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.85

*Location:* 1295-1295 (width: 1; decimal: 0)

*Variable Type:* numeric

### UNGSEEXGM\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1618	74.3 %
Imputed	-	408	18.7 %
Missing	-	153	7.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1296-1302 (width: 7; decimal: 0)

Variable Type: character

### UNGSEEXGO\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	345	15.8 %
1	-	1703	78.2 %
3	-	131	6.0 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

Location: 1303-1303 (width: 1; decimal: 0)

Variable Type: numeric

### UNGSEEXGO\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1703	78.2 %
Imputed	-	131	6.0 %
Missing	-	345	15.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1304-1310 (width: 7; decimal: 0)

Variable Type: character

### UNGEGW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	108	5.0 %
1	-	945	43.4 %
2	-	709	32.5 %
3	-	417	19.1 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.66
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.84

*Location:* 1311-1311 (width: 1; decimal: 0)

*Variable Type:* numeric

#### UNGEW\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	945	43.4 %
Imputed	-	417	19.1 %
Missing	-	108	5.0 %
UAQ	-	709	32.5 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

*Location:* 1312-1318 (width: 7; decimal: 0)

*Variable Type:* character

#### UNGEW\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	108	5.0 %
1	-	943	43.3 %
2	-	710	32.6 %
3	-	418	19.2 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 1.66
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.84

*Location:* 1319-1319 (width: 1; decimal: 0)

*Variable Type:* numeric

#### UNGEW\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	943	43.3 %

Value	Label	Unweighted Frequency	%
Imputed	-	418	19.2 %
Missing	-	108	5.0 %
UAQ	-	710	32.6 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1320-1326 (width: 7; decimal: 0)

Variable Type: character

---

### UNGEKO\_SOURCE: Source of data field: 0=missing, 1=CSWEP, 2=UAQ, 3=Imputed

Value	Label	Unweighted Frequency	%
0	-	345	15.8 %
1	-	1693	77.7 %
2	-	17	0.8 %
3	-	124	5.7 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 0.63

Location: 1327-1327 (width: 1; decimal: 0)

Variable Type: numeric

---

### UNGEKO\_SOURCE\_TXT: Source of data field (text)

Value	Label	Unweighted Frequency	%
CSWEP	-	1693	77.7 %
Imputed	-	124	5.7 %
Missing	-	345	15.8 %
UAQ	-	17	0.8 %
	<b>Total</b>	<b>2,179</b>	<b>100%</b>

Based upon 2,179 valid cases out of 2,179 total cases.

Location: 1328-1334 (width: 7; decimal: 0)

Variable Type: character