A centre for multisensory integration in Drosophila Larva

Laura Lungu

Supervisor: Professor Albert Cardona

Advisor: Dr. Marco Tripodi

Department of Physiology, Development and Neuroscience
University of Cambridge

This dissertation is submitted for the degree of
Doctor of Philosophy

July 2025

I would like to dedicate this thesis to my loving parents . . .

Declaration

I hereby declare that except where specific reference is made to the work of others, the contents of this dissertation are original and have not been submitted in whole or in part for consideration for any other degree or qualification in this, or any other university. This dissertation is my own work and contains nothing which is the outcome of work done in collaboration with others, except as specified in the text and Acknowledgements. This dissertation contains fewer than 65,000 words including appendices, bibliography, footnotes, tables and equations and has fewer than 150 figures.

<div align="right">

Laura Lungu
July 2025

</div>

Acknowledgements

Abstract

Multisensory integration is cool, why not study it via the central complex, and it's the best thing to ever study, how great. TEST

Table of contents

List of figures

List of tables

Chapter 1

Introduction

1.1   Mapping brains

1.2

1.3   Multisensory integration

Chapter 2

Methods

2.1 Electron Microscopy Reconstructions

Example Figure **??**.

Seymour volume

Neurotransmitter Volumes

2.2   Connectomics: Network Analysis

Sensory Iformation Flow

Lineage Searching

Chapter 3

My third chapter

3.1 First section of the third chapter

And now I begin my third chapter here . . .

And now to cite some more people Read [2], Ancey et al. [1]

3.1.1 First subsection in the first section

. . . and some more

3.1.2 Second subsection in the first section

. . . and some more . . .

First subsub section in the second subsection

. . . and some more in the first subsub section otherwise it all looks the same doesn't it? well we can add some text to it . . .

3.1.3 Third subsection in the first section

. . . and some more . . .

First subsub section in the third subsection

. . . and some more in the first subsub section otherwise it all looks the same doesn't it? well we can add some text to it and some more and some more and some more and some more and some more and some more and some more . . .

Second subsub section in the third subsection

. . . and some more in the first subsub section otherwise it all looks the same doesn't it? well we can add some text to it . . .

3.2   Second section of the third chapter

and here I write more . . .

3.3   The layout of formal tables

This section has been modified from "Publication quality tables in LaTeX*" by Simon Fear.

The layout of a table has been established over centuries of experience and should only be altered in extraordinary circumstances.

When formatting a table, remember two simple guidelines at all times:

1. Never, ever use vertical rules (lines).

2. Never use double rules.

These guidelines may seem extreme but I have never found a good argument in favour of breaking them. For example, if you feel that the information in the left half of a table is so different from that on the right that it needs to be separated by a vertical line, then you should use two tables instead. Not everyone follows the second guideline:

There are three further guidelines worth mentioning here as they are generally not known outside the circle of professional typesetters and subeditors:

3. Put the units in the column heading (not in the body of the table).

4. Always TEST precede a decimal point by a digit; thus 0.1 *not* just .1.

5. Do not use 'ditto' signs or any other such convention to repeat a previous value. In many circumstances a blank will serve just as well. If it won't, then repeat the value.

A frequently seen mistake is to use '\begin{center}' . . . '\end{center}' inside a figure or table environment. This center environment can cause additional vertical space. If you want to avoid that just use '\centering'

Table 3.1 A badly formatted table

	Species I		Species II	
Dental measurement	mean	SD	mean	SD
I1MD	6.23	0.91	5.2	0.7
I1LL	7.48	0.56	8.7	0.71
I2MD	3.99	0.63	4.22	0.54
I2LL	6.81	0.02	6.66	0.01
CMD	13.47	0.09	10.55	0.05
CBL	11.88	0.05	13.11	0.04

Table 3.2 A nice looking table

	Species I		Species II	
Dental measurement	mean	SD	mean	SD
I1MD	6.23	0.91	5.2	0.7
I1LL	7.48	0.56	8.7	0.71
I2MD	3.99	0.63	4.22	0.54
I2LL	6.81	0.02	6.66	0.01
CMD	13.47	0.09	10.55	0.05
CBL	11.88	0.05	13.11	0.04

Table 3.3 Even better looking table using booktabs

	Species I		Species II	
Dental measurement	mean	SD	mean	SD
I1MD	6.23	0.91	5.2	0.7
I1LL	7.48	0.56	8.7	0.71
I2MD	3.99	0.63	4.22	0.54
I2LL	6.81	0.02	6.66	0.01
CMD	13.47	0.09	10.55	0.05
CBL	11.88	0.05	13.11	0.04

References

[1] Ancey, C., Coussot, P., and Evesque, P. (1996). Examination of the possibility of a fluid-mechanics treatment of dense granular flows. *Mechanics of Cohesive-frictional Materials*, 1(4):385–403.

[2] Read, C. J. (1985). A solution to the invariant subspace problem on the space l_1. *Bull. London Math. Soc.*, 17:305–317.

Appendix A

How to install LaTeX

Windows OS

TeXLive package - full version

1. Download the TeXLive ISO (2.2GB) from
   https://www.tug.org/texlive/

2. Download WinCDEmu (if you don't have a virtual drive) from
   http://wincdemu.sysprogs.org/download/

3. To install Windows CD Emulator follow the instructions at
   http://wincdemu.sysprogs.org/tutorials/install/

4. Right click the iso and mount it using the WinCDEmu as shown in
   http://wincdemu.sysprogs.org/tutorials/mount/

5. Open your virtual drive and run setup.pl

   or

Basic MikTeX - TeX distribution

1. Download Basic-MiKTeX(32bit or 64bit) from
   http://miktex.org/download

2. Run the installer

3. To add a new package go to Start » All Programs » MikTex » Maintenance (Admin)
   and choose Package Manager

4. Select or search for packages to install

TexStudio - TEX editor

1. Download TexStudio from
   http://texstudio.sourceforge.net/#downloads

2. Run the installer

Mac OS X

MacTeX - TEX distribution

1. Download the file from
   https://www.tug.org/mactex/

2. Extract and double click to run the installer. It does the entire configuration, sit back
   and relax.

TexStudio - TEX editor

1. Download TexStudio from
   http://texstudio.sourceforge.net/#downloads

2. Extract and Start

Unix/Linux

TeXLive - TEX distribution

Getting the distribution:

1. TexLive can be downloaded from
   http://www.tug.org/texlive/acquire-netinstall.html.

2. TexLive is provided by most operating system you can use (rpm,apt-get or yum) to get
   TexLive distributions

Installation

1. Mount the ISO file in the mnt directory

   ```
   mount -t iso9660 -o ro,loop,noauto /your/texlive####.iso /mnt
   ```

2. Install wget on your OS (use rpm, apt-get or yum install)

3. Run the installer script install-tl.

   ```
    cd /your/download/directory
    ./install-tl
   ```

4. Enter command 'i' for installation

5. Post-Installation configuration:
   http://www.tug.org/texlive/doc/texlive-en/texlive-en.html#x1-320003.4.1

6. Set the path for the directory of TexLive binaries in your .bashrc file

For 32bit OS

For Bourne-compatible shells such as bash, and using Intel x86 GNU/Linux and a default directory setup as an example, the file to edit might be

```
edit $~/.bashrc file and add following lines
PATH=/usr/local/texlive/2011/bin/i386-linux:$PATH;
export PATH
MANPATH=/usr/local/texlive/2011/texmf/doc/man:$MANPATH;
export MANPATH
INFOPATH=/usr/local/texlive/2011/texmf/doc/info:$INFOPATH;
export INFOPATH
```

For 64bit OS

```
edit $~/.bashrc file and add following lines
PATH=/usr/local/texlive/2011/bin/x86_64-linux:$PATH;
export PATH
MANPATH=/usr/local/texlive/2011/texmf/doc/man:$MANPATH;
export MANPATH
```

```
INFOPATH=/usr/local/texlive/2011/texmf/doc/info:$INFOPATH;
export INFOPATH
```

Fedora/RedHat/CentOS:

```
sudo yum install texlive
sudo yum install psutils
```

SUSE:

```
sudo zypper install texlive
```

Debian/Ubuntu:

```
sudo apt-get install texlive texlive-latex-extra
sudo apt-get install psutils
```

Appendix B

Installing the CUED class file

LaTeX.cls files can be accessed system-wide when they are placed in the <texmf>/tex/latex directory, where <texmf> is the root directory of the user's TeX installation. On systems that have a local texmf tree (<texmflocal>), which may be named "texmf-local" or "localtexmf", it may be advisable to install packages in <texmflocal>, rather than <texmf> as the contents of the former, unlike that of the latter, are preserved after the LaTeX system is reinstalled and/or upgraded.

It is recommended that the user create a subdirectory <texmf>/tex/latex/CUED for all CUED related LaTeX class and package files. On some LaTeX systems, the directory look-up tables will need to be refreshed after making additions or deletions to the system files. For TeXLive systems this is accomplished via executing "texhash" as root. MIKTeX users can run "initexmf -u" to accomplish the same thing.

Users not willing or able to install the files system-wide can install them in their personal directories, but will then have to provide the path (full or relative) in addition to the filename when referring to them in LaTeX.