



**UNIVERSITAT POLITÈCNICA DE CATALUNYA
BARCELONATECH**

**Escola Superior d'Enginyeries Industrial,
Aeroespacial i Audiovisual de Terrassa**

ESEIAAT - UPC

Study for the computational resolution of conservation equations of mass, momentum and energy. Possible application to different aeronautical and industrial engineering problems: Case 1B

Attachment A - Results

Author: Laura Pla Olea

Director: Carlos David Perez Segarra

Co-Director: Asensio Oliva Llena

Degree: Grau en Enginyeria en Tecnologies Aeroespacials

Delivery date: 10-06-2017

Contents

List of Tables	ii
List of Figures	iii
1 Smith-Hutton problem	1
1.1 $\rho/\Gamma = 10$	1
1.2 $\rho/\Gamma = 10^3$	3
1.3 $\rho/\Gamma = 10^6$	6
2 Driven cavity problem	8
3 Bibliography	16

List of Tables

List of Figures

1.1	Representation of the whole domain for $\rho/\Gamma = 10$ (CDS)	1
1.2	Representation of the whole domain for $\rho/\Gamma = 10$ (UDS)	2
1.3	Representation of the whole domain for $\rho/\Gamma = 10$ (HDS)	2
1.4	Representation of the whole domain for $\rho/\Gamma = 10$ (EDS)	3
1.5	Representation of the whole domain for $\rho/\Gamma = 10$ (PLDS)	3
1.6	Representation of the whole domain for $\rho/\Gamma = 10^3$ (UDS)	4
1.7	Representation of the whole domain for $\rho/\Gamma = 10^3$ (HDS)	4
1.8	Representation of the whole domain for $\rho/\Gamma = 10^3$ (EDS)	5
1.9	Representation of the whole domain for $\rho/\Gamma = 10^3$ (PLDS)	5
1.10	Representation of the whole domain for $\rho/\Gamma = 10^6$ (UDS)	6
1.11	Representation of the whole domain for $\rho/\Gamma = 10^6$ (HDS)	6
1.12	Representation of the whole domain for $\rho/\Gamma = 10^6$ (EDS)	7
1.13	Representation of the whole domain for $\rho/\Gamma = 10^6$ (PLDS)	7
2.1	Comparison between the reference solution and the calculated one of the horizontal velocity along the vertical line in the geometric center of the cavity	9
2.2	Comparison between the reference solution and the calculated one of the vertical velocity along the horizontal line in the geometric center of the cavity	11
2.3	Horizontal velocity inside the cavity	13
2.4	Vertical velocity inside the cavity	15

1 | Smith-Hutton problem

In the following sections there are represented the results of the Smith-Hutton problem for all the resolution schemes that have been coded.

1.1 $\rho/\Gamma = 10$




Figure 1.1: Representation of the whole domain for $\rho/\Gamma = 10$ (CDS)




Figure 1.2: Representation of the whole domain for $\rho/\Gamma = 10$ (UDS)




Figure 1.3: Representation of the whole domain for $\rho/\Gamma = 10$ (HDS)

$$\rho/\Gamma = 10^3$$




Figure 1.4: Representation of the whole domain for $\rho/\Gamma = 10$ (EDS)




Figure 1.5: Representation of the whole domain for $\rho/\Gamma = 10$ (PLDS)

1.2 $\rho/\Gamma = 10^3$

In this section there is not a solution for the central differencing scheme because it diverges.




Figure 1.6: Representation of the whole domain for $\rho/\Gamma = 10^3$ (UDS)




Figure 1.7: Representation of the whole domain for $\rho/\Gamma = 10^3$ (HDS)




Figure 1.8: Representation of the whole domain for $\rho/\Gamma = 10^3$ (EDS)




Figure 1.9: Representation of the whole domain for $\rho/\Gamma = 10^3$ (PLDS)

$$\rho/\Gamma = 10^6$$

1.3 $\rho/\Gamma = 10^6$

Like in the previous section, in this case there is no results for the central differencing scheme because of its divergence.




Figure 1.10: Representation of the whole domain for $\rho/\Gamma = 10^6$ (UDS)




Figure 1.11: Representation of the whole domain for $\rho/\Gamma = 10^6$ (HDS)




Figure 1.12: Representation of the whole domain for $\rho/\Gamma = 10^6$ (EDS)








Figure 1.13: Representation of the whole domain for $\rho/\Gamma = 10^6$ (PLDS)

2 | Driven cavity problem

(a) $Re = 100$ (b) $Re = 400$ (c) $Re = 1000$ (d) $Re = 3200$





Figure 2.1: Comparison between the reference solution and the calculated one of the horizontal velocity along the vertical line in the geometric centre of the cavity [1]







Figure 2.2: Comparison between the reference solution and the calculated one of the vertical velocity along the horizontal line in the geometric centre of the cavity [1]







Figure 2.3: Horizontal velocity inside the cavity






Figure 2.4: Vertical velocity inside the cavity

3 | Bibliography

- [1] U. Ghia, K. N. Ghia, and C. T. Shin. High-Re solutions for incompressible flow using the Navier-Stokes equations and a multigrid method. *Journal of Computational Physics*, 48:387–411, 1982.