Make sure that you have installed:

1. Python 3.7 (www.python.org/downloads/)
2. PyCharm Community Edition (www.jetbrains.com/pycharm/download/)

Python Session 1

Course overview:

1. Data types, variables and operations
2. Input, loops and functions
3. If statements
4. Lists and dictionaries
5. Files, modules and APIs
6. Project planning and group project
7. Group project
8. Group project and presentations

Instructor Introductions

Put a coloured Post-It note on the back of your laptop monitor during exercises:

- Red/pink: I need instructor support
- Green: I do not need instructor support

Topics this session:

1. Run Python with files and console
2. Recognise data types (Integers, Floats and Strings)
3. Identify different maths operations
4. Understand Error Messages
5. Use variables in your programs

PyCharm

Why Python?

Programming Language: *A language with a set of rules that are used to communicate instructions to a computer*

Program: *A set of instructions that are run by a computer*

Human languages are used to communicate between people

Programming languages are used to communicate instructions from people to computers

Python:

1. Designed to be readable
2. Wide selection of 3rd party libraries
3. Popular
4. Open Source

Your first Python Program

Open PyCharm and click `Create New Project`


Welcome to PyCharm
PyCharm
Version 2019.2.1
Create New Project
Open
Check out from Version Control
Configure
Get Help

Call the project `cfg-python`

Under `Project Interpreter: New Virtualenv environment`, set Base interpreter to Python 3.7


New Project
Location:
C:\Users\Craig\PycharmProjects\untitled
Project Interpreter: New Virtualenv environment
Create
Cancel

Right click on `cfg-python > New > Python File`

Name the file `hello` (`.py` is added automatically)



Add this code to `hello.py`

```
print('Hello, World!')
```

Right-click in your new file > Run 'hello'



🎉 Congratulations! 🎉

You've just run your first Python program

Function: A reusable piece of code that completes a specific task

You can recognise a function as they are a word followed by round brackets `()` e.g. `print()`

The `print()` function is used to output a message to the programmer

You can change the data given to the function to change the output

```
print('I hope it is sunny this weekend')
```

```
I hope it is sunny this weekend
```

Exercise 1.1: Now that you've run your first program, try the following:

- Change the message to anything you want
- Repeat the code on multiple lines to output several messages
- Find out what happens when you remove different parts of the code (e.g. brackets)

Don't worry if something unexpected happens. Think about what you changed and why it might have caused it to happen.

Numbers and Operators in Python

Integer: a Python **data type** for **whole numbers**. For example `5`, `-99` and `1048` are all integers.

Float: a Python **data type** for **decimal numbers**. For example `5.6`, `9.0` and `-67.1001` are all floats.

Opening the Python Console



Exercise 1.2: Type these lines into your **Python console**:

```
5 - 6
8 * 9
6 / 2
5 / 0
5.0 / 2
5 % 2
2 * (10 + 3)
2 ** 4
```

What does each one do and what is its output?

Are there any outputs you didn't expect?

Subtraction:

```
5 - 6
```

```
-1
```

Multiplication:

```
8 * 9
```

```
72
```

Division:

```
6 / 2
```

```
3.0
```

Division by zero:

```
5 / 0
```

```
---------------------------------------------------------------------------
ZeroDivisionError                         Traceback (most recent call last)
<ipython-input-5-adafc2937013> in <module>
----> 1 5 / 0

ZeroDivisionError: division by zero
```

Float division:

```
5.0 / 2
```

```
2.5
```

Modulo (remainder):

```
5 % 2
```

```
1
```

Brackets:

```
2 * (10 + 3)
```

```
26
```

Exponent (x to the power of y)

```
2 ** 4
```

```
16
```

Operator types

- +: add
- -: subtract
- *: multiply
- /: division
- **: exponent
- %: modulo (remainder)

Python Console

There are two main ways to write and run Python programs:

1. With files
2. On the Python console (also called the shell)

Python File	**Python Console**
Runs all lines from top-to-bottom	Runs one line as it is entered
Only shows output when using `print()`	Shows output for every line
For code that will be ran multiple times	Interactive for exploration

The String Data Type

String: a Python data type for **text** and **characters**.

For example `'Hello'`, `"abcdef1234"` and `'cats'` are all strings

Strings must be written between a pair of single or double speech marks

`'...'` or `"..."`

```
"This is a string"
```

```
'This is also a string'
```

Forgetting the speech marks

```
hello
```

Will cause this exception

```
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
NameError: name 'hello' is not defined
```

To fix it add speech marks

```
"hello"
```

The `*` and `+` operators work on strings as well as integers.

Let's investigate what they do

Exercise 1.3:

In your **Python console** type each of these

```
"Cat"
"Cat" + " videos"

"Cat" * 3
"Cat" + 3

"Cat".upper()
"Cat".lower()

"the lord of the rings".title()
```

What is the output for each one and why?

One of them causes an exception. Read the exception message. What do you think it means?

Results:

```
"Cat"
```

```
'Cat'
```

```
"Cat" + " videos"
```

```
'Cat videos'
```

```
"Cat" * 3
```

```
'CatCatCat'
```

```
"Cat" + 3
```

```
---------------------------------------------------------------------------
TypeError                                 Traceback (most recent call last)
<ipython-input-13-87a0e27c6e32> in <module>
----> 1 "Cat" + 3

TypeError: must be str, not int
```

```
"Cat".upper()
```

```
'CAT'
```

```
"Cat".lower()
```

```
'cat'
```

```
"the lord of the rings".title()
```

```
'The Lord Of The Rings'
```

1. The `+` operator can join two strings together, this is called **concatenation**

2. The `*` operator repeats a string a number of times

3. `.upper()`, `.lower()` and `.title()` are **methods**

method: A repeatable piece of code that completes a task for specific data-type

Methods are like funcitons, but they are tied to a specific data-types e.g. `.upper()` can only used with a string and not an integet or a float

Running this code

```
print("Cat" + 3)
```

Will cause this exception

```
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
TypeError: can only concatenate str (not "int") to str
```

Putting a number in `str()` converts it to a string

```
print("Cat" + str(3))
```

```
Cat3
```

Variables

Variable: a reusable **label** for a data value in Python

Creating (assigning) a variable has three parts:

1. The variable's name
2. An equals sign =
3. The data value it references

```
username = 'sarah_1987'
age = 23
```


variable name
book_title = 'The Dark Forest'
value

Values and variables are interchangeable

A variable can be put anywhere that a data value can be used

```
print('spaghetti')
```

```
spaghetti
```

```
food = 'spaghetti'
print(food)
```

```
spaghetti
```

Variables can be reused. This program calculates the cost of 12 oranges.

```
oranges = 12
cost_per_orange = 0.5

total_cost = oranges * cost_per_orange

print(str(oranges) + " oranges")
print("costs " + str(total_cost))
```

```
12 oranges
costs 6.0
```

The `oranges` variable is reused twice in the program

Exercise 1.4: In a new Python **file** called `cat_food.py` , create a program that calculates how many cans of cat food you need to feed 10 cats

Your will need:

1. A **variable** for the number of **cats**
2. A **variable** for the number of **cans** each cat eats in a day
3. A `print()` function to output the result

Extension: change the calculation to work out the amount needed for 7 days

An Example Solution

```
cats = 10
cans = 2

total_cans = cats * cans

output = str(cats) + " cats eat " + str(total_cans) + " cans"
print(output)
```

```
10 cats eat 20 cans
```

Extension Solution

```
cats = 10
cans = 2
days = 7

total_cans = cats * cans * days

msg = str(cats) + " cats eat " + str(total_cans) + " cans in " + str(days) + " days"
print(msg)
```

```
10 cats eat 140 cans in 7 days
```

String Formatting

Python strings have a method (`.format()`) that substitutes placeholders `{}` for values

```
oranges = 12
cost_per_orange = 0.5

total_cost = oranges * cost_per_orange

output = "{} oranges costs £{}".format(oranges, total_cost)

print(output)
```

```
12 oranges costs £6.0
```

This could have been written as:

```
oranges = 12
cost_per_orange = 0.5

total_cost = oranges * cost_per_orange

output = str(oranges) + " oranges costs £" + str(total_cost)

print(output)
```

```
12 oranges costs £6.0
```

Exercise 1.5: Rewrite `cat_food.py` to use string formatting instead of joining strings with `+`.

An example of string formatting:

```
user_name = 'sarah_1987'
age = 23

output = '{} is {} years old'.format(user_name, age)
print(output)
```

Solution

```
cats = 10
cans = 2

total_cans = cats * cans

output = "{} cats eat {} cans".format(cats, total_cans)
print(output)
```

```
10 cats eat 20 cans
```

Comments

Comment: a way for a programmer to write human-readable notes in their code. When running a program, comments are ignored by Python.

```
# This is a comment
```

Comments in Python start with a #

```
# A program to calculate the cost of some oranges

oranges = 12
cost_per_orange = 0.5

total_cost = oranges * cost_per_orange

output = "{} oranges costs £{}".format(oranges, total_cost)

print(output)
```

```
12 oranges costs £6.0
```

Recap

1. Run Python with files and console
2. Data types (Integers, Floats and Strings)
3. Maths operations
4. Understanding Error Messages
5. Variables

Question 1: What are the names of the maths operators?

Question 2: In what situation should you use a Python file and when should you use the Python Console?

Question 3: What is the output of this code?

```
days = 31
hours = "24"
total_hours = days * hours

msg = "There are {} in {} days".format(total_hours, days)
print(msg)
```

Homework: Session 1 homework questions in your student guide