**Starter:** There are three mistakes in this program. What are the mistakes and how would you fix them?

```
In [ ]: carrots = input('How many carrots do you have? ')
    rabbits = 6

if rabbits < carrots:
    print('There are not enough carrots')
    elif rabbits > carrots:
        print('There are too many carrots')
    else:
        print('You have the right number of carrots')
```



Python Session 4

# This session:

- 1. Lists
- 2. Dictionaries



**List:** an ordered collection of values

List are written inside square brackets and separated by commas

A list of integers

```
In [3]: lottery_numbers = [4, 8, 15, 16, 23, 42]
```

A list of strings

```
In [ ]: student_names = ['Diedre', 'Hank', 'Helena', 'Salome']
```

Lists can be made up of values of one or more data types

```
In [ ]: person = ['Jess', 32]
```

List values can be accessed using their **index** in square brackets

```
In [7]: student_names = ['Diedre', 'Hank', 'Helena', 'Salome']
    print(student_names[2])
```

Helena

## List indexes start counting from 0

Diedre

You can also set the values in lists using their indexes, similar to how you would set a variable

['Diedre', 'Joshua', 'Helena', 'Salome']

**Exercise 4.1:** When I'm travelling in the winter I often forget to pack warm clothes. Let's write a program to help me to remember the right clothes.

The program should check if the first item in the clothes list is "shorts". If it is it should change the value to "warm coat".

**Extension:** Change the other items in the list to clothing more appropriate to winter if the first item is shorts.

['warm coat', 'shoes', 'jumper']

# More list indexing

How do we get the last item from the list?

hat

### List Slicing

List slicing enables us to get subsets of elements from lists, without using loops.

For example, if we want to get the first two items from our list:

```
In [30]: clothes = ["shorts","shoes","t-shirt","dress","hat"]
    first_two_items = clothes[: 2]
    print(first_two_items)
```

['shorts', 'shoes']

#### Get middle two items

```
In [31]: clothes = ["shorts", "shoes", "t-shirt", "dress", "hat"]
    middle_items = clothes[2 : 4]
    print(middle_items)

['t-shirt', 'dress']
```

#### Get last three items

```
In [32]: clothes = ["shorts", "shoes", "t-shirt", "dress", "hat"]
    last_items = clothes[2 :]
    print(last_items)

['t-shirt', 'dress', 'hat']
```

**Exercise:** Create a list with six items. Save as variables and print:

- 1) the second item
- 2) the last item
- 3) the first two items
- 4) the second, third and fourth items
- 5) the last two items



### There are functions designed for lists

- len(): the number of items in a list
- max(): The biggest value in a list
- min(): The smallest value in a list

```
In [3]: costs = [1.2, 4.3, 2.0, 0.5]
    print(len(costs))
    print(max(costs))
    print(min(costs))
```

4

4.3

0.5

### Functions for changing the order of a list

- sorted(): Sorts the list
- reversed(): Reverses the order of a list

```
In [4]: costs = [1.2, 4.3, 2.0, 0.5]
    print(sorted(costs))
    print(list(reversed(costs))) # Need to convert back to a list with list()

[0.5, 1.2, 2.0, 4.3]
    [0.5, 2.0, 4.3, 1.2]
```

Sorted() can also be used on lists of strings to sort items alphabetically

```
In [5]: animals = ['dog','cat','rabbit','hamster','mouse',"bird"]
    sort_animals = sorted(animals)
    print(sort_animals)

['bird', 'cat', 'dog', 'hamster', 'mouse', 'rabbit']
```

**Exercise 4.2:** Make a list of game scores. Using list functions write code to output information of the scores in the following format:

Number of scores: 10 Highest score: 200 Lowest score: 3

**Extension:** Output all of the scores in descending order

append() and in

You can check if an value is in a list using the in operator. If the value is in the list it will result in True and False if it is not.

```
In [20]: student_name = input('Which student are you looking for? ')
    students = [
        'Diedre', 'Hank', 'Helena', 'Salome',
    ]
    if student_name in students:
        print('{} is in the class'.format(student_name))
    else:
        print('{} is not in the class'.format(student_name))
```

Which student are you looking for? Bob Bob is not in the class

To check if an item is not in a list, you can use the not in operator. If the value is not in the list it will result in True and False if it is.

```
In [15]: fridge = [
    'cheese',
    'pizza',
    'coke',
]

if 'milk' not in fridge:
    print('You have no milk in the fridge')
```

You have no milk in the fridge

The .append() method is used to add items to a list

['Diedre', 'Hank', 'Helena', 'Salome', 'bob']

**Exercise 4.3:** Whenever I'm shopping and I buy some bread I always forget to buy butter. Create a list and if 'bread' is in the list, add 'butter' to the shopping list.

Try running the program with and without bread in the list to check that your program works.

Remember the in operator checks if an item is in a list and the .append() method adds an item to a list.

**Extension:** Only add butter to the list if it is not already in the list, using the operator not in .

For Loops ♥ Lists

# Using lists and for loops together

Hank Helena Salome

```
In [12]: student_names = ['Diedre', 'Hank', 'Helena', 'Salome']
    for student_name in student_names:
        print(student_name)
Diedre
```

## Counting the total number of items in a list using a for loop

```
In [16]: student_names = ['Diedre', 'Hank', 'Helena', 'Salome']
    count = 0

for student_name in student_names:
    count = count + 1

print(count)
```

4

Normally we would do this without a for-loop using len(), which returns the length of a list.

```
In [15]: student_names = ['Diedre', 'Hank', 'Helena', 'Salome']
print(len(student_names))
```

4

**Exercise 4.4:** I want to work out how much money I've spent on lunch this week. I've created a list of what I spent each day.

Write a program that uses a for loop to calculate the total cost

```
In [14]: costs = [8.30, 7.12, 5.01, 1.00, 0.99, 5.92, 3.50]
total_cost = 0
```

**Extension:** Work out the average that I spend on lunch for the week


There is an easier way to do the last program without a for loop. The sum() function can be used to add up all of the values in a list:

```
In [21]: costs = [8.30, 7.12, 5.01, 1.00, 0.99, 5.92, 3.50]
    total = sum(costs)
    print(total)
```

31.83999999999996



**Dictionary:** Stores a collection of labelled items. Each item has a key and a value



Values in a dictionary are accessed using their keys

**Exercise 4.5:** Print the values of name, post\_code and street\_number from the dictionary

**Extension:** Print the values of longitude and latitude from the inner dictionary



## Putting dictionaries inside a list is very common

23 Trisha 24

**Exercise 4.6:** Using a for loop, output the values name, colour and price of each dictionary in the list

**Extension:** Add more items to the list.



The choice() function in the random module returns a random item from a list

```
In [25]: import random

colours = ['red', 'green', 'blue']
    chosen_colour = random.choice(colours)

print(chosen_colour)
```

blue

**Exercise 4.7:** Write a program to create a random name. You should have a list of random firstnames and a list of lastnames. Choose a random item from each and display the result.

Extension: Create a list of verbs and a list of nouns. Using the four lists create randomised sentences eg. Alice Brown codes Python

Recap

## This session:

- 1. Lists
- 2. Dictionaries

<b>Question 1:</b> What s sed for creating a o	used for creating	g a list and what sh	ape brackets ar

## **Question 2:** What is the result of this program?

**Question 3:** This program raises an error when I run it. What do I need to change to get it to run?

Homework: Session 4 homework questions on the mini-site