ESSS

BRAND GUIDELINES

ESSS works with a uniform corporate design. The graphic appearance consists of defined elements (such as logo, typeface, colors and graphic shapes) which have to be used in the same way through all publications.

The usage of these elements and rules must be followed forcefully to ensure a successful corporate design process.

Name

The company's name must always be used in the same way, if it appears in any text. In every publication, like brochures or websites, as well as in any email or letter.

ESSS ✅

Esss ⛔

esss ⛔

Logo

Grid



Basic construction grid

Clear space

The clear space is the smallest distance allowed between the logo and any other graphic object; logo, physical or digital page edge, copy etc.

Clear space

Minimum size

Minimum size is important in keeping the integrity of the logo in both print and digital environments.

Digital

41 pixels

Print

16mm

Colors

1 Red
The primary use of the logo should always be in red. Use the logo whenever possible.

2 Black
The black logo should be used in greyscale designs.

3 White
The white logo can be placed onto full color imagery and on promotional materials as long as maintain its visibility.

1

2

3

Incorrect Usage

Deform the logo

Rotate the logo

Alter the logo color

Add textures, bevels,
or other effects

Add shaddow

Resize

Change structure

Change structure

Light contrast

Palette

R255 **G**0 **B**0
C0 **M**95 **Y**91 **K**0

R0 **G**0 **B**0
C0 **M**0 **Y**0 **K**100

R255 **G**255 **B**255
C0 **M**0 **Y**0 **K**0