

2	Microcontroller Based Vehicle Anti Collision Monitoring System
3	
4	A Thesis
5	Presented to the Faculty of the
6	Department of Electronics and Communications Engineering
7	Gokongwei College of Engineering
8	De La Salle University
9	
10	In Partial Fulfillment of the
11	Requirements for the Degree of
12	Bachelor of Science in Computer Engineering
13	
14	by
15	CHAN, Zion Eric O.
16	COMENDADOR, Glenn Rommel P.
17	GARCIA, Laureen Audrey R.
18	FALLAR, Mac Excel S.
19	LERIT, Jose Mari Luis L.
20	May, 2016



ORAL DEFENSE RECOMMENDATION SHEET

This thesis, entitled **Microcontroller Based Vehicle Anti Collision Monitoring System**, prepared and submitted by thesis group, Ariba, composed of:

CHAN, Zion Eric O.
COMENDADOR, Glenn Rommel P.
GARCIA, Laureen Audrey R.
FALLAR, Mac Excel S.
LERIT, Jose Mari Luis L.

in partial fulfillment of the requirements for the degree of **Bachelor of Science in Computer Engineering** (**BS-CPE**) has been examined and is recommended for acceptance and approval for **ORAL DEFENSE**.

Mr. Melvin K. Cabatuan
Adviser

May 29, 2016



D	e La Salle Uni	versity
THE	SIS APPROVAL SH	IEET
prepared and submitted by:	CHAN, Zion Eric O. MENDADOR, Glenn Romm	el P.
Bachelor of Science in Con	nputer Engineering (BS-CP	
	PANEL OF EXAMINERS	
	Ms. Donabel D. Abuan Chair	
Mr. Reggie C. Gustilo Member	_	Mr. Jay Robert B. Del Rosario Member
	Mr. Melvin K. Cabatuan Adviser	
	Date: May 29, 2016	
	THE This thesis entitled Microcor prepared and submitted by: CO with group number Ariba in Bachelor of Science in Conrecommended for acceptance Mr. Reggie C. Gustilo	CHAN, Zion Eric O. COMENDADOR, Glenn Romm GARCIA, Laureen Audrey R FALLAR, Mac Excel S. LERIT, Jose Mari Luis L. with group number Ariba in partial fulfillment of the researcheor of Science in Computer Engineering (BS-CP) recommended for acceptance and approval. PANEL OF EXAMINERS Mr. Donabel D. Abuan Chair Mr. Reggie C. Gustilo Member Mr. Melvin K. Cabatuan Adviser





ACKNOWLEDGMENT

64

65

Write this prior to hard binding if you have submitted all requirements and are told by your adviser that you have passed.

TANKL!	De	La	Salle	Unive	ersity
MANILA					J

67 ABSTRACT

- Keep your abstract short by giving the gist/nutshell of your thesis.
- 69 *Index Terms*—alloy system, characterization, InP, InGaAs.



TABLE OF CONTENTS

	efense Recommendation Sheet	ii
Thesis A	Approval Sheet	iii
Acknow	vledgment	v
Abstrac	t	vi
Table of	f Contents	vii
List of 1	Figures	X
List of	Tables	xi
Abbrev	iations	xii
Notatio	n	xiii
Glossar	${f y}$	xiv
Listings		XV
Chapte	r 1 INTRODUCTION	1
1.1	Background of the Study	2
1.2	Prior Studies	4
1.3	Problem Statement	4
1.4	Objectives	5
	1.4.1 General Objective(s)	5
	1.4.2 Specific Objectives	5
1.5	Significance of the Study	5
1.6	Assumptions, Scope and Delimitations	6
1.7	Description and Methodology	6
1.8	Overview	6
Chapte	r 2 LITERATURE REVIEW	7
2.1	Summary	10



95	Chapte	r 3 THEORETICAL CONSIDERATIONS	11
96	3.1	Summary	13
97	Chapte	r 4 DESIGN CONSIDERATIONS	15
98	4.1	Summary	17
99		r 5 METHODOLOGY	18
100	5.1	Implementation	19
101	5.2	Evaluation	21
102	5.3	Summary	23
103	Chapte	r 6 RESULTS AND DISCUSSION	24
104	6.1	Summary	26
105	Chapte	7 CONCLUSIONS, RECOMMENDATIONS, AND FUTURE DIREC-	
106		TIVES	27
107	7.1	Concluding Remarks	28
108	7.2	Contributions	28
109	7.3	Recommendations	28
110	7.4	Future Prospects	30
	Referen	200	31
111	Keieren	ices	J1
111		ix A ANSWERS TO QUESTIONS TO THIS THESIS	32
		ix A ANSWERS TO QUESTIONS TO THIS THESIS How important is the problem to practice?	
112	Append	ix A ANSWERS TO QUESTIONS TO THIS THESIS	32
112 113	Append A1	Lix A ANSWERS TO QUESTIONS TO THIS THESIS How important is the problem to practice?	32 33
112 113 114	Append A1	Lix A ANSWERS TO QUESTIONS TO THIS THESIS How important is the problem to practice?	32 33 33 33
112 113 114 115	Append A1	Lix A ANSWERS TO QUESTIONS TO THIS THESIS How important is the problem to practice?	32 33 33 34
112 113 114 115 116	Append A1	How important is the problem to practice?	32 33 33 34 34
112 113 114 115 116 117	Append A1	Lix A ANSWERS TO QUESTIONS TO THIS THESIS How important is the problem to practice?	32 33 33 33 34
112 113 114 115 116 117	Append A1	How important is the problem to practice?	32 33 33 34 34
112 113 114 115 116 117 118	Append A1 A2	How important is the problem to practice?	32 33 33 34 34 34
112 113 114 115 116 117 118 119	Append A1 A2	How important is the problem to practice?	32 33 33 34 34 34 35
112 113 114 115 116 117 118 119 120 121	Append A1 A2	How important is the problem to practice?	32 33 33 34 34 34 35
112 113 114 115 116 117 118 119 120	Append A1 A2	How important is the problem to practice?	32 33 33 34 34 34 35 35
112 113 114 115 116 117 118 119 120 121 122 123	Append A1 A2	How important is the problem to practice? How will you know if the solution/s that you will achieve would be better than existing ones? A2.1 How will you measure the improvement/s? A2.1.1 What is/are your basis/bases for the improvement/s? A2.1.2 Why did you choose that/those basis/bases? A2.1.3 How significant are your measure/s of the improvement/s? What is the difference of the solution/s from existing ones? A3.1 How is it different from previous and existing ones? What are the assumptions made (that are behind for your proposed solution to work)? A4.1 Will your proposed solution/s be sensitive to these assumptions? A4.2 Can your proposed solution/s be applied to more general cases	32 33 33 34 34 35 35 35 36
112 113 114 115 116 117 118 119 120 121 122 123 124	Append A1 A2	How important is the problem to practice? How will you know if the solution/s that you will achieve would be better than existing ones? A2.1 How will you measure the improvement/s? A2.1.1 What is/are your basis/bases for the improvement/s? A2.1.2 Why did you choose that/those basis/bases? A2.1.3 How significant are your measure/s of the improvement/s? What is the difference of the solution/s from existing ones? A3.1 How is it different from previous and existing ones? What are the assumptions made (that are behind for your proposed solution to work)? A4.1 Will your proposed solution/s be sensitive to these assumptions? A4.2 Can your proposed solution/s be applied to more general cases when some of the assumptions are eliminated? If so, how?	32 33 33 34 34 34 35 35 36
112 113 114 115 116 117 118 119 120 121 122 123 124 125	Append A1 A2	How important is the problem to practice? How will you know if the solution/s that you will achieve would be better than existing ones? A2.1 How will you measure the improvement/s? A2.1.1 What is/are your basis/bases for the improvement/s? A2.1.2 Why did you choose that/those basis/bases? A2.1.3 How significant are your measure/s of the improvement/s? What is the difference of the solution/s from existing ones? A3.1 How is it different from previous and existing ones? What are the assumptions made (that are behind for your proposed solution to work)? A4.1 Will your proposed solution/s be sensitive to these assumptions? A4.2 Can your proposed solution/s be applied to more general cases	32 33 33 34 34 35 35 35 36



129		A5.2 What will be the message of the proposed solution to technical	
130		people? How about to non-technical managers and business men?	37
131	A6	How will you know if your proposed solution/s is/are correct?	37
132		A6.1 Will your results warrant the level of mathematics used (i.e., will	
133		the end justify the means)?	38
134	A7	Is/are there an/_ alternative way/s to get to the same solution/s?	38
135		A7.1 Can you come up with illustrating examples, or even better, counter	
136		examples to your proposed solution/s?	38
137		A7.2 Is there an approximation that can arrive at the essentially the same	
138		proposed solution/s more easily?	39
139	A8	If you were the examiner of your proposal, how would you present the	
140		proposal in another way?	39
141		A8.1 What are the weaknesses of your proposal?	39
142	Append	ix B USAGE EXAMPLES	41
143	B1	Equations	42
144	B2	Notations	44
145	В3	Abbreviation	50
146	В4	Glossary	52
147	В5	Figure	53
148	В6	Table	59
149	В7	Algorithm or Pseudocode Listing	63
150	В8	Program/Code Listing	65
151	В9	Referencing	67
152		B9.1 A subsection	68
153		B9.1.1 A sub-subsection	69
154	B10	Index	70
155	B11		
156		Sheets, Application Notes, etc.)	71
157	Append	ix C PUBLICATION LIST AND AWARD	75
. • .			
158	Append	ix D VITA	77
159	Index		79



LIST OF FIGURES

160

161

3.1	A quadrilateral image example	14
B.1	A quadrilateral image example	53
B.2	Figures on top of each other. See List. B.6 for the corresponding LaTeX code.	55
B.3	Four figures in each corner. See List. B.7 for the corresponding LaTeX code	5



	LIST	ΓOF	ΤΑΙ	BLES
--	------	-----	-----	------

B.1	Feasible triples for highly variable grid	59
B.2	Calculation of $y = x^n \dots \dots \dots \dots \dots$	63



ABBREVIATIONS

169	AC	Alternating Current	50
170	HTML	Hyper-text Markup Language	50
171	CSS	Cascading Style Sheet	
172	XML	eXtensible Markup Language	50



NOTATION

174	\mathcal{S}	a collection of distinct objects	52
	\mathcal{U}	the set containing everything	
176	Ø	the set with no elements	
	$ \mathcal{S} $	the number of elements in the set S	52
178	h(t)	impulse response	42
179	x(t)	input signal represented in the time domain	42
180	y(t)	output signal represented in the time domain	42

Throughout this thesis, mathematical notations conform to ISO 80000-2 standard, e.g. variable names are printed in italics, the only exception being acronyms like e.g. SNR, which are printed in regular font. Constants are also set in regular font like j. Functions are also set in regular font, e.g. in $\sin(\cdot)$. Commonly used notations are t, f, $j = \sqrt{-1}$, n and $\exp(\cdot)$, which refer to the time variable, frequency variable, imaginary unit, nth variable, and exponential function, respectively.



187 GLOSSARY

188



LISTINGS

B.1	Sample LATEX code for equations and notations usage	43
B.2	Sample LATEX code for notations usage	47
B.3	Sample LaTeX code for abbreviations usage	51
B.4	Sample LaTeX code for glossary and notations usage	52
B.5	Sample LaTeX code for a single figure	54
B.6	Sample LaTeX code for three figures on top of each other	56
B.7	Sample LaTeX code for the four figures	58
B.8	Sample LaTeX code for making typical table environment	61
B.9	Sample LaTeX code for algorithm or pseudocode listing usage	64
B.10	Computing Fibonacci numbers	65
		66
B.12	Sample LaTeX code for referencing sections	67
B.13	Sample LaTeX code for referencing subsections	68
B.14	Sample LaTeX code for referencing sub-subsections	69
B.15	Sample LaTeX code for Index usage	70
		71
	B.2 B.3 B.4 B.5 B.6 B.7 B.8 B.9 B.10 B.11 B.12 B.13 B.14 B.15	B.2 Sample LATEX code for notations usage



Chapter 1

INTRODUCTION

Contents

1 1	D 1 1 C1 C 1	_
1.1	Background of the Study	2
1.2	Prior Studies	4
1.3	Problem Statement	4
1.4	Objectives	5
	1.4.1 General Objective(s)	5
	1.4.2 Specific Objectives	5
1.5	Significance of the Study	5
1.6	Assumptions, Scope and Delimitations	6
1.7	Description and Methodology	6
1.8	Overview	6



1.1 Background of the Study

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



1.2 Prior Studies

Put here a summary of your literature review. Preferably, a table showing the summary would be helpful. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1.3 Problem Statement



1.4 Objectives

1.4.1 General Objective(s)

To ...;

288

289

290

291

294

296

297

298

299

300

301

302

303

304

305

306

1.4.2 Specific Objectives

292 1. To ...;

293 2. To ...;

3. To ...;

295 4. To ...;

5. To ...;

1.5 Significance of the Study



1.6 Assumptions, Scope and Delimitations

Bulletize your scope in one group, and then bulletize the delimitations in another. Bulletize your assumptions as well.

1.7 Description and Methodology

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

1.8 Overview

Provide here a brief summary and what the reader should expect from each succeeding chapter. Show how each chapter are connected with each other.

	De La Salle University
	Chapter 2
	LITERATURE REVIEW
	Contents
,	2.1 Summary



Cite and summarize here relevant and significant literature (dissertations, theses, journals, patents, notable conference papers) to prove that no one has done your work yet.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

		2.	Literature Review	
		De La Salle Universit	.y	
376	2.1	Summary		
			10	
	1			i e

De La Salle University
Chapter 3
THEORETICAL CONSIDERATIONS
Contents
3.1 Summary



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

3.1 Summary

Fig. 3.1 A quadrilateral image example.

	De La Salle University
Cha	apter 4
DES	SIGN CONSIDERATIONS
Cont	ents
4.1	Summary



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

4.1 Summary

Cho	ntor 5
Cna	pter 5
MF	THODOLOGY
ME	INODOLOGY
IVIE	INODOLOGY
Conte	



5.1 Implementation

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



5.2 Evaluation

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

		5. Methodology	
		De La Salle University	
581	5.3	Summary	
		23	

SCUSSION



Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

6.1 Summary



7.1 Concluding Remarks

In this Thesis, ...

7.2 Contributions

The interrelated contributions and supplements that have been developed in this Thesisare listed as follows.

- 649 the ;
- the ;
- 651 the ;

7.3 Recommendations

De La Salle University

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue



a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

7.4 Future Prospects

There are several prospect related in this research that may be extended for further studies. ... So the suggested topics are listed in the following.

- 1. the
- 2. the
- 703 3. the



704 REFERENCES

705

706

707

708

[ISO, 2009] ISO (2009). 80000-2. Quantities and units—Part 2: Mathematical signs and symbols to be used in the natural sciences and technology.

[Oetiker et al., 2014] Oetiker, T., Partl, H., Hyna, I., and Schlegl, E. (2014). *The Not So Short Introduction to LTEX* 2_E Or LTEX 2_E in 157 minutes. n.a.

Produced: May 29, 2016, 20:53



Appendix A ANSWERS TO QUESTIONS TO THIS THESIS

Contents

A 1	How important is the problem to practice?	33			
A2	How will you know if the solution/s that you will achieve would be better				
	than existing ones?	33			
	A2.1 How will you measure the improvement/s?	33			
	A2.1.1 What is/are your basis/bases for the improvement/s?	34			
	A2.1.2 Why did you choose that/those basis/bases?	34			
	A2.1.3 How significant are your measure/s of the improvement/s?	34			
A3	What is the difference of the solution/s from existing ones?	35			
	A3.1 How is it different from previous and existing ones?	35			
A4	What are the assumptions made (that are behind for your proposed solution				
	to work)?				
	A4.1 Will your proposed solution/s be sensitive to these assumptions? .	36			
	A4.2 Can your proposed solution/s be applied to more general cases				
	when some of the assumptions are eliminated? If so, how?	36			
A5	What is the necessity of your approach / proposed solution/s?	36			
	A5.1 What will be the limits of applicability of your proposed solution/s?	37			
	A5.2 What will be the message of the proposed solution to technical				
	people? How about to non-technical managers and business men?	37			
A6	How will you know if your proposed solution/s is/are correct?				
	A6.1 Will your results warrant the level of mathematics used (i.e., will				
	the end justify the means)?	38			
A7	Is/are there an/_ alternative way/s to get to the same solution/s?	38			
	A7.1 Can you come up with illustrating examples, or even better, counter				
	examples to your proposed solution/s?	38			
	A7.2 Is there an approximation that can arrive at the essentially the same				
	proposed solution/s more easily?	39			
A8	If you were the examiner of your proposal, how would you present the				
	proposal in another way?				
	A8.1 What are the weaknesses of your proposal?	39			



A1 How important is the problem to practice?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A2 How will you know if the solution/s that you will achieve would be better than existing ones?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A2.1 How will you measure the improvement/s?



A2.1.1 What is/are your basis/bases for the improvement/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A2.1.2 Why did you choose that/those basis/bases?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A2.1.3 How significant are your measure/s of the improvement/s?



A3 What is the difference of the solution/s from existing ones?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A3.1 How is it different from previous and existing ones?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A4 What are the assumptions made (that are behind for your proposed solution to work)?



A4.1 Will your proposed solution/s be sensitive to these assumptions?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A4.2 Can your proposed solution/s be applied to more general cases when some of the assumptions are eliminated? If so, how?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A5 What is the necessity of your approach / proposed solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris.



Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A5.1 What will be the limits of applicability of your proposed solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A5.2 What will be the message of the proposed solution to technical people? How about to non-technical managers and business men?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A6 How will you know if your proposed solution/s is/are correct?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla



tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A6.1 Will your results warrant the level of mathematics used (i.e., will the end justify the means)?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A7 Is/are there an/_ alternative way/s to get to the same solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A7.1 Can you come up with illustrating examples, or even better, counter examples to your proposed solution/s?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A7.2 Is there an approximation that can arrive at the essentially the same proposed solution/s more easily?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A8 If you were the examiner of your proposal, how would you present the proposal in another way?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

A8.1 What are the weaknesses of your proposal?

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor.



Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.

	De La Salle University	
971 972	Appendix B USAGE EXAMPLES	
	41	



The user is expected to have a working knowledge of LATEX. A good introduction is in [Oetiker et al., 2014]. Its latest version can be accessed at http://www.ctan.org/tex-archive/info/lshort.

B1 Equations

The following examples show how to typeset equations in LaTeX. This section also shows examples of the use of \gls{} commands in conjunction with the items that are in the notation.tex file. Please make sure that the entries in notation.tex are those that are referenced in the LaTeX document files used by this Thesis. Please comment out unused notations and be careful with the commas and brackets in notation.tex.

In (B.1), the output signal $y\left(t\right)$ is the result of the convolution of the input signal $x\left(t\right)$ and the impulse response $h\left(t\right)$.

$$y(t) = h(t) * x(t) = \int_{-\infty}^{+\infty} h(t - \tau) x(\tau) d\tau$$
(B.1)

Other example equations are as follows.

$$\begin{bmatrix} \frac{V_1}{I_1} \end{bmatrix} = \begin{bmatrix} A & B \\ C & D \end{bmatrix} \begin{bmatrix} \frac{V_2}{I_2} \end{bmatrix}$$
 (B.2)

$$\frac{1}{2} < \left\lfloor \operatorname{mod}\left(\left\lfloor \frac{y}{17} \right\rfloor 2^{-17\lfloor x\rfloor - \operatorname{mod}(\lfloor y\rfloor, 17)}, 2\right) \right\rfloor, \tag{B.3}$$

$$|\zeta(x)^3 \zeta(x+iy)^4 \zeta(x+2iy)| = \exp \sum_{n,p} \frac{3+4\cos(ny\log p) + \cos(2ny\log p)}{np^{nx}} \ge 1$$
 (B.4)



The verbatim LaTeX code of Sec. B1 is in List. B.1.

Listing B.1: Sample LaTeX code for equations and notations usage

```
The following examples show how to typeset equations in \LaTeX.
2
3
    In~\eqref{eq:conv}, the output signal \gls{not:output_sigt} is the
        result of the convolution of the input signal \gls{not:input_sigt}
        and the impulse response \gls{not:ir}.
 4
5
    \begin{eqnarray}
6
         y\left( t \right) = h\left( t \right) * x\left( t \right)=\int_{-\}
             infty}^{+\infty}h\left( t-\tau \right)x\left( \tau \right) \
       \label{eq:conv}
8
    \end{eqnarray}
    Other example equations are as follows.
10
11
12
    \begin{eqnarray}
       \left[ \dfrac{ V_{1} }{ I_{1} } \right] =
13
14
       \begin{bmatrix}
15
          A & B \\
16
          C & D
       \end{bmatrix}
17
18
       \label{left} $$ \left[ \dfrac{ V_{2} }{ I_{2} } \right] \right] $$ \left[ \dfrac{ V_{2} }{ I_{2} } \right] $$
19
       \label{eq:ABCD}
20
    \end{eqnarray}
21
22
    \begin{eqnarray}
23
    {1\over 2} < \left( \int_{\infty} \mathbf{y} \right) 
        right\rfloor 2^{-17 \lfloor x \rfloor - \mathrm{mod}(\lfloor y\
        rfloor, 17)},2\right)\right\rfloor,
    \end{eqnarray}
24
25
26
    \begin{eqnarray}
27
    | \text{zeta(x)^3} \text{zeta(x+iy)^4} \text{zeta(x+2iy)} | =
   \ensuremath{\mbox{ \ exp\sum_{n,p}\frac{3+4\cos(ny\log p) +\cos (2ny\log p)}{np^{nx}}\ge 1}
28
    \end{eqnarray}
```



987 **B2 Notations**

988

989

990

991

992

993

994

995

996

997

998

999

1000

In order to use the standardized notation, the user is highly suggested to see the ISO 80000-2 standard [ISO, 2009]. The following were taken from <code>isomath-test.tex</code>.

Math alphabets

If there are other symbols in place of Greek letters in a math alphabet, it uses T1 or OT1 font encoding instead of OML.

 $\begin{array}{ll} \text{mathnormal} & A,B,\Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,\alpha,\beta,\pi,\nu,\omega,v,w,0,1,9\\ \text{mathit} & A,B,\Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,f\!f,f\!i,\beta,\ °,!,v,w,0,1,9\\ \text{mathrm} & A,B,\Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,f\!f,f\!i,\beta,\ °,!,v,w,0,1,9\\ \text{mathbf} & \mathbf{A},\mathbf{B},\mathbf{\Gamma},\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,f\!f,f\!i,\beta,\ °,!,v,w,0,1,9\\ \text{mathsf} & A,B,\Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,f\!f,f\!i,\beta,\ °,!,v,w,0,1,9\\ \text{mathtt} & A,B,\Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,\uparrow,\downarrow,\beta,\ °,!,v,w,0,1,9 \end{array}$

New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-italic.

mathbfit $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, o, 1, 9$ mathsfit $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, o, 1, 9$ mathsfbfit $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, o, 1, 9$

Do the math alphabets match?

 $axlpha\omega axlpha\omega$ ax $lpha\omega$ $TC\Theta\Gamma TC\Theta\Gamma$

Vector symbols

Alphabetic symbols for vectors are boldface italic, $\lambda = e_1 \cdot a$, while numeric ones (e.g. the zero vector) are bold upright, a + 0 = a.

Matrix symbols

Symbols for matrices are boldface italic, too: $\Lambda = E \cdot A$.

¹However, matrix symbols are usually capital letters whereas vectors are small ones. Exceptions are physical quantities like the force vector F or the electrical field E.



1001 Tensor symbols

1002

1003

Symbols for tensors are sans-serif bold italic,

$$\boldsymbol{\alpha} = \boldsymbol{e} \cdot \boldsymbol{a} \iff \alpha_{ijl} = e_{ijk} \cdot a_{kl}.$$

The permittivity tensor describes the coupling of electric field and displacement:

$$oldsymbol{D} = \epsilon_0 oldsymbol{\epsilon}_{\mathrm{r}} oldsymbol{E}$$



1004 Bold math version

The "bold" math version is selected with the commands \boldmath or \mathversion{bold}

 $\text{mathnormal} \qquad A,B,\varGamma,\varDelta,\varTheta,\varLambda,\varXi,\varPi,\varSigma,\varPhi,\Psi,\varOmega,\alpha,\beta,\pi,\nu,\omega,v,w,0,1,9$

mathrm $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, \beta, ^{\circ}, !, v, w, 0, 1, 9$

 $\text{mathbf} \qquad A,B,\Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,\text{ff},\text{fi},\beta,\ {}^{\circ},!,v,w,0,1,9$

mathsf $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, ff, fi, B, ^{\circ}, !, v, w, 0, 1, 9$

mathtt A, B, Γ , Δ , Θ , Λ , Ξ , Π , Σ , Φ , Ψ , Ω , \uparrow , \downarrow , \mathfrak{B} , $^{\circ}$, !, v, w, 0, 1, 9

New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-italic.

mathbfit $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, v, w, o, 1, 9$

mathsfit $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, \nu, w, 0, 1, 9$

mathsfbfit $A, B, \Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Phi, \Psi, \Omega, \alpha, \beta, \pi, \nu, \omega, \nu, w, 0, 1, 9$

Do the math alphabets match?

 $ax lpha \omega ax lpha \omega ax lpha \omega$ $TC \Theta \Gamma TC \Theta \Gamma TC \Theta \Gamma$

1009 **Vector symbols**

1006

1007

1008

1010

1011

1012

1013

1014

1016

Alphabetic symbols for vectors are boldface italic, $\lambda = e_1 \cdot a$, while numeric ones (e.g. the zero vector) are bold upright, a + 0 = a.

Matrix symbols

Symbols for matrices are boldface italic, too: $\Lambda = E \cdot A$.

Tensor symbols

1015 Symbols for tensors are sans-serif bold italic,

$$lpha = e \cdot a \iff lpha_{ijl} = e_{ijk} \cdot a_{kl}.$$

The permittivity tensor describes the coupling of electric field and displacement:

$$D = \epsilon_0 \epsilon_r E$$

2However, matrix symbols are usually conit

²However, matrix symbols are usually capital letters whereas vectors are small ones. Exceptions are physical quantities like the force vector F or the electrical field E.



The verbatim LATEX code of Sec. B2 is in List. B.2.

Listing B.2: Sample LATEX code for notations usage

```
1019
           % A teststring with Latin and Greek letters::
1020
1021
           \newcommand{\teststring}{%
1022
           % capital Latin letters
           % A,B,C,
1023
        4
        5
1024
           A,B,
           % capital Greek letters
1025
        6
1026
           %\Gamma, \Delta, \Theta, \Lambda, \Xi, \Pi, \Sigma, \Upsilon, \Phi, \Psi,
1027
           \Gamma,\Delta,\Theta,\Lambda,\Xi,\Pi,\Sigma,\Phi,\Psi,\Omega,
        9
1028
           % small Greek letters
1029
       10
           \alpha,\beta,\pi,\nu,\omega,
1030
           \% small Latin letters:
       11
1031
       12
           % compare \nu, \nu, \nu, and \nu
1032
       13
1033
           % digits
       14
1034
       15
           0,1,9
1035
       16
1036
       17
1037
       18
1038
       19
           \subsection * { Math alphabets }
1039
       20
1040
       21
           If there are other symbols in place of Greek letters in a math
1041
       22
           alphabet, it uses T1 or OT1 font encoding instead of OML.
1042
       23
1043
       24
           \begin{eqnarray*}
           \mbox{mathnormal} & & \teststring \\
1044
       25
           \mbox{mathit} & & \mathit{\teststring}\\
1045
1046
       27
           \mbox{mathrm} & & \mathrm{\teststring}\\
1047
       28
           \mbox{mathsf} & & \mathsf{\teststring}\\
mbox{mathtt} & & \mathtt{\teststring}
1048
       29
1049
       30
1050
       31
           \end{eqnarray*}
1051
            New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-
       32
1052
                italic.
1053
           \begin{eqnarray*}
1054
       34
           \mbox{mathbfit}
                                 & & \mathbfit{\teststring}\\
       35
1055
           \mbox{mathsfit}
                                 & & \mathsfit{\teststring}\\
1056
       36
           \mbox{mathsfbfit} & & \mathsfbfit{\teststring}
1057
       37
           \end{eqnarray*}
1058
       38
       39
1059
           Do the math alphabets match?
1060
       40
1061
       41
1062
           \mathnormal {a x \alpha \omega}
1063
       43
           \mathbfit
                          {a x \alpha \omega}
1064
       44
           \mathsfbfit{a x \alpha \omega}
1065
       45
           \quad
1066
       46
           \mathsfbfit{T C \Theta \Gamma}
1067
       47
           \mathbfit
                          {T C \Theta \Gamma}
                         {T C \Theta \Gamma}
1068
       48
           \mathnormal
1069
       49
1070
       50
1071
       51
           \subsection *{ Vector symbols}
1072
       52
```

De La Salle University

```
1073
           Alphabetic symbols for vectors are boldface italic,
1074
           1075
       55
           while numeric ones (e.g. the zero vector) are bold upright,
           vec{a} + vec{0} = vec{a}.
1076
       56
1077
       57
1078
           \subsection *{Matrix symbols}
1079
       59
       60
1080
           Symbols for matrices are boldface italic, too: %
1081
       61
           \footnote{However, matrix symbols are usually capital letters whereas
1082
               vectors
1083
           are small ones. Exceptions are physical quantities like the force
1084
       63
           vector $\vec{F}$ or the electrical field $\vec{E}$.%
1085
       64
1086
       65
           $\matrixsym{\Lambda}=\matrixsym{E}\cdot\matrixsym{A}.$
1087
1088
       67
1089
       68
           \subsection*{Tensor symbols}
1090
       69
1091
       70
           Symbols for tensors are sans-serif bold italic,
1092
       71
1093
       72
           ١[
1094
               \tensorsym{\alpha} = \tensorsym{e}\cdot\tensorsym{a}
       73
1095
       74
               \quad \Longleftrightarrow \quad
1096
       75
               \alpha_{ijl} = e_{ijk} \cdot a_{kl}.
           \]
1097
       76
1098
       77
1099
       78
1100
       79
           The permittivity tensor describes the coupling of electric field and
1101
       80
           displacement: \[
           \label{lem:constraint} $$\operatorname{D}=\operatorname{O}\times _{0}\times _{0}\times _{0}. $$
1102
       81
1103
       82
1104
       83
1105
       84
1106
       85
           \newpage
1107
       86
           \subsection * { Bold math version }
1108
       87
1109
           The ''bold'' math version is selected with the commands
       88
1110
       89
           \verb+\boldmath+ or \verb+\mathversion{bold}+
1111
       90
1112
       91
           {\boldmath
1113
       92
               \begin{eqnarray*}
1114
       93
               \mbox{mathnormal} & & \teststring \\
               \mbox{mathit} & & \mathit{\teststring}\\
1115
       94
1116
       95
               \mbox{mathrm} & & \mathrm{\teststring}\\
               \mbox{mathbf} & & \mathbf{\teststring}\\
mbox{mathsf} & & \mathsf{\teststring}\\
1117
       96
1118
       97
1119
       98
               \mbox{mathtt} &
                                & \mathtt{\teststring}
1120
       99
               \end{eqnarray*}
1121
      100
                New alphabets bold-italic, sans-serif-italic, and sans-serif-bold-
1122
                    italic.
1123
      101
               \begin{eqnarray*}
                                      & \mathbfit{\teststring}\\
1124
      102
               \mbox{mathbfit}
                                    &
1125
      103
               \mbox{mathsfit}
                                    & & \mathsfit{\teststring}\\
1126
      104
               \mbox{mathsfbfit} & & \mathsfbfit{\teststring}
1127
      105
               \end{eqnarray*}
1128
      106
1129
      107
               Do the math alphabets match?
```

De La Salle University

```
108
1130
1131
      109
              \mathnormal {a x \alpha \omega}
1132
      110
                           {a x \alpha \omega}
1133
      111
              \mathbfit
1134
              \mathsfbfit{a x \alpha \omega}
      112
1135
      113
              \quad
              \mathsfbfit{T C \Theta \Gamma}
1136
      114
                           {T C \Theta \Gamma}
1137
      115
              \mathbfit
1138
      116
              \mathnormal {T C \Theta \Gamma}
1139
      117
1140
      118
1141
      119
              \subsection*{Vector symbols}
1142
      120
1143
      121
              Alphabetic symbols for vectors are boldface italic,
1144
      122
              1145
      123
              while numeric ones (e.g. the zero vector) are bold upright,
1146
      124
              \ \ \vec{a} + \vec{0} = \vec{a}$.
1147
      125
1148
      126
1149
      127
1150
      128
1151
              \subsection *{Matrix symbols}
      129
1152
      130
1153
      131
              Symbols for matrices are boldface italic, too: %
      132
1154
              \footnote{However, matrix symbols are usually capital letters whereas
1155
1156
      133
              are small ones. Exceptions are physical quantities like the force
1157
      134
              vector $\vec{F}$ or the electrical field $\vec{E}$.%
1158
      135
1159
      136
              $\matrixsym{\Lambda}=\matrixsym{E}\cdot\matrixsym{A}.$
1160
      137
1161
      138
1162
      139
              \subsection*{Tensor symbols}
1163
      140
1164
      141
              Symbols for tensors are sans-serif bold italic,
1165
      142
1166
      143
              1 [
                  \tensorsym{\alpha} = \tensorsym{e}\cdot\tensorsym{a}
1167
      144
1168
      145
                  \quad \Longleftrightarrow \quad
1169
      146
                  \alpha_{ijl} = e_{ijk} \cdot a_{kl}.
1170
      147
1171
      148
1172
      149
              The permittivity tensor describes the coupling of electric field and
      150
1173
              displacement: \[
1174
      151
              \c {D}=\ensuremath{\c D}=\ensuremath{\c C}\
      152
1178
```

B3 Abbreviation

This section shows examples of the use of LaTeX commands in conjunction with the items that are in the abbreviation.tex and in the glossary.tex files. Please see List. B.3. To lessen the LaTeX compilation time, it is suggested that you use \acr{} only for the first occurrence of the word to be abbreviated.

Again please see List. B.3. Here is an example of first use: alternating current (ac). Next use: ac. Full: alternating current (ac). Here's an acronym referenced using \acr: hyper-text markup language (html). And here it is again: html. If you are used to the glossaries package, note the difference in using \gls: hyper-text markup language (html). And again (no difference): hyper-text markup language (html). Here are some more entries:

- extensible markup language (xml) and cascading style sheet (css).
- Next use: xml and css.
- Full form: extensible markup language (xml) and cascading style sheet (css).
- Reset again.
- Start with a capital. Hyper-text markup language (html).
- Next: Html. Full: Hyper-text markup language (html).
- Prefer capitals? Extensible markup language (XML). Next: XML. Full: extensible markup language (XML).
- Prefer small-caps? Cascading style sheet (CSS). Next: CSS. Full: cascading style sheet (CSS).
- Resetting all acronyms.
- Here are the acronyms again:
- Hyper-text markup language (HTML), extensible markup language (XML) and cascading style sheet (CSS).
- Next use: HTML, XML and CSS.
- Full form: Hyper-text markup language (HTML), extensible markup language (XML) and cascading style sheet (CSS).

1189

1177

1178

1179

1180

1181

1182

1183

1184

1185

1187

1188

1191

1190

1192

1193

1195 1196

1197

1199

1200

1201 1202

1203

1204 1205



1206

1207

• Provide your own link text: style sheet.

The verbatim LaTeX code of Sec. B3 is in List. B.3.

Listing B.3: Sample LATEX code for abbreviations usage

```
Again please see List.~\ref{lst:abbrv}. Here is an example of first use:
       \acr{ac}. Next use: \acr{ac}. Full: \gls{ac}. Here's an acronym
      referenced using \verb | \acr |: \acr{html}. And here it is again: \
      acr{html}. If you are used to the \texttt{glossaries} package, note
      difference): \gls{html}. Here are some more entries:
   \begin{itemize}
5
      \item \acr{xml} and \acr{css}.
7
      \item Next use: \acr{xml} and \acr{css}.
8
      \item Full form: \gls{xml} and \gls{css}.
9
10
      \item Reset again. \glsresetall{abbreviation}
11
12
      \item Start with a capital. \Acr{html}.
13
14
15
      \item Next: \Acr{html}. Full: \Gls{html}.
16
      \item Prefer capitals? \renewcommand{\acronymfont}[1]{\
17
         MakeTextUppercase{#1}} \Acr{xml}. Next: \acr{xml}. Full: \gls{xml}
18
      \item Prefer small-caps? \renewcommand{\acronymfont}[1]{\textsc{#1}}
19
         \Acr{css}. Next: \acr{css}. Full: \gls{css}.
20
21
      \item Resetting all acronyms.\glsresetall{abbreviation}
22
23
      \item Here are the acronyms again:
24
25
      \item \Acr{html}, \acr{xml} and \acr{css}.
26
      \item Next use: \Acr{html}, \acr{xml} and \acr{css}.
27
28
      \item Full form: \Gls{html}, \gls{xml} and \gls{css}.
29
      \item Provide your own link text: \glslink{[textbf]css}{style}
31
32
   \end{itemize}
```



B4 Glossary

This section shows examples of the use of \gls{} commands in conjunction with the items that are in the glossary.tex and notation.tex files. Note that entries in notation.tex are prefixed with "not: "label (see List. B.4).

Please make sure that the entries in <code>notation.tex</code> are those that are referenced in the LATEX document files used by this Thesis. Please comment out unused notations and be careful with the commas and brackets in <code>notation.tex</code>.

- Matrices are usually denoted by a bold capital letter, such as A. The matrix's (i, j)th element is usually denoted a_{ij} . Matrix I is the identity matrix.
- \bullet A set, denoted as S, is a collection of objects.
- The universal set, denoted as \mathcal{U} , is the set of everything.
- The empty set, denoted as \emptyset , contains no elements.
- The cardinality of a set, denoted as |S|, is the number of elements in the set.

The verbatim LATEX code for the part of Sec. B4 is in List. B.4.

Listing B.4: Sample LaTeX code for glossary and notations usage

```
\begin{itemize}
2
3
      \item \Glspl{matrix} are usually denoted by a bold capital letter,
          such as \mathbf{A}, The \gls{matrix}'s (i,j)th element is
          usually denoted a_{ij}. \Gls{matrix} $\mathbf{I}$ is the
          identity \gls{matrix}.
4
5
      \item A set, denoted as \gls{not:set}, is a collection of objects.
6
      \item The universal set, denoted as \gls{not:universalSet}, is the
          set of everything.
8
      \item The empty set, denoted as \gls{not:emptySet}, contains no
9
          elements.
10
      \item The cardinality of a set, denoted as \gls{not:cardinality}, is
11
          the number of elements in the set.
12
   \end{enumerate}
```

1208

1209 1210 1211

1212 1213 1214

1215 1216

1217

1218

1219

1220

1221



1222 B5 Figure

1223

1224

This section shows several ways of placing figures. PDFLATEX compatible files are PDF, PNG, and JPG. Please see the figure subdirectory.



Fig. B.1 A quadrilateral image example.



1225 1226 Fig. B.1 is a gray box enclosed by a dark border. List. B.5 shows the corresponding LATEX code.

Listing B.5: Sample LATEX code for a single figure

```
begin{figure}[!htbp]
centering
    \includegraphics[width=0.5\textwidth]{example}

caption{A quadrilateral image example.}

label{fig:example}

cleardoublepage

fig.~\ref{fig:example} is a gray box enclosed by a dark border. List.~\
    ref{lst:onefig} shows the corresponding \LaTeX \ code.

lend{figure}
```





(a) A sub-figure in the top row.



(b) A sub-figure in the middle row.





Listing B.6: Sample LATEX code for three figures on top of each other

```
\begin{figure}[!htbp]
   \centering
   \subbottom[A sub-figure in the top row.]{
   \includegraphics[width=0.35\textwidth]{example}
   \label{fig:top}
   \subbottom[A sub-figure in the middle row.]{
   \includegraphics[width=0.35\textwidth]{example}
10
   \label{fig:mid}
11
   \vertvfill
12
   \subbottom[A sub-figure in the bottom row.]{
13
14
   \includegraphics[width=0.35\textwidth]{example}
15
   \label{fig:botm}
16
17
   \caption{Figures on top of each other}
   \label{fig:tmb}
18
   \end{figure}
```

De La Salle University



Lorem ipsum dobr sit amet, consecteture adipiscing elit. Ut purus elit, vestillalum ut, placerat ar, adipiscing vitae, felis. Cumbirut dictum garida mauric.

Nam area luben, nomumuye equi, consecterat ili, vitapiata a magna. Donce
man and man a

- (a) A sub-figure in the upper-left corner.
- (b) A sub-figure in the upper-right corner.

Lorent jamm dohor ist anest, consectenture adjuscing elli. Ut purus elli, vestillalim ut a, placerat ac, adjuscing vitae, fielis. Curabitur dictum gravida manuris.

(I) Nan accu libero, nonummy eger, consecterate ell, vidjentate a, magna. Dance
netture elli periodi pe

Lorem ipsum dober sit amet, consecteture aflipicing elit. Ut purus elit, vestibuhan ut, pheerat ac, dulpicing vitae, feits. Cumbitur datum gavela massis,
which is a consecutive and the consecutive and the consecutive velicities angue en unque. Pedestenegae habitam dunch tristique senectus et
netus et maleunada fanos ac turpio egotas. Mauris ut loo.

Lorem ipsum dober at marci consecutiver andipicing elit. Un purus elit, vestibuhan ut, pheerat ac, adipicing vitae, feit. Cumbitur dictum gaveita massis.

Nam arcu libera, nomumy egot, consecuteur al, vighuntae a, nagna. Done
vehicula aque en noque. Pedestenegae habitam modi tristique senectus et
netus et maleunada fanos ac turpio egotas. Mauris ut loo.

Lorem ipsum dober sit amet, consecuteur adapticing elit. Ut purus elit, vestibuhum ut, pheerat ac, adipicing vitae, feits. Cumbitur detung gaveita massis.

Nam arcu libera, nomumny egot, consecuteur al, vulputate a, nagna. Done
vehicula aque en unque. Pedestenegae habitam unde tristique senectius et
neste et maleunada fanos ac turpic egotas. Mauris ut lor.

**Lorem ipsum dober sit amet, consecuteur adipicing elit.

**Lorem ipsum dober sit amet, consecuteur adipicing elit.

- (c) A sub-figure in the lower-left corner.
- (d) A sub-figure in the lower-right corner

Fig. B.3 Four figures in each corner. See List. B.7 for the corresponding LaTeX code.



Listing B.7: Sample LATEX code for the four figures

```
\begin{figure}[!htbp]
   \centering
   \subbottom[A sub-figure in the upper-left corner.]{
   \includegraphics[width=0.45\textwidth]{example}
   \label{fig:upprleft}
   \subbottom[A sub-figure in the upper-right corner.]{
   \includegraphics[width=0.45\textwidth]{example}
10
   \label{fig:uppright}
11
12
   \vfill
   \subbottom[A sub-figure in the lower-left corner.]{
13
   \includegraphics[width=0.45\textwidth]{example}
   \label{fig:lowerleft}
15
16
17
   \hfill
   \subbottom[A sub-figure in the lower-right corner]{
18
   \includegraphics[width=0.45\textwidth]{example}
19
20
   \label{fig:lowright}
21
   \verb|\caption{Four figures in each corner. See List.~\ref{lst:fourfigs} for
       the corresponding \LaTeX \ code.}
   \label{fig:fourfig}
   \end{figure}
```



1228

B6 Table

This section shows an example of placing a table (a long one). Table B.1 are the triples.

TABLE B.1 FEASIBLE TRIPLES FOR HIGHLY VARIABLE GRID

Time (s)	Triple chosen	Other feasible triples
0	(1, 11, 13725)	(1, 12, 10980), (1, 13, 8235), (2, 2, 0), (3, 1, 0)
2745	(1, 12, 10980)	(1, 13, 8235), (2, 2, 0), (2, 3, 0), (3, 1, 0)
5490	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
8235	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
10980	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
13725	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
16470	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
19215	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
21960	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
24705	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
27450	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
30195	(2, 2, 2745)	(2,3,0),(3,1,0)
32940	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
35685	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
38430	(1, 13, 10980)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
41175	(1, 12, 13725)	(1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
43920	(1, 13, 10980)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
46665	(2, 2, 2745)	(2,3,0),(3,1,0)
49410	(2, 2, 2745)	(2,3,0),(3,1,0)
52155	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
54900	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
57645	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
60390	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
63135	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
65880	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
68625	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
71370	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
74115	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
76860	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
79605	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0) (2, 2, 2745), (2, 3, 0), (3, 1, 0)
82350	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
85095	(1, 12, 13725)	(1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
87840	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
90585	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0) (2, 2, 2745), (2, 3, 0), (3, 1, 0)
93330	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0) (2, 2, 2745), (2, 3, 0), (3, 1, 0)
96075	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
98820	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0) (2, 2, 2745), (2, 3, 0), (3, 1, 0)
101565	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0) (2, 2, 2745), (2, 3, 0), (3, 1, 0)
104310	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
107055	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0) (2, 2, 2745), (2, 3, 0), (3, 1, 0)
109800	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0) (2, 2, 2745), (2, 3, 0), (3, 1, 0)
112545	(1, 13, 13723)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
115290	(1, 12, 10470)	(1, 13, 13723), (2, 2, 2743), (2, 3, 0), (3, 1, 0) (2, 2, 2745), (2, 3, 0), (3, 1, 0)
118035	(1, 13, 10470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0) (2, 2, 2745), (2, 3, 0), (3, 1, 0)
120780	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
123525	(1, 13, 10470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0) (2, 2, 2745), (2, 3, 0), (3, 1, 0)
	(-, 10, 10, 20)	Continued on next page

Continued on next page



Continued from previous page

Time (s)	Triple chosen	Other feasible triples
126270	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
129015	(2, 2, 2745)	(2,3,0),(3,1,0)
131760	(2, 2, 2745)	(2,3,0),(3,1,0)
134505	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
137250	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
139995	(2, 2, 2745)	(2,3,0),(3,1,0)
142740	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
145485	(1, 12, 16470)	(1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 0)
148230	(2, 2, 2745)	(2, 3, 0), (3, 1, 0)
150975	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
153720	(1, 12, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
156465	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
159210	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
161955	(1, 13, 16470)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)
164700	(1, 13, 13725)	(2, 2, 2745), (2, 3, 0), (3, 1, 0)

1229



List. B.8 shows the corresponding LATEX code.

Listing B.8: Sample LATEX code for making typical table environment

```
\begin{center}
1232
        1
1233
        2
           {\scriptsize
1234
           \beta_{0.0} = \frac{1}{2}
1235
           \caption{Feasible triples for highly variable grid} \label{tab:triple_
1236
1237
               grid} \\
1238
           \hline
1239
           \hline
           \textbf{Time (s)} &
1240
        7
        8
           \textbf{Triple chosen} &
1241
1242
        9
           \textbf{Other feasible triples} \\
1243
       10
           \hline
1244
       11
           \endfirsthead
           \multicolumn{3}{c}%
1245
       12
1246
           {\textit{Continued from previous page}} \\
       13
1247
       14
           \hline
1248
       15
           \hline
1249
       16
           \textbf{Time (s)} &
1250
       17
           \textbf{Triple chosen} &
1251
       18
           \textbf{Other feasible triples} \\
1252
       19
           \hline
1253
       20
           \endhead
1254
       21
           \hline
1255
       22
           \multicolumn{3}{r}{\textit{Continued on next page}} \\
1256
       23
           \endfoot
1257
       24
           \hline
1258
       25
           \endlastfoot
1259
       26
           \hline
1260
       27
           0 & (1, 11, 13725) & (1, 12, 10980), (1, 13, 8235), (2, 2, 0), (3, 1, 0)
1261
       28
1262
           2745 & (1, 12, 10980) & (1, 13, 8235), (2, 2, 0), (2, 3, 0), (3, 1, 0)
1263
       29
1264
           5490 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1265
1266
       31
           8235 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1267
1268
       32
           10980 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1269
               0) \\
1270
           13725 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1, 1)
                0) \\
1271
1272
           16470 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
       34
           19215 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1273
1274
                0) \\
1275
           21960 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
                0) \\
1276
           24705 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1277
       37
                0) \\
1278
           27450 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1279
       38
                0) \\
1280
1281
       39
           30195 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
           32940 \& (1, 13, 16470) \& (2, 2, 2745), (2, 3, 0), (3, 1, 0) \setminus
1282
       40
1283
           35685 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1284
       42 | 38430 & (1, 13, 10980) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
```

De La Salle University

```
41175 & (1, 12, 13725) & (1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1,
1285
1286
            43920 & (1, 13, 10980) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1287
            46665 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
        45
1288
1289
            49410 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
       46
1290
            52155 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3, 1,
1291
                 0) \\
       48
            54900 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1292
1293
        49
            57645 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0)
            60390 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0)
1294
       50
                                                                                //
            63135 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0)
1295
1296
        52
            65880 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0)
           68625 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
1297
       53
            71370 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1298
1299
           74115 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
            76860 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1300
            79605 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1301
       57
           82350 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
85095 & (1, 12, 13725) & (1, 13, 10980), (2, 2, 2745), (2, 3, 0), (3, 1,
1302
       58
1303
1304
           87840 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1305
           90585 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1306
       61
1307
           93330 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \
1308
            96075 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
            98820 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1309
       64
            101565 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
       65
1310
1311
       66
            104310 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
           107055 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
109800 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1312
       67
1313
       68
            112545 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0),
1314
       69
               1, 0) \\
1315
            115290 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1316
1317
            118035 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
            120780 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \
1318
           123525 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
126270 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3,
1319
       73
1320
1321
               1, 0)
                      11
1322
            129015 &
                      (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
            131760 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
1323
1324
            134505 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
       77
1325
       78
            137250 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1326
       79
            139995 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
       80
            142740 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
1327
1328
       81
            145485 & (1, 12, 16470) & (1, 13, 13725), (2, 2, 2745), (2, 3, 0), (3,
1329
           148230 & (2, 2, 2745) & (2, 3, 0), (3, 1, 0) \\
150975 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1330
1331
       83
            153720 & (1, 12, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1332
1333
            156465 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1334
            159210 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1335
            161955 & (1, 13, 16470) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
            164700 & (1, 13, 13725) & (2, 2, 2745), (2, 3, 0), (3, 1, 0) \\
1336
1337
       89
            \end{tabularx}
1338
        90
           \end{center}
1348
```



B7 Algorithm or Pseudocode Listing

1342 1343 1344 Table B.2 shows an example pseudocode. Note that if the pseudocode exceeds one page, it can mean that its implementation is not modular. List. B.9 shows the corresponding LATEX code.

Table B.2 Calculation of $y = x^n$

Input(s):

 $\begin{array}{lll} n & & : & n \text{th power; } n \in \mathbb{Z}^+ \\ x & & : & \text{base value; } x \in \mathbb{R}^+ \end{array}$

Output(s):

y: result; $y \in \mathbb{R}^+$

Require: $n \ge 0 \lor x \ne 0$

Ensure: $y = x^n$

1: $y \Leftarrow 1$

2: if n < 0 then

3: $X \Leftarrow 1/x$

4: $N \Leftarrow -n$

+. 1v ← -

5: else

6: $X \Leftarrow x$

7: $N \Leftarrow n$

8: **end if**

9: while $N \neq 0$ do

10: **if** N is even **then**

11: $X \Leftarrow X \times X$ 12: $N \Leftarrow N/2$

13: **else** $\{N \text{ is odd}\}$

14: $y \Leftarrow y \times X$

15: $N \Leftarrow N - 1$

16: **end if**

17: end while



Listing B.9: Sample LATEX code for algorithm or pseudocode listing usage

```
\begin{table}[!htbp]
  1
  2
                      \caption{Calculation of $y = x^n$}
  3
                      \label{tab:calcxn}
                      {\footnotesize
  4
                      \begin{tabular}{111}
  5
                      \hline
  7
                      \hline
                      {\bfseries Input(s):} & & \\
  8
  9
                      n & : & nth power; n \in \mathbb{Z}^{+}
10
                      x & : & base value; x \in \mathbb{R}^{+}
11
12
                      {\bfseries Output(s):} & & \\
                      y & : & result; y \in \mathbb{R}^{+} \\
13
14
                      \hline
15
                      \hline
16
17
                      \end{tabular}
18
19
                      \begin{algorithmic}[1]
20
                      {\normalfont} \{ \normalfont 
                                \REQUIRE $n \geq 0 \vee x \neq 0$
21
                                \ENSURE $y = x^n$
22
                               \STATE $y \Leftarrow 1$
23
                                \IF { n < 0 }
24
25
                                                     \STATE $X \Leftarrow 1 / x$
                                                     \STATE $N \Leftarrow -n$
26
27
                                \ELSE
28
                                                     \STATE $X \Leftarrow x$
29
                                                     \STATE $N \Leftarrow n$
                                \ENDIF
30
                                \WHILE{$N \neq 0$}
31
32
                                                     \IF{$N$ is even}
33
                                                                         \STATE $X \Leftarrow X \times X$
                                                                         \STATE $N \Leftarrow N / 2$
34
35
                                                     \ELSE[$N$ is odd]
36
                                                                         \STATE $y \Leftarrow y \times X$
37
                                                                         \STATE $N \Leftarrow N - 1$
38
                                                    \ENDIF
                                \ENDWHILE
39
40
41
                      \end{algorithmic}
            \end{table}
```



B8 Program/Code Listing

 List. B.10 is a program listing of a C code for computing Fibonacci numbers by calling the actual code. Please see the code subdirectory.

Listing B.10: Computing Fibonacci numbers in C (./code/fibo.c)

```
/* fibo.c -- It prints out the first N Fibonacci
2
                  numbers.
3
   #include <stdio.h>
7
   int main(void) {
8
        int n;
                       /* Number of fibonacci numbers we will print */
9
                       /* Index of fibonacci number to be printed next */
        int i;
        int current; /* Value of the (i)th fibonacci number */
10
11
                      /st Value of the (i+1)th fibonacci number st/
        int next;
12
        int twoaway; /* Value of the (i+2)th fibonacci number */
13
        printf("HowumanyuFibonacciunumbersudouyouuwantutoucompute?u");
14
        scanf("%d", &n);
15
16
        if (n \le 0)
           printf("The\sqcupnumber\sqcupshould\sqcupbe\sqcuppositive.\setminusn");
17
18
        else {
          printf("\n\n\tI_\tuFibonacci(I)\n\t==========\n");
19
20
          next = current = 1;
21
          for (i=1; i<=n; i++) {
22
       printf("\t^d_{\sqcup}\t^d_{\sqcup}d\n", i, current);
       twoaway = current+next;
current = next;
23
24
               = twoaway;
25
       next
27
   }
28
29
30
   /* The output from a run of this program was:
31
32
   How many Fibonacci numbers do you want to compute? 9
33
34
           Fibonacci(I)
35
36
37
       2
             1
38
       3
             2
39
             3
       4
40
       5
             5
41
       6
             8
42
       7
             13
43
       8
            21
44
45
46
```



List. B.11 shows the corresponding LATEX code.

Listing B.11: Sample LaTeX code for program listing

List.~\ref{lst:fib_c} is a program listing of a C code for computing Fibonacci numbers by calling the actual code. Please see the \verb| code | subdirectory.



B9 Referencing

Referencing chapters: This appendix is in Appendix B, which is about examples in using various LATEX commands.

Referencing sections: This section is Sec. B9, which shows how to refer to the locations of various labels that have been placed in the LaTeX files. List. B.12 shows the corresponding LaTeX code.

Listing B.12: Sample L^AT_EX code for referencing sections

Referencing sections: This section is Sec.~\ref{sec:ref}, which shows how to refer to the locations of various labels that have been placed in the \LaTeX \ files. List.~\ref{lst:refsec} shows the corresponding \LaTeX \ code.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



1364 B9.1 A subsection

Referencing subsections: This section is Sec. B9.1, which shows how to refer to a subsection. List. B.13 shows the corresponding LaTeX code.

Listing B.13: Sample LATEX code for referencing subsections

Referencing subsections: This section is Sec.~\ref{sec:subsec}, which shows how to refer to a subsection. List.~\ref{lst:refsub} shows the corresponding \LaTeX \ code.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



B9.1.1 A sub-subsection

Referencing sub-subsections: This section is Sec. B9.1.1, which shows how to refer to a sub-subsection. List. B.14 shows the corresponding LaTeX code.

Listing B.14: Sample LATEX code for referencing sub-subsections

Referencing sub-subsections: This section is Sec. \ref{sec:subsubsec},
 which shows how to refer to a sub-subsection. List. \ref{lst:
 refsubsub} shows the corresponding \LaTeX \ code.

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Etiam lobortis facilisis sem. Nullam nec mi et neque pharetra sollicitudin. Praesent imperdiet mi nec ante. Donec ullamcorper, felis non sodales commodo, lectus velit ultrices augue, a dignissim nibh lectus placerat pede. Vivamus nunc nunc, molestie ut, ultricies vel, semper in, velit. Ut porttitor. Praesent in sapien. Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Duis fringilla tristique neque. Sed interdum libero ut metus. Pellentesque placerat. Nam rutrum augue a leo. Morbi sed elit sit amet ante lobortis sollicitudin. Praesent blandit blandit mauris. Praesent lectus tellus, aliquet aliquam, luctus a, egestas a, turpis. Mauris lacinia lorem sit amet ipsum. Nunc quis urna dictum turpis accumsan semper.



1389 1390 1391 1392 1393 1394

1395

1396

B10 Index

For key words or topics that are expected (or the user would like) to appear in the Index, use index{key}, where key is an example keyword to appear in the Index. For example, Fredholm integral and Fourier operator of the following paragraph are in the Index.

If we make a very large matrix with complex exponentials in the rows (i.e., cosine real parts and sine imaginary parts), and increase the resolution without bound, we approach the kernel of the Fredholm integral equation of the 2nd kind, namely the Fourier operator that defines the continuous Fourier transform.

List. B.15 is a program listing of the above-mentioned paragraph.

Listing B.15: Sample LaTeX code for Index usage

If we make a very large matrix with complex exponentials in the rows (i. e., cosine real parts and sine imaginary parts), and increase the resolution without bound, we approach the kernel of the \index{ Fredholm integral} Fredholm integral equation of the 2nd kind, namely the \index{Fourier} Fourier operator that defines the continuous Fourier transform.



1398

1399

1400 1401

B11 Adding Relevant PDF Pages (e.g. Standards, Datasheets, Specification Sheets, Application Notes, etc.)

Selected PDF pages can be added (see List. B.16), but note that the options must be tweaked. See the manual of pdfpages for other options.

Listing B.16: Sample LATEX code for including PDF pages

```
1 \includepdf[pages={8-10},%
2 offset=3.5mm -10mm,%
3 scale=0.73,%
4 frame]
5 {./reference/Xilinx2015-UltraScaleArchitectureOverview.pdf}
```



EXILINX.

UltraScale Architecture and Product Overview

Virtex UltraScale FPGA Feature Summary

Table 6: Virtex UltraScale FPGA Feature Summary

•								
	VU065	VU080	VU095	VU125	VU160	VU190	VU440	
Logic Cells	626,640	780,000	940,800	1,253,280	1,621,200	1,879,920	4,432,680	
CLB Flip-Flops	716,160	891,424	1,075,200	1,432,320	1,852,800	2,148,480	5,065,920	
CLB LUTs	358,080	445,712	537,600	716,160	926,400	1,074,240	2,532,960	
Maximum Distributed RAM (Mb)	4.8	3.9	4.8	9.7	12.7	14.5	28.7	
Block RAM/FIFO w/ECC (36Kb each)	1,260	1,421	1,728	2,520	3,276	3,780	2,520	
Total Block RAM (Mb)	44.3	50.0	60.8	88.6	115.2	132.9	88.6	
CMT (1 MMCM, 2 PLLs)	10	16	16	20	30	30	30	
I/O DLLs	40	64	64	80	120	120	120	
Fractional PLLs	5	8	8	10	15	15	0	
Maximum HP I/Os ⁽¹⁾	468	780	780	780	650	650	1,404	
Maximum HR I/Os ⁽²⁾	52	52	52	104	52	52	52	
DSP Slices	600	672	768	1,200	1,560	1,800	2,880	
System Monitor	1	1	1	2	3	3	3	
PCIe Gen3 x8	2	4	4	4	5	6	6	
150G Interlaken	3	6	6	6	8	9	0	
100G Ethernet	3	4	4	6	9	9	3	
GTH 16.3Gb/s Transceivers	20	32	32	40	52	60	48	
GTY 30.5Gb/s Transceivers	20	32	32	40	52	60	0	

- Notes:
 1. HP = High-performance I/O with support for I/O voltage from 1.0V to 1.8V.
- 2. HR = High-range I/O with support for I/O voltage from 1.2V to 3.3V.

DS890 (v2.1) April 27, 2015 **Preliminary Product Specification** www.xilinx.com



EXILINX.

UltraScale Architecture and Product Overview

Virtex UltraScale Device-Package Combinations and Maximum I/Os

Table 7: Virtex UltraScale Device-Package Combinations and Maximum I/Os

	Package	VU065	VU080	VU095	VU125	VU160	VU190	VU440
Package ⁽¹⁾⁽²⁾⁽³⁾	Dimensions (mm)	HR, HP GTH, GTY						
FFVC1517	40x40	52, 468 20, 20	52, 468 20, 20	52, 468 20, 20				
FFVD1517	40x40		52, 286 32, 32	52, 286 32, 32				
FLVD1517	40x40				52, 286 40, 32			
FFVB1760	42.5x42.5		52, 650 32, 16	52, 650 32, 16				
FLVB1760	42.5x42.5				52, 650 36, 16			
FFVA2104	47.5x47.5		52, 780 28, 24	52, 780 28, 24				
FLVA2104	47.5x47.5				52, 780 28, 24			
FFVB2104	47.5x47.5		52, 650 32, 32	52, 650 32, 32				
FLVB2104	47.5x47.5				52, 650 40, 36			
FLGB2104	47.5x47.5					52, 650 40, 36	52, 650 40, 36	
FFVC2104	47.5x47.5			52, 364 32, 32				
FLVC2104	47.5x47.5				52, 364 40, 40			
FLGC2104	47.5x47.5					52, 364 52, 52	52, 364 52, 52	
FLGB2377	50x50							52, 1248 36, 0
FLGA2577	52.5x52.5						0, 448 60, 60	
FLGA2892	55x55							52, 1404 48, 0

- Go to Ordering Information for package designation details.
 All packages have 1.0mm ball pitch.
 Packages with the same last letter and number sequence, e.g., A2104, are footprint compatible with all other UltraScale architecture-based devices with the same sequence. The footprint compatible devices within this family are outlined. See the UltraScale Architecture Product Selection Guide for details on inter-family migration.

DS890 (v2.1) April 27, 2015 **Preliminary Product Specification** www.xilinx.com



EXILINX.

UltraScale Architecture and Product Overview

Virtex UltraScale+ FPGA Feature Summary

Table 8: Virtex UltraScale+ FPGA Feature Summary

	VU3P	VU5P	VU7P	VU9P	VU11P	VU13P
Logic Cells	689,640	1,051,010	1,379,280	2,068,920	2,147,040	2,862,720
CLB Flip-Flops	788,160	1,201,154	1,576,320	2,364,480	2,453,760	3,271,680
CLB LUTs	394,080	600,577	788,160	1,182,240	1,226,880	1,635,840
Max. Distributed RAM (Mb)	12.0	18.3	24.1	36.1	34.8	46.4
Block RAM/FIFO w/ECC (36Kb each)	720	1,024	1,440	2,160	2,016	2,688
Block RAM (Mb)	25.3	36.0	50.6	75.9	70.9	94.5
UltraRAM Blocks	320	470	640	960	1,152	1,536
UltraRAM (Mb)	90.0	132.2	180.0	270.0	324.0	432.0
CMTs (1 MMCM and 2 PLLs)	10	20	20	30	12	16
Max. HP I/O(1)	520	832	832	832	624	832
DSP Slices	2,280	3,474	4,560	6,840	8,928	11,904
System Monitor	1	2	2	3	3	4
GTY Transceivers 32.75Gb/s	40	80	80	120	96	128
PCIe Gen3 x16 and Gen4 x8	2	4	4	6	3	4
150G Interlaken	3	4	6	9	9	12
100G Ethernet w/RS-FEC	3	4	6	9	6	8

Virtex UltraScale+ Device-Package Combinations and Maximum I/Os

Table 9: Virtex UltraScale+ Device-Package Combinations and Maximum I/Os

Package	Package	VU3P	VU5P	VU7P	VU9P	VU11P	VU13P
(1)(2)(3)	Dimensions (mm)	HP, GTY	HP, GTY	HP, GTY	HP, GTY	HP, GTY	HP, GTY
FFVC1517	40x40	520, 40					
FLVF1924	45x45					624, 64	
FLVA2104	47.5x47.5		832, 52	832, 52	832, 52		
FHVA2104	52.5x52.5 ⁽⁴⁾						832, 52
FLVB2104	47.5x47.5		702, 76	702, 76	702, 76	624, 76	
FHVB2104	52.5x52.5 ⁽⁴⁾						702, 76
FLVC2104	47.5x47.5		416, 80	416, 80	416, 104	416, 96	
FHVC2104	52.5x52.5 ⁽⁴⁾						416, 104
FLVA2577	52.5x52.5				448, 120	448, 96	448, 128

- Go to Ordering Information for package designation details.
- 2. All packages have 1.0mm ball pitch.
- Packages with the same last letter and number sequence, e.g., A2104, are footprint compatible with all other UltraScale devices with the same sequence. The footprint compatible devices within this family are outlined.
 These 52.5x52.5mm overhang packages have the same PCB ball footprint as the corresponding 47.5x47.5mm packages (i.e., the same last letter and number sequence) and are footprint compatible.

DS890 (v2.1) April 27, 2015 **Preliminary Product Specification** www.xilinx.com

10

^{1.} HP = High-performance I/O with support for I/O voltage from 1.0V to 1.8V.

ALLE VI		_	0 1				•
ANILE	De	La	Sal	le l	Uni	vers	itv
MANILA			<u> </u>			., 0_0	

Appendix C PUBLICATION LIST AND AWARD

Journal

1408 1. ...

1405

1406

1410

1409 2. ...

Conference

1411 1. ...

1412 2. ...



1413	Others
1710	

1414 1. ...

1415 2. ...

1416 Award

1417 1. ...

1418 2. ...



Appendix D VITA

Zion Eric O. Chan is currently taking up his B.Sc. Computer Engineering studies and is in his 3rd academic year. He has made various projects consisting of software and hardware and the combination of both such as a line following robot and a sensor robot during his stay in the university. He is interested in the software side of the Computer Engineering program rather than the hardware side.

Glenn Rommel P. Comendador is currently taking up his B.Sc. Computer Engineering studies and is in his 3rd academic year. He has also completed several projects such as the Batbot, the FM Radio, and the Line Following Robot. He is currently studying Data Communications, Digital Systems Design, Computer Systems Architecture and Microprocessor Systems in De La Salle University.

Laureen Audrey R. Garcia is currently taking up her B.Sc. Computer Engineering studies and is in her 3rd academic year. She has completed various software and hardware related courses such as Switching Devices, Signal Processing, Advanced Electronics, and Principles of Communication. Her interest in engineering is more inclined to the study of Embedded and Real-Time Systems and Computer Hardware Architecture.



Mac Excel S. Fallar is currently taking up his B.Sc. Computer Engineering studies and is in his 3rd academic year. He has completed multiple projects, mostly hardware and software offered in his course, during his stay in the University. He is proficient in Programming with the languages, C, C++, and Java. Created a cloud database application for android mobile phones called Tap President, and helped create A line following robot, and a sensor robot.

Jose Mari Luis L. Lerit is currently taking up his B.Sc. Computer Engineering studies at the De la Salle University Manila and is now a 3rd year student. He has developed different skills and acquired knowledge in the field of computer engineering. He already completed some of his software and hardware courses which enabled him to create an android application, a line following mobot and a distance sensor mobot. His research interests focuses more on the hardware side, embedded system, microcontroller, microprocessor and computer system architecture.

De La Salle University	SALLE UNION	D	•	0 1	1 .	. .	•	•
ANIL		De	La	Sal	le	Un	1VC	ersity

INDEX

1449	contributions,	28
------	----------------	----

Fourier operator, 70 Fredholm integral, 70

summary, 4