THE SENIOR CAT

Understanding and supporting your aging companion

A practical guide to understanding, supporting
and protecting the well-being of your senior cat

Lauréna Haroy
Dog and Cat Behaviorist

CONTENTS

Chapter 1 — Understanding How Your Cat Ages.....3

Chapter 2 — Involutional Depression.....4

Chapter 3 — Feline Cognitive Dysfunction.....6

Chapter 4 — Sensory Loss.....7

Chapter 5 — Sleep Problems.....9

Chapter 6 — Adapting the Everyday Environment.....10

Chapter 7 — Motivation and Stimulation: Adapted Play and Enrichment.....12

Chapter 8 — Going Through This Stage with Peace of Mind.....14

Chapter 1 — Understanding How Your Cat Ages

What Does Aging Mean for a Cat?

As in humans, aging in cats is a gradual process that affects both the body and behavior. It isn't a sudden change, but a slow evolution: a senior cat's needs change, sometimes subtly, and are worth understanding so you can support them as well as possible.

The age at which a cat becomes a "senior" varies from one individual to another, but a cat is generally considered to enter this stage at around 10 to 11 years old, with changes speeding up after 14 or 15.

Physical Changes

Metabolism slows down, muscle mass gradually decreases, and joints can become more sensitive (arthritis). Your cat may jump less high and less often, or hesitate before jumping.

Their coat may become duller or less well groomed, especially if joint pain makes grooming harder. Weight can change in either direction: some cats lose weight (often linked to thyroid or kidney problems), while others gain weight because they're less active.

Pain: A Common Cause of Irritability

Cats are very good at hiding pain: it's a survival instinct inherited from their wild ancestors. In older cats, pain (especially joint pain) often goes unnoticed for a long time and shows up as subtle signs rather than obvious complaints: grooming less, or on the contrary overgrooming one particular spot, reluctance to jump, not wanting to be touched in certain places, or unusual irritability when handled.

A visit to the vet is still essential to identify and relieve any pain, which very often improves your cat's overall behavior.

Sensory Changes

Eyesight can decline (cataracts, in particular), and so can hearing: many older cats become partially or completely deaf, sometimes without the people around them noticing right away. Their sense of smell, which cats rely on heavily to find food, can also weaken, which partly explains the loss of appetite that is common in senior cats.

These sensory changes can explain some behaviors that seem new: a cat who startles more easily, meows more loudly (because they can't hear themselves as well), or is more careful about getting around.

This guide is meant to inform and support you; it is not a substitute for veterinary advice if you suspect a medical cause.

Chapter 2 — Involutional Depression

What Is Involutional Depression?

Involutional depression is a condition that can develop in older cats and is directly linked to aging. As they age, some cats become more vulnerable: declining physical or sensory abilities can gradually lead to withdrawal and a loss of interest in their surroundings.

Why Does It Happen?

It's most often linked to aging itself, but it can also be triggered by long-standing behavior problems that were never addressed, underlying illnesses (chronic pain, hormonal disorders), or age-related changes in how the brain works.

The Most Common Behaviors

Your cat may, for example:

- sleep more, or have trouble sleeping;
- withdraw and spend less time with the family;
- groom less (an unkempt coat) or, on the contrary, overgroom one particular spot;
- start having accidents outside the litter box;
- play less;
- lose their appetite or, on the contrary, ask for more food;
- become more anxious about changes;
- seek out human company more, or on the contrary isolate themselves more than before.

Not every cat shows all of these symptoms, and their intensity varies greatly from one cat to another.

Behaviors That Can Seem Regressive

It isn't unusual for an older cat to return to some typical kitten behaviors: constantly seeking contact, needing reassurance, purring or meowing for attention, or kneading often. This kind of regression usually reflects a greater need for security in the face of the changes they're going through. It isn't a whim or manipulation, but your cat's way of looking for comfort.

Grief in Older Cats

Losing a companion, human or animal, who shared your cat's daily life can hit hard when a cat is already weakened by age. It can trigger or worsen withdrawal, loss of appetite, low energy or, on the contrary, a stronger need for company. Time, patience, and a stable routine are essential to help them through this period. If the signs persist or get worse, a veterinary or behavioral consultation is recommended.

Greater Sensitivity to Changes in Their Environment

Cats are deeply attached to their territory and their familiar landmarks. An older cat, already more fragile, often becomes even more sensitive to changes in their environment: a move, new furniture, a new pet or a baby joining the family, or a long absence of their owner. This sensitivity can show up as withdrawal, loss of appetite, unusual urine marking, or visible anxiety (meowing, restlessness).

Keeping their surroundings stable and predictable is one of the best ways to limit this anxiety in senior cats.

Why Does My Cat Act This Way?

Your cat isn't choosing to behave this way, nor is it a whim.

Aging profoundly changes how they function physically, sensorially, and emotionally. Faced with these changes, they react as best they can with the means they have.

Goals of the Work

A veterinary consultation comes first, to rule out any medical cause. Depending on the situation, a combination of medical and behavioral care will help improve your cat's quality of life.

On the behavioral side, the goal is to provide a stable, predictable, and enriched environment (see Chapters 6 and 7) while respecting your cat's pace.

In older cats, stress can also be heightened by age-related pain or physical discomfort. Natural calming supplements are available and can, in some cases, help reduce this stress day to day. Ask your veterinarian for advice; they can point you toward the solution best suited to your cat's situation.

Key Takeaways

Involutional depression can't be cured in the strict sense, since it's linked to aging, but it can be managed to improve your cat's quality of life over the long term.

> *A cat who can't be "cured" can still be cared for: the goal isn't to make age disappear, but to help your cat live through this stage as comfortably as possible.*

This guide is meant to inform and support you; it is not a substitute for veterinary advice if you suspect a medical cause.

Chapter 3 — Feline Cognitive Dysfunction

What Is Feline Cognitive Dysfunction?

Feline cognitive dysfunction (sometimes called feline dementia or senility) is a condition linked to the aging of the brain that affects memory, orientation, the sleep-wake cycle, and the way an older cat perceives their surroundings.

Why Does It Happen?

It results from gradual age-related changes in how the brain works. Other medical conditions (hyperthyroidism, high blood pressure, chronic pain, sensory problems) can worsen or mimic these symptoms, which is why a veterinary checkup is important before drawing any conclusions.

The Most Common Behaviors

- frequent and often louder meowing, especially at night;
- disorientation, as if they no longer recognized certain familiar places;
- a disrupted sleep-wake cycle (waking at night, restlessness at night, more sleep during the day);
- forgetting the litter box or their usual toilet habits;
- changes in how they interact with the family (clingier or, on the contrary, more distant);
- repetitive behaviors (walking in circles, staring at a wall).

Why Does My Cat Act This Way?

Your cat isn't choosing this behavior and isn't aware of it. They perceive and process information from their surroundings differently, which can disorient them, especially at night, when there are fewer visual cues.

What You Need to Know

- Never punish them for meowing at night or for accidents: they can't control it.
- Keep a stable routine and a predictable environment; it reassures them.
- A soft night-light can help them find their way at night.
- Medical treatment (depending on the veterinary checkup) can slow the progression of symptoms and noticeably improve their quality of life.

Key Takeaways

Feline cognitive dysfunction is common in very old cats and progresses gradually. Early diagnosis and the right care (environmental and sometimes medical) can often slow its progression and preserve your cat's quality of life for as long as possible.

This guide is meant to inform and support you; it is not a substitute for veterinary advice if you suspect a medical cause.

Chapter 4 — Sensory Loss

Why Is Sensory Loss Important to Understand?

Your cat's sight, hearing, and sense of smell can decline with age, sometimes gradually, sometimes more noticeably. These changes affect how they perceive their surroundings, and therefore some of their behaviors.

The Most Common Behaviors

- startling more easily when touched or at a sudden noise;
- meowing more loudly than before (the cat can't hear themselves as well);
- hesitating before jumping, or taking more time to judge the distance first;
- losing their appetite or becoming pickier (smell plays a central role in making food appealing);
- occasionally bumping into things, or hesitating in the dark.

How to Adapt Daily Life

- Approach your cat within their field of vision rather than by surprise, and if they're deaf or visually impaired, talk to them or gently tap a nearby surface before touching them directly.
- Keep their surroundings the same: same furniture, same places, so they can keep finding their way by memory rather than by sight.
- If their sense of smell declines and their appetite drops, slightly warming their food (to room temperature or just lukewarm) can bring out the aromas and encourage them to eat. Ask your veterinarian for advice if the loss of appetite persists.
- If their eyesight is failing, avoid dark or poorly lit areas in the evening; a soft night-light can make a big difference.

Fear of Vet Visits and Travel

Older cats, who are already more sensitive to change and sometimes in pain, can become even more fearful of the carrier and of trips to the vet, which can unfortunately delay much-needed appointments.

A few simple habits can help reduce this stress:

- Leave the carrier out at home all the time (not just on the day of the trip), with a blanket or a familiar toy inside, so it becomes a neutral place rather than a signal of fear;
- Gradually get them used to short car rides that don't end at the vet, so they stop associating travel with medical stress;
- Whenever possible, stick with the same veterinarian, in a setting they know;
- Stay calm yourself during the trip and the appointment: your cat picks up on your own anxiety.

Key Takeaways

Sensory loss is a natural change that is rarely reversible, but cats compensate remarkably well when the people around them adjust a few simple habits.

Chapter 6 covers in more detail all the ways to adapt the environment for a senior cat, whether or not sensory loss is involved.

This guide is meant to inform and support you; it is not a substitute for veterinary advice if you suspect a medical cause.

Chapter 5 — Sleep Problems

Why Does Sleep Change with Age?

An adult cat already sleeps a lot (12 to 16 hours a day on average). In older cats, this increases even further, but the quality and regularity of their sleep can deteriorate: more frequent waking at night, lighter sleep, or a partial reversal of their day-night rhythm.

The Most Common Behaviors

- sleeping more during the day, but being more active or restless at night;
- meowing at night, sometimes insistently;
- waking up more easily, with more frequent periods of wakefulness;
- wandering around the house at night, as if looking for something.

Why Does This Happen?

These changes may be linked to normal aging, feline cognitive dysfunction (see Chapter 3), pain that wakes them up, or sensory decline that disrupts their sense of day and night.

How to Help

- Keep activities and meals at regular times during the day to encourage a steadier sleep pattern at night;
- Offer a calm play session at the end of the day so they burn off some energy before night;
- Set up several comfortable, warm, easy-to-reach beds so they can rest wherever they like without effort;
- If nighttime meowing becomes frequent or intense, mention it to your veterinarian: it may call for medical treatment in addition to everyday adjustments.

Key Takeaways

Occasional sleep problems are common in older cats and aren’t necessarily a cause for concern. However, frequent and intense nighttime meowing always calls for a veterinary opinion, to rule out a medical cause or cognitive dysfunction that needs treatment.

This guide is meant to inform and support you; it is not a substitute for veterinary advice if you suspect a medical cause.

Chapter 6 — Adapting the Everyday Environment

Why Adapt Their Environment?

As they age, your cat may see, hear, or move less well than before. An environment that hasn't changed becomes harder to navigate, which can lead to stress, disorientation, or minor accidents.

Adapting their living space doesn't mean turning everything upside down. On the contrary, it means strengthening the stability and accessibility they now need more than ever.

Key Adjustments

Familiar Landmarks

As much as possible, keep furniture, bowls, the litter box, and their beds in the same place: a stable environment is reassuring for a cat whose bearings, sensory or cognitive, are weakening.

Accessibility

Make it easier for them to get around with steps or ramps to reach a couch, a bed, or a windowsill they used to enjoy. Choose a litter box with low sides that's easy to get into without jumping, and avoid putting it up high or in a hard-to-reach room (basement, upstairs) if their mobility is declining.

Comfortable Rest

Provide several comfortable, warm, easy-to-reach beds, out of the main traffic areas but not too isolated if your cat is becoming more sensitive to being alone.

Access to Essentials

Set up several easy-to-reach water, food, and litter stations if their mobility is reduced, especially if they live on more than one floor, so they don't have to climb up or down stairs for every basic need.

Routine

Keep regular mealtimes: this reassures them and makes digestion easier, which is particularly important to keep an eye on in older cats.

Diet

Diet is an essential pillar of an older cat's well-being and deserves special attention, even more so than in dogs, because chronic kidney disease is extremely common in senior cats.

A fairly common misconception is that you should increase protein to "support" an aging cat. However, in a cat with kidney disease (even in its early stages), too much protein can put even more strain on the kidneys. Conversely, cutting protein without good reason can also harm a cat whose kidneys are healthy. So this is never an adjustment to make at random.

Hydration also deserves special attention: cats naturally have a weak sense of thirst, which can worsen an early kidney problem. Setting up several bowls of fresh water, feeding wet food in addition to or instead of kibble, or offering a water fountain can encourage your cat to drink more.

An older cat's nutritional needs are specific and change with their health: you can't guess them. Only your veterinarian can accurately assess your cat's needs, in particular through blood work (kidney function, thyroid), and guide you toward a diet that truly suits their situation. A health checkup once a year, or even every six months after age 12, is strongly recommended for senior cats.

Hot Weather

Older cats often seek out warmth naturally, but they actually cope rather poorly with extreme temperatures: their ability to regulate body temperature decreases with age, and some conditions (heart, kidney, joint) can get worse in hot weather.

- Make sure they always have access to fresh water, with several water bowls around the house;
- Give them several cool, shaded places to rest, in addition to their usual spots;
- Never leave them in a closed room with no ventilation and no access to shade;
- An older cat who pants, seems listless, or refuses to move in hot weather should be cooled down gradually (with lukewarm water, never ice-cold) and seen by a veterinarian immediately if the signs don't improve quickly.

Living with a Kitten or an Energetic Child

A new kitten full of energy, or a young child who constantly seeks attention, can be a heavy load for an older cat who needs more calm and quiet. Since cats are by nature more solitary than dogs, this sensitivity is even stronger in them.

- Always provide a safe space, up high or tucked away, that only your senior cat can access, where they can retreat without being disturbed;
- Supervise interactions, especially with a very playful kitten or a young child, to avoid overwhelming them;
- Respect their rest time: an older cat who withdraws isn't sulking, they need peace and quiet;
- Never force contact or play: let your senior cat come to you on their own terms.

An older cat who shows signs of irritability toward a kitten or a child isn't just "grumpy": it's often a sign that they need more space or rest. See also Chapter 1 on pain, a common cause of this kind of reaction.

Mistakes to Avoid

- Frequently rearranging your home or moving their familiar things (bowls, litter box, beds);
- Making an older cat jump or climb without proper help;
- Neglecting access to a low, easy-to-reach litter box;
- Ignoring a drop in appetite or weight loss in the belief that "it's just old age";
- Underestimating excessive thirst, often the first visible sign of a kidney or hormonal problem.

Key Takeaways

A well-adapted environment can greatly improve your senior cat's comfort and peace of mind, often with simple, inexpensive adjustments.

This guide is meant to inform and support you; it is not a substitute for veterinary advice if you suspect a medical cause.

Chapter 7 — Motivation and Stimulation: Adapted Play and Enrichment

Why Keep Stimulating an Older Cat?

A senior cat still needs stimulation, both mental and physical, even if their pace and stamina have changed. Play and enrichment help maintain their mobility and mental sharpness, and limit some behaviors linked to boredom or anxiety.

Adapting Play to Their Abilities

- Choose short, frequent sessions (2 to 5 minutes) over one long, tiring session;
- Play at floor level rather than up high, to avoid painful jumps;
- If they're hard of hearing, use toys that don't make sharp noises, and rely on visible movement rather than sound to catch their attention;
- Scent-based games (hidden treats, snuffle mats) often remain very effective even when sight or hearing declines.

Everyday Enrichment

- Offer lookout spots they can reach without effort (a low windowsill, a platform with steps);
- Rotate the toys available from time to time to keep their interest, without changing their overall environment;
- Suitable interactive food dispensers (easy to use, with no excessive effort) can encourage activity around mealtimes.

When This Approach Helps Most

This approach is especially useful for:

- involutional depression (Chapter 2);
- boredom or lack of stimulation in senior indoor cats;
- maintaining mobility and overall alertness.

Mistakes to Avoid

- Forcing a play session if your cat shows signs of tiredness or lack of interest;
- Only offering games that require jumping or intense running;
- Getting discouraged if they're less enthusiastic than before: that's normal, and what matters is consistency, not intensity.

Tips

A little and often works better than one long session now and then. Notice the times of day when your cat seems most alert, and schedule your play sessions then.

Key Takeaways

An older cat who is stimulated regularly, at their own pace, often stays sharp and lively much longer than a cat left to boredom. Every little moment of play counts.

This guide is meant to inform and support you; it is not a substitute for veterinary advice if you suspect a medical cause.

Chapter 8 — Going Through This Stage with Peace of Mind

A Chapter for You, Too

Caring for an aging cat can be a source of worry, or even of painful anticipation. That's a normal, human reaction. Taking care of yourself along the way is also part of taking good care of your cat.

When to See the Vet

A regular veterinary checkup (at least once a year, ideally every six months after age 12) is recommended for every senior cat, even with no visible signs: many conditions that are common at this age (kidney, thyroid, joint) progress silently at first.

See your vet without delay if you notice a change in behavior that worries you, even if you can't quite put your finger on it.

Some Examples of Signs Not to Ignore

Some changes can have several causes, both behavioral and medical, and only a veterinary exam can tell the difference. For example:

- drinking much more than usual: this is often one of the very first signs of kidney disease, diabetes, or hyperthyroidism, and should never be ignored in an older cat;
- losing weight while still eating well or eating more: this suggests hyperthyroidism, which is common in senior cats;
- loss of appetite: this may have a behavioral cause (involutional depression, loss of smell) or a medical one (pain, a digestive or kidney problem);
- frequent meowing at night: this may be linked to feline cognitive dysfunction (Chapter 3), but also to pain or hyperthyroidism;
- new house-soiling: this may be behavioral (Chapter 2) or a sign of joint pain that makes it hard to get into the litter box, or of a urinary problem.

In all these cases, the right reflex is the same: see your veterinarian first, to rule out or confirm a medical cause before considering behavioral support.

Assessing Day-to-Day Quality of Life

At a very advanced age, or with a chronic illness, a difficult question may come up: how do I know if my cat still has a good quality of life? There's no single answer or fixed checklist, but a few simple points can help you look at their daily life a little more clearly:

- Do they still eat and drink with at least some interest?
- Do they still have moments of pleasure: a patch of sunshine, a short game, being petted?
- Does their pain seem well controlled day to day?
- Can they still get to the litter box, move around, and groom themselves at least a little without too much discomfort?
- Do their good moments still outnumber the bad ones?

These points don't replace medical advice: they're there to help you put into words what you observe day to day before talking it over with your veterinarian. This reflection should be shared: you, who know your cat better than anyone, and your veterinarian, for the medical side.

If this reflection leads you to consider end-of-life care, know that your veterinarian is the best person to guide you through this decision, with all the compassion this moment deserves. You are never alone with this question, however difficult it may be.

A New Stage, Not the End

Your cat's old age doesn't erase everything you've built together. It's a new stage in your relationship, with its own adjustments, not the end of your bond.

> *Many senior cats, with the right support, continue to enjoy their daily lives to the fullest: a patch of sunshine they love as much as ever, simpler games that bring you just as close, and a presence that matters at any age.*

This guide isn't meant to replace personalized follow-up. Every cat ages in their own way, at their own pace, and with their own needs. If you have any questions or would like support tailored to your cat's specific situation, feel free to contact me for a consultation.

This guide is meant to inform and support you; it is not a substitute for veterinary advice if you suspect a medical cause.