

LANGLEY, LAUREN

DOB: 06/29/1979
Sex: F
Phone: (678) 481-8417
Patient ID: PAT0151

Age: 46
Fasting: Y

Specimen: OZ934201E
Requisition: 0000127
Lab Reference ID: 00000365
Report Status: FINAL / SEE REPORT

Collected: 08/04/2025 08:30
Received: 08/04/2025 08:32
Reported: 08/07/2025 13:54

Client #: 98107035
HAMLIN, NICOLE
VITALITY WEIGHT MANAGEMNT
STE 400
1455 NW LEARY WAY
SEATTLE, WA 98107-5124
Phone: (206) 274-6656
Fax: (206) 274-6657

FASTING: YES

▲ COMPREHENSIVE METABOLIC PANEL

Analyte	Value	
GLUCOSE Fasting reference interval	99	Reference Range: 65-99 mg/dL
UREA NITROGEN (BUN)	12	Reference Range: 7-25 mg/dL
CREATININE	0.73	Reference Range: 0.50-0.99 mg/dL
EGFR	103	Reference Range: > OR = 60 mL/min/1.73m2
BUN/CREATININE RATIO Not Reported: BUN and Creatinine are within reference range.	SEE NOTE:	Reference Range: 6-22 (calc)
SODIUM	137	Reference Range: 135-146 mmol/L
POTASSIUM	3.9	Reference Range: 3.5-5.3 mmol/L
CHLORIDE	99	Reference Range: 98-110 mmol/L
CARBON DIOXIDE	31	Reference Range: 20-32 mmol/L
CALCIUM	9.2	Reference Range: 8.6-10.2 mg/dL
PROTEIN, TOTAL	7.2	Reference Range: 6.1-8.1 g/dL
ALBUMIN	4.4	Reference Range: 3.6-5.1 g/dL
GLOBULIN	2.8	Reference Range: 1.9-3.7 g/dL (calc)
ALBUMIN/GLOBULIN RATIO	1.6	Reference Range: 1.0-2.5 (calc)
▲ BILIRUBIN, TOTAL	1.9 H	Reference Range: 0.2-1.2 mg/dL
▲ ALKALINE PHOSPHATASE	29 L	Reference Range: 31-125 U/L
AST	16	Reference Range: 10-35 U/L
ALT	8	Reference Range: 6-29 U/L

▲ HEMOGRAM

Analyte	Value	
▲ WHITE BLOOD CELL COUNT	3.4 L	Reference Range: 3.8-10.8 Thousand/uL
RED BLOOD CELL COUNT	4.28	Reference Range: 3.80-5.10 Million/uL
HEMOGLOBIN	14.7	Reference Range: 11.7-15.5 g/dL
HEMATOCRIT	43.1	Reference Range: 35.0-45.0 %
▲ MCV	100.7 H	Reference Range: 80.0-100.0 fL
▲ MCH	34.3 H	Reference Range: 27.0-33.0 pg

MCHC	34.1	Reference Range: 32.0-36.0 g/dL
For adults, a slight decrease in the calculated MCHC value (in the range of 30 to 32 g/dL) is most likely not clinically significant; however, it should be interpreted with caution in correlation with other red cell parameters and the patient's clinical condition.		

RDW	12.2	Reference Range: 11.0-15.0 %
------------	-------------	------------------------------

▲ THYROID PEROXIDASE AND THYROGLOBULIN ANTIBODIES

Analyte	Value	
▲ THYROGLOBULIN ANTIBODIES	15 H	Reference Range: < or = 1 IU/mL
▲ THYROID PEROXIDASE ANTIBODIES	39 H	Reference Range: <9 IU/mL

▲ LIPID PANEL W/ TRIGLYCERIDES/HDL-C

Analyte	Value	
▲ CHOLESTEROL, TOTAL	255 H	Reference Range: <200 mg/dL
HDL CHOLESTEROL	54	Reference Range: >49 mg/dL
TRIGLYCERIDES	105	Reference Range: <150 mg/dL
▲ LDL CHOLESTEROL	178 H	Reference Range: <100 mg/dL (calc)
Desirable range <100 mg/dL for primary prevention; <70 mg/dL for patients with CHD or diabetic patients with >= 2 CHD risk factors. LDL-C is now calculated using the Martin-Hopkins calculation, which is a validated novel method providing better accuracy than the Friedewald equation in the estimation of LDL-C. Martin SS et al. JAMA. 2013;310(19):2061-2068 (http://education.QuestDiagnostics.com/faq/FAQ164)		
CHOL/HDL C	4.7	Reference Range: <5.0 calc
▲ NON HDL CHOLESTEROL	201 H	Reference Range: <130 mg/dL (calc)
TG/HDL C	1.9	Reference Range: <2.0 calc

VITAMIN D,25-OH,TOTAL,IA

Analyte	Value	
VITAMIN D,25-OH,TOTAL,IA	49	Reference Range: 30-100 ng/mL
Vitamin D Status	25-OH Vitamin D:	
Deficiency:	<20 ng/mL	
Insufficiency:	20 - 29 ng/mL	
Optimal:	> or = 30 ng/mL	
For 25-OH Vitamin D testing on patients on D2-supplementation and patients for whom quantitation of D2 and D3 fractions is required, the QuestAssureD(TM) 25-OH VIT D, (D2,D3), LC/MS/MS is recommended: order code 92888 (patients >2yrs).		

COMMENT

See Note 1

Note 1

For additional information, please refer to <http://education.QuestDiagnostics.com/faq/FAQ199> (This link is being provided for informational/ educational purposes only.)

INSULIN

Analyte	Value
INSULIN	3.7 uIU/mL
Reference Range < or = 18.4	
Risk:	
Optimal	< or = 18.4
Moderate	NA
High	>18.4
Adult cardiovascular event risk category cut points (optimal, moderate, high) are based on Insulin Reference Interval studies performed at Quest Diagnostics in 2022.	

THYROID PANEL WITH TSH

Analyte	Value
T3 UPTAKE	34 Reference Range: 22-35 %
T4 (THYROXINE), TOTAL	8.4 Reference Range: 5.1-11.9 mcg/dL
FREE T4 INDEX (T7)	2.9 Reference Range: 1.4-3.8
TSH	1.10 mIU/L
Reference Range	
> or = 20 Years 0.40-4.50	
Pregnancy Ranges	
First trimester	0.26-2.66
Second trimester	0.55-2.73
Third trimester	0.43-2.91

HEMOGLOBIN A1c

Analyte	Value
HEMOGLOBIN A1c	5.0 Reference Range: <5.7 %
For the purpose of screening for the presence of diabetes:	
<5.7% Consistent with the absence of diabetes	
5.7-6.4% Consistent with increased risk for diabetes (prediabetes)	
> or =6.5% Consistent with diabetes	
This assay result is consistent with a decreased risk of diabetes.	
Currently, no consensus exists regarding use of hemoglobin A1c for diagnosis of diabetes in children.	
According to American Diabetes Association (ADA) guidelines, hemoglobin A1c <7.0% represents optimal control in non-pregnant diabetic patients. Different metrics may apply to specific patient populations. Standards of Medical Care in Diabetes(ADA).	

Performing Sites

EN Quest Diagnostics-West Hills, 8401 Fallbrook Ave, West Hills, CA 91304-3226 Laboratory Director: Thomas J McDonald
NW Quest Diagnostics-Seattle 1737 Airport, 1737 Airport Way S, Suite 200, Seattle, WA 98134-1636 Laboratory Director: Roger Graham
Z4M Cleveland HeartLab Inc.-Cleveland HeartLab Inc., 6701 Carnegie Ave, Suite 500, Cleveland, OH 44103-4623 Laboratory Director: Mohammad Q Ansari

Key

 Priority Out of Range  Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '@' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

