

Aspera Orchestrator v4.1.5 Plugin Summary

Count: 196 plugins

	Dalet Asset Management Plugin	This plug-in provides the ability to interact with Dalet Asset Management System.
	Evertz Mediator operation	This plugin provides ability to interact with a Evertz Mediator system.
	ShowMgr	This action plug-ins is used to interact with ShowMgr (using API calls)
	Sony Ci	This plugin enables management of media assets within Sony Ci cloud platform through upload, download, and metadata operations.
	The Platform	This action plug-in provides the ability to create, read, and update thePlatform objects.
	XytechMediaPulse	This plug-in provides the ability to query the MediaPulse API and return MediaOrders and corresponding source file(s).
	Archive manager	This action plug-in can be used to manage a file archive, by deleting or compressing aging entries.
	Aspera Node API	This action plug-in provides the ability to perform file system operations such as search, rename, and delete. It also supports retrieving node information (e.g., token, SSH user, and port) and checking node availability through status queries (ping).
	Path conversion	Converts an absolute file path from one mount point to another based on configured input and output mappings. Supports one-to-one and multi-mount point conversions.

	Dependency checker	The DependencyChecker plug-in monitors the presence of specific files in a defined location and allows workflows to pause until those files are detected. This ensures that dependent data is available before proceeding to the next step.
	Diva archive	This action plug-in provides the ability to archive or restore files to/from the DIVArchive system. It implements the DIVA REST WEB services API 1.0, 2.1 and 2.2
	Exiftool xmp tagger	This action plug-in can be used to retrieve metadata information about an image, video or audio file using the exiftool application. Also supported is the ability to insert metadata tag in image file (but not videos).
	FFProbe Information	This action plug-in provides the ability to submit a file to FFProbe to grab media properties and technical Metadata
	File archiving operation	This plugin provides the ability to execute file archiving operations on both Orchestrator locally-mounted file systems and remote Linux systems via SSH.
	File generator	This action plug-in is used to create a file using dynamic content provided from parameters and/or the output from previous steps in the workflow. Although it can generate any text file, it is primarily used to generate XML files to be used by other steps or other applications. The user defines the template to be used, the variable content required and variable names, and maps the variable inputs.
	File information	Extracts multiple information about a local file, given its full path.
	ISM and M3U8 File Parser	This plugin provides ability to parse an ISM file and a M3U8 file
	Local file operation	This action plug-in executes local file operations on Orchestrator-mounted file systems. It supports actions such as copy, move, delete, mkdir, sym-link, touch, listing, and archive handling, with options for validation, overwriting, timestamp preservation, and permissions control.

	Local file permission	This action plug-in provides the ability to do the chmod and chown file operations after a file has been downloaded.
	MD5 checksum	This action plug-in calculates MD5 checksums for specified files and optionally verifies them against previously calculated values. It supports memory-efficient processing with configurable block sizes and dynamic file path inputs for flexible file integrity verification workflows.
	Media info	This plugin extracts comprehensive technical and tag metadata from video and audio files using the MediaInfo application.
	Mediabin asset management	This plugin provide the ability to perform some asset management on a Mediabin server. Supported operations include asset listing and retrieval (with download).
	Remote file operation	This action plug-in provides the ability to execute file operations (copy, move, delete, mkdir, dir list) on remote nodes using Aspera transfer servers.
	SglFlashnetArchive	This plug-in provides capability to perform rest operation on CatDV server.
	Spreadsheet parser	This plug-in allows workflows to read and process data from spreadsheet files such as Excel. It extracts the spreadsheet content into structured data that can be used in later steps.
	PGP encryption	This action plug-in can be used to encrypt/decrypt programatically a file using the symantec pgp command line tool.
	Xml Parsing	This action plug-in extracts data from XML documents using XPath expressions. It supports XML input from text strings or file paths, allowing multiple configurable parameters to be exposed as workflow outputs.

	Ascp client	This action plugin performs a file transfer upload or download operation to/from a server using Aspera's FASP protocol. In order for it to work, an Aspera client or server product needs to be installed on the Orchestrator server.
	Aspera Node API Transfer	This action plugin provides the ability to initiate and monitor server-to-server transfers using Aspera's Node API cluster protocol.
	Aspera Out-of-Transfer File Validation	This plugin provides the ability to retrieve the list of files to validate and update the file status during validation.
	Console Smart Transfer	This action plugin provides the ability to initiate Smart Transfer templates in Aspera Console or to list available templates.
	FASP controller	This action plug-in provides the ability to control and modify the parameters of running transfers using Aspera's FASP protocol.
	FASP transfer	This plugin provides the ability to initiate server-to-server transfers using Aspera's FASP protocol.
	Faspex5 file processing	This plugin integrates with Faspex5 servers to manage file processing workflows by retrieving lists of files awaiting validation and updating their processing status throughout the validation lifecycle.
	FASPstream	This action plug-in provides the ability to start, monitor and cancel a stream to stream between 2 Aspera transfer servers using faspstream.
	FTP transfer	This plugin provides a configurable interface to a remote FTP server. It supports sending, retrieving and deleting files within server directories. Username and password authentication are supported when required by the server.
	Ftps transfer	This action plugin can be used to perform secure file transfer operations on FTPS servers with SSL/TLS encryption and file renaming support.
	FXP Transfer	This action provides the ability to move files using the FXP protocol.

	HTTP Transfer	This action provides the ability to upload, download and delete files from a remote host using HTTP or HTTPS (Hypertext Transfer Protocol or Hypertext Transfer Protocol over SSL).
	iTunes transporter	This action plugin provides the ability to deliver audio and video content, in a pre-generated iTunes Store package, to the iTunes Store.
	Robocopy	This action plugin provides file copy operation on a Windows OS
	SCP transfer	This action enables uploading or downloading files and directories to or from a remote host using SCP (secure copy protocol over SSH).
	SFTP transfer	This plugin provides secure file transfer functionality to SFTP servers, supporting uploads, downloads, and deletions with flexible authentication options, proxy support, and specialized operations for handling large files and directory structures.
	Shares transfer setup	This plugin returns the transfer specification to be used for Node API-based transfers to/from a Share defined with Aspera Shares.
	WebDAV Operation	This action provides the ability to upload, download, post commands, make directory, gather properties, copy, move, delete or check files on a remote host which supports WebDAV protocol (extended version of the HTTP protocol)
	ADI Transformation	This plugin provides ability to convert ADI 1.1 version compliant XML files to ADI 3.0 version and vice versa
	Imagemagick	This action plug-in can be used to retrieve media information about an image or apply transformation to that image using the popular imagemagick application.
	MacCaption Operation	This action plug-in provides the ability to perform captioning operation using the Telestream MacCaption application.

	MXF Legalizer	This plug-in provides the ability to make compliant a MXF file. It implements the MXF Legalizer v2.5.2 SOAP API.
	Subler Operation	This action plug-in provides the ability to perform file transformation operations on a MAC System using the Subler toolset.
	XSLT Transformation	This action plug-in is used to transform XML file using XSLT.
	Amazon DynamoDB Operation	This action plug-ins can be used to interact with Amazon DynamoDB.
	Amazon Glacier Operation	This action plug-in provides the ability to integrate with Amazon Glacier Service.
	Amazon Media Convert Operation	This action plug-in provides the ability to integrate with Amazon Media Convert Service.
	Amazon S3 Operation	This action plug-in provides the ability to execute file and bucket operations (such as upload, download, copy, list, and delete) on Amazon S3 storage.
	Amazon SimpleDB Operation	This action plug-in provides the ability to execute SimpleDB operations
	Amazon SNS Operation	This action plug-in provides the ability to use Amazon SNS service.
	Amazon SQS Operation	This action plug-in provides the ability to perform an action onto an Amazon SQS queue.
	Amazon SWF Operation	This action plug-in provides the ability to execute Amazon Simple Workflow API calls
	Amazon Transcribe Operation	This action plug-in provides the ability to execute Amazon Transcribe API calls
	AMQP message	This action plug-in provides the ability to insert messages into an AMQP queue.

	Aspera On Cloud Management	A plugin to perform Aspera On Cloud management operations including shared inbox and user account management.
	Aspera Shares Management	This plugin is used to utilize Aspera Shares command line utilities to perform shares management tasks such as creating, modifying, and administering shared directories on Aspera Shares servers.
	Async Remote Execution	This plugin executes commands remotely on target servers via SSH with support for synchronous and asynchronous execution modes. It offers flexible authentication options, custom output processing, and configurable polling for background process monitoring.
	Azure Service Bus Operation	This action plug-in provides the ability to perform an action onto an Azure Service Bus queue.
	CatdvRestRequest	This plugin provides capability to perform REST operations on CatDV server.
	Corba Operation	This plugin is used to make a CORBA call to the Arris CMM (Content Management and Metadata server) using the JacORB utility.
	Curl Operations	This action plug-in executes curl command operations on remote nodes via SSH, supporting GET and POST requests with authentication, flexible parameter handling, image downloads, and configurable result storage for comprehensive HTTP operations.
	Custom progress notifier	This plugin provides the ability to intercept progress notifications from a step and add custom behavior to it. For example, logging to an external log file or RSS feed.
	Facebook Video Upload Operation	This action plugin is used to perform a resumable video upload via Facebook Graph API.
	Frameio Operation	This action plug-in provides the ability to perform operations on Frame.io.
	Google Cloud Storage Operation	This action plug-in provides the ability to perform an action on the Google Cloud Storage service.

	Google Pubsub Operation	This action plug-in provides the ability to perform an action on the Google Pub/Sub service.
	Ibm mq integration	This plugin is used to send/receive MQ messages to/from an IBM MQ system.
	Ibm mq mft transfer	This plugin is used to send a file via IBM MQ MFT.
	InfluxDB	This action plugin provides the ability to interact with InfluxDB
	JIRA Ticket Creation	This action plug-in provides the ability to create JIRA tickets.
	Kafka stream	This plugin is used to send/receive messages to/from an Apache Kafka system.
	Local execution	This action plug-in provides the ability to invoke a third-party application or a script running locally on the workflow server. The integration mechanism conforms to the CGI-BIN protocol used by web and application servers (i.e. input parameters are provided as environment variable, output is provided on the stdio).
	Media Mate Operation	This action plugin can be used to interact with the MediaMate subtitling service.
	Mongodb operation	This action plugin enables interaction with MongoDB databases, supporting document operations (insert, find, update, remove), advanced queries, aggregation pipelines, map-reduce processing, and database administration commands for comprehensive data management and analysis.
	Remote execution	This action plugin provides the ability to execute scripts or executables on remote nodes via SSH, with support for dynamic input variables and custom output extraction.
	REST request	This plugin allows you to make REST requests to web services, either as a one-time operation or with repeated polling at specified intervals.

	Soap request	This plug-in provides the ability to periodically execute a SOAP query on a web service. It can be used for a one-off request or as a polling mechanism.
	Softlayer API	Integration with Softlayer API
	3PlayMedia Operation	Add description here
	Watson Language Translator	This action plug-in provides the ability to translate from one language to another using IBM Watson Language Translator service.
	Collection manager	This action plug-in enables creating a name-value pair collection (Hash) or adding fields to an existing one.
	Custom Python	This action plug-in can be used to script in python for some customized behaviour.
	Hello world	This is a reference implementation for a simple Action plugin illustrating the API.
	Input Manipulations	This action plug-in can be used to manipulate inputs using data operations based on the input type.
	Stored parameter set	This action plug-in provides the ability to set the values of multiple parameters within a workflow step. It can be used to store default values or apply a predefined set of values for reuse across workflows. This helps reduce duplication and ensures consistency when configuring actions.
	Password generator	This plugin provides the ability to generate random strings that can be used as passwords. The length and constraint of the generated random strings can be configured. Generated passwords can optionally be encrypted for secure storage.

	Regex matcher	This action plug-in provides the ability to parse a regex expression and extract parts of it
	Shared state operation	This action plug-in can be used to create and retrieve shared state objects.
	Look-up table	This plugin provides a framework to associate miscellaneous values to parameters at design time and retrieve these associated values at runtime based on input parameter values.
	Timecode manager	Allows timecodes manipulations like conversions, sums or differences.
	UUID Generator	This action plug-in provides the ability to generate unique ID formatted "39fa4e20-0f32-0132-d394-282066598c75".
	Watch file movement	This action plug-in asynchronously monitors a specified file location and detects when the file is moved by periodically checking its existence.
	ADI 3 Parser and Validator	This plugin provides ability to parse and/or validate contents of ADI 3.0 XML
	ADI Parser and Validator	This plugin provides ability to parse and/or validate contents of ADI XML
	Aurora file verification	This Action plug-ins enables the submission of a file verification request to a Tektronix Aurora Server
	Baton file correction	This Action plug-ins enables the submission of a file correction request to an Interra Baton Server
	Baton file verification	This Action plug-ins enables the submission of a file verification request to an Interra Baton Server
	Baton xml report	This Action plug-ins enables the retrieval of XML Report from Baton
	Cerify File Verification	This Action plug-in provides the ability to submit a quality control task to a Cerify Server.

	Irt mxf analyser	This Action plug-ins enables the submission of a file verification request to a IRT MXF Analyser server.
	Mx fixer	Analyse an MXF file for AS11 compatibility using Metaglue MX Fixer.
	Orion OTT Monitor	This is Action plug-ins provides the ability to submit file to Orion OTT Monitor
	Pulsar content verification	This Action plug-in provides the ability to submit a content verification task to a Pulsar Server.
	QScan file verification	This action plug-in provides the ability to submit and monitor a file verification job to a QScan server.
	Quasar Venera QC	This Action plug-ins enables the submission of a file verification request to an Quasar Venera QC server
	Vidchecker verification	Executes and monitors quality control verifications on a VidChecker server.
	VqbfAnalyzer	This plug-in provides capability to execute Vqbf commands on a remote node.
	Watson speech to text	This action plug-in provides the ability to get speech transcriptions with IBM Watson Speech to Text service.
	Watson video enrichment	This action plug-in provides the ability to get structured information from video files with IBM Watson Video Enrichment service.
	XSD Validation	This action plug-in is used to validate an XML file against an XSD template.
	Load balancer	This action plug-in is a tool to manage resource distribution from a pool of resources using round-robin or random distribution algorithms.



Load manager

This action plugin is a tool to balance requests for a pool of resources with specific capacities. It provides a way to pause workflows until enough resources become available, and routes requests to the least taxed resources.



Queue stager

This action plugin is a tool to stage items into a managed queue. It provides a way to pause a workflow until all items queued ahead have been released from the queue. While staged in the queue, the items can be re-ordered by a user with appropriate privileges.



Resource manager

This action plug-in is a tool to manage a limited pool of resources. It provides a way to pause a workflow until the resource becomes available.



Array fan-out

This plugin executes the following workflow step once for each element in an input array, enabling parallel or serial processing of array data with customizable variable exposure and step labeling for efficient batch operations.



Federated workflow

This plug-in is used to launch workflows on a remote orchestrator instance and get the ID and output(s) or just get the ID and not wait for the output(s) of the remote workflow



Filter

This action plug-in allows conditional execution of a step by evaluating a custom Ruby expression at run-time. The result determines whether the step completes successfully or fails.



Funnel-in

This plugin collects and aggregates outputs from parallel executions initiated by Array Fanout, converging multiple parallel processing threads back into a unified workflow.



Merge point

This plugin can be used to reconcile inputs coming from different branches of logical statements. It provides the ability to define pairs of inputs that get merged. Such steps can be used without inputs to clarify branching in complex workflows.

	Snapshot	Takes a snapshot of the Orchestrator configuration.
	Sub-workflow	This action plug-in allows you to embed an entire, separately defined workflow as a single step within another workflow. This enables you to break down complex processes into manageable sub-workflows, making them easier to build, maintain, and reuse.
	User lookup	This action plug-in provides the ability to lookup the information about orchestrator users identified by ID, name, login or email address.
	Work Order Metadata	This action plug-in provides work order information and enables customization of work order labels and tags. It supports dynamic labeling, tag management, master ID override, and recursive label updates for better work order identification and management.
	Workflow launcher	This action plug-in is used to launch one workflow from within another. It is similar to, but not the same as, the SubWorkflow plug-in. The main difference is that WorkflowLauncher launches another workflow and then immediately allows the current workflow to proceed. This behavior is asynchronous, whereas in SubWorkflow, the current workflow waits for the launched workflow to complete before continuing. A WorkflowLauncher step is considered Complete once it has successfully launched the configured workflow, while a SubWorkflow step is considered Complete only after the sub-workflow it launched has finished execution.
	Akamai transcoding	This plugin starts and monitors a Transcoding job using the Akamai Transcoding platform.
	Alchemist Snell OD operations	This action plug-in provides the ability to control Alchemist Snell OD systems.
	Amazon Elastic Transcoder	This action plug-in provides the ability to use Amazon Elastic Transcoder

	Amberfin transcoding	This Action plug-in provides the ability to submit file transcoding job to a Amberfin server.
	Ateme transcoding	This action plugin provides the ability to transcode video files via Ateme Titan File. It implements the Ateme Titan 3.7 REST API 1.7.
	Bitmovin encoding	This plug-in provides the ability to start and monitor a Bitmovin encoding.
	Cambria ftc transcoder	Add description here
	Carbon/WFS transcoding	This is Action plug-ins provides the ability to submit file transcoding job to a Harmonic Carbon Coder/WFS server.
	Imagine StreamZ transcoding	This is Action plug-ins provides the ability to submit file transcoding job to a DigitalRapids Stream server. This has been obsoleted by the DigitalRapids TM plugin.
	Imagine TM transcoding	This is Action plug-in provides the ability to submit a file transcoding job to a DigitalRapids Transcode Manager server.
	Dolby VM600/DP600	This action plugin provides the ability to invoke Dolby VM600/DP600 API operations for audio processing and workflow management.
	Elemental Media Convert	This Action plugin provides the ability to submit a file transcoding job to the AWS Elemental MediaConvert service.
	Elemental transcoding	This action plugin provides the ability to submit file transcoding jobs to an Elemental server.
	Emotion operation	This action plug-in provides the ability to invoke Emotion API operation.
	Encoding.com transcoding	This Action plug-in provides the ability to submit file encoding job to a Encoding.com server.

	Envivio transcoding	This is Action plug-ins provides the ability to submit file encoding jobs to an Envivio VOD Encoder thru a 4Balancer manager.
	EolementheWorkflowManager	This plug-in provides the ability to run an Eolementhe workflow.
	Episode transcoding	This is Action plug-ins provides the ability to submit file transformation job to a Telestream Episode engine.
	FFMPEG transcoding	This plugin provides the ability to execute file transcoding operations using the FFMPEG toolset on remote nodes.
	Flics transcoding	This action plug-in provides the ability to submit and monitor a file transcoding job to a Flics server.
	FlipFactory transcoding	This is Action plug-ins provides the ability to submit file transformation job to a Telestream FlipFactory server.
	HandBrake transcoding	This action plug-in provides the ability to submit and control a file transcoding operation using the HandBrake toolset.
	Hybrik Transcoder	This Action plug-in provides the ability to submit a transcoding job to the Hybrik transcoder
	Marquis Mews Operation	This plug-in provides the ability to use the API's listed under the Medway Web Service solution of Marquis.
	Minnetonka AudioTools Server	This plug-in provides the ability to process, convert, encode, and decode audio files with the Minnetonka AudioTools Server. It implements the AudioTools SOAP based WEB service API.
	MOG MXF Speedrail	his plug-in provides the ability to run a MOG workflow. It implements MOG mxfSPEEDRAIL v2.22 SOAP API.
	Unified packager	This action plug-in provides the ability to create a server manifest file with mp4split tool.
	Vantage Transcoding	This action plugin provides the ability to submit file transcoding jobs to a Vantage server.

	VqmaAnalyzer	This action plug-in provides the ability to submit and control a file transcoding operation using the HandBrake toolset.
	Xf converter	This plug-in provides the ability to convert (rewrap) audio and video wrapper files (AVI, GXF, MOV, MP4 and MXF) with OpenCube XFConverter. It implements the XFConverter SOAP based WEB service API 2.0
	Zencoder transcoding	This action plugin provides the ability to submit file transformation jobs to the Zencoder cloud service.
	Amazon SQS trigger	This action plug-in provides the ability to watch for messages out of an Amazon SQS queue.
	AMQP trigger	This action plug-in provides the ability to wait for messages in an AMQP queue.
	Aspera central watcher	This action plugin provides the ability to sense the initiation or completion of transfers on an Aspera server.
	AoC Package Watcher	This plugin can be used to trigger workflows on new packages uploaded to Aspera On Cloud.
	Aspera Node API Transfer Monitor	This action plug-in provides the ability to monitor and detect file transfer events on remote Aspera servers via the Aspera Node API.
	Aspera node file watcher	This action plug-in provides the ability to detect and monitor files and folders matching specified patterns on remote Aspera servers via the Aspera Node API.
	Azure Service Bus Trigger	This action plug-in provides the ability to watch for messages out of an Azure Service Bus queue
	Custom trigger	The Custom Trigger Plugin allows workflows to be initiated based on custom Ruby logic that runs periodically until a defined condition is met.

	Database trigger	This plugin provides the ability to periodically execute SQL queries on external databases (MySQL, Oracle, ODBC compatible) and trigger workflows when new rows are found.
	Email inbox watcher	This action plug-in provides a way to trigger workflows based on the arrival of incoming packages in a IMAP inbox.
	Faspex5 inbox watcher	This plugin monitors Faspex5 server mailboxes for incoming packages matching specified criteria and triggers workflows, providing comprehensive package information including metadata, file lists, and transfer specifications.
	Faspex5 package monitor	Provides the capability to monitor Faspex 5 package uploads, downloads, and completion status.
	FTP Folder Trigger	This action provides the ability to detect folders on a remote node via the FTP protocol.
	FTP Trigger	This action enables the detection of files on a remote node via the FTP protocol.
	Local file watcher	This action plug-in watches a local directory for files matching defined patterns and enables the creation of triggers upon detection.
	Local folder watcher	This action plug-in provides the ability to wait for the arrival of folder matching a certain pattern and optionally wait for the stability of all files in that folder.
	Remote file watcher	This action plug-in provides the ability to wait for the arrival of files matching a certain pattern on a remote aspera server.
	Remote folder watcher	This action plug-in provides the ability to wait for the arrival of a folder matching a certain pattern on a remote aspera server.
	Schedule trigger	This action plug-ins provide the ability schedule the triggering of the following steps in a Workflow.
	SFTP trigger	Enables hot folder functionality on a remote server using SFTP for automated file transfers.

	Soap request listener	This action plug-ins provides the ability wait for a SOAP message and extract its content.
	SonyCi file watcher	This plugin monitors Sony Ci folders for new files matching specified patterns and returns file information when matches are detected.
	Console notification	This plugin provides the ability to insert entries in the Aspera Console database representing Orchestrator workflow events, enabling integration between Orchestrator and Console for comprehensive monitoring and tracking of automated transfer activities.
	Email notification	This action plugin provides the ability to send email as part of the execution of a workflow. It can be configured with recipients, subject, message body, and optional sender details to enable workflow-driven email notifications.
	RSS Feed Reader	This action plug-in provides the ability to read an RSS feed and can be used as a trigger.
	SCOM notification	This action plugin provide the ability to submit log entry to the Windows Event Log. The execution can only occur on a windows host.
	Slack notification	This action plug-in provides the ability to interact with Slack
	User input	This plugin provides an interactive way to present information and collect data from users through web forms within the Orchestrator control application.
	ClamAV check	This action plug-in provides the ability to check a file, folder or set of files for viruses using the clamAV utility.
	ICAP virus scan	This action plug-in communicates with an ICAP enabled virus scanner engine to quarantine infected files.



McAfee virus check

This action plug-in provides the ability to check a file, folder or set of files for viruses using the McAfee anti-virus application.



Opswat metadefender

Integration with Opswat Metadefender



Symantec Icap DLP Operations

This plugin is used to make a ICAP call to Symantec DLP Engine.



Symantec Icap Virus Scan Operations

This plugin is used to make a ICAP call to Symantec Antivirus Engine.