

L'intelligence du regard

This manuscript ([permalink](#)) was automatically generated from [laurentperrinet/2026-07_intelligence-regard@bc5b911](#) on July 8, 2026.

Authors

- **Laurent U Perrinet**

 [0000-0002-9536-010X](#) ·  [laurentperrinet](#) ·  @laurentperrinet@neuromatch.social

Institut de Neurosciences de la Timone, CNRS / Aix-Marseille Université

✉ — Correspondence possible via [GitHub Issues](#)

Abstract

Et si l'on vous révélait que le monde visuel que vous percevez en ce moment même est une reconstruction déformée de la réalité ? Pur non-sens ! Intuitivement, nous pensons que notre perception de l'environnement lumineux qui nous entoure est fidèlement calquée sur nos sensations. Pourtant, l'image qui se forme sur la rétine, l'organe sensible de la vision, présente une géométrie précisément distordue. Étudier cette propriété fondamentale de la vision est essentiel : cela permet de mieux la comprendre, de développer des moyens de soigner les pathologies visuelles, ou encore d'exploiter ces principes biologiques pour concevoir des systèmes d'intelligence artificielle plus robustes et moins énergivores. Je suis chercheur en neurosciences computationnelles, et m'attache à décrypter la manière dont le cerveau assemble les fragments d'information pour effectuer des « calculs » — comme, par exemple, la capacité à percevoir ce texte que vous lisez. Je vais vous exposer ici les découvertes récentes sur la façon dont la géométrie de la rétine façonne notre perception visuelle.

à faire « sens de nos sens ».

La rétine, organe sensible de la vision

La vision, quel miracle ! La perception visuelle semble pourtant si simple : il suffit d'ouvrir les yeux, alors que les mécanismes sous-jacents sont d'une complexité impressionnante. Chez l'humain, c'est une fine pellicule de cellules, notamment des neurones, tapissant le fond de l'œil qui fait office de capteur : la rétine. Elle reçoit la lumière concentrée par l'optique oculaire et la transforme en un signal électrochimique ; le flux de photons y est converti, en quelques millisecondes, en un signal nerveux que le cerveau peut interpréter. Une découverte majeure a révélé que de nombreuses aires cérébrales conservent une organisation dite rétinotopique : les neurones situés à proximité les uns des autres dans une même aire correspondent à des points proches du champ visuel.

La rétine, un miroir déformant

La rétinotopie humaine présente la particularité d'accorder une importance disproportionnée à la région entourant le point de fixation de l'œil (ce point précis de l'espace visuel que vous fixez en ce moment même sur ces mots, puis se déplace vers le prochain), appelée la fovéa. Pour se donner une idée quantitative, la macula, qui entoure la fovéa, correspond dans l'espace visuel à un disque d'environ 5 degrés d'angle visuel — soit la taille de votre paume à bout de bras. Si l'on compare ces 5 degrés aux 180 degrés d'angle visuel en azimuth et aux 120 degrés en élévation, on réalise qu'elle n'occupe que 3 millièmes de la surface totale. Pourtant, la rétinotopie humaine est telle qu'environ un quart des fibres du nerf optique proviennent de ce minuscule disque. Cette disproportion est cruciale pour comprendre la vision : les photorécepteurs de la macula sont principalement des cônes, sensibles à la couleur, tandis que le reste de la rétine est majoritairement composé de bâtonnets, sensibles aux faibles intensités lumineuses. Ainsi, la majeure partie de notre champ visuel est en réalité très largement aveugle aux couleurs, alors que notre perception des couleurs reste uniforme notamment en périphérie.

Et la rétine chez d'autres espèces?

Cette organisation rétinotopique fovéée est présente chez de nombreuses espèces animales, notamment chez les mammifères. Pourtant, on observe une grande diversité entre les espèces. Chez

le chat, par exemple, la densité des photorécepteurs est ainsi plus allongée sur l'axe horizontal, alors qu'elle est quasi uniforme chez le lapin ou la souris. Chaque espèce perçoit donc le monde de manière adaptée à sa niche écologique. Par exemple, certaines espèces comme les faucons ou certains dauphins possèdent même deux paires de fovéas : l'une dédiée à la navigation dans l'axe du mouvement, l'autre à la vision latérale.

Citations

Citation by DOI [\[1\]](#).

Citation by PubMed Central ID [\[2\]](#).

Citation by PubMed ID [\[3\]](#).

Citation by Wikidata ID [\[4\]](#).

Citation by ISBN [\[5\]](#).

Citation by URL [\[6\]](#).

Citation by alias [\[7\]](#).

Multiple citations can be put inside the same set of brackets [\[1,5,7\]](#). Manubot plugins provide easier, more convenient visualization of and navigation between citations [\[2,3,7,8\]](#).

Citation tags (i.e. aliases) can be defined in their own paragraphs using Markdown's reference link syntax:

Referencing figures, tables, equations

Figure [1](#)

Figure [2](#)

Figure [3](#)

Figure [4](#)

Table [1](#)

Equation [1](#)

Equation [2](#)

Quotes and code

 Quoted text

Quoted block of text

Two roads diverged in a wood, and I—
I took the one less traveled by,
And that has made all the difference.

Code `in the middle` of normal text, aka `inline code`.

Code block with Python syntax highlighting:

```
from manubot.cite.doi import expand_short_doi

def test_expand_short_doi():
    doi = expand_short_doi("10/c3bp")
    # a string too long to fit within page:
    assert doi == "10.25313/2524-2695-2018-3-vliyanie-enhansera-copia-i-
        insulyatora-gypsy-na-sintez-ernk-modifikatsii-hromatina-i-
        svyazyvanie-insulyatornyh-belkov-vtransfetsirovannyh-geneticheskikh-
        konstruktsiyah"
```

Code block with no syntax highlighting:

```
Exporting HTML manuscript
Exporting DOCX manuscript
Exporting PDF manuscript
```

Figures




Figure 1: A square image at actual size and with a bottom caption. Loaded from the latest version of image on GitHub.




Figure 2: An image too wide to fit within page at full size. Loaded from a specific (hashed) version of the image on GitHub.




Figure 3: A tall image with a specified height. Loaded from a specific (hashed) version of the image on GitHub.



Figure 4: A vector `.svg` image loaded from GitHub. The parameter `sanitize=true` is necessary to properly load SVGs hosted via GitHub URLs. White background specified to serve as a backdrop for transparent sections of the image.

Note that if you want to export to Word (`.docx`), you need to download the image and reference it locally (e.g. `content/images/vector.svg`) instead of using a URL.

Tables

Table 1: A table with a top caption and specified relative column widths.

<i>Bowling Scores</i>	Jane	John	Alice	Bob
Game 1	150	187	210	105
Game 2	98	202	197	102
Game 3	123	180	238	134

Table 2: A table too wide to fit within page.

	Digits 1-33	Digits 34-66	Digits 67-99	Ref.
pi	3.14159265358979323846264338327950	288419716939937510582097494459230	781640628620899862803482534211706	piday.org
e	2.71828182845904523536028747135266	249775724709369995957496696762772	407663035354759457138217852516642	nasa.gov

Table 3: A table with merged cells using the `attributes` plugin.

	Colors	
Size	Text Color	Background Color
big	blue	orange
small	black	white

Equations

A LaTeX equation:

$$\int_0^\infty e^{-x^2} dx = \frac{\sqrt{\pi}}{2} \tag{1}$$

An equation too long to fit within page:

$$\begin{aligned} x = & a + b + c + d + e + f + g + h + i + j + k + l + m + n + o + p + q + r + s + t \\ & + u + v + w + x + y + z + 1 + 2 + 3 + 4 + 5 + 6 + 7 + 8 + 9 \end{aligned} \tag{2}$$

Special

⚠ WARNING The following features are only supported and intended for `.html` and `.pdf` exports. Journals are not likely to support them, and they may not display correctly when converted to other formats such as `.docx`.

LINK STYLED AS A BUTTON

Adding arbitrary HTML attributes to an element using Pandoc's attribute syntax:

Manubot Manubot Manubot Manubot Manubot. Manubot Manubot Manubot Manubot.
Manubot Manubot Manubot. Manubot Manubot. Manubot.

Adding arbitrary HTML attributes to an element with the Manubot `attributes` plugin (more flexible than Pandoc's method in terms of which elements you can add attributes to):

Manubot Manubot Manubot Manubot Manubot. Manubot Manubot Manubot Manubot.
Manubot Manubot Manubot. Manubot Manubot. Manubot.

Available background colors for text, images, code, banners, etc:

white lightgrey grey darkgrey black lightred lightyellow lightgreen
lightblue lightpurple red orange yellow green blue purple

Using the [Font Awesome](#) icon set:

✓ ? ★ 🔔 ✖ …



Light Grey Banner

useful for *general information* - manubot.org



Blue Banner

useful for *important information* - manubot.org



Light Red Banner

useful for *warnings* - manubot.org

References

1. **Sci-Hub provides access to nearly all scholarly literature**
Daniel S Himmelstein, Ariel Rodriguez Romero, Jacob G Levernier, Thomas Anthony Munro, Stephen Reid McLaughlin, Bastian Greshake Tzovaras, Casey S Greene
eLife (2018-03-01) <https://doi.org/ckcj>
DOI: [10.7554/elife.32822](https://doi.org/10.7554/elife.32822) · PMID: [29424689](https://pubmed.ncbi.nlm.nih.gov/29424689/) · PMCID: [PMC5832410](https://pubmed.ncbi.nlm.nih.gov/PMC5832410/)
2. **Reproducibility of computational workflows is automated using continuous analysis**
Brett K Beaulieu-Jones, Casey S Greene
Nature biotechnology (2017-04) <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6103790/>
DOI: [10.1038/nbt.3780](https://doi.org/10.1038/nbt.3780) · PMID: [28288103](https://pubmed.ncbi.nlm.nih.gov/28288103/) · PMCID: [PMC6103790](https://pubmed.ncbi.nlm.nih.gov/PMC6103790/)
3. **Bitcoin for the biological literature.**
Douglas Heaven
Nature (2019-02) <https://www.ncbi.nlm.nih.gov/pubmed/30718888>
DOI: [10.1038/d41586-019-00447-9](https://doi.org/10.1038/d41586-019-00447-9) · PMID: [30718888](https://pubmed.ncbi.nlm.nih.gov/30718888/)
4. **Plan S: Accelerating the transition to full and immediate Open Access to scientific publications**
cOAlition S
(2018-09-04) <https://www.wikidata.org/wiki/Q56458321>
5. **Open access**
Peter Suber
MIT Press (2012)
ISBN: 9780262517638
6. **Open collaborative writing with Manubot**
Daniel S Himmelstein, Vincent Rubinetti, David R Slochower, Dongbo Hu, Venkat S Malladi, Casey S Greene, Anthony Gitter
Manubot (2020-05-25) <https://greenelab.github.io/meta-review/>
7. **Opportunities and obstacles for deep learning in biology and medicine**
Travers Ching, Daniel S Himmelstein, Brett K Beaulieu-Jones, Alexandr A Kalinin, Brian T Do, Gregory P Way, Enrico Ferrero, Paul-Michael Agapow, Michael Zietz, Michael M Hoffman, ... Casey S Greene
Journal of The Royal Society Interface (2018-04) <https://doi.org/gddkhn>
DOI: [10.1098/rsif.2017.0387](https://doi.org/10.1098/rsif.2017.0387) · PMID: [29618526](https://pubmed.ncbi.nlm.nih.gov/29618526/) · PMCID: [PMC5938574](https://pubmed.ncbi.nlm.nih.gov/PMC5938574/)
8. **Open collaborative writing with Manubot**
Daniel S Himmelstein, Vincent Rubinetti, David R Slochower, Dongbo Hu, Venkat S Malladi, Casey S Greene, Anthony Gitter
PLOS Computational Biology (2019-06-24) <https://doi.org/c7np>
DOI: [10.1371/journal.pcbi.1007128](https://doi.org/10.1371/journal.pcbi.1007128) · PMID: [31233491](https://pubmed.ncbi.nlm.nih.gov/31233491/) · PMCID: [PMC6611653](https://pubmed.ncbi.nlm.nih.gov/PMC6611653/)