## Search for resonances below 1.2 TeV in the mass distribution of jet pairs with two jets identified as b-jets in proton-proton collisions at $\sqrt{s}$ =13 TeV with the ATLAS detector.

J. Alison<sup>a</sup>, S. Chekanov<sup>b</sup>, A. Coccaro<sup>c</sup>, J. Dandoy<sup>a</sup>, F. Guescini<sup>c</sup>, G. Facini<sup>a</sup>, T. Golling<sup>c</sup>, Y. Kim<sup>a</sup>, A. Korn<sup>d</sup>, K. Krizka<sup>a</sup>, T. LeCompte<sup>b</sup>, J. Love<sup>b</sup>, L. McClymont<sup>d</sup>, J. Proudfoot<sup>b</sup>, S. Ryu<sup>b</sup>, K. Sekhon<sup>e</sup>, M. Shochet<sup>a</sup>, R. Wang<sup>b</sup>, N. Zhou<sup>f</sup>, N. Nishu<sup>f</sup>

<sup>a</sup>University of Chicago, Enrico Fermi Institute

<sup>b</sup>HEP Division, Argonne National Laboratory

<sup>c</sup>Section de Physique, Universite de Geneve

<sup>d</sup>University College London

<sup>e</sup>University of Michigan

<sup>f</sup>Tsinghua University