



Spurious Signal Update

Laurie McClymont

<u>11 May 2016</u>



Statistics: Spurious Signal - MC




Confirm that fits discrepancies are not significantly occurring


- Fit discrepancies may fake or disguise signal
- Fits performed to a representative background only data set can test fit function

Monte Carlo

- Pythia8 Dijet Sample, same cuts as in data
- Except trigger, emulated using p_T dependant b-jet and non b-jet efficiencies (slide 10)
- Problems with statistics, Effective Entries < Scaled Entries

=> Not poisson-like errors







Statistics: Spurious Signal - Data, Trigger





Fit to Data with Trigger Applied

- b-Tagging not applied, so we are not blinded.
- Dominated by bl, but this give us a similar, but different control region to test fitting

Poor Fit

- Periodic structure, thus not a statistical fluctuation
- Also hints of this in blinded double b-tag spectrum









Statistics: Spurious Signal - Data, Trigger



- Changing Fit Range
 - We tried removing lower bins, fit quality improves
 - Find that for the range 566-1200 we get an much improved fit
- Could be signs of trigger turn on or other effect?







Statistics: Spurious Signal - Data, Trigger




Changing Fit Range

- We tried removing lower bins, fit quality improves
- Find that for the range 566-1200 we get an much improved fit

Could be signs of trigger turn on or other effect?

Close to P_T turn on? See Karol's plot…





Full Set of Range Chaning Fits



