# Cross test using Operating Model based on Life History

VPA

L Kell

09 July, 2018

[1] "maxfbar has been changed to accomodate new plusgroup"




Figure 1. VPA




Figure 2. VPA cross test




Figure 3. VPA cross test

#### **Session Info**

R version 3.4.1 (2017-06-30) Platform: x86\_64-pc-linux-gnu (64-bit) Running under: Ubuntu 16.04.2 LTS Matrix products: default BLAS: /usr/lib/libblas/libblas.so.3.6.0 LAPACK: /usr/lib/lapack/liblapack.so.3.6.0 locale: [1] LC CTYPE=en US.UTF-8 LC NUMERIC=C [3] LC\_TIME=en\_GB.UTF-8 LC\_COLLATE=en\_US.UTF-8 [5] LC MONETARY=en GB.UTF-8 LC MESSAGES=en US.UTF-8 [7] LC\_PAPER=en\_GB.UTF-8 LC\_NAME=C [9] LC ADDRESS=C LC TELEPHONE=C [11] LC MEASUREMENT=en GB.UTF-8 LC IDENTIFICATION=C attached base packages: graphics grDevices utils [1] parallel stats datasets methods [8] base other attached packages: [1] FLRP\_1.0.1.9001 FLasher\_0.0.5.9005 FLFishery\_0.1.3.9002 iterators\_1.0.8 foreach\_1.4.3 [4] doParallel\_1.0.10 [7] FLXSA\_2.6.1 FLAssess\_2.6.1 ggplotFL\_2.6.3 [10] FLCore\_2.6.8 lattice\_0.20-35 dplyr\_0.7.5 [13] plyr\_1.8.4 reshape\_0.8.7 ggplot2\_3.0.0 [16] knitr\_1.20 loaded via a namespace (and not attached): [1] Rcpp\_0.12.17 pillar\_1.1.0 compiler\_3.4.1 bindr\_0.1.1 [5] tools 3.4.1 digest\_0.6.15 evaluate 0.10.1 tibble 1.4.2 [9] gtable\_0.2.0 pkgconfig\_2.0.1 rlang\_0.2.1 Matrix\_1.2-10 [13] yaml 2.1.18 bindrcpp 0.2.2 gridExtra 2.3 withr 2.1.2 [17] stringr\_1.3.1 stats4\_3.4.1 rprojroot\_1.3-2 grid\_3.4.1 [21] tidyselect\_0.2.4 glue\_1.2.0 R6\_2.2.2 rmarkdown\_1.9 [25] reshape2\_1.4.3 purrr\_0.2.5 magrittr\_1.5 codetools\_0.2-15 [29] backports\_1.1.2 scales\_0.5.0 htmltools\_0.3.6 MASS\_7.3-47 [33] assertthat\_0.2.0 colorspace\_1.3-2 labeling\_0.3 stringi\_1.2.3

#### Software Versions

[37] lazyeval\_0.2.1

- R version 3.4.1 (2017-06-30)
- FLCore: 2.6.8FLife: 3.2.0FLRP: 1.0.1.9001
- Compiled: Mon Jul 9 09:17:07 2018

 $munsell_0.5.0$ 

### Author information

Laurence KELL. laurie@kell.es

## References