


# Random Grid

Figs


*L Kell & A Tidd*

*07 November, 2018*

## Life history parameters



**Figure 1** Life history parameters.




**Figure 2** Reference points.


## Equilibrium dynamics

The parameters are then used by `lhEq1` to simulate the equilibrium dynamics by combining the spawner/yield per recruit relationships with a stock recruitment relationship.

```
[1] 1
[1] "length" "params"
[1] 2
```




**Figure 3** Vectors.



**Figure 4** Equilibrium Curves.

## Population dynamics



**Figure 5** Time series relative to MSY benchmarks.

## Software Versions

- R version 3.4.4 (2018-03-15)
- FLCore: 2.6.9.9009
- FLBRP: 2.5.3.9001
- FLasher: 0.5.0.9001
- FLife: 3.2.1.9001
- ggplotFL: 2.6.4.9002
- **Compiled:** Wed Nov 7 15:22:41 2018

## Author information

**Laurence Kell.** laurie@seaplusplus.es

## Acknowledgements

This vignette and many of the methods documented in it were developed under the MyDas project funded by the Irish exchequer and EMFF 2014-2020. The overall aim of MyDas is to develop and test a range of assessment models and methods to establish Maximum Sustainable Yield (MSY) reference points (or proxy MSY reference points) across the spectrum of data-limited stocks.

## References

## Session Info

R version 3.4.4 (2018-03-15)  
Platform: x86\_64-pc-linux-gnu (64-bit)  
Running under: Ubuntu 16.04.2 LTS  
  
Matrix products: default  
BLAS: /usr/lib/libblas/libblas.so.3.6.0  
LAPACK: /usr/lib/lapack/liblapack.so.3.6.0

locale:

[1]	LC_CTYPE=en_US.UTF-8	LC_NUMERIC=C
[3]	LC_TIME=en_GB.UTF-8	LC_COLLATE=en_US.UTF-8
[5]	LC_MONETARY=en_GB.UTF-8	LC_MESSAGES=en_US.UTF-8
[7]	LC_PAPER=en_GB.UTF-8	LC_NAME=C
[9]	LC_ADDRESS=C	LC_TELEPHONE=C
[11]	LC_MEASUREMENT=en_GB.UTF-8	LC_IDENTIFICATION=C

attached base packages:

[1]	stats	graphics	grDevices	utils	datasets	methods	base
-----	-------	----------	-----------	-------	----------	---------	------

other attached packages:

[1]	FLife_3.2.1.9001	ggplotFL_2.6.4.9002	FLasher_0.5.0.9001
[4]	FLFishery_0.1.5	FLBRP_2.5.3.9001	FLCore_2.6.9.9009
[7]	lattice_0.20-35	GGally_1.4.0	reshape_0.8.7
[10]	dplyr_0.7.6	plyr_1.8.4	ggplot2_3.0.0
[13]	knitr_1.20		

loaded via a namespace (and not attached):

[1]	Rcpp_0.12.19	pillar_1.1.0	compiler_3.4.4
[4]	RColorBrewer_1.1-2	bindr_0.1.1	tools_3.4.4
[7]	digest_0.6.15	evaluate_0.10.1	tibble_1.4.2
[10]	gtable_0.2.0	pkgconfig_2.0.1	rlang_0.2.2
[13]	Matrix_1.2-10	yaml_2.1.18	bindrcpp_0.2.2
[16]	gridExtra_2.3	withr_2.1.2	stringr_1.3.1
[19]	stats4_3.4.4	rprojroot_1.3-2	grid_3.4.4
[22]	tidyselect_0.2.4	glue_1.2.0	R6_2.2.2
[25]	rmarkdown_1.9	reshape2_1.4.3	purrr_0.2.5
[28]	magrittr_1.5	codetools_0.2-15	backports_1.1.2
[31]	scales_1.0.0	htmltools_0.3.6	MASS_7.3-51
[34]	assertthat_0.2.0	colorspace_1.3-2	labeling_0.3
[37]	stringi_1.2.3	lazyeval_0.2.1	munsell_0.5.0