# Random Grid

# Figs

 $L \ \mathit{Kell} \ \mathcal{C} \ A \ \mathit{Tidd}$ 

08 November, 2018

# Life history parameters




Figure 1 Life history parameters.




Figure 2 Reference points.

### Equilibrium dynamics

The parameters are then used by <code>lhEql</code> to simulate the equilibrium dynamics by combining the spawner/yield per recruit relationships with a stock recruiment relationship.





Figure 3 Vectors.



 ${\bf Figure} \ {\bf 4} \ {\bf Equilibrum} \ {\bf Curves}.$ 

# Population dynamics




Figure 5 Time series relative to MSY benchmarks.

#### **Software Versions**

• R version 3.5.0 (2018-04-23)

FLCore: 2.6.9.9007
FLBRP: 2.5.3
FLasher: 0.5.0
FLife: 3.2.1
ggplotFL: 2.6.4

• Compiled: Thu Nov 08 15:32:13 2018

#### **Author information**

 ${\bf Laurence~Kell.~laurie@seaplusplus.es}$ 

#### Acknowledgements

This vignette and many of the methods documented in it were developed under the MyDas project funded by the Irish exchequer and EMFF 2014-2020. The overall aim of MyDas is to develop and test a range of assessment models and methods to establish Maximum Sustainable Yield (MSY) reference points (or proxy MSY reference points) across the spectrum of data-limited stocks.

## References

#### Session Info

```
R version 3.5.0 (2018-04-23)
Platform: x86_64-w64-mingw32/x64 (64-bit)
Running under: Windows 10 x64 (build 17134)
Matrix products: default
locale:
[1] LC_COLLATE=English_United Kingdom.1252
[2] LC_CTYPE=English_United Kingdom.1252
[3] LC_MONETARY=English_United Kingdom.1252
[4] LC_NUMERIC=C
[5] LC_TIME=English_United Kingdom.1252
attached base packages:
              graphics grDevices utils
[1] stats
                                             datasets methods
                                                                 base
other attached packages:
 [1] FLife_3.2.1
                          ggplotFL_2.6.4
                                               FLasher_0.5.0
 [4] FLFishery_0.1.5.9001 FLBRP_2.5.3
                                               FLCore_2.6.9.9007
 [7] lattice_0.20-35
                          GGally_1.4.0
                                               reshape_0.8.7
[10] dplyr_0.7.6
                          plyr_1.8.4
                                               ggplot2_3.0.0
[13] knitr_1.20
loaded via a namespace (and not attached):
 [1] Rcpp_0.12.16
                        pillar_1.2.3
                                            compiler_3.5.0
 [4] RColorBrewer_1.1-2 bindr_0.1.1
                                            tools_3.5.0
[7] digest_0.6.15
                        evaluate_0.11
                                           tibble_1.4.2
[10] gtable_0.2.0
                        pkgconfig_2.0.1
                                           rlang_0.2.1
[13] Matrix_1.2-14
                        yaml_2.1.19
                                           bindrcpp_0.2.2
[16] gridExtra_2.3
                        withr_2.1.2
                                            stringr_1.3.0
[19] stats4_3.5.0
                                           grid_3.5.0
                        rprojroot_1.3-2
[22] tidyselect_0.2.4
                        glue_1.2.0
                                           R6_2.2.2
[25] rmarkdown_1.10
                        reshape2_1.4.3
                                           purrr_0.2.5
[28] magrittr_1.5
                        codetools_0.2-15
                                            backports_1.1.2
[31] scales_0.5.0
                        htmltools_0.3.6
                                           MASS_7.3-49
[34] assertthat_0.2.0
                        colorspace_1.3-2
                                            labeling_0.3
[37] stringi_1.1.7
                        lazyeval_0.2.1
                                           munsell_0.5.0
```