

LaTeX Notes Template

Laurin Seeholzer

May 31, 2026

Contents

1	Template Features	3
1.1	Standard Core Blocks	3
1.2	Distinguishable Enhancements	3
1.3	Technical Implementations	3

1 Template Features

This document serves as a template to demonstrate the various styling blocks available. By isolating `packages.tex`, `commands.tex`, and `theorem_styles.tex`, the `main.tex` remains clean and dedicated strictly to document structure.

1.1 Standard Core Blocks

Definition 1.1. A **Definition block** is used to declare and explain a new mathematical concept or term. It utilizes the unified standard styling.

Theorem 1.2. A **Theorem block** is intended for major educational results. It utilizes the unified standard styling exactly like Definition and Lemma.

$$a^2 + b^2 = c^2$$

Lemma 1.3. A **Lemma** highlights a stepping-stone result. It also utilizes the unified standard styling with a strong left vertical alignment line.

1.2 Distinguishable Enhancements

Example 1.4. An **Example block** demonstrates applications purely with standard formatting—no special borders or backgrounds, just clear plain text layout.

Remark 1.5. A **Remark block** provides supplementary information, edge cases, or commentary. It sits subtly on a light gray background with no borders.

Important 1.6. An **Important block** is reserved for crucial warnings, common pitfalls, or core takeaways that the reader absolutely must not miss. It sticks out with a bold, full border enclosure.

1.3 Technical Implementations

Code Example 1.7

```
1 # We use the Code Example block to distinctly encapsulate
   programming
2 # snippets or configuration strings, utilizing a subtle gray frame
3 # and clean line numbering.
4
5 def compile_latex(file):
```

```
6     print(f"Compiling {file}...")
7     return compile(file)
```

Algorithm 1.8

```
1  The \textbf{Algorithm block} is meant to present structured
   pseudocode or computational sequences. It utilizes strong top
   and bottom bounding borders to structurally isolate it from
   standard literature.
2
3  Initialize $x \gets 0$ \\
4  Loop while $x \lt 10$ \\
5  \quad $x \gets x + 1$ \\
6  Output $x$
```