## Laravel

Parte 2

## Modelo + Migración

php artisan make:model Product -m

. . .

#### database/migrations/???create\_product\_table.php

```
public function up() {
        Schema::create('products',
           function (Blueprint $table) {
            $table->increments('id');
            $table->string('name');
            $table->integer('amount');
            $table->boolean('available');
            $table->timestamps();
        });
app/Product.php
<?php
namespace App;
use Illuminate\Database\Eloquent\Model;
class Product extends Model
```

## Controlador base

php artisan make:controller ProductController

```
app/Http/Controllers/ProductController.php
<?php
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Product;
class ProductController extends Controller
    function getAll(){
      return Product::all();
```

#### ... Controller

```
function add(Request $req){
    $prod = new Product;
    $prod->name = $req->name;
    $prod->amount = $req->amount;
    $prod->available = $req->available;
    $prod->save();
    return "Ok";
}
```

```
function update($id,Request $req){
    $prod = Product::findOrFail($id);
    $prod->name = $req->name;
    $prod->amount = $req->amount;
    $prod->available = $req->available;
    $prod->save();
    return "Ok";
}

function delete($id){
    Product::findOrFail($id)->delete();
}
```

#### Rutas

routes/web.php

### Axios api

https://github.com/mzabriskie/axios

```
axios.request(config)
axios.get(url[, config])
axios.delete(url[, config])
axios.head(url[, config])
axios.options(url[, config])
axios.post(url[, data[, config]])
axios.put(url[, data[, config]])
axios.patch(url[, data[, config]])
```

#### Usar axios

public/product.html

### Vue js

https://vuejs.org/v2/guide/

```
<div id="app-4">
 {{ todo.text }}
   </div>
<script>
const data = {
   todos: [
     { text: 'Learn JavaScript' },
     { text: 'Learn Vue' }
let app4 = new Vue({
 el: '#app-4',
 data: data
})
data.todos.push({text:'
     { text: 'Build something awesome' }'})
</script>
```

#### product.html

```
<!doctype html>
                                                            new Vue({
<html>
                                                               el: '#app',
<head>
                                                               data: data,
 <script src="js/app.js">
                                                              methods:{
 </script>
                                                                  deleteProduct : deleteProduct
 <script>
 window.addEventListener("load",()=> {
                                                             })
       const data = {products: []}
                                                       })
      function updateTable(){
         axios.get("/product")
          .then((resp)=>
                                                         </script>
            data.products = resp.data
                                                         <body>
                                                            <div id="app">
         .catch((err)=>
                                                            <u1>
            console.error(err.response.data)
                                                                  {{ prod.name }}
                                                                  <a
                                                            v-on:click="deleteProduct(prod)">
     function deleteProduct(prod){
                                                                       Borrar
       axios.delete("/product/"+prod.id)
                                                                  </a>
          then((resp)=>updateTable())
```

# Correr la migracion

php artisan migrate

Migrated: 2014\_10\_12\_000000\_create\_users\_table

Migrating: 2014\_10\_12\_100000\_create\_password\_resets\_table Migrated: 2014\_10\_12\_100000\_create\_password\_resets\_table

Migrating: 2017\_09\_06\_184109\_create\_products\_table Migrated: 2017\_09\_06\_184109\_create\_products\_table

Migrating: 2014 10 12 000000 create users table

#### Levantar server

Laravel development server started:
<http://127.0.0.1:8000>

php artisan serve