



# Certificate of Analysis

LAVA Diagnostics

Independent Third-Party Laboratory Testing

www.lavadiagnostics.com | ISO/IEC 17025 Accredited

## TESTED FOR

**Vault Peptides India**

www.vaultpeptides.in

## CERTIFICATE INFORMATION

Certificate Number: **LAVA-2026-1145**

Batch Number: **RT/100526**

Analysis Date: **07/30/2026**

Date received: **07/24/2026**

## PRODUCT SPECIFICATIONS

Product Name: **Retatrutide (PS-R3)**  
Labeled Content: **10mg**  
Appearance: **White Lyophilized Powder**  
Sample Matrix: **Lyophilized**  
Vial Size: **3mL**



Product Reference: Retatrutide 10mg

## ANALYTICAL RESULTS

| Analyte               | Specification | Result            | Unit | Status      |
|-----------------------|---------------|-------------------|------|-------------|
| Peptide Purity (HPLC) | >= 95.0%      | 99.89%            | %    | <b>PASS</b> |
| Net Peptide Content   | Report Only   | 10.26             | mg   | N/A         |
| Identity (HPLC-RTM)   | Retatrutide   | Confirmed         | -    | <b>PASS</b> |
| Fentanyl Screen       | Immunoassay   | Not De-<br>tected | -    | <b>PASS</b> |



## Certificate of Analysis - Supplement

Certificate: LAVA-2026-1145 | Batch: RT/100526

### HEAVY METALS ANALYSIS (ICP-MS)

| Test          | Specification | Result       | Status |
|---------------|---------------|--------------|--------|
| Arsenic (As)  | NMT 1.5 ppm   | Not Detected | PASS   |
| Cadmium (Cd)  | NMT 0.5 ppm   | Not Detected | PASS   |
| Chromium (Cr) | NMT 10 ppm    | Not Detected | PASS   |
| Mercury (Hg)  | NMT 1.5 ppm   | Not Detected | PASS   |
| Lead (Pb)     | NMT 1 ppm     | Not Detected | PASS   |

### STERILITY TESTING (PCR)

| Test            | Result    | Status |
|-----------------|-----------|--------|
| Sterility (PCR) | No Growth | PASS   |

### ENDOTOXIN TESTING (USP )

| Test      | Result             | Status |
|-----------|--------------------|--------|
| Endotoxin | NMT 0.05 EU/<br>mL | PASS   |

### NOTES & METHODOLOGY

- Identification:** Sample confirmed as Retatrutide by RP-HPLC retention time comparison with reference standard.
- Purity:** Determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks.
- Heavy Metals:** Elemental impurities analyzed by ICP-MS per USP methodology.
- Endotoxin:** Tested per USP kinetic turbidimetric method.
- Research Use Only:** This material is for laboratory research use only.

Dr. Alan Vance  
Laboratory Director  
LAVA Diagnostics



Scan to verify certificate authenticity  
[www.lavadiagnostics.com/verify](http://www.lavadiagnostics.com/verify)  
LAVA-2026-1145

ISO/IEC 17025 Accredited  
Digitally Signed Report