



# Certificate of Analysis

## LAVA Diagnostics

Independent Third-Party Laboratory Testing  
www.lavadiagnostics.com | ISO/IEC 17025 Accredited

### TESTED FOR

#### Vault Peptides India

<https://www.vaultpeptides.in>

### CERTIFICATE INFORMATION

Certificate Number: **LAVA-2026-1633**

Batch Number: **WB/2Q0426**

Analysis Date: **08/03/2026**

Date received: **07/28/2026**

### PRODUCT SPECIFICATIONS

Product Name: **Wolverine Blend (BPC-157 + TB-500)**

Labeled Content: 10mg

Appearance: White Lyophilized Powder

Sample Matrix: Lyophilized

Vial Size: 3mL

### ANALYTICAL RESULTS

| Analyte               | Specification  | Result       | Unit | Status      |
|-----------------------|----------------|--------------|------|-------------|
| Peptide Purity (HPLC) | $\geq 95.0\%$  | 99.37%       | %    | <b>PASS</b> |
| Net Peptide Content   | Report Only    | 5.1 / 5.6    | mg   | N/A         |
| Identity (HPLC-RTM)   | BPC-157+TB-500 | Confirmed    | -    | <b>PASS</b> |
| Fentanyl Screen       | Immunoassay    | Not Detected | -    | <b>PASS</b> |



Product Reference: Wolverine Blend 10mg



Certificate of Analysis - Supplement

Certificate: LAVA-2026-1633 | Batch: WB/2Q0426

HEAVY METALS ANALYSIS (ICP-MS)

| Test          | Specification | Result       | Status |
|---------------|---------------|--------------|--------|
| Arsenic (As)  | NMT 1.5 ppm   | Not Detected | PASS   |
| Cadmium (Cd)  | NMT 0.5 ppm   | Not Detected | PASS   |
| Chromium (Cr) | NMT 10 ppm    | Not Detected | PASS   |
| Mercury (Hg)  | NMT 1.5 ppm   | Not Detected | PASS   |
| Lead (Pb)     | NMT 1 ppm     | Not Detected | PASS   |

STERILITY TESTING (PCR)

| Test            | Result    | Status |
|-----------------|-----------|--------|
| Sterility (PCR) | No Growth | PASS   |

ENDOTOXIN TESTING (USP)

| Test      | Result         | Status |
|-----------|----------------|--------|
| Endotoxin | NMT 0.05 EU/mL | PASS   |

NOTES & METHODOLOGY

- Identification: Samples confirmed as BPC-157 and TB-500 by RP-HPLC retention time comparison with reference standards.
- Purity: Determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptides relative to all peptide-related peaks.
- Heavy Metals: Elemental impurities analyzed by ICP-MS per USP methodology.
- Endotoxin: Tested per USP kinetic turbidimetric method.
- Research Use Only: This material is for laboratory research use only.

Dr. Alan Vance  
Laboratory Director  
LAVA Diagnostics



Scan to verify certificate authenticity  
www.lavadiagnostics.com/verify  
LAVA-2026-1633



ISO/IEC 17025 Accredited  
Digitally Signed Report