

IOT TECHS

Security · Audio · Low-Voltage · Structured Cabling

646-396-0775 · support@iot-techs.com · www.iot-techs.com

Serving the NY / NJ Metro Area

PRICING RULES & LOGIC

Toast Drop Calculator · Internal Reference

OPS-TDC-01 · Rev 1.0

Every pricing rule the Toast Drop Calculator applies, in the order it applies them. Defaults shown are the out-of-the-box values — any rate can be changed per job in the RATES panel.

1 · EQUIPMENT CATALOG (Toast connection order)

#	Equipment	Role	Drop?	Default Loc.	Auto	Options
1	ISP Router	Internet into the building	No	Server Rack	Yes	Relocate, Extend
2	Pronto / Meraki	Toast private managed network	Yes*	Server Rack	Yes	Waive, Test
3	24-Port PoE Switch	Rack aggregation — head-end	Yes*	Server Rack	Yes	Waive, Test, Mount
4	POS Terminal	Host stand / cashier / bar	Yes	—	Yes	Waive, Test
›	Printer Hub	Runs off the POS terminal	No	follows POS	—	—
›	Cash Drawer	Runs off the POS terminal	No	follows POS	—	—
›	Barcode Scanner	Runs off the POS terminal	No	follows POS	—	—
5	Access Point	Indoor — CAT6 drop + PoE	Yes	Dining	No	Waive, Test, Mount
›	Handheld POS Device	Connects over AP or cellular	No	follows AP	—	—
6	Outdoor Access Point	Exterior — weatherproof drop + PoE	Yes	Exterior	No	Waive, Test, Mount
7	Kitchen Display (KDS)	Kitchen / expo display	Yes	—	No	Waive, Test, Mount
8	Kitchen Printer	Kitchen ticket printer	Yes	Printer	No	Waive, Test
9	System Setup & Programming	One-time config & programming	Flat	—	No	—
+	Custom Drop	Any user-named CAT6 drop	Yes	—	No	Discountable

* Pronto / Meraki and the 24-Port PoE Switch are **cable-waived by default** (head-end sits at the rack). › rows run off their parent device — no drop, no equipment count, location follows the parent. **Auto** = loaded automatically when the calculator opens.

2 · STANDARD RATES (defaults — editable per job)

Item	Default	Basis
Price per Drop	\$200	Per home-run CAT6 drop
Test & Certify	\$30	Per existing cable mapped / tested
Mounting	\$60	Per AP / KDS / rack mount
Relocate	\$150	Per unit relocated

Item	Default	Basis
Extend	\$150	Per unit extended
System Setup & Programming	\$400	Flat, one-time
Mapping & Testing Per Diem	\$800	Per day on-site (half day = \$400)
Toast Loyalty Discount	25%	Applied per line (see §4)

3 · PER-LINE OPTIONS (check on any equipment row)

Option	What it does
Waive cable (\$0)	Sets that drop's cable charge to \$0 — not billed. The value still tallies under Waived (not charged) , and the line drops out of the drop count.
Map / Test (+\$30)	Adds a test & certify charge for the line's quantity.
Mount (+\$60)	Adds a mounting charge (AP / KDS / rack) for the line's quantity.
Relocate (+\$150)	Adds a relocation charge per unit.
Extend (+\$150)	Adds an extension charge per unit.
Discount (X%)	Includes the line in the Toast Loyalty Discount. Each main line can carry its own % (defaults to the master %).
Manual override	Type directly into a line's amount to force a total. Clears automatically if the qty or any option changes.

4 · HOW A LINE TOTAL IS CALCULATED

base = flat-fee item? qty × flat : (is a drop **and** not waived)? qty × Price-per-Drop : \$0
 + Map/Test (if on): qty × \$30 + Mount (if on): qty × \$60
 + Relocate (if on): qty × \$150 + Extend (if on): qty × \$150
 = **LINE TOTAL** (unless a manual override is typed in)

5 · TOAST LOYALTY DISCOUNT

Rule	Detail
Master toggle	On/off switch in RATES. Default rate 25% .
Applies per line	A line is discounted only when: the master toggle is on, the line's Discount box is checked, its % is above 0, and its total is above \$0.
Never discounted	Sub-items (> rows), waived cable, and any \$0 line.
Cap	Total discount can never exceed the subtotal.
Formula	Discount = sum of (line original – line net) across all discounted lines.

6 · MAPPING & TESTING PER DIEM

Rule	Detail
Purpose	Flat day-rate for on-site network mapping & cable certification.
Default	\$800 / day. Off by default — switch it on in RATES per job.
Half day	Checkbox bills 50% (\$400 at the default rate); the line is labeled “(Half Day)”.
Not discounted	Added on top of the total after the loyalty discount — the discount never touches it.
Where it shows	Its own line in the live totals and on the generated proposal PDF.

7 · TOTALS — ORDER OF OPERATIONS

	Step	Definition
1	Subtotal	Sum of every line total (before discount).
2	Waived (not charged)	Informational — cable value given away on waived drops.
3	– Toast Loyalty Discount	Per \$5.
4	+ Mapping & Testing Per Diem	Per \$6 (not discounted).
=	Computed Total	Subtotal – Discount + Per Diem.
5	TOTAL (editable)	Lower it to give a courtesy credit. Courtesy Credit = Computed Total – entered TOTAL.
6	Total Savings	Waived + Discount + Courtesy Credit.
7	Deposit Due	TOTAL × deposit %.
8	Balance on Completion	TOTAL – Deposit.

8 · PAYMENT TERMS & DEPOSIT

Term	Deposit	Note
100% on completion	No deposit	Default.
50 / 50	50% deposit	Remaining 50% on completion.
Custom	Any deposit %	Balance on completion.

Deposit required A deposit is required before any work is scheduled. Zelle to 646-396-0775 is preferred (instant, no fee); certified checks payable to La Vague Inc. Card payments add a 5% processing fee.

9 · PROPOSAL NUMBER & DATES

Auto format IOT-[INITIALS][STREET#]-[YYMMDD]

Part	Rule
INITIALS	First letter of each word in the business name, A–Z / 0–9 only, up to 4 characters. Defaults to “XX” if blank.
STREET#	First number found in the address, up to 5 digits.
YYMMDD	The proposal date.
Expiration	Proposal date + 7 days (set automatically).

10 · DEFAULTS WHEN THE CALCULATOR OPENS

- Head-end auto-loaded at qty 1: **ISP Router**, **Pronto / Meraki** (cable waived), **24-Port PoE Switch** (cable waived).
- Date = today · Expiry = +7 days · Project = “Toast POS Cabling” · Payment = 100% on completion.
- Rates seed to the \$2 defaults; the per diem starts off.

11 · CABLING STANDARD & WAIVER GUIDELINE

The IOT TECHS standard Handmade, defect-free CAT6 with waterproof outdoor jackets and gold-plated connectors — heat-resistant for kitchens, a 10–15 year lifespan, and labeled, tested & certified at handover.

When install is waived Router and PoE-switch installation charges are typically waived when that equipment is within 6 ft of the ISP modem or an existing network rack.