Title: Credit Risk Prediction Using Machine Learning: An Intelligent Agent Approach

Name: Lavanith Reddy Adavally

Table of Contents

1. Problem Context: Intelligent Agent, Financial Environment, and Decision Objective 3

2. Methodological Review: Computational Rationality in Credit Risk Prediction 5

2.1 Rational Decision Workflow of the Credit Risk Agent 5

2.2 Logistic Regression Classifier 6

2.2.1 Working Principle 6

2.2.2 Advantages 6

2.2.3 Limitations 7

2.3 Decision Tree Classifier 7

2.3.1 Structure and Working Mechanism 7

2.3.2 Advantages 8

2.3.3 Limitations 8

2.4 Comparative Analysis and Rationality Implications 9

3. Evaluation Framework: Performance Metrics and Cost-Sensitive Utility 9

4. Critical Reflection: Bounded Rationality in Financial Decision Systems 10

References 10

1. Problem Context: Intelligent Agent, Financial Environment, and Decision Objective

Credit risk prediction plays an essential role in modern financial institutions. Banks and lending organizations must evaluate whether a borrower is likely to repay a loan or default on financial obligations. Accurate credit assessment helps financial institutions reduce financial losses while ensuring that reliable customers obtain access to credit. However, manual evaluation of loan applications is difficult due to the increasing volume of financial data and the complex relationships among borrower attributes such as income, employment stability, and credit history. Machine learning techniques have therefore been increasingly used to support credit risk analysis by identifying patterns within historical lending data and assisting decision-making processes [1], [2].

The problem can be described using the agent–environment framework from artificial intelligence. In this framework, an intelligent agent receives information from its environment, processes the data, and performs actions that maximize a specific objective. In the case of credit risk prediction, the agent analyses borrower information and predicts whether the applicant represents a good credit risk or a bad credit risk. This framework allows financial decision systems to be viewed as rational agents operating under uncertainty to support lending decisions [3].

1.1 Intelligent Agent

The intelligent agent in this study refers to a machine learning–based credit scoring system designed to classify loan applicants as good or bad credit risks. The agent receives input features describing borrower characteristics, including credit history, loan duration, employment status, and savings information. During training, the model learns patterns between borrower attributes and repayment outcomes. Once trained, the agent evaluates new loan applications and generates predictions that support lending decisions.

1.2 Financial Data Environment

The environment consists of historical financial data used to train and evaluate the model. In this study, the German Credit Dataset is used as the financial decision environment. The dataset contains multiple attributes describing borrower financial behaviour and demographic information. The environment also contains uncertainty because borrower behaviour can vary significantly, making classification challenging.

1.3 Decision Objective

The objective of the agent is to accurately classify borrowers while minimizing costly financial errors. In practice, incorrectly approving a loan for a high-risk borrower results in greater financial loss than rejecting a reliable borrower. Therefore, the intelligent agent must prioritize reducing high-risk lending decisions while maintaining fair and efficient credit evaluation.

Dataset Link - https://archive.ics.uci.edu/dataset/144/statlog+german+credit+data

Actual / Predicted	Good	Bad
Good	0	1
Bad	5	0

1.4 Key Stakeholders in Credit Risk Prediction

Several stakeholders are influenced by machine learning–based credit risk prediction systems. Financial institutions are the primary users, as banks rely on accurate credit scoring models to reduce default risk and maintain financial stability. Borrowers also represent an important stakeholder group because reliable credit assessment ensures fair access to loans and financial services. Regulatory authorities play a critical role in ensuring that lending decisions remain transparent, fair, and compliant with financial regulations. In addition, data scientists and system developers are responsible for designing, maintaining, and improving predictive models to ensure that the systems operate accurately, ethically, and effectively within financial decision-making environments.

1.5 Importance in Real-World Financial Systems

Credit risk prediction helps banks make faster, consistent, and data-driven lending decisions. Machine learning models can analyse large volumes of borrower data, improving risk management and supporting responsible lending practices.

2. Methodological Review: Computational Rationality in Credit Risk Prediction

To implement a rational credit risk agent, appropriate machine learning algorithms must be selected. Two widely used algorithms in credit risk modelling are Logistic Regression and Decision Tree classifiers. These methods differ in their assumptions, interpretability, and predictive capabilities.

2.1 Rational Decision Workflow of the Credit Risk Agent

The agentic workflow describes the sequence of steps through which the machine learning system processes financial data and generates credit risk predictions.

Data Perception

The first stage involves observing the environment by collecting borrower attributes from the dataset. These attributes describe financial behaviour and demographic characteristics.

Feature Representation and Preprocessing

Before training the model, the dataset must be transformed into a numerical format suitable for machine learning algorithms. Preprocessing techniques such as feature encoding and normalization improve model reliability [4].

Decision Mechanism

The agent applies a classification algorithm to determine whether a borrower is likely to repay a loan or default.

Action Execution

The action taken by the agent is the predicted credit category, which supports lending decisions.

Learning and Adaptation

The agent learns patterns from historical data using supervised learning techniques.

Utility Evaluation

Performance metrics and cost-sensitive evaluation are used to determine whether the agent achieves rational decision-making outcomes.

2.2 Logistic Regression Classifier

Logistic Regression is one of the most widely used machine learning algorithms for binary classification problems such as credit risk prediction. In financial decision-making, it is commonly applied to estimate the probability that a borrower will either repay a loan or default. The model uses a logistic (sigmoid) function to map input variables to a probability value between 0 and 1, representing the likelihood of belonging to a specific class [4].

2.2.1 Working Principle

In credit risk modelling, Logistic Regression analyses borrower attributes such as credit history, employment status, loan amount, savings account balance, and repayment duration. These attributes are treated as independent variables, while the target variable represents the borrower category (good credit risk or bad credit risk). The algorithm calculates the weighted contribution of each feature and produces a probability score that indicates the likelihood of loan repayment.




Figure 1: Logistic regression principle

Once the probability is computed, it is compared with a predefined threshold value, typically 0.5. If the predicted probability exceeds the threshold, the applicant is classified as a good credit risk. Otherwise, the borrower is classified as a bad credit risk. This classification helps financial institutions determine whether a loan application should be approved or rejected.

2.2.2 Advantages

One of the primary advantages of Logistic Regression is its interpretability. Financial analysts can examine the coefficients associated with each feature to understand how specific borrower characteristics influence credit risk predictions. For example, positive coefficients may indicate

attributes that increase the likelihood of repayment, while negative coefficients may indicate higher default risk.

Another benefit is computational efficiency. Logistic Regression requires relatively low computational resources and can be implemented easily even with large financial datasets. Additionally, the model produces probabilistic outputs, which allow financial institutions to apply flexible decision thresholds depending on their risk tolerance.

2.2.3 Limitations

Despite its advantages, Logistic Regression has certain limitations. The model assumes a linear relationship between input variables and the log-odds of the target variable. However, financial data often contain complex non-linear relationships among borrower attributes. As a result, the model may struggle to capture intricate interactions within the dataset.

Furthermore, Logistic Regression may perform poorly when features are highly correlated or when the dataset contains significant noise. In such cases, more flexible models may be required to achieve higher predictive accuracy.

2.3 Decision Tree Classifier

Decision Trees represent another popular classification technique used in credit risk prediction. Unlike Logistic Regression, which relies on mathematical equations, Decision Trees use a hierarchical structure of decision rules to classify data instances. This approach makes the model intuitive and easy to interpret for financial analysts [8].

2.3.1 Structure and Working Mechanism

A Decision Tree consists of nodes and branches that represent sequential decision rules. The root node represents the initial decision point based on a particular feature of the dataset. From this node, the dataset is split into smaller subsets according to feature conditions. Internal nodes represent further decision tests, while leaf nodes represent the final classification outcomes, such as good credit risk or bad credit risk.




Figure 2: Decision Tree Principle

For example, the model may first evaluate an applicant's credit history. If the credit history is good, the tree may proceed to evaluate employment stability or loan duration. Through this step-by-step splitting process, the algorithm identifies patterns in the data and constructs a decision structure that predicts borrower risk.

2.3.2 Advantages

One of the key strengths of Decision Trees is their ability to model non-linear relationships between variables. Financial data often contain complex interactions between borrower attributes, and Decision Trees can effectively capture these relationships.

Another advantage is interpretability. The decision rules generated by the model can be visualized in the form of a tree structure, making it easier for financial analysts and regulatory authorities to understand how predictions are generated. This transparency is particularly valuable in financial environments where explainability is important.

2.3.3 Limitations

Despite their flexibility, Decision Trees have certain drawbacks. One major issue is overfitting, which occurs when the tree becomes too complex and captures noise in the training data rather than general patterns. Overfitted models may perform well on training data but poorly on new unseen data.

To address this issue, techniques such as pruning, cross-validation, and depth limitation are often applied to simplify the tree structure and improve generalization performance [4]. As a result, Decision Trees can become effective tools for analysing financial datasets and supporting credit risk decision-making.

2.4 Comparative Analysis and Rationality Implications

Both Logistic Regression and Decision Trees provide effective approaches for credit risk prediction, but they differ in their modelling capabilities and practical applications. Logistic Regression generates probabilistic predictions and offers high interpretability, allowing financial analysts to understand how individual borrower attributes influence credit risk outcomes. This transparency is particularly valuable in regulated financial environments where lending decisions must be explainable and compliant with regulatory standards.

Decision Trees, on the other hand, provide rule-based decision structures that are easy to visualize and interpret. They are capable of capturing complex and non-linear relationships between borrower attributes, making them suitable for analysing more complicated financial datasets. However, Decision Trees may be more prone to overfitting if not properly controlled.

From a computational rationality perspective, the selection of an algorithm depends on the complexity of the financial environment, the availability of data, and the objective of maximizing accurate and reliable lending decisions.

3. Evaluation Framework: Performance Metrics and Cost-Sensitive Utility

Evaluating credit risk models requires metrics that capture both predictive accuracy and financial consequences.

Accuracy measures the proportion of correct predictions but does not reflect differences in error costs. Precision and recall measure prediction quality for specific classes, while the F1-score balances these two metrics [4].

Another commonly used metric is the Receiver Operating Characteristic (ROC) curve, which evaluates the ability of a classifier to distinguish between good and bad borrowers across different thresholds.

Because financial losses vary depending on the type of misclassification, cost-sensitive evaluation is necessary. The cost matrix used in this study assigns a penalty of five units when a bad borrower is incorrectly classified as good.

Cross-validation techniques such as k-fold validation are used to ensure that model performance is reliable across different subsets of the dataset.

4. Critical Reflection: Bounded Rationality in Financial Decision Systems

Despite the advantages of machine learning techniques in credit risk prediction, the rationality of these systems remains bounded by several constraints.

First, model performance depends heavily on the quality and representativeness of the dataset. If certain borrower groups are underrepresented, predictions may become biased.

Second, computational constraints may limit the complexity of models that can be applied in real-world financial environments.

Ethical considerations are also important. Credit scoring systems must ensure fairness and avoid discrimination against specific demographic groups.

Finally, financial environments change over time as economic conditions and borrower behaviour evolve. Predictive models must therefore be updated regularly to maintain their effectiveness.

In conclusion, while intelligent credit risk agents can significantly enhance financial decision-making, their deployment must be carefully managed to ensure accuracy, fairness, and regulatory compliance.

References

[1] Li, S., Chao, X., Hui, L. and Zhou, Z. (2014). Research on Simulation of Credit Risk of Credit Card based on Multi-Agent. *Procedia Computer Science*, 31, pp.517–522. doi:https://doi.org/10.1016/j.procs.2014.05.297.

[2] Li, S., Tsang, I.W. and Chaudhari, N.S. (2012). Relevance vector machine based infinite decision agent ensemble learning for credit risk analysis. *Expert Systems with Applications*, 39(5), pp.4947–4953. doi:https://doi.org/10.1016/j.eswa.2011.10.022.

[3] Ramponi, A. and Scarlatti, S. (2026). Credit risk for large portfolios of green and brown loans: Extending the ASRF model. *Communications in Nonlinear Science and Numerical Simulation*, [online] 158, p.109750. doi:https://doi.org/10.1016/j.cnsns.2026.109750.

[4] Ngambou Djatche, M.J. (2025). Unveiling the effects of monetary surprises: Risk-taking and credit supply of U.S. banks. *International Review of Economics & Finance*, [online] 101, p.104211. doi:https://doi.org/10.1016/j.iref.2025.104211.

[5] Yao, J. and Fan, J. (2025). The impact of policy uncertainty and risk taking on the credit resource allocation of urban commercial banks. *International Review of Economics & Finance*, 97, p.103766. doi:https://doi.org/10.1016/j.iref.2024.103766.

[6] Hofmann, H. (1994). *UCI Machine Learning Repository*. [online] archive.ics.uci.edu. Available at: https://archive.ics.uci.edu/dataset/144/statlog+german+credit+data.

[7] Lu, S., Zhu, J., Zheng, L., Song, J., Hu, Z., Wang, X. and Wang, D. (2026). Real-time classification and fault diagnosis of machine signals via a novel decision-tree-inspired analog circuit classifier. *Mechanical Systems and Signal Processing*, [online] 249, p.114074. doi:https://doi.org/10.1016/j.ymssp.2026.114074.

[8] Rajagukguk, I.M., Hartanto, R., Julian and Halim, R. (2025). Comparative Analysis of XGBoost, Random Forest, and Logistic Regression for Classifying Jakarta's Air Pollution Index (ISPU). *Procedia Computer Science*, 269, pp.108–120. doi:https://doi.org/10.1016/j.procs.2025.08.264.