


MEDICAL DATA HISTORY –PROJECT

1. Show first name, last name, and gender of patients who's gender is 'M'

QUERY: SELECT first_name, last_name, gender FROM patients WHERE gender = 'M';

RESULT:



	first_name	last_name	gender
▶	Donald	Waterfield	M
	Mickey	Baasha	M
	Jiji	Sharma	M
	Blair	Diaz	M
	Charles	Wolfe	M


patients 92 x Read Only

2. Show first name and last name of patients who does not have allergies.

QUERY: SELECT first_name, last_name FROM patients

WHERE allergies IS NULL;

RESULT:




	first_name	last_name
▶	Donald	Waterfield
	Blair	Diaz
	Thomas	ONeill
	Sonny	Beckett
	Cedric	Coltrane
	Hank	Spencer

Result Grid Form Editor

3. Show first name of patients that start with the letter 'C'

QUERY: SELECT first_name FROM patients WHERE first_name LIKE 'C%';

RESULT:




The screenshot shows a database interface with a 'Result Grid' tab. The grid displays a single column 'first_name' with the following values: Charles, Cedric, Charles, Cross, Calleigh, and Catherine. The interface includes a 'Filter Rows' field, an 'Export' button, and a 'Wrap Cell Content' option. On the right side, there are buttons for 'Result Grid' and 'Form Editor'.

first_name
Charles
Cedric
Charles
Cross
Calleigh
Catherine

4. Show first name and last name of patients that weight within the range of 100 to 120 (inclusive)

QUERY: SELECT first_name, last_name FROM patients WHERE weight BETWEEN 100 AND 120;

RESULT:



The screenshot shows a database interface with a 'Result Grid' tab. The grid displays two columns: 'first_name' and 'last_name'. The values are: Jiji Sharma, Blair Diaz, Thomas O'Neill, Sonny Beckett, Tom Halliwell, and Jon Doggett. The interface includes a 'Filter Rows' field, an 'Export' button, and a 'Wrap Cell Content' option. On the right side, there are buttons for 'Result Grid' and 'Form Editor'.

first_name	last_name
Jiji	Sharma
Blair	Diaz
Thomas	O'Neill
Sonny	Beckett
Tom	Halliwell
Jon	Doggett

5. Update the patients table for the allergies column. If the patient's allergies is null then replace it with 'NKA'

QUERY: UPDATE patients SET allergies = 'NKA'

WHERE allergies IS NULL;

RESULT:


5 16:28:12 update patients set allergies = 'NKA' where allergies is null Error Code: 1142. UPDATE command denied to user 'dm_team4'@'101.0.62.219' fo... 0.046 sec

6. Show first name and last name concatenated into one column to show their full name.

QUERY: SELECT CONCAT(first_name, ' ', last_name) AS full_name

FROM patients;

RESULT:




full_name
Donald Waterfield
Mickey Baasha
Jiji Sharma
Blair Diaz
Charles Wolfe
Sue Falcon

7. Show first name, last name, and the full province name of each patient.

QUERY: SELECT p.first_name, p.last_name, pn.province_name

FROM patients p JOIN province_names pn ON p.province_id = pn.province_id;

RESULT:




first_name	last_name	province_name
Donald	Waterfield	Ontario
Mickey	Baasha	Ontario
Jiji	Sharma	Ontario
Blair	Diaz	Ontario
Charles	Wolfe	Ontario
Sue	Falcon	Ontario

8. Show how many patients have a birth_date with 2010 as the birth year.

QUERY: SELECT COUNT(*) FROM patients WHERE YEAR(birth_date) = 2010;

RESULT:




total_patients_2010
55

9. Show the first_name, last_name, and height of the patient with the greatest height.

QUERY: SELECT first_name, last_name, height FROM patients

WHERE height = (SELECT MAX(height) FROM patients);

RESULT:



The screenshot shows a database application interface. At the top, there is a toolbar with icons for 'Result Grid', 'Filter Rows', 'Export', and 'Wrap Cell Content'. Below the toolbar is a table with three columns: 'first_name', 'last_name', and 'height'. The first row contains the values 'Sam', 'Haruko', and '226'. On the right side of the interface, there is a blue button labeled 'Result Grid' and a 'Form Editor' button below it.

first_name	last_name	height
Sam	Haruko	226

10. Show all columns for patients who have one of the following patient_ids:

1,45,534,879,1000

QUERY: SELECT * FROM patients WHERE patient_id IN (1, 45, 534, 879, 1000);

RESULT:




The screenshot shows a database application interface. At the top, there is a toolbar with icons for 'Result Grid', 'Filter Rows', 'Edit', 'Export/Import', and 'Wrap Cell Content'. Below the toolbar is a table with ten columns: 'patient_id', 'first_name', 'last_name', 'gender', 'birth_date', 'city', 'province_id', 'allergies', 'height', and 'weight'. The first five rows contain patient data for IDs 1, 45, 534, 879, and 1000. The last row is a summary row with 'NULL' values for all columns. On the right side of the interface, there is a blue button labeled 'Result Grid' and a 'Form Editor' button below it.

patient_id	first_name	last_name	gender	birth_date	city	province_id	allergies	height	weight
1	Donald	Waterfield	M	1963-02-12	Barrie	ON	NULL	156	65
45	Cross	Gordon	M	2009-03-20	Ancaster	ON	NULL	125	53
534	Don	Zatara	M	2008-01-11	Timmins	ON	NULL	136	67
879	Orla	Shawn	F	1967-09-24	Sarnia	ON	Penicillin	149	65
1000	Rick	Williams	M	1975-04-13	Hamilton	ON	Penicillin	176	127
*	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL	NULL

11. Show the total number of admissions

QUERY: SELECT COUNT(*) FROM admissions;

RESULT:



The screenshot shows a database application interface. At the top, there is a toolbar with icons for 'Result Grid', 'Filter Rows', 'Export', and 'Wrap Cell Content'. Below the toolbar is a table with one column: 'total_admissions'. The first row contains the value '5067'. On the right side of the interface, there is a blue button labeled 'Result Grid' and a 'Form Editor' button below it.


total_admissions
5067

12. Show all the columns from admissions where the patient was admitted and discharged on the same day.

QUERY: SELECT * FROM admissions

WHERE admission_date = discharge_date;

RESULT:




patient_id	admission_date	discharge_date	diagnosis	attending_doctor_id
1	2018-09-20	2018-09-20	Ineffective Breathin Pattern R/T Fluid Accumulatio	24
9	2018-12-31	2018-12-31	Ruptured Appendicitis	19
10	2019-02-27	2019-02-27	Lower Quadrant Pain	27
17	2019-03-04	2019-03-04	Diabetes Mellitus	9
28	2019-03-30	2019-03-30	Cancer Of The Stomach	26
31	2018-09-26	2018-09-26	Cardiovascular Disease	19

13. Show the total number of admissions for patient_id 579.

QUERY: SELECT COUNT(*) FROM admissions WHERE patient_id = 579;

RESULT:




total_admissions
2

14. Based on the cities that our patients live in, show unique cities that are in province_id 'NS'?

QUERY: SELECT DISTINCT city FROM patients WHERE province_id = 'NS';

RESULT:




city
Port Hawkesbury
Halifax
Inverness

15. Write a query to find the first_name, last name and birth date of patients who have height more than 160 and weight more than 70

QUERY: SELECT first_name, last_name, birth_date FROM patients

WHERE height > 160 AND weight > 70;

RESULT:



The screenshot shows a database application interface. At the top, there is a toolbar with options like 'Result Grid', 'Filter Rows', 'Export', 'Wrap Cell Content', and 'Fetch rows'. Below the toolbar is a table with three columns: 'first_name', 'last_name', and 'birth_date'. The table contains six rows of data. To the right of the table, there is a vertical sidebar with buttons for 'Result Grid' and 'Form Editor'.


	first_name	last_name	birth_date
▶	Mickey	Baasha	1981-05-28
	Jiji	Sharma	1957-09-05
	Blair	Diaz	1967-01-07
	Thomas	O'Neill	1993-01-31
	Sonny	Beckett	1952-12-11
	Sister	Spitzer	1966-10-15

16. Show unique birth years from patients and order them by ascending.

QUERY: SELECT DISTINCT YEAR(birth_date) AS birth_year

FROM patients ORDER BY birth_year ASC;

RESULT:



The screenshot shows a database application interface. At the top, there is a toolbar with options like 'Result Grid', 'Filter Rows', 'Export', 'Wrap Cell Content', and 'Fetch rows'. Below the toolbar is a table with one column: 'birth_year'. The table contains six rows of data. To the right of the table, there is a vertical sidebar with buttons for 'Result Grid' and 'Form Editor'.

	birth_year
▶	1918
	1923
	1925
	1926
	1927
	1928


17. Show unique first names from the patients table which only occurs once in the list.

For example, if two or more people are named 'John' in the first_name column then don't include their name in the output list. If only 1 person is named 'Leo' then include them in the output. Tip: HAVING clause was added to SQL because the WHERE keyword cannot be used with aggregate functions.

QUERY: SELECT first_name FROM patients

GROUP BY first_name HAVING COUNT(first_name) = 1;

RESULT:



The screenshot shows a database application interface. At the top, there is a toolbar with 'Result Grid', 'Filter Rows', 'Export', and 'Wrap Cell Content' options. Below the toolbar is a table with one column, 'first_name'. The table contains the following rows: Abby, Adelaide, Adelia, Akira, Albert, and Aldo. On the right side of the interface, there are buttons for 'Result Grid' and 'Form Editor'.


first_name
Abby
Adelaide
Adelia
Akira
Albert
Aldo

18. Show patient_id and first_name from patients where their first_name start and ends with 's' and is at least 6 characters long.

QUERY: SELECT patient_id, first_name FROM patients

WHERE first_name LIKE 'S%s' AND LENGTH(first_name) >= 6;

RESULT:



The screenshot shows a database application interface. At the top, there is a toolbar with 'Result Grid', 'Filter Rows', 'Edit', 'Export/Import', and 'Wrap Cell Content' options. Below the toolbar is a table with two columns, 'patient_id' and 'first_name'. The table contains the following rows: 496 Spiros, 629 Spiros, 648 Stanislaus, 1273 Stanislaus, 1789 Seamus, and 1926 Stanislaus. On the right side of the interface, there are buttons for 'Result Grid' and 'Form Editor'.

patient_id	first_name
496	Spiros
629	Spiros
648	Stanislaus
1273	Stanislaus
1789	Seamus
1926	Stanislaus


19. Show patient_id, first_name, last_name from patients whos diagnosis is 'Dementia'.

Primary diagnosis is stored in the admissions table.

QUERY: SELECT p.patient_id, p.first_name, p.last_name FROM patients p

JOIN admissions a ON p.patient_id = a.patient_id WHERE a.diagnosis = 'Dementia';

RESULT:



The screenshot shows a database application interface. At the top, there is a toolbar with 'Result Grid', 'Filter Rows', 'Export', and 'Wrap Cell Content' options. Below the toolbar is a table with three columns, 'patient_id', 'first_name', and 'last_name'. The table contains the following rows: 160 Miranda Delacour, 178 David Bustamonte, 207 Matt Celine, 613 Jaki Granger, 836 Montana Vimes, and 924 Simon Spellman. On the right side of the interface, there are buttons for 'Result Grid' and 'Form Editor'.


patient_id	first_name	last_name
160	Miranda	Delacour
178	David	Bustamonte
207	Matt	Celine
613	Jaki	Granger
836	Montana	Vimes
924	Simon	Spellman

20. Display every patient's first_name. Order the list by the length of each name and then by alphabetically.

QUERY: SELECT first_name FROM patients

ORDER BY LENGTH(first_name) ASC, first_name ASC;

RESULT:



The screenshot shows a 'Result Grid' window with a toolbar at the top containing 'Filter Rows', 'Export', 'Wrap Cell Content', and 'Fetch rows'. The grid displays a list of first names. The names are ordered by length (shortest first) and then alphabetically. The visible names are: Al, Al, Al, Al, Al, Al, Al, Bo, Bo, Bo, Bo, Bo, Bo, Cv.

first_name
Al
Al
Al
Al
Al
Al
Al
Bo
Bo
Bo
Bo
Bo
Bo
Cv

21. Show the total amount of male patients and the total amount of female patients in the patients table. Display the two results in the same row.


QUERY: SELECT

SUM(CASE WHEN gender = 'M' THEN 1 ELSE 0 END) AS Male_Count,

SUM(CASE WHEN gender = 'F' THEN 1 ELSE 0 END) AS Female_Count

FROM patients;

RESULT:



The screenshot shows a 'Result Grid' window with a toolbar at the top containing 'Filter Rows', 'Export', and 'Wrap Cell Content'. The grid displays two columns: 'total_male' and 'total_female'. The values are 2468 for total_male and 2062 for total_female.

total_male	total_female
2468	2062

22. Show the total amount of male patients and the total amount of female patients in the patients table. Display the two results in the same row.


QUERY: SELECT

SUM(CASE WHEN gender = 'M' THEN 1 ELSE 0 END) AS Male_Count,

SUM(CASE WHEN gender = 'F' THEN 1 ELSE 0 END) AS Female_Count

FROM patients;

RESULT:




The screenshot shows a database interface with a 'Result Grid' tab. The grid contains two columns: 'total_male' and 'total_female'. The first row shows the values 2468 and 2062 respectively. The interface includes a 'Filter Rows' field, an 'Export' button, and a 'Wrap Cell Content' option. On the right side, there are buttons for 'Result Grid' and 'Form Editor'.

	total_male	total_female
▶	2468	2062

23. Show patient_id, diagnosis from admissions. Find patients admitted multiple times for the same diagnosis.

QUERY: SELECT patient_id, diagnosis FROM admissions GROUP BY patient_id, diagnosis HAVING COUNT(*) > 1;

RESULT:



The screenshot shows a database interface with a 'Result Grid' tab. The grid contains two columns: 'patient_id' and 'diagnosis'. The first row shows the values 137 and 'Pregnancy'. The second row shows 320 and 'Pneumonia'. The third row shows 1577 and 'Congestive Heart Failure'. The fourth row shows 2004 and 'Left Shoulder Rotator Cuff Repair'. The fifth row shows 2859 and 'Severed Spine At C3'. The sixth row shows 3012 and 'Appendicitis'. The seventh row shows 3367 and 'Pyelonephritis'. The eighth row shows 3468 and 'Concoestive Heart Failure'. The interface includes a 'Filter Rows' field, an 'Export' button, and a 'Wrap Cell Content' option. On the right side, there are buttons for 'Result Grid' and 'Form Editor'. At the bottom, there is a tab labeled 'admissions3' and a 'Read Only' status.


	patient_id	diagnosis
▶	137	Pregnancy
	320	Pneumonia
	1577	Congestive Heart Failure
	2004	Left Shoulder Rotator Cuff Repair
	2859	Severed Spine At C3
	3012	Appendicitis
	3367	Pyelonephritis
	3468	Concoestive Heart Failure

24. Show the city and the total number of patients in the city. Order from most to least patients and then by city name ascending.

QUERY: SELECT city, COUNT(*) AS num_patients FROM patients

GROUP BY city ORDER BY num_patients DESC, city ASC;

RESULT:



The screenshot shows a database interface with a 'Result Grid' tab. The grid displays the results of a query, ordered by the number of patients in each city in descending order. The columns are 'city' and 'total_numbers'. The data is as follows:

city	total_numbers
Hamilton	1938
Toronto	317
Burlington	276
Brantford	147
Ancaster	117
Stoney ...	107
Cambridge	79
Dundas	79


The interface includes a 'Filter Rows' field, an 'Export' button, and a 'Wrap Cell Content' option. On the right side, there are buttons for 'Result Grid' and 'Form Editor'. At the bottom, it says 'Result 4' and 'Read Only'.

25. Show first name, last name and role of every person that is either patient or doctor. The roles are either "Patient" or "Doctor"

QUERY: SELECT first_name, last_name, 'Patient' AS role FROM patients

UNION ALL SELECT first_name, last_name, 'Doctor' AS role FROM doctors;

RESULT:



The screenshot shows a database interface with a 'Result Grid' tab. The grid displays the results of a query, showing the first name, last name, and role of patients and doctors. The columns are 'first_name', 'last_name', and 'role'. The data is as follows:

first_name	last_name	role
Donald	Waterfield	Patient
Mickey	Baasha	Patient
Jiji	Sharma	Patient
Blair	Diaz	Patient
Charles	Wolfe	Patient
Sue	Falcon	Patient
Thomas	ONeill	Patient
Sonnv	Beckett	Patient


The interface includes a 'Filter Rows' field, an 'Export' button, and a 'Wrap Cell Content' option. On the right side, there are buttons for 'Result Grid' and 'Form Editor'. At the bottom, it says 'Result 5' and 'Read Only'.

26. Show all allergies ordered by popularity. Remove NULL values from query.

QUERY: SELECT allergies, COUNT(*) AS popularity FROM patients

WHERE allergies IS NOT NULL GROUP BY allergies ORDER BY popularity DESC;

RESULT:



The screenshot shows a database interface with a 'Result Grid' tab selected. The grid displays the results of a query, with columns 'allergies' and 'popularity'. The data is sorted in descending order of popularity. The interface includes a 'Filter Rows' field, an 'Export' button, and a 'Wrap Cell Content' button. A 'Form Editor' button is also visible on the right side. The status bar at the bottom indicates 'Result 6' and 'Read Only'.

allergies	popularity
Penicillin	1082
Codeine	305
Sulfa	157
ASA	99
Sulfa Drugs	71
Peanuts	52
Iodine	48
Tylenol	42


27. Show all patient's first_name, last_name, and birth_date who were born in the 1970s decade. Sort the list starting from the earliest birth_date.

QUERY: SELECT first_name, last_name, birth_date FROM patients

WHERE birth_date BETWEEN '1970-01-01' AND '1979-12-31'

ORDER BY birth_date ASC;

RESULT:




The screenshot shows a database interface with a 'Result Grid' tab selected. The grid displays the results of a query, with columns 'first_name', 'last_name', and 'birth_date'. The data is sorted in ascending order of birth_date. The interface includes a 'Filter Rows' field, an 'Export' button, and a 'Wrap Cell Content' button. A 'Form Editor' button is also visible on the right side. The status bar at the bottom indicates 'patients 7' and 'Read Only'.

first_name	last_name	birth_date
Frances	Kobayakawa	1970-01-02
Sunny	Burrell	1970-01-07
Penelope	Beckett	1970-01-14
Deborah	Stewart	1970-01-14
Augusta	Decker	1970-01-22
Sookie	Brearily	1970-02-01
Temple	Wylie	1970-02-10
Deanna	Soano	1970-03-23

28. We want to display each patient's full name in a single column. Their last_name in all upper letters must appear first, then first_name in all lower case letters. Separate the last_name and first_name with a comma. Order the list by the first_name in descending order
EX: SMITH,jane

QUERY: SELECT CONCAT(UPPER(last_name),',', LOWER(first_name)) AS formatted_name FROM patients ORDER BY first_name DESC;

RESULT:




The screenshot shows a database query result grid. The table has one column named 'full_name'. The data is ordered by first_name in descending order. The results are: MILLER,zoe, CORBIE,ziva, KOBAYAKAWA,zenigata, OVERSTREET,zenigata, BENNETT,zen, MEPHESTO,zelda, MORRIS,zelda, and THOMAS.zefram. The interface includes a 'Filter Rows' field, an 'Export' button, and a 'Wrap Cell Content' option. A 'Result Grid' button is visible on the right side of the table.

full_name
MILLER,zoe
CORBIE,ziva
KOBAYAKAWA,zenigata
OVERSTREET,zenigata
BENNETT,zen
MEPHESTO,zelda
MORRIS,zelda
THOMAS.zefram

29. Show the province_id(s), sum of height; where the total sum of its patient's height is greater than or equal to 7,000.

QUERY: SELECT province_id, SUM(height) AS total_height
FROM patients GROUP BY province_id HAVING total_height >= 7000;

RESULT:



The screenshot shows a database query result grid. The table has two columns: 'province_id' and 'sum_of_height'. The data is grouped by province_id. The results are: BC with a sum of 7720, NS with a sum of 9765, and ON with a sum of 678037. The interface includes a 'Filter Rows' field, an 'Export' button, and a 'Wrap Cell Content' option. A 'Result Grid' button is visible on the right side of the table.


province_id	sum_of_height
BC	7720
NS	9765
ON	678037

30. Show the difference between the largest weight and smallest weight for patients with the last name 'Maroni'

QUERY: SELECT (MAX(weight) - MIN(weight)) AS weight_diff

FROM patients WHERE last_name = 'Maroni';

RESULT:



The screenshot shows a database query result grid. The top toolbar includes 'Result Grid', 'Filter Rows:', 'Export:', and 'Wrap Cell Center'. The main grid has one column labeled 'weight_difference' and one row with the value '71'. On the right side, there are buttons for 'Result Grid' and 'Form Editor'. At the bottom, it says 'Result 10' and 'Read Only'.


weight_difference
71

31. Show all of the days of the month (1-31) and how many admission_dates occurred on that day. Sort by the day with most admissions to least admissions.

QUERY: SELECT DAY(admission_date) AS day_number, COUNT(*) AS num_admissions

FROM admissions GROUP BY day_number ORDER BY num_admissions DESC;

RESULT:



The screenshot shows a database query result grid. The top toolbar includes 'Result Grid', 'Filter Rows:', 'Export:', and 'Wrap Cell Center'. The main grid has two columns: 'day(admission_date)' and 'count(admission_date)'. The rows are sorted by count in descending order. On the right side, there are buttons for 'Result Grid' and 'Form Editor'. At the bottom, it says 'Result 11' and 'Read Only'.

day(admission_date)	count(admission_date)
11	184
4	184
9	183
2	180
12	179
6	179
16	177
21	174

32. Show all of the patients grouped into weight groups. Show the total amount of patients in each weight group. Order the list by the weight group decending. e.g. if they weight 100 to 109 they are placed in the 100 weight group, 110-119 = 110 weight group, etc.

QUERY: SELECT COUNT(*) AS total_patients,

CASE

WHEN weight BETWEEN 100 AND 109 THEN 100

WHEN weight BETWEEN 110 AND 119 THEN 110

WHEN weight BETWEEN 120 AND 129 THEN 120

WHEN weight BETWEEN 130 AND 139 THEN 130

WHEN weight BETWEEN 140 AND 149 THEN 140

ELSE 'Other'


END AS weight_group

FROM patients

GROUP BY weight_group

ORDER BY weight_group DESC;

RESULT:



The screenshot shows a database interface with a 'Result Grid' tab selected. The grid displays the results of a query, ordered by weight_group in descending order. The columns are 'total_patients' and 'weight_group'. The data rows are as follows:


total_patients	weight_group
3341	Other
6	140
59	130
191	120
426	110
507	100

On the right side of the grid, there are buttons for 'Result Grid' (selected), 'Form Editor', and 'Read Only'. At the bottom left, it says 'Result 12' with a close button. At the bottom right, there is a 'Read Only' status indicator.

33. Show patient_id, weight, height, isObese from the patients table. Display isObese as a boolean 0 or 1. Obese is defined as $\text{weight(kg)} / (\text{height(m)})^2 \geq 30$. Weight is in units kg. Height is in units cm.

QUERY: SELECT patient_id, weight, height, (CASE WHEN (weight / POWER(height / 100.0, 2)) >= 30 THEN 1 ELSE 0 END) AS Obese FROM patients;

RESULT:



The screenshot shows a database interface with a 'Result Grid' tab selected. The grid displays 8 rows of data from a query. The columns are patient_id, weight, height, and isobese. The 'isobese' column contains 0 for all rows. The interface includes a 'Filter Rows' field, an 'Export' button, and a 'Wrap Cell Content' button. A 'Form Editor' button is also visible on the right side of the grid.

	patient_id	weight	height	isobese
▶	1	65	156	0
	2	76	185	0
	3	106	194	0
	4	104	191	0
	5	10	47	0
	6	5	43	0
	7	117	180	0
	8	105	174	0

Result 13 x Read Only

34. Show patient_id, first_name, last_name, and attending doctor's specialty. Show only the patients who has a diagnosis as 'Epilepsy' and the doctor's first name is 'Lisa'. Check patients, admissions, and doctors tables for required information.

QUERY: SELECT p.patient_id, p.first_name, p.last_name

FROM patients p

JOIN admissions a

ON p.patient_id = a.patient_id

JOIN doctors d

ON a.attending_doctor_id = d.doctor_id

WHERE a.diagnosis = 'Epilepsy' AND d.first_name = 'Lisa';

RESULT:

Result Grid		Filter Rows:	Export: 	Wrap Cell Content: 	
	patient_id	first_name	last_name		Result Grid
▶	468	Frank	Anderson		
	701	Precious	Ashton		Form Editor