

Response 1: Text to Audio

The screenshot displays a REST client interface within a workspace named 'lavanyalogu22's Workspace'. The active tab is 'POST S01-Text to Audio', which is a POST request to the endpoint `https://api.groq.com/openai/v1/audio/speech`. The request body is a JSON object with the following fields:

```
1 {
2   "model": "canopylabs/orpheus-v1-english",
3   "input": "[Cheerful] vanakkam. I am a language model created by Groq. I am here
4   to help you with any questions you may have. How can I assist you today?",
5   "voice": "diana",
6   "response_format": "wav"
7 }
```

The response status is **200 OK**, with a response time of 1.44 s and a size of 402.35 KB. Below the response, there is a media player showing a 0:08 / 0:08 audio clip. The interface also includes a sidebar with a list of collections and environments, and a 'New Chat' button on the right.

Response:2: For Multilingual

lavanyalogu22's Workspace

GenAI-Aug-HomeAssignment > S02- MultiLingual

POST https://api.groq.com/openai/v1/chat/completions

Send

Docs Params Authorization Headers 9 Body Scripts Tests Settings Cookies

raw JSON Schema Beautify

```
1 {
2   "model": "openai/gpt-oss-120b",
3   "messages": [
4     {
5       "role": "system",
6       "content": "You are an API Specialist. Always respond in the same
7         language as the user."
8     },
9     {
10      "role": "user",
11      "content": "மிகவும் நன்றி! இந்த API-ஐ எப்படி பயன்படுத்துவது என்று
12        சொல்லுங்கள்."
13    }
14  ]
15 }
```

Body 200 OK 4.53 s 4.45 KB Save Response

{ } JSON Preview Visualize

```
4   "created": 1787337525,
5   "model": "openai/gpt-oss-120b",
6   "choices": [
7     {
8       "index": 0,
9       "message": {
10        "role": "assistant",
11        "content": "***API-ஐ பயன்படுத்தும் படிகள் (தமிழில்)** \n\n---\n\n##
12          1. API-யின் அடிப்படை தகவல்கள் \n| பொருள் | விவரம் |\n|-----
13          -----|\n| **Base URL** | `https://api.example.com/v1/` |\n|
14          **Authentication** | Bearer Token (JWT) அல்லது API Key |\n|
15          **Content-Type** | `application/json` |\n| **Response format** |
16          JSON |\n\n---\n\n## 2. Authentication (அங்கீகாரம்)\n\n## a.
17          API Key பயன்படுத்தல் \n```\nhttp\nGET /v1/users HTTP/1.1\nHost:
```

Response :3: Generate API test cases from Swagger code:

GenAI-Aug-HomeAssignment > S03-GenerateAPITestcasesFromSwaggerCode

POST https://api.groq.com/openai/v1/chat/completions

Send

Docs Params Authorization Headers 9 Body Scripts Tests Settings Cookies

raw JSON

```
1 {
2   "model": "openai/gpt-oss-120b",
3   "messages": [
4     {
5       "role": "system",
6       "content": "You are a Senior API Test Automation Architect with strong
7         expertise in Java, Rest Assured, TestNG, Maven, and API schema-driven test
8         generation."
9     },
10    {
11      "role": "user",
12      "content": "I - INSTRUCTION\nGenerate Rest Assured Java code for Swagger
13        Petstore APIs.\n\nMANDATORY RULES:\n1) Generate ONLY Java Rest Assured code.
14        2) Do NOT include explanations, markdown, or extra text.\n3) Use TestNG"
15    }
16  ]
17 }
```

Body

200 OK • 3.25 s • 2.58 KB • Save Response

JSON

Preview Visualize

```
equalTo((int) petId))\n                .body(\\"name\\", equalTo
(\\"Fluffy\\"))\n                .body(\\"status\\", equalTo
(\\"available\\")); \n        @Test(priority = 3,
dependsOnMethods = \\"getPetById\\")\n        public void updatePet()
{\n            Pet updatedPet = new Pet();\n            updatedPet.setId
(petId);\n            updatedPet.setName(\\"FluffyUpdated\\");\n            updatedPet.setStatus(\\"pending\\");\n            given()
                .contentType(ContentType.JSON)
                .body(updatedPet)\n                .when()
                .put(\\"/pet\\")\n                .then()
                .statusCode(200)\n                .body(\\"id\\",
equalTo((int) petId))\n                .body(\\"name\\", equalTo
(updatedPet.getName()))\n                .body(\\"status\\", equalTo
(updatedPet.getStatus())); \n        }\n        @Test(priority = 4,
```

COLLECTIONS

Demo

GenAI-Aug

POST S01-GenerateTestcasesfromUserStories

POST S02-Generate Selenium Code --Classro...

POST S03-Control Output Token

POST S04 - Test Temperature Creativity

POST S05-Controlled Creativity-Classroom S...

POST S06-Transcriptions

POST S07- Weak Prompt Injection Defense Te...

POST S08- Strong Prompt Injection Defense T...

POST S09- TextFromImage-base64

GET New Request

GET New Request

GenAI-Aug-HomeAssignment

POST S01-Text to Audio

POST S02- MultiLingual

POST S03-GenerateAPITestcasesFromSwagg...

ENVIRONMENTS

DOCUMENTS

SPECS

MOCKS

FLOWS