Revision Exercise

1) In this question, you'll work on an online CD order site as shown on the right. The page consists of the following:

- A picture of the CD cover (assume the file name is **cover.jpg**)
- A level-1 heading showing the CD name *(e.g. Best classic Songs)*
- A short paragraph describing the CD content *(e.g. The CD contains…)*
- A track-list table
- A purchase form with only a quantity box and an order button

In the space provided below, write down the HTML body of the CD details page. There's no need to consider the CSS styles. Also there's no need to write down the order form and the exact paragraph content. Simply write **…** instead. [12 marks]

```
<img src="cover.jpg" alt=""> (1: img, 1: src)
<h1>Best Classic songs</h1> (1: h1)
<p>…</p> (1: p)

<table border=1> (1: table)
(1: thead, 1:tr, 1:th)
<thead><tr><th>Track</th><th>Title</th><th>Time</th></tr></thead>

(1:tfoot, 1: colspan) (-1 if tfoot not before tbody)
<tfoot><tr><th colspan=2>Total</th><td>28:34</td></tr></tfoot>

(1:tbody, 1:td)
<tbody>
        <tr><td>1</td><td>Symphony no. 5</td><td>18:30</td></tr>
        <tr><td>2</td><td>Piano Concerto no. 4</td><td>10:04</td></tr>
</tbody>
</table>
```

2) Consider the following markup segment *(inside <body>)* . It is observed that the table displayed is different from the expected appearance on the right hand side. Also the page is flagged by the validator as error. With syntax, explain what's wrong with the markup.
[8 marks]

```
<TABLE border="1">
   <thead><th></th><th>Branch</th><th>Profit</th></thead>
   <tr rowspan=2><td>Kowloon</td><th>TST</th><td>2000</td></tr>
   <tr><th>MNK</th><td>1000<td></tr>
   <tfoot><th>Total</th><th>---</th><td>3000</td></tfoot>
</TABLE>
```

	Branch	Profit
Kowloon	TST	2000
	MNK	1000
Total	---	3000

Any Four, 2 marks each:

- TABLE should be in lower case
- <tr> is missing for <thead> and <tfoot>
- <tbody> tag is needed
- <tfoot> should be before <tbody>
- rowspan should be inside <td>, not <tr>
- Line 4, the second <td> should be </td>

3) It is well known that punctuations & spaces in CSS are crucial. Explain the differences between the followings selectors [6 marks]

h1, h2 {…}	Both <h1> and <h2> are selected
h1 + h2 {…}	The <h2> tags which immediately follow <h1> are selected

4) ***With 1-2 sentences***, explain the differences between the following similar concepts:

i) Difference between the and
 [2 marks]

 is paragraph, a non-empty tag which exists in pair (..)

 is line break, an empty tag which does not exist in pair

ii) Difference between **em** and **ex** in CSS [2 marks]

em is the width of the **M** character, while **ex** is the height of **x** character.

5). Without defining any id and class, write down the Embedded CSS block which format all level-1 headings (i.e. ***<h1>***) as follows: [16 marks]

- Each heading is enclosed by a box with black border of 2 pixels thick
- Small spaces (of 7 pixel wide) are preserved between the border and the internal text
- Text is rendered as blue font on yellow background
- All characters are converted to capital letter and rendered in italic style

(Before CSS applied)

This is Level-1

(After CSS applied)

THIS IS LEVEL-1

```
<html><head>
write your solution here

<style type="text/css"> (2)
    h1 { (2)
        text-transform: uppercase; (2)
        color: blue; (2)
        background-color: yellow; (2)
        border: solid 3px black; (2)
        padding: 7px; (2)
        font-style: italic; (2)
    }
</style>

</head><body>…</body></html>
```

6) Suggest the output of the following JavaScript code: [10 marks]

Source Code	***Output***

`function ADD(a,b) {`
`  return parseInt(a)+b;`
`}`
`a = 3.14;`
`b = 5;`
`c = "123";`
`alert(ADD(a,b));`
`alert(ADD(b,c));`
`alert(ADD(c,a));`
`alert(12%b);`
`alert(ADD(a,ADD(b,c)));`
	8
	5123
	126.14
	2
	35123

7) The drop-down list (**Quantity**) in the order form of question 1 (containing options from 1~20) is actually generated by JavaScript. Write down the JavaScript for the list [5 marks]

```
document.write("<select name=Quantity>");
for (i=1;i<=20;i++) document.write("<option>"+i+"</option>");
document.write("</select>");
```

1 mark each: document.write, select, option
Correct for-loop: 2 marks