
IN
inputnode
OUT
flair
utility
skullstripped_t1
subject_id
subjects_dir
t1w
t2w
IN
fov_check
OUT
utility
in_files
out
IN
recon_config
OUT
flair_list
flair
freesurfer
hires
t1w_list
mris_inflate
t2w
t2w_list
use_flair
use_t2w
IN
autorecon1
OUT
FLAIR_file
T1_files
T1
T2_file
freesurfer
flags
subject_id
hires
mris_inflate
subject_id
subjects_dir
subjects_dir
IN
fsnative2t1w_xfm
OUT
source_file
freesurfer
out_reg_file
target_file
IN
skull_strip_extern
OUT
in_brain
freesurfer
subject_id
subject_id
subjects_dir
subjects_dir
IN
autorecon_resume_wf
OUT
inputnode.subject_id
outputnode.subject_id
inputnode.subjects_dir
outputnode.subjects_dir
inputnode.use_FLAIR
inputnode.use_T2
IN
get_surfaces
OUT
subject_id
io
graymid
subjects_dir
white
IN
midthickness
OUT
graymid
freesurfer
out_file
in_file
IN
save_midthickness
OUT
base_directory
io
container
out_file
surf.@graymid
IN
sync
OUT
filenames
utility
subject_id
subjects_dir
IN
outputnode
fsnative2t1w_xfm
utility
OUT
subject_id
subjects_dir