Project Step 6 (Portfolio)

Team Members: Sonja Lavin and Flora Zhang (Group 14)

Project Title: Seattle Prenatal Database

Project URL:

http://flip3.engr.oregonstate.edu:9201/

All CRUD steps applied to all entities

Table of Contents

Executive Summary

<u>Overview</u>

Database Outline

Entity-Relationship Diagram

<u>Schema</u>

Example data

UI Screenshots

Providers Page

Clients Page

NonmedicalEmployees page

NonmedicalServices Page

ServiceHistories Page

PerinatalAppointments Page

<u>AppointmentHistories Page</u>

Executive Summary

This database was designed for a perinatal clinic that offers medical and nonmedical services to homeless and low income clients. A high level overview of actions based on peer review feedback and upgrades implemented throughout the course of the quarter is listed below.

Step 1

Attributes, data types, and foreign keys for each entity were eliminated in the entity-relationship diagram, leaving implementation details to be documented in the schema.

Step 2

We considered changing the data type for NonmedicalServices.name to varchar(45) instead of varchar(255). However, we decided against this change, as setting the names to varchar(255) provides more flexibility for naming services and appointments.

ON DELETE commands were created for foreign keys. It is unlikely that a real clinic would delete records of a client, which are legally required to be maintained. However, for the purposes of this assignment, we are allowing deletion. Upon deletion of a client, all references to that client are removed. Upon deletion of a nonmedical employee or provider, all child references are changed to NULL. Deletion of nonmedical services or perinatal appointments are allowed if they do not appear in the corresponding Histories table.

Step 3

We agreed that combining two intersection tables, AppointmentHistories and AppointmentDetails, as well as combining two additional intersection tables, ServiceHistories and ServiceDetails, was an optimal strategy for our database design. This approach eliminates two redundant intersection tables and creates a more streamlined database with serviceIDs and employeeIDs directly inserted into ServiceHistories and perinatalApptID and providerID directly inserted into AppointmentHistories.

Step 4

Reviewers provided feedback regarding the titles drop-down, which allows users to enter a custom title. We recognize the drawbacks to the current design (users can enter duplicate titles with different case, spellings, or abbreviations or invalid titles). The goal of this demonstration website is to showcase a web based UI to maintain a database. Allowing a user to either select an option or enter their own title and passing the selected (or entered) value to the database is a unique feature that we decided to keep.

Step 5

Additional attributes were added to Providers and NonmedicalEmployees (phone number and email), and Clients (phone number, email, and birthday). Update was implemented for Providers and NonmedicalEmployees. Filter and search options were added to each entity. The UI was streamlined to allow all CRUD steps to be accessed from one table.

Overview

With the mission of ending childhood poverty through comprehensive family services that promote self-sufficiency and healthful living, Seattle Prenatal is a clinic inspired by the Homeless Prenatal Program in San Francisco. They provide perinatal services, housing support, job training, and social support to 3,500 low income and homeless families annually. Additionally, Seattle Prenatal frequently hires former clients who have completed their job training programs, with more than half of the 100 staff members coming from the Seattle Prenatal health worker training program. Given the wide breadth of services and medical appointments offered to a growing number of clients, Seattle Prenatal must develop a website to track and manage client participation in these services.

A database driven website will record and manage data regarding clients, providers, nonmedical employees, perinatal appointments, and nonmedical services (i.e., housing support, legal assistance, job training). The database will also include appointment histories to track which appointments individual clients have attended and service histories to track which nonmedical services individual clients have participated in. Seattle Prenatal will be able to browse, edit, delete and add to all entities in the database.

Database Outline

Providers: Records the details of clinical nurse midwives, nurse practitioners, physician assistants, and physicians employed by Seattle Prenatal

• Attributes:

- o providerID: int, not NULL, auto increment, PK
- o firstName: varchar(45), not NULL
- o lastName: varchar(45), not NULL
- o phone: varchar(45), not NULL
- o email: varchar(320), not NULL
- o title: varchar(45), not NULL

Relationships:

- 1:M relationship with Clients. A client may have one primary provider.
- M:N relationship with PerinatalAppointments implemented through AppointmentHistories intersection table.

Clients: Records the details of clients served by Seattle Prenatal

• Attributes:

- o clientID: int, not NULL, auto increment, PK
- o firstName: varchar(45), not NULL
- o lastName: varchar(45), not NULL
- o birthday: date, not NULL
- o phone: varchar(45), not NULL
- o email: varchar(320), not NULL
- o providerID: int, FK ON DELETE SET NULL

• Relationships:

- M:1 relationship between Clients and Providers is implemented with providerID as a FK inside Clients.
- 1:M relationship with AppointmentHistories. A Client may attend many perinatal appointments.
- 1:M relationship with ServiceHistories. A Client can attend many nonmedical services.

Perinatal Appointments: Records perinatal appointments offered by Seattle Prenatal

• Attributes:

- o perinatalApptID: int, not NULL, auto_increment, PK
- o name: varchar(255), not NULL
- o billingCode: varchar(45), not NULL
- o description: varchar(255), not NULL

Relationship

- M:N relationship with Providers implemented through the intersection table AppointmentHistories.
- 1:M relationship with AppointmentHistories. Each appointment history must have one perinatal appointment.

AppointmentHistories: Transactional table of perinatal appointments attended by clients. Serves primarily to record which appointments (with which provider) a particular client has attended. Captures M:N relationships between PerinatalAppointments and Providers as well as between PerinatalAppointments and Clients.

• Attributes:

- o apptHistoryID: int, not NULL, auto increment, PK
- o perinatal ApptID int, not NULL, FK ON DELETE RESTRICT
- o providerID: int, FK ON DELETE SET NULL
- o clientID: int, not NULL, FK ON DELETE CASCADE
- o date: date, not NULL

• Relationships:

- M:1 relationship with Clients. Implemented with clientID as a FK inside AppointmentHistories. An appointment history must have one and only one client. A client may be listed in many appointment histories.
- M:1 relationship with PerinatalAppointments implemented with perinatalApptID
 as a FK inside AppointmentHistories. An appointment history event must have
 one and only one perinatal appointment. An appointment may be listed in many
 appointment histories.
- M:1 relationship with Providers implemented with providerID as a FK inside AppointmentHistories. An appointment history may have no or one provider. A provider may be listed in many service histories.

NonmedicalEmployees: Records the details of nonmedical employees at Seattle Prenatal (i.e., counselors, social workers, doulas, lactation consultants etc.)

• Attributes:

- o employeeID: int, not NULL, auto increment, PK
- o firstName: varchar(45), not NULL
- o lastName: varchar(45), not NULL
- o phone: varchar(45), not NULL
- o email: varchar(320), not NULL
- o title: varchar(45), not NULL

• Relationships:

M:N relationship with NonmedicalServices through the intersection table
 ServiceHistories. A nonmedical employee can lead many nonmedical services and each nonmedical service can be lead by many nonmedical employees.

NonmedicalServices: Records details of nonmedical services provided by Seattle Prenatal (i.e., breastfeeding support, legal assistance, personal finance training, nutrition counseling)

• Attributes:

- o serviceID: int, not NULL, auto increment, PK
- o name: varchar(255), not NULL
- o description: varchar(255), not NULL

• Relationships:

- M:N relationship with NonmedicalEmployees implemented through the intersection table ServiceHistories.
- 1:M relationship with ServiceHistories.

ServiceHistories: Transactional table of nonmedical services attended by clients. Records specific services (led by specific employees) that a client has attended. Captures M:N relationships between NonmedicalServices and Employees, as well as between NonmedicalServices and Clients.


• Attributes:

- o serviceHistoryID: int, not NULL, auto increment, PK
- o clientID: int, not NULL, FK ON DELETE CASCADE
- o serviceID: int, not NULL, FK ON DELETE RESTRICT
- o employeeID: int, FK ON DELETE SET NULL
- o date: date, not Null


• Relationships:

- M:1 mandatory relationship with Clients. Implemented with clientID as a FK inside Service Histories. A Service History event must have one and only one client. A client may be listed in many service histories.
- M:1 relationship with NonmedicalServices implemented with serviceID as a FK inside ServiceHistories. A service history event must have one and only one Nonmedical Service. A service may be listed in many service histories.
- M:1 relationship with Nonmedical Employees implemented by inserting an employeeID FK inside ServiceHistories. A service history event may have zero or one Employee. An employee may be listed in many service histories.

Entity-Relationship Diagram



Schema



Example data

Providers						
providerI D	firstName	lastName	phone	email	title	
6	Mark	Sloan	425-888-5555	msloan@seattleprenatal.com	Doctor	
7	Miranda	Bailey	425-664-3212	mbailey@seattleprenatal.com	Doctor	
8	Izzie	Stevens	206-123-4567	istevens@seattleprenatal.com'	Nurse Practitioner	
9	Callie	Torres	206-155-3333	ctorres@seattleprenatal.com	Doctor	
10	Arizona	Robbins	206-663-4567	arobbins@seattleprenatal.com'	Doctor	

Clients	Clients							
clientID	firstNam e	lastName	birthday	phone	email	providerID		
1	Jane	Smith	04-07-1989	206-457-9999	jsmith@gmail.com	9		
2	Katie	Lee	10-26-1995	425-331-5678	katie@yahoo.com	7		
3	Nicole	Dicaprio	12-05-1998	206-881-2221	nicd@gmail.com	8		
4	Meredith	Grey	11-15-2000	206-333-4444	'meredithg@gmail.com	10		
5	Christina	Yang	01-18-2001	425-111-6666	cyang@yahoo.com	8		

NonmedicalEmployees						
employeeID	firstName	lastName	phone	email	title	
11	Lexie	Grey	206-987-123 4	lgrey@seattleprenatal.com	Lactation Consultant	
12	Jo	Wilson	206-773-456 7	jwilson@seattleprenatal.com	Nutritionist	
13	Jackson	Avery	206-587-019 2	javery@seattleprenatal.com	Lactation Consultant	
14	George	OMalley	425-123-090 8	gomalley@seattleprenatal.co m	Social Worker	
15	April	Kepner	425-923-712 0	akepner@seattleprenatal.com	Social Worker	

PerinatalAppointments					
perinatalApptI D	name	billingCode	description		
16	8 wk Prenatal	1256-7	8 week prenatal visit		

17	6 wk Postpartum	1236-0	postpartum maternal wellness check
18	Family Planning	12344-22	discuss birth control or fertility options
19	24 wk Prenatal	13435-123	24 week prenatal visit
20	16 wk Prenatal	12343-12	16 week prenatal visit

Nonmedic	NonmedicalServices					
serviceID	name description					
21	Lactation Counseling	ctation Counseling 1:1 appointment with lactation consultant				
22	Breastfeeding Group	Breastfeeding support group led by lactation consultant				
23	Housing Assistance	Meeting with social worker to determine housing options				
24	Prenatal Nutrition Appointment with nutritionist to improve and support prenatal nutrition					
25	Gestational Diabetes Nutrition	Appointment with nutritionist to support nutrition in setting of gestational diabetes				

ServiceHistories						
serviceHistoryID	clientID	serviceID	employeeID	date		
26	1	22	11	04-03-2021		
27	2	21	13	03-29-2021		
28	3	23	14	04-05-2021		
29	4	24	12	04-12-2021		
30	4	25	12	04-13-2021		

AppointmentHistories							
apptHistoryID	clientID	perinatalApptID	providerID	date			
31	1	16	6	04-03-2021			
32	1	17	7	04-03-2021			
33	2	18	8	03-29-2021			
34	5	19	9	04-12-2021			
35	3	20	10	04-05-2021			


UI Screenshots

Providers Page

READ/BROWSE/DISPLAY Providers




CREATE/INSERT/ADD NEW Providers



UPDATE Providers



DELETE Providers




Clients Page


READ/BROWSE/DISPLAY Clients




CREATE/INSERT/ADD NEW Clients



UPDATE Clients




DELETE Clients



NonmedicalEmployees page

READ/BROWSE/DISPLAY NonmedicalEmployees



CREATE/INSERT/ADD NEW NonmedicalEmployees



UPDATE NonmedicalEmployees




DELETE NonmedicalEmployees




NonmedicalServices Page


READ/BROWSE/DISPLAY NonmedicalServices



CREATE/INSERT/ADD NEW NonmedicalServices



UPDATE NonmedicalServices



DELETE NonmedicalServices (confirmation alert and unsuccessful delete alert)




The selected service is associated with a service history and cannot be deleted

Close

ServiceHistories Page


READ/BROWSE/DISPLAY ServiceHistories



CREATE/INSERT/ADD NEW ServiceHistories



UPDATE ServiceHistories (UPDATE M:M Relationship)



DELETE ServiceHistories (DELETE M:M Relationship)

Are you sure you want to delete this history? ID: 30, Client:
Meredith Grey, Details: Gestational Diabetes Nutrition with Jo
Wilson on 04/13/21


Cancel OK

PerinatalAppointments Page


READ/BROWSE/DISPLAY Perinatal Appointments




CREATE/INSERT/ADD NEW PerinatalAppointments



UPDATE PerinatalAppointments



DELETE PerinatalAppointments (confirmation alert and unsuccessful delete alert)






AppointmentHistories Page

READ/BROWSE/DISPLAY AppointmentHistories



CREATE/INSERT/ADD NEW AppointmentHistories



UPDATE AppointmentHistories (UPDATE M:M Relationship)



DELETE AppointmentHistories (DELETE M:M Relationship)

