

Date : 4th - 08 - 2020

Morning Session : 9 am – 11.00 PM

By ~ Sundeep Charan Ramkumar Today

Topics: Project Deployment


<https://pages.github.com/>

Create a repository in github

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere? [Import a repository.](#)

Owner *

 yodraj-dendukuri-au8 ▼

Repository name *

/ yodrajdendukuri-au8.github.io ✓

Great repository names are short and memorable. Need inspiration? How about **stunning-carnival**?

Description (optional)

demo for projec



Public

Anyone on the internet can see this repository. You choose who can commit.



Private

You choose who can see and commit to this repository.

Skip this step if you're importing an existing repository.

☐ **Initialize this repository with a README**

This will let you immediately clone the repository to your computer.

Add .gitignore: None ▼

Add a license: None ▼



Create repository

Clone the repository

```
HARI MANGA@LAPTOP-D8S6GDS1 MINGW64 ~/Desktop
$ git clone git@github.com:yodraj-dendukuri-au8/yodrajdendukuri-au8.github.io.git
Cloning into 'gh-pages'...
warning: You appear to have cloned an empty repository.
HARI MANGA@LAPTOP-D8S6GDS1 MINGW64 ~/Desktop
$
```

Open that particular folder and create a file

```
HARI MANGA@LAPTOP-D8S6GDS1 MINGW64 ~/Desktop
$ cd gh-pages/

HARI MANGA@LAPTOP-D8S6GDS1 MINGW64 ~/Desktop/gh-pages (master)
$ touch index.html

HARI MANGA@LAPTOP-D8S6GDS1 MINGW64 ~/Desktop/gh-pages (master)
$ ls
index.html

HARI MANGA@LAPTOP-D8S6GDS1 MINGW64 ~/Desktop/gh-pages (master)
$ |
```

Hot to use vim?

Vim index.html

```
index.html [unix] (14:30 04/08/2020)
"index.html" 0L, 0C
```

Inorder to type something you need to press “ i “ key word

The mode has been changed to insert

```
index.html[+] [unix] (14:30 04/08/2020)
-- INSERT --
```

Start typing whatever you want..

```

MINGW64:/c:/Users/HARI MANGA/Desktop/gh-pages
<!DOCTYPE html/>
<html lang="en">
  <head><title>Document</title></head>
  <body><h1> welcome</h1></body>
</html>

```

And press Esc key to previous mode

Then type

~
~
~
~
: wq !

:wq! (write and quit) Press enter
It will auto exit

And if u open index.html file it is evaluated like



welcome

Then we have to make commit the changes

```
HARI MANGA@LAPTOP-D8S6GDS1 MINGW64 ~/Desktop/gh-pages (master)
$ git add .
warning: LF will be replaced by CRLF in index.html.
The file will have its original line endings in your working directory

HARI MANGA@LAPTOP-D8S6GDS1 MINGW64 ~/Desktop/gh-pages (master)
$ git commit -m "initial commit"
[master (root-commit) 704d40d] initial commit
1 file changed, 5 insertions(+)
create mode 100644 index.html

HARI MANGA@LAPTOP-D8S6GDS1 MINGW64 ~/Desktop/gh-pages (master)
$ git push git remote add origin git@github.com:yodraj-dendukuri-au8/yodrajdendukuri-au8.github.io.git
error: src refspec remote does not match any
error: src refspec add does not match any
error: src refspec origin does not match any
error: src refspec git@github.com does not match any
error: failed to push some refs to 'git'

HARI MANGA@LAPTOP-D8S6GDS1 MINGW64 ~/Desktop/gh-pages (master)
$ git push -u origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 314 bytes | 157.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
To github.com:yodraj-dendukuri-au8/yodrajdendukuri-au8.github.io.git
 * [new branch]      master -> master
Branch 'master' set up to track remote branch 'master' from 'origin'.

HARI MANGA@LAPTOP-D8S6GDS1 MINGW64 ~/Desktop/gh-pages (master)
$ |
```



yodraj-dendukuri-au8 initial commit

704d40d 2 minutes ago 1 commits



index.html

initial commit

2 minutes ago

Help people interested in this repository understand your project by adding a README.

Add a README