Date: 17-6-2020

Morning Session: 9am - 11 PM

By ~ Sundeep Charan Ramkumar Today

# Topics: Linters and ESLint

https://eslint.org/docs/user-guide/getting-started

### **Dev Depandance**

Steps:

Open Vs code → terminal

Npm init ↓

**Eslint Demo** ↓

Npm install parcel-bundler axios ↓

Npm install eslint --save-dev ↓

```
package.json > ..
       "description": "Introduction to Linters",
 4
 5
       "main": "app.js",
       ▶ Debua
 6
       "scripts": {
         "test": "echo \"Error: no test specified\" && exit 1"
 7
 8
       },
       "author": "Sundeep Charan Ramkumar",
 9
10
       "license": "ISC",
       "dependencies": {
11
         "axios": "^0.19.2",
12
         "parcel-bundler": "^1.12.4"
13
14
       },
       "devDependencies": {
15
         "eslint": "^7.2.0"
16
      }
17
18
19
```

#### It will ask some Questions?

## And Choose 3rd option 4

Choose Javascript modules ↓

Next Question choose none of these ↓

Next Question choose N ↓

**Next Question choose Browser**  ↓

Next Question choose use a popular style guide ↓

Next Question choose Airbnb ↓


**Next Question choose JSON √** 

**Next Question Choose Y ↓** 

```
},
"devDependencies": {
    "eslint": "^7.2.0",
    "eslint-config-airbnb-base": "^14.2.0",
    "eslint-plugin-import": "^2.21.2"
}
```

```
1
         "env": {
 2
 3
             "browser": true,
             "es2020": true
 4
         },
 5
 6
         "extends": [
 7
             "airbnb-base"
 8
         "parserOptions": {
 9
             "ecmaVersion": 11,
10
             "sourceType": "module"
11
         },
12
         "rules": {
13
14
15
16
```

#### Install Eslint Extension In VS Code



The setting below turns on Auto Fix for all providers including ESLint:

Open VS code Settings ↓

#### Click



## Copy below code

```
"editor.codeActionsOnSave": {
    "source.fixAll": true
}
```

Paste it in to setting.json ↓

# Change rules

```
},
"rules": {
    "quotes": ["error", "double"],
    "no-var": "off",
    "no-unused-vars": "off"
}
```

## Eslint app.js --fix ↓

```
var something = "string";

var sundeep = { name: "Sundeep", age: 21 };

var { name } = sundeep;

var { age } = sundeep;

function someFunc(a, b) {

   return a + b;
}
```

Resource : <a href="https://youtu.be/IHAeK8t94as">https://youtu.be/IHAeK8t94as</a>