

1 F - 1 3 9 2 1

Vonanda Sofa Assembly Instructions

Contact us: service@vonanda.com

Your any questions about delivery and product will be responded in 24 hours.


921 Vonanda Sofa Assembly Instructions




Sofa Installation Accessories



Seat Cushions*2




Back Cushion
Plates*2




Armrests*2



Back Cushions*2



Round Pillows*2



Side legs*4



Middle Legs*2



Screws*12




Screw-shims*4


Step 1

Seat Cushions & Sofa legs installation


① Put both 2 Seat Cushions in reverse, place with grooves and screw holes facing upwards. Tip: Before turning over, you can spread the cloth cover on the floor to ensure that the cushion is tidy.




② Align the side legs with the screw holes of the seat cushions and tighten up the screws.




③ Install 4 Sofa Side legs.




④ After these 2 Seat Cushions are installed, align the Middle legs of these 2 Seat Cushions with the holes, and add screw-shims before tightening the screws.






⑤ Install 2 sofa Middle Legs.




Step 2

Backrest plates installation


① Place the installed Seat Cushions.



- ② Distinguish the left & right sides according to Metal Buckle facing outward.



- ③ Align the metal buckle of the backrest with the buckle behind the seat bag and press it to the correct position.




Step 3


Armrests installation



① The armrest buckles are respectively aligned with the buckles on the side of the Seat & the Backrest.



- ② Align the inner metal buckles of the bottom plate and press them to the proper position.



- ③ Install another armrest in the same way.




Step 4


Round Pillows & Back Cushions installation

① Place two round pillows.



② Place the Back Cushions, zipper up the Back Cushions & the Back Cushion Plates.





③ Assembled complete.

