```
From mboxrd@z Thu Jan 1 00:00:00 1970
Return-Path: <users-return-57560-archive-asf-public=cust-asf.ponee.io@activemq.apache.o
X-Original-To: archive-asf-public@cust-asf.ponee.io
Delivered-To: archive-asf-public@cust-asf.ponee.io
Received: from mxout1-he-de.apache.org (mxout1-he-de.apache.org [95.216.194.37])
        by mx-eu-03.ponee.io (Postfix) with ESMTPS id B2E133E6B5
        for <archive-asf-public@cust-asf.ponee.io>; Tue, 22 Oct 2024 13:51:24 +0000 (UT
Received: from mail.apache.org (mailgw-he-de.apache.org [IPv6:2a01:4f8:c2c:d4aa::1])
        (using TLSv1.3 with cipher TLS_AES_256_GCM_SHA384 (256/256 bits)
         key-exchange X25519 server-signature RSA-PSS (4096 bits) server-digest SHA256)
        (No client certificate requested)
        by mxout1-he-de.apache.org (ASF Mail Server at mxout1-he-de.apache.org) with ES
MTPS id 8801863EE4
        for <archive-asf-public@cust-asf.ponee.io>; Tue, 22 Oct 2024 13:50:12 +0000 (UT
C)
Received: (qmail 99110 invoked by uid 998); 22 Oct 2024 13:50:10 -0000
Mailing-List: contact users-help@activemq.apache.org; run by ezmlm
Precedence: bulk
List-Help: <mailto:users-help@activemq.apache.org>
List-Unsubscribe: <mailto:users-unsubscribe@activemq.apache.org>
List-Post: <mailto:users@activemq.apache.org>
List-Id: <users.activemq.apache.org>
Reply-To: users@activemq.apache.org
Delivered-To: mailing list users@activemq.apache.org
Received: (qmail 99091 invoked by uid 116); 22 Oct 2024 13:50:09 -0000
Received: from spamproc1-he-de.apache.org (HELO spamproc1-he-de.apache.org) (116.203.19
6.100)
by apache.org (qpsmtpd/0.94) with ESMTP; Tue, 22 Oct 2024 13:50:09 +0000
Authentication-Results: apache.org; auth=none
Received: from localhost (localhost [127.0.0.1])
        by spamproc1-he-de.apache.org (ASF Mail Server at spamproc1-he-de.apache.org) w
ith ESMTP id 15B6820024D
        for <users@activemq.apache.org>; Tue, 22 Oct 2024 13:50:09 +0000 (UTC)
X-Virus-Scanned: Debian amavisd-new at spamproc1-he-de.apache.org
X-Spam-Flag: NO
X-Spam-Score: -0.141
X-Spam-Level:
X-Spam-Status: No, score=-0.141 tagged_above=-999 required=6.31
        tests=[DKIMWL_WL_HIGH=-0.144, DKIM_SIGNED=0.1, DKIM_VALID=-0.1,
        DKIM_VALID_AU=-0.1, DKIM_VALID_EF=-0.1, HTML_MESSAGE=0.2,
        RCVD_IN_DNSWL_BLOCKED=0.001, RCVD_IN_VALIDITY_RPBL_BLOCKED=0.001,
        RCVD_IN_VALIDITY_SAFE_BLOCKED=0.001, SPF_PASS=-0.001,
        URIBL_BLOCKED=0.001] autolearn=disabled
Authentication-Results: spamproc1-he-de.apache.org (amavisd-new);
        dkim=pass (1024-bit key) header.d=ti.com
Received: from mx1-he-de.apache.org ([116.203.227.195])
        by localhost (spamproc1-he-de.apache.org [116.203.196.100]) (amavisd-new, port
10024)
        with ESMTP id OBq7KkpuZjGt for <users@activemq.apache.org>;
        Tue, 22 Oct 2024 13:50:07 +0000 (UTC)
Received-SPF: Pass (mailfrom) identity=mailfrom; client-ip=198.47.19.142; helo=fllv0016
.ext.ti.com; envelope-from=emacias@ti.com; receiver=<UNKNOWN>
Received: from fllv0016.ext.ti.com (fllv0016.ext.ti.com [198.47.19.142])
        by mx1-he-de.apache.org (ASF Mail Server at mx1-he-de.apache.org) with ESMTPS i
d 6FBE1816B4
        for <users@activemq.apache.org>; Tue, 22 Oct 2024 13:50:07 +0000 (UTC)
Received: from lelv0266.itg.ti.com ([10.180.67.225])
        by fllv0016.ext.ti.com (8.15.2/8.15.2) with ESMTP id 49MDnxG5036356
        for <users@activemq.apache.org>; Tue, 22 Oct 2024 08:49:59 -0500
X-ASF-DKIM-Sig: v=1; a=rsa-sha256; c=relaxed/relaxed; d=ti.com;
        s=ti-com-17Q1; t=1729604999;
```

bh=8SGvAWx6bpB7cTsAJfgxI7UIMn/OXgse1o8pmG5eMgY=; h=From:To:Subject:Date:References:In-Reply-To; b=y5NPenbXOdyUioiMWFOXNxZLs//A0/snXZiYyhLxWWuJPzj1zhGdSy3wAq2FLM4d6 J8jcwbk115cNAQwyLrKBvP+9oGr+MP3bMlRdwp0QysM/yr/ApRT2XwKMtnta/lr2e7 5YaL7UPNpA/9ZKhMjrtVnx4XEaQ1IL+8nb6ZzTJs= Received: from DLEE102.ent.ti.com (dlee102.ent.ti.com [157.170.170.32]) by lelv0266.itg.ti.com (8.15.2/8.15.2) with ESMTP id 49MDnxDV089639 for <users@activemq.apache.org>; Tue, 22 Oct 2024 08:49:59 -0500 Received: from DLEE106.ent.ti.com (157.170.170.36) by DLEE102.ent.ti.com (157.170.170.32) with Microsoft SMTP Server (version=TLS1\_2, cipher=TLS\_ECDHE\_RSA\_WITH\_AES\_128\_CBC\_SHA256\_P256) id 15.1.2507.23; Tue, 22 Oct 2024 08:49:59 -0500 Received: from DLEE106.ent.ti.com ([fe80::8d93:1ed8:6156:7891]) by DLEE106.ent.ti.com ([fe80::8d93:1ed8:6156:7891%17]) with mapi id 15.01.2507.023; Tue, 22 Oct 2024 08:49:59 -0500 From: "Macias, Erick" <emacias@ti.com.INVALID> To: "users@activemq.apache.org" <users@activemq.apache.org> Subject: ActiveMQ ERROR Question Thread-Topic: ActiveMQ ERROR Question Thread-Index: AdsZqGlrZ6VSVL79TO2CriGNIRyOSQK4MjeA Date: Tue, 22 Oct 2024 13:49:58 +0000 Message-ID: <2b3ff3b259c745ccba720713da0e048d@ti.com> References: <9b72557f65dd4f1f91f6ef666a97a9af@ti.com> In-Reply-To: <9b72557f65dd4f1f91f6ef666a97a9af@ti.com> Accept-Language: en-US Content-Language: en-US X-MS-Has-Attach: X-MS-TNEF-Correlator: x-originating-ip: [10.249.37.18] x-c2processedorg: 333ef613-75bf-4e12-a4b1-8e3623f5dcea Content-Type: multipart/alternative; boundary="\_000\_2b3ff3b259c745ccba720713da0e048dticom\_" MIME-Version: 1.0 --\_000\_2b3ff3b259c745ccba720713da0e048dticom\_ Content-Type: text/plain; charset="us-ascii" Content-Transfer-Encoding: quoted-printable

Hello,

We had a strange error on ActiveMQ last week, and wanted to check if someon= e has experienced this before.

## Background

A couple of weeks ago we patched the ActiveMQ Prod VMs, after they were restarted the wrong configuration was setup causing a "Split brain" problem be etween the master and the slave.

To troubleshoot the invalid configuration before going to production we had-2 test VMs created to verify the update process from the previous (static = configuration) the new configuration using Multi Cast. The testing worked as expected and we were ready to update the configuration on production.

On Sept 27th the correct configuration was (same as you are currently using=) we ended up having 2 masters and 2 slaves on at the same time - this happ= ened because the test VMs had not been turned off yet. When we realized thi=s, we turned the test VMs immediately. There were no errors or warnings in = the ActiveMQ or Activity Manager logs, thus we thought there would not be a= n issue.

A couple days after (Oct 1st) the test VMs were decommissioned, and ERRORs = started being generated in the ActiveMQ logs, because it could not find the test VMs:

```
Example Error Message
2024-10-01 12:40:19,056 ERROR [org.apache.activemq.artemis.core.client] AMQ=
214016: Failed to create netty connection
java.net.UnknownHostException: amg11test
        at java.net.InetAddress$CachedAddresses.get(InetAddress.java:797) ~=
[?:?]
        at java.net.InetAddress.getAllByName0(InetAddress.java:1533) ~[?:?]
        at java.net.InetAddress.getAllByName(InetAddress.java:1386) ~[?:?]
        at java.net.InetAddress.getAllByName(InetAddress.java:1307) ~[?:?]
        at java.net.InetAddress.qetByName(InetAddress.java:1257) ~[?:?]
        at io.netty.util.internal.SocketUtils$8.run(SocketUtils.java:156) ~=
[netty-common-4.1.86.Final.jar:4.1.86.Final]
        at io.netty.util.internal.SocketUtils$8.run(SocketUtils.java:153) ~=
[netty-common-4.1.86.Final.jar:4.1.86.Final]
        at java.security.AccessController.doPrivileged(Native Method) ~[?:?=
]
        . . . .
```

On Oct 3rd at 8:15 AM the program scheduling work continued communicating w= ith ActiveMQ, however no jobs were being pulled from the ActiveMQ queues. T= he logs on the ActiveMQ only included the previous error I had included, an= d there were no errors on program scheduling work.

## Solution

Precedence: bulk

- \* Restarted the master ActiveMQ this solved the Failed to create nett= y connection ERROR
- \* Added a monitor (checkAMQLog) script to Active MQ to get notified if= an ERROR or warning is triggered
- \* For future ActiveMQ debugging in test VMs -use a different port for t= roubleshooting

We are working to perform a root cause analysis on this issue - however we = are not able to find a specific error in the artemis log when the jobs stop= ped being pulled from the queue. Please let me know if this behavior is exp= ected or additional commands that can be used to troubleshoot in future if = it were to happen again.

Mailing-List: contact users-help@activemq.apache.org; run by ezmlm

```
Thanks for your help!
Erick
--_000_2b3ff3b259c745ccba720713da0e048dticom_--
From mboxrd@z Thu Jan 1 00:00:00 1970
Return-Path: <users-return-57563-archive-asf-public=cust-asf.ponee.io@activemq.apache.o
rq>
X-Original-To: archive-asf-public@cust-asf.ponee.io
Delivered-To: archive-asf-public@cust-asf.ponee.io
Received: from mxout1-he-de.apache.org (mxout1-he-de.apache.org [95.216.194.37])
        by mx-eu-03.ponee.io (Postfix) with ESMTPS id 5E7793E817
        for <archive-asf-public@cust-asf.ponee.io>; Tue, 22 Oct 2024 15:42:44 +0000 (UT
C)
Received: from mail.apache.org (mailgw-he-de.apache.org [IPv6:2a01:4f8:c2c:d4aa::1])
        (using TLSv1.3 with cipher TLS_AES_256_GCM_SHA384 (256/256 bits)
         key-exchange X25519 server-signature RSA-PSS (4096 bits) server-digest SHA256)
        (No client certificate requested)
        by mxout1-he-de.apache.org (ASF Mail Server at mxout1-he-de.apache.org) with ES
MTPS id 348DD641BE
        for <archive-asf-public@cust-asf.ponee.io>; Tue, 22 Oct 2024 15:42:44 +0000 (UT
C)
Received: (qmail 479476 invoked by uid 998); 22 Oct 2024 15:42:43 -0000
```

```
List-Help: <mailto:users-help@activemq.apache.org>
List-Unsubscribe: <mailto:users-unsubscribe@activemq.apache.org>
List-Post: <mailto:users@activemq.apache.org>
List-Id: <users.activemq.apache.org>
Reply-To: users@activemq.apache.org
Delivered-To: mailing list users@activemq.apache.org
Received: (qmail 479459 invoked by uid 116); 22 Oct 2024 15:42:43 -0000
Received: from mailrelay1-he-de.apache.org (HELO mailrelay1-he-de.apache.org) (116.203.
by apache.org (qpsmtpd/0.94) with ESMTP; Tue, 22 Oct 2024 15:42:43 +0000
Authentication-Results: apache.org; auth=none
Received: from mail-lj1-f173.google.com (mail-lj1-f173.google.com [209.85.208.173])
        by mailrelay1-he-de.apache.org (ASF Mail Server at mailrelay1-he-de.apache.org)
 with ESMTPSA id DE1913EBFE
        for <users@activemq.apache.org>; Tue, 22 Oct 2024 15:42:42 +0000 (UTC)
Received: by mail-lj1-f173.google.com with SMTP id 38308e7fff4ca-2fb587d0436so56694981f
a.2
        for <users@activemq.apache.org>; Tue, 22 Oct 2024 08:42:42 -0700 (PDT)
X-Gm-Message-State: AOJu0YzLAKWmd6XLWJznKik8KptmLtoIcQHSuPZWQuHTRGrt6aKVge/w
        DHrdDbWxi8Q2brFWq/Ao8WXrwf3jn2X8cuoqO3qKyakqWPiSeykWFs1pVoqGH1OmQbEQN9W1PYU
        UF/7vrZM0BEqdMahZKHsHH2i9raI/y3mY1KCY5Q==
X-Google-Smtp-Source: AGHT+IHFInNEIV/MR8G4w2XicXv/pNxjUEMkchB1012T88RpFRr8pJ1UFKS5F/fLj
P2v98uipiemwuu6pf0jpSU0stU=
X-Received: by 2002:a2e:b8c6:0:b0:2fb:3c44:7f8b with SMTP id
 38308e7fff4ca-2fb83226eb4mr75579591fa.43.1729611762425; Tue, 22 Oct 2024
 08:42:42 -0700 (PDT)
MIME-Version: 1.0
References: <9b72557f65dd4f1f91f6ef666a97a9af@ti.com> <2b3ff3b259c745ccba720713da0e048d
@ti.com>
In-Reply-To: <2b3ff3b259c745ccba720713da0e048d@ti.com>
From: Justin Bertram < jbertram@apache.org>
Date: Tue, 22 Oct 2024 10:42:16 -0500
X-Gmail-Original-Message-ID: <CAF+kE=Sek=q0iLrD3w5Gcf20fzvUf8CTwZ_frKCqKejRTUw4TQ@mail.
qmail.com>
Message-ID: <CAF+kE=Sek=g0iLrD3w5Gcf20fzvUf8CTwZ_frKCgKejRTUw4TQ@mail.gmail.com>
Subject: Re: ActiveMQ ERROR Question
To: "users@activemq.apache.org" <users@activemq.apache.org>
Content-Type: multipart/alternative; boundary="0000000000005319d10625129e2e"
--0000000000000b319d10625129e2e
Content-Type: text/plain; charset="UTF-8"
Content-Transfer-Encoding: quoted-printable
Can you provide your <cluster-connections> from broker.xml? I suspect
you're using the default <reconnect-attempts> value of -1 which means that
when a broker drops out of the cluster the other nodes to which the node
```

was previously connected will attempt to reconnect forever and, in the meantime, will continue routing messages for that node to the internal store-and-forward queue.

Also, if you're using multicast discovery then you're likely sharing the same multicast address and port between your different environments (e.g. dev & prod) which typically isn't desirable as it allows cross-environment clustering like you're seeing.

Lastly, if you experienced split-brain then I suspect you're using replication for HA. If that's true then you should definitely be mitigating split-brain as discussed in the documentation [1].

https://activemq.apache.org/components/artemis/documentation/latest/network=-isolation.html#network-isolation-split-brain

```
On Tue, Oct 22, 2024 at 8:51=E2=80=AFAM Macias, Erick <emacias@ti.com.inval=
id>
wrote:
> Hello,
> We had a strange error on ActiveMQ last week, and wanted to check if
> someone has experienced this before.
> Background
> A couple of weeks ago we patched the ActiveMQ Prod VMs, after they were
> restarted the wrong configuration was setup causing a "Split brain"
> problem between the master and the slave.
> To troubleshoot the invalid configuration before going to production we
> had 2 test VMs created to verify the update process from the previous
> (static configuration) the new configuration using Multi Cast. The testin=
> worked as expected and we were ready to update the configuration on
> production.
> On Sept 27th the correct configuration was (same as you are currently
> using) we ended up having 2 masters and 2 slaves on at the same time - th=
is
> happened because the test VMs had not been turned off yet. When we realiz=
ed
> this, we turned the test VMs immediately. There were no errors or warning=
> in the ActiveMQ or Activity Manager logs, thus we thought there would not
> be an issue.
> A couple days after (Oct 1st) the test VMs were decommissioned, and ERROR=
> started being generated in the ActiveMQ logs, because it could not find t=
he
> test VMs:
> Example Error Message
> 2024-10-01 12:40:19,056 ERROR [org.apache.activemq.artemis.core.client]
> AMQ214016: Failed to create netty connection
> java.net.UnknownHostException: amq11test
          at java.net.InetAddress$CachedAddresses.get(InetAddress.java:797)
  ~[?:?]
>
>
          at java.net.InetAddress.getAllByName0(InetAddress.java:1533) ~[?:=
?]
>
          at java.net.InetAddress.getAllByName(InetAddress.java:1386) ~[?:?=
]
          at java.net.InetAddress.getAllByName(InetAddress.java:1307) ~[?:?=
]
          at java.net.InetAddress.getByName(InetAddress.java:1257) ~[?:?]
>
          at io.netty.util.internal.SocketUtils$8.run(SocketUtils.java:156)
  [netty-common-4.1.86.Final.jar:4.1.86.Final]
          at io.netty.util.internal.SocketUtils$8.run(SocketUtils.java:153)
  [netty-common-4.1.86.Final.jar:4.1.86.Final]
>
          at java.security.AccessController.doPrivileged(Native Method)
>
  ~[?:?]
>
>
> On Oct 3rd at 8:15 AM the program scheduling work continued communicating
```

--0000000000000b319d10625129e2e--

```
> with ActiveMQ, however no jobs were being pulled from the ActiveMQ queues=
> The logs on the ActiveMQ only included the previous error I had included,
> and there were no errors on program scheduling work.
> Solution
      Restarted the master ActiveMQ - this solved the Failed to create
>
> netty connection ERROR
      Added a monitor (checkAMQLog) script to Active MQ to get notified
> if an ERROR or warning is triggered
   * For future ActiveMQ debugging in test VMs -use a different port for
> troubleshooting
> We are working to perform a root cause analysis on this issue - however w=
е
> are not able to find a specific error in the artemis log when the jobs
> stopped being pulled from the queue. Please let me know if this behavior =
is
> expected or additional commands that can be used to troubleshoot in futur=
> if it were to happen again.
> Thanks for your help!
> Erick
```